



GENERAL TOLERANCE					
	G	H	J	K	L
~ 8	±0.1	±0.1	±0.2	±0.2	±0.4
8up ~ 25	±0.15	±0.15	±0.3	±0.3	±0.6
25up ~ 80	±0.2	±0.25	±0.4	±0.5	±0.8
80up ~ 250	±0.3	±0.4	±0.6	±0.8	±1.2
250over	±0.6	±0.8	±1.0	±1.5	±2.0

DO NOT SCALE DRAWING



(INDICATION OF SERIAL NO.)

XXXXXXXXXX



CAUTION:
MATERIAL MUST BE MET DIRECTIVE 94/62/EC AS FOLLOWS;
THE FOLLOWING SUBSTANCE TOTAL CONTENTS SHOULD BE LESS THAN 100ppm
(1) Cadmium and Cadmium Compounds
(2) Hexavalent Chromium Compounds
(3) Lead and Lead Compounds
(4) Mercury and Mercury Compounds
MATERIAL MUST BE MET DIRECTIVE 2002/95/EC(RoHS) AS FOLLOWS
THE FOLLOWING SUBSTANCE EACH CONTENT SHOULD BE LESS THAN 1000ppm
(5) Polybrominated Biphenyls(PBBs)
(6) Polybrominated Diphenyl ethers(PBDEs)
At the time of parts approval request you have to prove and gurantee that the material comply with the above requirement by attaching SAMPLE and 'GREEN PROCUREMENT BASIC INFORMATION SURVEY (CHEMICAL SUBSTANCE) TABLE' When material is changed after parts approval,if necessary to do same thing again.

NOTE

1. MATERIAL : POLYESTER TACK FORM SILVER t=0.1
2. PRINT COLOR : BACKGROUND:BLACK
SILVER (LETTER)
3. ARTWORK : DATA:D*****
4. LAMINATE : POLYPROPYLENE (GLOSS) CLEAR t=0.025
5. ADHESIVE STRENGTH : MORE THAN 1000g/25mm (180 PEEL OFF TEST)

												CAUTION: Approval sample must be submitted for Uniden(ENG) approval. Using any materials in this drawing before Uniden(ENG) approval is prohibited.											
REV.MARK	CONTENS	REVISED	CHECKED	APPV'D	APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY															
DRAWING ISSUE STAMP				ENG'G. DIM. REQMT. FOR UNIDEN IQC INSP				<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				EBASHI Nov.13'19				KURIH Nov.13'19				KURIH Nov.13'19			
ANGLE		UNITS		TOLERANCE		SCALE		MODEL		PARTS NAME													
		mm		/		2:1		UB371B		LABEL ID													
MOLD CAVITIES		TOOL CODE		BASIC MODEL		BASIC PARTS CODE		PARTS CODE		XXX100000ZZ													
ISSUE DATE :		pcs																					