



8.681 PE-1414



NOTE 1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED.  
 2. RESISTOR WATTAGES ARE 1/16W UNLESS OTHERWISE NOTED.  
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED.  
 (P=MICRO-MICRO FARAD)  
 4. SCHEMATIC DIAGRAM NOT SPECIFIED IN THIS LIST PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.

DESIGN	9/8/3/21	MODEL NO.
CHECK BY	H. OHNO	TITLE
APPRO. BY		PORT RF
		SCHEMATIC DIAGRAM
		DRAWING NO.
REV. NO.		UNIDEN CORP.





NOTE: 1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED.  
 2. RESISTOR WATTAGES ARE 1/16W UNLESS OTHERWISE NOTED.  
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED.  
 4. CHIP PARTS ARE NOT SPECIFIED IN THIS SCHEMATIC. REFER TO THE PARTS LIST FOR THE CHIP PARTS.

DESIGN	98/3/18	UNIDEN No.	MODEL No.
CHECKED BY	H. OHNO	TITLE	BASE RF
APPROVED BY		SCHEMATIC DIAGRAM	
REV. No		DRAWING No.	
			UNIDEN CORP.

