





- NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILLO OHM, M=MEG OHM)
 2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=PICTO-MICRO FARAD)
 4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
 5. CHIP CAPACITORS TYPE ARE [1608] UNLESS OTHERWISE NOTED.

DATE	DRAWN BY	REVISION No.	Model No.
8/2/85/24	8/2/85/15	UC790BH	EXP9308
KUR1	KOYASU	TITLE: BASE MAIN	
DSECI, 8V	APPRO, 8V	SCHEMATIC DIAGRAM	
		DRAWING No.	
REV No.			UNIDEN CORP.


B201 PE-1B32




NOTES:

1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED (P=MICRO-MICRO FARAD)
4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
5. CHIP CAPACITORS TYPE ARE [1005] UNLESS OTHERWISE NOTED.

DESIGN	DRAWN BY	UNIDEN No	MODEL No
	02/07/02	UC790BH	EXP9300
		TITLE BASE RF	
CHECK BY	APPRO. BY	SCHEMATIC DIAGRAM	
		DRAWING No.	
		UNIDEN CORP.	




DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
02/06/24	02/08/13	UC7901H	EXP9300
KURJ	KOYASU	TITLE PORTABLE MAIN ASSY	
CHECK BY	APPROV BY	SCHEMATIC DIAGRAM	
		DRAWING No.	
REV No		UNIDEN CORP.	



NOTES:

1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILLO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE [INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)]
5. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS
6. CHIP CAPACITORS TYPE ARE [1005] UNLESS OTHERWISE NOTED

DESIGN	DRAWN BY	UNIDEN No	MODEL No
	02/07/18	UC7901H	EXP9300
	KOYASU	TITLE PORT RF	
CHECK BY	APPRO. BY	SCHEMATIC DIAGRAM	
		DRAWING No.	
REV. No		UNIDEN CORP.	



NOTES:

1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
2. RESISTOR WATTAGES ARE [1/16W] UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)
4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING PLEASE REFER TO THE PARTS LIST FOR THE CHIP PARTS.
5. CHIP CAPACITORS TYPE ARE [1608] UNLESS OTHERWISE NOTED.

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
	'02.08.15	UC790BH	EXP9300
	KOYASU	TITLE CHARGER	
CHECK. BY	APPRO. BY	SCHEMATIC DIAGRAM	
		DRAWING No	
REV. No		UNIDEN CORP.	