

| Test Report S/N: | 061705AMW-T649-S95U | | |
|------------------|-----------------------|---------|--|
| Test Date(s): | June 20, 2005 | Issue 1 | |
| Test Type: | FCC/IC SAR Evaluation | | |

APPENDIX E - SYSTEM VALIDATION

| Applicant: | Uniden A | merica Corporation FCC ID: AMWUT005 | | IC ID: 513C-UT005 | | | | |
|-----------------|-----------|--|----------------------------|-------------------|-------------------------|----------|--|--|
| Model: | GMR638-2 | Portable FM UHF FRS/ | GMRS PTT Radio Transceiver | | 462.5500 - 467.7125 MHz | | | |
| 2005 Celltech I | _abs Inc. | This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc. | | | | 36 of 37 | | |



450 MHz SYSTEM VALIDATION DIPOLE

| Туре: | 450 MHz Validation Dipole | | |
|-----------------------|---------------------------|--|--|
| Serial Number: | 136 | | |
| Place of Calibration: | Celltech Labs Inc. | | |
| Date of Calibration: | November 4, 2004 | | |

Celltech Labs Inc. hereby certifies that this device has been calibrated on the date indicated above.

Calibrated by:

Spencer Watton

Approved by:

Kussell W. Pupe



1. Dipole Construction & Electrical Characteristics

The validation dipole was constructed in accordance with the IEEE Std "Recommended Practice for Determining the Spatial-Peak Specific Absorption Rate (SAR) in the Human Body Due to Wireless Communications Devices: Experimental Techniques". The electrical properties were measured using an HP 8753E Network Analyzer. The network analyzer was calibrated to the validation dipole N-type connector feed point using an HP85032E Type N calibration kit. The dipole was placed parallel to a planar phantom at a separation distance of 15.0mm from the simulating fluid using a loss-less dielectric spacer. The measured input impedance is:

| Feed point impedance at 450MHz | Re{Z} = 54.041Ω |
|--------------------------------|-----------------|
| | lm{Z} = 5.5258Ω |
| Return Loss at 450MHz | -23.744dB |









2. Validation Dipole Dimensions

| Frequency (MHz) | L (mm) | h (mm) | d (mm) |
|-----------------|--------|--------|--------|
| 300 | 420.0 | 250.0 | 6.2 |
| 450 | 288.0 | 167.0 | 6.2 |
| 835 | 161.0 | 89.8 | 3.6 |
| 900 | 149.0 | 83.3 | 3.6 |
| 1450 | 89.1 | 51.7 | 3.6 |
| 1800 | 72.0 | 41.7 | 3.6 |
| 1900 | 68.0 | 39.5 | 3.6 |
| 2000 | 64.5 | 37.5 | 3.6 |
| 2450 | 51.8 | 30.6 | 3.6 |
| 3000 | 41.5 | 25.0 | 3.6 |

3. Validation Phantom

The validation phantom was constructed using relatively low-loss tangent Plexiglas material. The inner dimensions of the phantom are as follows:

| Length: | 83.5 cm |
|---------|---------|
| Width: | 36.9 cm |
| Height: | 21.8 cm |

The bottom section of the validation phantom is constructed of 6.2 ± 0.1 mm Plexiglas.



4. Dimensions of Plexiglas Planar Phantom







5. 450 MHz System Validation Setup





450 MHz Validation Dipole Setup





6. Measurement Conditions

The planar phantom was filled with brain simulating tissue having the following parameters at 450 MHz:

| Relative Permittivity: | 42.9 |
|------------------------|------------|
| Conductivity: | 0.85 mho/m |
| Fluid Temperature: | 21.9 °C |
| Fluid Depth: | ≥ 15.0 cm |

Environmental Conditions:

| Ambient Temperature: | 22.4 °C |
|----------------------|-----------|
| Humidity: | 31 % |
| Barometric Pressure: | 103.2 kPa |

The 450 MHz simulated brain tissue mixture consists of the following ingredients:

| Ingredient | Percentage by weight |
|--|---------------------------------------|
| Water | 38.56% |
| Sugar | 56.32% |
| Salt | 3.95% |
| HEC | 0.98% |
| Dowicil 75 | 0.19% |
| 450 MHz Target Dielectric Parameters at 22 °C | ε _r = 43.5 σ = 0.87 S/m |



7. SAR Measurement

The SAR measurement was performed with the E-field probe in mechanical detection mode only. The setup and determination of the forward power into the dipole was performed using the following procedures.



First the power meter PM1 (including attenuator Att1) is connected to the cable to measure the forward power at the location of the dipole connector (X). The signal generator is adjusted for the desired forward power at the dipole connector (taking into account the attenuation of Att1) as read by power meter PM2. After connecting the cable to the dipole, the signal generator is readjusted for the same reading at power meter PM2. If the signal generator does not allow adjustment in 0.01dB steps, the remaining difference at PM2 must be taken into consideration. PM3 records the reflected power from the dipole to ensure that the value is not changed from the previous value. The reflected power should be 20dB below the forward power.



8. Validation Dipole SAR Test Results

Ten SAR measurements were performed in order to achieve repeatability and to establish an average target value.

| Validation Measurement | SAR @ 0.25W Input averaged over 1g | SAR @ 1W Input averaged over 1g | SAR @ 0.25W Input averaged over 10g | SAR @ 1W Input averaged over 10g | Peak SAR @ 0.25W Input |
|---------------------------|--|---------------------------------------|---|--|---------------------------|
| Test 1 | 1.22 | 4.88 | 0.782 | 3.128 | 1.29 |
| Test 2 | 1.23 | 4.92 | 0.791 | 3.164 | 1.30 |
| Test 3 | 1.23 | 4.92 | 0.789 | 3.156 | 1.30 |
| Test 4 | 1.23 | 4.92 | 0.790 | 3.160 | 1.31 |
| Test 5 | 1.24 | 4.96 | 0.793 | 3.172 | 1.31 |
| Test 6 | 1.24 | 4.96 | 0.792 | 3.168 | 1.31 |
| Test 7 | 1.23 | 4.92 | 0.791 | 3.164 | 1.31 |
| Test 8 | 1.23 | 4.92 | 0.789 | 3.156 | 1.30 |
| Test 9 | 1.24 | 4.96 | 0.791 | 3.164 | 1.31 |
| Test 10 | 1.23 | 4.92 | 0.789 | 3.156 | 1.31 |
| Average Value | 1.23 | 4.93 | 0.790 | 3.16 | 1.31 |

The results have been normalized to 1W (forward power) into the dipole.

IEEE Target over 1 cm^3 (1g) of tissue: 4.9 mW/g (+/- 10%)

```
Averaged over 1cm (1g) of tissue: 4.93 mW/g (deviation +0.6%)
```

IEEE Target over 10cm³ (10g) of tissue: 3.3 mW/g (+/- 10%)

Averaged over 10cm (10g) of tissue: 3.16 mW/g (deviation -4.2%)



450 MHz System Validation - November 4, 2004

DUT: Dipole 450 MHz; Model: D450V2; Serial: 136; Calibrated: 11/04/2004

Ambient Temp: 22.4 °C; Fluid Temp: 21.9 °C; Barometric Pressure: 103.2 kPa; Humidity: 31%

Communication System: CW

Frequency: 450 MHz; Duty Cycle: 1:1

Medium: HSL450 (σ = 0.85 mho/m; ϵ_r = 42.9; ρ = 1000 kg/m³)

- Probe: ET3DV6 - SN1387; ConvF(7.5, 7.5, 7.5); Calibrated: 18/03/2004

- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn370; Calibrated: 14/05/2004
- Phantom: Validation Planar; Type: Plexiglas; Serial: 137
- Measurement SW: DASY4, V4.3 Build 22; Postprocessing SW: SEMCAD, V1.8 Build 127

450 MHz System Validation/Area Scan (6x11x1): Measurement grid: dx=15mm, dy=15mm

450 MHz System Validation/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.3 V/m; Power Drift = -0.1 dB Peak SAR (extrapolated) = 2.15 W/kg **SAR(1 g) = 1.22 mW/g; SAR(10 g) = 0.782 mW/g**

450 MHz System Validation/Zoom Scan 2 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.2 V/m; Power Drift = -0.0 dB Peak SAR (extrapolated) = 2.16 W/kg **SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.791 mW/g**

450 MHz System Validation/Zoom Scan 3 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.1 V/m; Power Drift = -0.004 dB Peak SAR (extrapolated) = 2.16 W/kg SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.789 mW/g

450 MHz System Validation/Zoom Scan 4 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.2 V/m; Power Drift = -0.0 dB Peak SAR (extrapolated) = 2.18 W/kg **SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.790 mW/g**

450 MHz System Validation/Zoom Scan 5 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.2 V/m; Power Drift = 0.009 dB Peak SAR (extrapolated) = 2.18 W/kg **SAR(1 g) = 1.24 mW/g; SAR(10 g) = 0.793 mW/g**

450 MHz System Validation/Zoom Scan 6 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.1 V/m; Power Drift = 0.007 dB Peak SAR (extrapolated) = 2.18 W/kg **SAR(1 g) = 1.24 mW/g; SAR(10 g) = 0.792 mW/g**

450 MHz System Validation/Zoom Scan 7 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.2 V/m; Power Drift = 0.004 dB Peak SAR (extrapolated) = 2.18 W/kg SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.791 mW/g

450 MHz System Validation/Zoom Scan 8 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.2 V/m; Power Drift = 0.0 dB Peak SAR (extrapolated) = 2.16 W/kg SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.789 mW/g

450 MHz System Validation/Zoom Scan 9 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.4 V/m; Power Drift = 0.0 dB Peak SAR (extrapolated) = 2.19 W/kg SAR(1 g) = 1.24 mW/g; SAR(10 g) = 0.791 mW/g

450 MHz System Validation/Zoom Scan 10 (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 39.1 V/m; Power Drift = 0.007 dB Peak SAR (extrapolated) = 2.16 W/kg **SAR(1 g) = 1.23 mW/g; SAR(10 g) = 0.789 mW/g**





1 g average of 10 measurements: 1.23 mW/g 10 g average of 10 measurements: 0.790 mW/g



450MHz System Validation Measured Fluid Dielectric Parameters (Brain) November 04, 2004

| Frequency | e' | e" |
|-----------------------------|----------------------|----------------------|
| 350.000000 MHz | 45.3974 | 39.4988 |
| 360.000000 MHz | 45.0834 | 38.7858 |
| 370.000000 MHz | 44.8651 | 38.1777 |
| 380.000000 MHz | 44.6622 | 37.6103 |
| 390.000000 MHz | 44.3761 | 37.1472 |
| 400.000000 MHz | 44.1745 | 36.5919 |
| 410.000000 MHz | 43.8392 | 36.0417 |
| 420.000000 MHz | 43.6277 | 35.5608 |
| 430.000000 MHz | 43.3443 | 34.9958 |
| 440.000000 MHz | 43.1200 | 34.5629 |
| <mark>450.000000 MHz</mark> | <mark>42.8999</mark> | <mark>34.1583</mark> |
| 460.000000 MHz | 42.7154 | 33.7478 |
| 470.000000 MHz | 42.4773 | 33.4083 |
| 480.000000 MHz | 42.2998 | 33.0563 |
| 490.000000 MHz | 42.0302 | 32.7340 |
| 500.000000 MHz | 41.8641 | 32.3576 |
| 510.000000 MHz | 41.6518 | 31.9703 |
| 520.000000 MHz | 41.4863 | 31.6232 |
| 530.000000 MHz | 41.2685 | 31.3144 |
| 540.000000 MHz | 41.1027 | 30.8977 |
| 550.000000 MHz | 40.9455 | 30.6347 |
| | | |