

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

COMPLIANCE TEST REPORT		FCC PART 95D RSS-236		EMC/RF MEASUREMENT REPORT	
Test Lab Information	Name	CELLTECH LABS INCORPORATED			
	Address	21-364 Lougheed Road, Kelowna, British Columbia V1X 7R8 Canada			
Test Lab Accreditation(s)	A2LA	ISO 17025:2005 (A2LA Test Lab Certificate No. 2470.01)			
Test Site Registration No.	FCC	Accredited Site			
	IC	3874A-1			
Applicant Information	Name	UNIDEN AMERICA CORPORATION			
	Address	6225 North State Highway 161, Suite 300 Irving, Texas 75038			
Measurement Standard(s) & Procedure(s) Applied	FCC Ind. Can.	47 CFR Part 95 Subpart D RSS-236			
	ANSI	TIA/EIA-382-A	C63.4-2003		
Device Classification(s)	FCC/IC	Licensed Non-Broadcast Station Transmitter (TNF)			
Device RF Exposure Category	FCC	Mobile			
Device Identifier(s)	FCC ID: Ind. Can.	AMWUT401 513C-UT401			
Application Type	FCC/IC	Certification			
Device Under Test (DUT)	Portable CB Radio Transceiver.				
Date(s) of Evaluation	21st Mar- 25th Mar 2014				
Device Model(s)	PRO401HH				
Test Sample Serial No.(s)	TA Sample - Identical Prototype				
Transmit Frequency Range(s)	26.965 - 27.405 MHz				
Channels	1-40				
Rated MAX. TX Power	4W (36dBm)				
Modulation Type(s)	AM				
Emission Designator(s)	6K00A3E				
Antenna	External Whip, -10 dBi.				
Power Source(s) Tested	12 VDC Battery, DC Power Supply (13.8 V) / 9 x 1.5VDC cells (13.5VDC).				
This wireless device has demonstrated compliance with the applicable technical standards indicated in the measurement report and was tested in accordance with the measurement procedures specified in FCC 47 CFR Rule Parts 2, Part 15B and Part 95D, RSS-236, RSS-GEN ANSI TIA/EIA-382-A and ANSI C63.4-2003. I attest to the accuracy of data. All measurements were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them. The results and statements contained in this report pertain only to the device(s) evaluated. This test report shall not be reproduced partially, or in full, without the prior written approval of Celltech Labs Inc.					
Test Report Approved By		Glen Westwell	4/4/2014	Celltech Labs Inc.	

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 1 of 32						

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

TABLE OF CONTENTS

1.0 SCOPE	5
2.0 REFERENCES	5
2.1 Normative References	5
3.0 PASS/FAIL CRITERIA	5
4.0 FACILITIES AND ACCREDITATIONS	6
5.0 GENERAL INFORMATION	6
5.1 DUT Description & Specifications	6
Appendix A RF Output Power Measurement	7
Appendix B Modulation Characteristics (Modulation Limiting)	9
Appendix C Modulation Characteristics (Audio Frequency Response & Low Pass Filter)	11
Appendix D Occupied Bandwidth and Emission Mask	13
Appendix E Spurious Emissions at the Antenna Terminal	16
Appendix F Radiated Spurious Emissions	20
Appendix G Frequency Stability	25
Appendix H Device Photographs	28
END OF DOCUMENT	32

FIGURES

Figure B.5-1 - Setup Drawing – Modulation Characteristics	9
Figure C.5-1 - Setup Drawing – Audio Frequency Response	11
Figure D.5-1 - Setup Drawing – Occupied Bandwidth & Emission Mask	13
Figure E.5-1 - Setup Drawing – Occupied Bandwidth & Emission Mask	16
Figure F.6-1 - Setup Drawing – Detected Radiated Spurious Emissions	21
Figure G.5-1 - Setup Drawing – Frequency Stability	25

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

TEST SUMMARY					
Referenced Standard(s):		FCC CFR Title 47 Parts 2, 95(D), 15(B)			
Appendix	Description of Test	Procedure Reference	Limit Reference	Date of compliance test verification	Result
A	Conducted Power	ANSI/TIA/EIA-382-A	§2.1033, 95 RSS-236	4/4/2014	Pass
B	Modulation Limiting	ANSI/TIA/EIA-382-A	§2.1047, 95 RSS-236	4/4/2014	Pass
C	Audio Frequency Response	ANSI/TIA/EIA-382-A	§2.1047, 95 RSS-236	4/4/2014	Pass
D	Occupied Bandwidth and Emission Mask	ANSI/TIA/EIA-382-A	§2.1049, 95 RSS-236	4/4/2014	Pass
E	Conducted TX Spurious Emissions	ANSI/TIA/EIA-382-A	§2.1053, 95 RSS-236	4/4/2014	Pass
F	Radiated TX Spurious Emissions	ANSI/TIA/EIA-382-A	§2.1053, 95 RSS-236	4/4/2014	Pass
	Radiated Spurious Emissions	ANSI C63.4:2003	§15 Subpart B ICES-003	4/4/2014	Pass
G	Frequency Stability	ANSI/TIA/EIA-382-A	§2.1055, 95 RSS-236	4/4/2014	Pass

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

REVISION LOG

Revision	Description	Implemented By	Implementation Date
1.0	1st Release	Glen Westwell	4/4/2014

Test Report Prepared By	Date	QA Review By	Date
Glen Westwell	4/4/2014	Art Voss	4/4/2014

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

A.4 TEST RESULTS: COMPLIES

Transmit Power			
High Power	Measured (dBm)	Rated (dBm)	Margin (dB)
Ch. 1	35.3	36.0	-0.7
Ch. 20	35.6	36.0	-0.4
Ch. 40	35.5	36.0	-0.5
Low Power			
Ch. 1	31.6	32.0	-0.4
Ch. 20	31.9	32.0	-0.1
Ch. 40	31.9	32.0	-0.1

A.5 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.



Glen Westwell
Lab Manager
Celltech Labs Inc.

4/4/2014

Date

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 8 of 32						

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Appendix B Modulation Characteristics (Modulation Limiting)

B.1 REFERENCES

Normative Reference Standard FCC CFR 47 §2.1047, Part 95D, 95.637, RSS-236, 5.3.2

B.2 LIMITS

FCC §2.1047 Modulation can not exceed 100%

B.3 ENVIRONMENTAL CONDITIONS

Temperature 15 +/- 5 °C

Humidity 40 +/- 10 %


Barometric Pressure 101 +/- 3 kPa

B.4 EQUIPMENT LIST

ASSET NUMBER	MANUFACTURER	MODEL	DESCRIPTION	CAL DUE
00028	HP	8901A	Modulation Analyzer	21Jul14
00027	HP	8903B	Audio Generator/Analyzer	21Jul14

B.5 SETUP DRAWING


Figure B.5-1 - Setup Drawing – Modulation Characteristics



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

B.6 TEST RESULTS: COMPLIES



B.7 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.

Glen Westwell

Glen Westwell
Lab Manager
Celltech Labs Inc.



4/4/2014

Date

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 ilac-MRA  ACCREDITED
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	
Test Lab Certificate No. 2470.01					

C.6 TEST RESULTS : COMPLIES



C.7 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.




Glen Westwell
Lab Manager
Celltech Labs Inc, 21 Mar 2014

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 12 of 32						

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

D.6 TEST RESULTS: COMPLIES

D.6.1 Occupied Bandwidth, High Power




Date: 24.MAR.2014 13:04:20

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

D.7 TEST RESULTS: COMPLIES

D.7.1 Occupied Bandwidth, Low Power



Date: 24.MAR.2014 15:21:27

D.8 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.




Glen Westwell
Lab Manager
Celltech Labs Inc.

4/4/2014

Date

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 15 of 32						


E.6 TEST RESULTS: COMPLIES



Date: 24.MAR.2014 15:27:06

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	


E.7 TEST RESULTS: COMPLIES



Date: 24.MAR.2014 15:31:03

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

E.8 TEST RESULTS: COMPLIES



Date: 24.MAR.2014 15:33:59

E.9 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.

Gr. W. Smith

Glen Westwell
Lab Manager
Celltech Labs Inc.

4/4/2014

Date

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

Appendix F Radiated Spurious Emissions

F.1 REFERENCES

Normative Reference Standard	FCC CFR 47 §2.1053, §95.635, §15B: RSS-236, 5.4, RSS-GEN
Procedure Reference	ANSI/TIA/EIA-382-A, ANSI C63.4

F.2 LIMITS

FCC §95.635 RSS-236, 5.4	At least 53 + 10 log ₁₀ (T) dB on any frequency removed from the center, 60 dB twice removed from fundamental.
-----------------------------	---

F.3 ENVIRONMENTAL CONDITIONS

Temperature	18 °C
Humidity	40 +/- 10 %
Barometric Pressure	101 +/- 3 kPa

F.4 EQUIPMENT LIST

ASSET NUMBER	MANUFACTURER	MODEL	DESCRIPTION	CAL DUE
00072	EMCO	2075	Mini-mast	cnr
00073	EMCO	2080	Turn Table	cnr
00071	EMCO	2090	Multi-Device Controller	cnr
00241	R&S	FSU40	Spectrum Analyzer	04-Sep-15
00050	Chase	CBL-6111A	Bilog Antenna	03-May-15
00055	EMCO	3121C	Dipole Antenna	27-Aug-14
00051	HP	8566B	Spectrum Analyzer RF Section	03-May-14
00049	HP	85650A	Quasi-peak Adapter	06-May-14
00047	HP	85685A	RF Preselector	05-May-14
00006	R & S	SMR 20	Signal Generator (10MHz-40GHz)	30-Apr-14
00239	Mini-Ccts	ZFL-1000VH	Amplifier 10MHz-1GHz	Cal on use
00007	Gigatronics	8652A	Power Meter	04-May-14
00014	Gigatronics	80701A	Power Sensor	04-May-14

cnr = calibration not required

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 20 of 32						


	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

F.5 MEASUREMENT EQUIPMENT SETUP

MEASUREMENT EQUIPMENT CONNECTIONS	For the field strength measurements, the measurement equipment was connected as shown in F.6. A number of antennas were used to cover the applicable frequency range tested. The ranges in which each antenna was used are as follows. For the final substitutions, the DUT was replaced with the appropriate antenna and fed from a CW signal source sufficient to replicate the received field strength of the emission being investigated.		
	Frequency Range	RX Antenna	TX Antenna
	9kHz – 30MHz	6502 Loop Ant	N/A
	30 MHz - 1GHz	Bilog	Dipole
MEASUREMENT EQUIPMENT SETTINGS	For measuring the radiated field strength of emissionsd, the spectrum analyzer was set to the following settings:		
	Range	RBW	VBW
		kHz	kHz
	9kHz – 30MHz	10	30
	30 MHz - 1GHz	100	300
	1 GHz - 18 GHz	1000	3000
		Detector	
		Peak	
		Peak	
		Peak	

F.6 SETUP DRAWING

Figure F.6-1 - Setup Drawing – Detected Radiated Spurious Emissions



Notes:

- The spectrum was searched from the lowest frequency generated in the device to the 10th harmonic of the fundamental.
- All detected emissions have been reported.
- The DUT was searched on all axis for worst case performance.
- Emissions performance was characterized using fresh DC cells, and also was characterized using the 12VDC adaptor.
- Worst case emissions are reported.

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

F.7 TEST RESULTS: COMPLIES

Radiated Emissions: Signal Substitution (Fig. A&B)



TX: 27.205 MHz	Ant. Polarity	Emission Level	Substitution Level	Antenna Gain	Amp Gain	Corrected Level	Limit	Margin
(MHz)		(dBuV)	(dB)	(+dBd)	(-dB)	(dBm)	(dBm)	(dB)
54.41	H	38.1	-77.0	-1.45	19.0	-97.45	-24.0	-73.45
81.6	H	43.4	-75.3	-0.05	19.0	-94.35	-24.0	-70.35
108.82	V	42.5	-52.5	-0.15	19.0	-71.65	-24.0	-47.65
136.025	H	56.2	-62.9	-0.55	19.0	-82.45	-24.0	-58.45
163.23	V	55.1	-40.0	-1.05	19.0	-60.05	-24.0	-36.05
190.435	V	66.6	-45.4	-0.95	19.0	-65.35	-24.0	-41.35
217.64	V	70.7	-45.8	-0.75	19.0	-65.55	-24.0	-41.55
244.845	V	59.8	-57.2	-0.25	19.0	-76.45	-24.0	-52.45
272.05	H	56.7	-57.1	-0.35	19.0	-76.45	-24.0	-52.45

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 22 of 32						

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Data from Chamber, Fig. A

Part 15B, Radiated Emissions plot using peak Detector
PRO401HH





Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Data from Chamber, Fig. A

Part 15B, Radiated Emissions Plots using Peak Detector (RX)



F.8 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.



Glen Westwell
Lab Manager
Celltech Labs Inc.

4/4/2014

Date

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				

 Testing and Engineering Services Ltd	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Appendix G Frequency Stability

G.1 REFERENCES

Normative Reference Standard	FCC CFR 47 §2.1055, §95.625, RSS-GEN
Procedure Reference / Description	The frequency stability shall be measured with variation of ambient temperature as follows: (1) From -30° to +50° centigrade.

G.2 LIMITS

FCC §95.625	Each channel must be maintained within a frequency tolerance of 0.005%.
-------------	---

G.3 ENVIRONMENTAL CONDITIONS


Temperature	25 +/- 5 °C
Humidity	40 +/- 10 %
Barometric Pressure	101 +/- 3 kPa

G.4 EQUIPMENT LIST

ASSET NUMBER	MANUFACTURER	MODEL	DESCRIPTION	CAL DUE
na	ESPEC	ECT-2	Heater/Refrigerator	na
0003	HP	53181A	Frequency Counter	09-Apr-14
na	HP	E3611A	DC Power Supply	Cal on use
00234	VWR	61161-378	Temperature Humidity Monitor	10-Dec-14

G.5 SETUP DRAWING


Figure G.5-1 - Setup Drawing – Frequency Stability



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 25 of 32						

G.6 TEST RESULTS : COMPLIES

PRO401HH



Channel: 20			
Temperature (degrees C)	Assigned Frequency (MHz)	Measured Frequency (MHz)	Deviation (%)
-30	27.205 000	27. 204 669	-0.0012167
-20	27.205 000	27. 204 885	-0.0004227
-10	27.205 000	27. 204 914	-0.0003161
0	27.205 000	27. 204 931	-0.0002536
10	27.205 000	27. 204 951	-0.0001801
20	27.205 000	27. 204 922	-0.0002867
30	27.205 000	27. 204 906	-0.0003455
40	27.205 000	27. 204 910	-0.0003308
50	27.205 000	27. 204 916	-0.0003088

Remark: Pass/fail criteria for frequency tolerance is 0.005%

Battery %	Assigned frequency (MHz)	Measured Frequency (MHz)	Deviation %
-15%	27.205 000	27 204 890	-0.0004043
0%	27.205 000	27 204 890	-0.0004043
15%	27.205 000	27 204 888	-0.0004117

G.7 SIGN-OFF

I attest to the accuracy of the data. All measurements reported herein were performed by me and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements.



Glen Westwell
Lab Manager

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

Celltech Labs Inc.

4/4/2014

Date

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

Test Lab Certificate No. 2470.01

Appendix H Device Photographs

H.1 DUT PHOTOS - RADIATED EMISSIONS



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

H.2 DUT PHOTOS- RADIATED EMISSIONS



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 29 of 32

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

H.3 DUT PHOTOS- RADIATED EMISSIONS



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 30 of 32

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

H.4 DUT PHOTOS - FREQUENCY STABILITY



Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 31 of 32

	Test Report Serial No.:	240314AMW-T1290-E95D	Test Report Issue Date:	4/4/2014	 Test Lab Certificate No. 2470.01
	Measurement Date(s):	29/06/2013-1/07/2013	Test Report Revision No.:	1.0	
	Rule Part(s) Applied:	FCC 47 CFR §2, §95D, RSS-236, RSS_GEN	Test Site Registration(s):	FCC Accredited Site	

END OF DOCUMENT

Applicant:	Uniden America Corporation	FCC ID: Ind. Can.:	AMWUT401 513C-UT401	Model(s):	PRO401HH	
DUT Type:	AM Portable CB Radio Transceiver.			Frequency Range:	26.965 - 27.405 MHz	
2014 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					
Page 32 of 32						