Host Unit Antenna Information for ThinkPad T40 Series LCD 15 inch Model

1.	HO	ST PC INFORMATION	2
2.	HO	ST PC LABELING	4
3	.1	TRANSMISSION ANTENNA ASSEMBLY OVERVIEW	5
3	.2	ANTENNA PHOTOS	6

1. Host PC Information

The main antenna, meander type, is built in the top side of LCD and the auxiliary antenna, meander type, is built in the right side of LCD as shown in the Photo.

Those diversity antennas are not used simultaneously. One of the antennas is selected automatically or manually to have a good quality of radio communication. The selected antenna performs transmission or receiving in half duplex alternatively



IBM ThinkPad T40 Series, LCD 15 inch model




Front View



Rear View

2. Host PC Labeling



3. Antenna Specifications

3.1 Transmission Antenna assembly overview

Designator	Manufacture	Antenna type	Cable type and length	Gain (dBi) Note 1)
91P6841 Main antenna	Hitachi Cable Ltd. (Japan)	Dual Band Meander Antenna	coax 755mm	5.2GHz band 2.00 dBi (peak)
91P6840 Auxiliary antenna	Hitachi Cable Ltd. (Japan)	Dual Band Meander Antenna	coax 580mm	5.2GHz band 0.82 dBi (peak)

Note 1):

1a. Includes all cable losses.

1b. Antenna type should be Omni Directional and have gain of 3.0 dBi or less for IEEE802.11a (5.2GHz band), regarding the IBM internal specification.

3.2 Antenna Photos

Antenna Locations

Main antenna Dual Band Meander

Auxiliary antenna Dual Band Meander







Exterior Photos of Antennas

Main antenna

Manufacturer: Hitachi Cable Ltd. Parts Number: 91P6841 Dual Band Meander antenna Cable : coax 755 mm

Auxiliary antenna

Manufacturer: Hitachi Cable Ltd. Parts Number: 91P6840 Dual Band Meander antenna Cable : coax 580 mm



