



Test Setup Photos

EMI Radiated - Semi-anechoic Chamber #2



EMI - Radiated Measurement Photos

FCC	IC		
15.205 / 209	6.2.1 / 6.3	General Field Strength Limits (Restricted Bands and Radiated Emission Limits)	Tx
15.209	7.3	General Field Strength Limits (Radiated Emission Limits)	Rx



EMI - Conducted Measurement Photos

FCC	IC		
15.207	6.6	AC Wireline Conducted emissions	Tx
15.207	7.4	AC Wireline Conducted emissions	Rx



Conducted Measurement Photos

FCC	IC	Measurement Items	IEEE802.11b
15.247(a)(1)	6.2.2(o)(a1)	Carrier Frequency Separation	
	6.2.2(o)(a3)	Number of Hopping Frequencies	
		20 dB Bandwidth per 1 hopping	
		Dwell time	
(f)	(o)(c2)	Hybrid Dwell time	
15.247(a)(2)	5.9.1	Bandwidth at 6 dB blow	O
15.247(b)(1)	6.2.2(o)(a3)	Peak output power	
	(o)(b)		O
15.247(c)	5.9.1	Occupied BW (or Band-edge) Out of Band Emissions (Bandwidth at 20 dB blow)	O
	6.2.2(o)(e1)		
15.247(d)	6.2.2(o)(b)	Transmitter power density	O
(f)	(o)(c2)	Hybrid transmitter power density	

EMI Semi-anechoic Chamber #2, Operation Room

