ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT CERTIFICATION TO FCC PART 15 REQUIREMENTS

for

UNINTENTIONAL RADIATOR

49 MHz RADIO CONTROL TRUCK (RECEIVER)

MODEL NO: 80412-6518 (U49)

BRAND NAME: TYCO R/C-6V SPIDERMAN MONSTER TRUCK

FCC ID NO: APB80412-02A4R

REPORT NO: 02U1184-1

DATE: MARCH 19, 2002

Prepared for

MATTEL MT. LAUREL 6000 MIDLANTIC AVENUE MT. LAUREL, NJ 08054 USA

Prepared by

COMPLIANCE CERTIFICATION SERVICES 561 F MONTEREY ROAD MORGAN HILL, CA 95037, USA

TEL: (408) 463-0885 FAX: (408) 463-0888

TABLE OF CONTENTS

1.	VERIFICATION OF COMPLIANCE	3
2.	PRODUCT DESCRIPTION	4
3.	TEST FACILITY	4
4.	MEASUREMENT EQUIPMENT USED	5
5.	TEST CONFIGURATION	5
6.	TESTS CONDUCTED	5
7.	RADIATED EMISSION TEST PROCEDURE	6
8.	COHERENT TESTS	6
9.	EQUIPMENT MODIFICATIONS	7
10.	TEST CONFIGURATION PHOTOS (RADIATED EMISSION TEST)	8

- TEST DATA
 - o Coherent Emission Plot
 - o Radiated Emission Data
- PROPOSED FCC ID LABEL FORMAT
- AUTHORIZATION LETTER
- SCHEMATIC DIAGRAM
- USER MANUAL
- EUT PHOTOGRAPHS

1. VERIFICATION OF COMPLIANCE

COMPANY NAME : MATTEL MT. LAUREL

6000 MIDLANTIC AVENUE MT. LAUREL, NJ 08504 DATE: MARCH 19, 2002

USA

CONTACT PERSON : FRANK WINKLER, SENIOR PROJECT

TELEPHONE NO. : 856-840-1259

EUT DESCRIPTION : 49MHz RADIO CONTROL TRUCK (RECEIVER)

MODEL NAME/NUMBER : 80412-6518 (U49)

BRAND NAME : TYCO R/C-6V SPIDERMAN MONSTER TRUCK

FCC ID : APB80412-02A4R

DATE TESTED : MARCH 18, 2002

REPORT NUMBER : 02U1184-1

TYPE OF EQUIPMENT	REMOTE CONTROL TOY RECEIVER				
	(UNINTENTIONAL RADIATOR)				
EQUIPMENT TYPE	49 MHz SUPERREGENERATE RECEIVER				
MEASUREMENT PROCEDURE	ANSI 63.4 / 1992				
LIMIT TYPE	CERTIFICATION				
FCC RULE	CFR 47, PART 15.109				

The above equipment was tested by Compliance Engineering Services, Inc. for compliance with the requirements set forth in CFR 47, PART 15. This said equipment in the configuration described in this report shows that maximum emission levels emanating from equipment are within the compliance requirements. **Warning**: This document reports conditions under which testing was conducted and results of tests performed. This document may not be altered or revised in any way unless done so by Compliance Certification Services and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by Compliance Certification will constitute fraud and shall nullify the document.

Гested By:	Approved & Released For CCS By
------------	--------------------------------

forge. House m to

JERRY HOVEY

EMC ENGINEER

MIKE HECKROTTE

CHIEF EMC ENGINNER

COMPLIANCE CERTIFICATION SERVICES COMPLIANCE CERTIFICATION SERVICES

2. PRODUCT DESCRIPTION

MATTEL MT. LAUREL., Model No# 80412-6518(U49) TYCO R/C-6V SPIDERMAN MONSTER TRUCK is the receiving portion of a remote control toy. The associated Transmitter is manufactured by MATTEL MT. LAUREL., Model No# 80412-49T, FCC ID APB80412-02A4T.

3. TEST FACILITY

The 3 meter open area test site and conducted measurement facility used to collect the radiated data is located at 561F Monterey Road, Morgan Hill, California, U.S.A. A detailed description of the test facilities was submitted to the Commission on May 27, 1994.

The measuring instrument, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipment, which is traceable to recognized national standards.

DATE: MARCH 19, 2002

REPORT NO: 02U1184-1 FCC ID: APB80412-02A4R EUT: 49 MHz RADIO CONTROL TRUCK (RECEIVER)

MEASUREMENT EQUIPMENT USED

Name of Equipment	Manufacturer	Model No.	Serial No.	Due Date	
Spectrum Analyzer	HP100Hz - 22GHz	8566B	2140A01296	5/4/02	
Spectrum Display	HP	85662A	2152A03066	5/10/02	
Quasi-Peak Detector	HP9K - 1GHz	85650A	2811A01335	5/4/02	
Pre-Amplifier, 25 dB	HP 0.1 - 1300MHz	8447D (P_1M)	2944A06833	8/21/02	
Antenna, BiLog	Chase EMC Ltd.30 - 2000MI	CBL6112	2049	8/2/02	
Signal Generator	HP	8640B	2322A22402	4/10/02	

5. TEST CONFIGURATION

4.

Set signal generator to transmit at 49 MHz. Adjusted generator level and frequency to get the maximum coherent and emission of the Eut. The receiver receives the signal. All the wires are placed on the turntable to their maximum length to simulate the worse emission condition.

6. TESTS CONDUCTED

CFR 47, 15.109	CONDUCTED AT 3 METERS
RADIATED EMISSION TESTS	CONDUCTED AT 3 METERS

DATE: MARCH 19, 2002

7. RADIATED EMISSION TEST PROCEDURE

The EUT and all other support equipment are placed on a wooden table 80 cm above the ground screen. Antenna to EUT distance is 3 meters. During the test, the table is rotated 360 degrees to maximize emissions and the antenna is positioned from 1 to 4 meters above the ground screen to further maximize emissions. The antenna is polarized in both vertical and horizontal positions.

Monitor the frequency range of interest at a fixed antenna height and EUT azimuth. Frequency span should be small enough to easily differentiate between broadcast stations and intermittent ambients. Rotate EUT 360 degrees to maximize emissions received from EUT. If emission increases by more than 1 dB, or if another emission appears that is greater by 1 dB, return to azimuth where maximum occurred and perform additional cable manipulation to further maximize received emission.

Move antenna up and down to further maximize suspected highest amplitude signal. If emission increased by 1 dB or more, or if another emission appears that is greater by 1dB or more, return to antenna height where maximum signal was observed and manipulate cables to produce highest emissions, noting frequency and amplitude.

8. COHERENT TEST

During Radiated Emission Tests, H.P. Signal Generator Model No: 8640B was used to radiate unmodulated CW signal to EUT at 49.882 MHz. Please refer to radiated emission data for six highest readings.


DATE: MARCH 19, 2002

9. EQUIPMENT MODIFICATIONS

To achieve compliance to FCC Section 15.109, the following change(s) were made during compliance testing:


No changes were required in order to achieve compliance to FCC Section 15.109.

10. TEST CONFIGURATION PHOTOS (Radiated Emission Test)









COHERENT EMISSION PLOT



FCC, VCCI, CISPR, CE, AUSTEL, NZ UL, CSA, TUV, BSMI, DHHS, NVLAP

561F MONTEREY ROAD, SAN JOSE, CA 95037-9001 PHONE: (408) 463-0885 FAX: (408) 463-0888

 Project #:
 02U14184-1

 Report #:
 020318B1

 Date & Time:
 03/18/02 10:04 AM

 Test Engr:
 JCH

Company: MATTEL

EUT Description: 49MHZ RECEIVER SPIDERMAN MONSTER TRUCK

Test Configuration: EUT SIGNAL GENERATOR

Type of Test: FCC PAIRT 15 SUBPART B

Mode of Operation: EUT RECEIVING 449 MHZ SIGNAL GENERATOR

<< Main Sheet

Freq.	Reading	AF	Closs	Pre-amp	Level	Limit	Margin	Pol	Az	Height	Mark
(MHz)	(dBuV)	(dB)	(dB)	(dB)	(dBuV/m)		(dB)	(H/V)	(Deg)	(Meter)	(P/Q/A)
52.58	60.00	5.64	1.79	29.67	37.76	40.00	-2.24	3mV	180.00	1.00	Р
52.65	58.70	5.63	1.79	29.67	36.45	40.00	-3.55	3mV	180.00	1.00	Р
52.20	58.30	5.69	1.79	29.67	36.10	40.00	-3.90	3mV	180.00	1.00	Р
52.01	57.50	5.71	1.78	29.67	35.33	40.00	-4.67	3mV	180.00	1.00	Р
52.87	57.30	5.60	1.79	29.67	35.03	40.00	-4.97	3mV	180.00	1.00	Р
50.33	56.80	5.94	1.76	29.68	34.82	40.00	-5.18	3mV	180.00	1.00	Р
6 Worst	Data										

RADIATION DATA

END OF REPORT

Page 11 of 11

COMPLIANCE CERTIFICATION SERVICES 561 F MONTEREY, MORGAN HILL CA 95037

CCS DOCUMENT NO: CCSUP4021B TEL:(408)463-0885 FAX:(408)463-0885

This report shall not be reproduced except in full, without the written approval of CCS. This document may be altered or revised by Compliance Certification Services personnel only, and shall be noted in the revision section of the document.