



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1009 of 1024

	5500	/	/	20	102	5499.980	5470 to 5725	Pass					
					120	5499.960	5470 to 5725	Pass					
					138	5500.000	5470 to 5725	Pass					
								-30	120	5499.980	5470 to 5725	Pass	
									-20	120	5499.980	5470 to 5725	Pass
										-10	120	5500.000	5470 to 5725
								0			120	5499.960	5470 to 5725
									10		120	5499.980	5470 to 5725
										30	120	5500.000	5470 to 5725
								40			120	5500.000	5470 to 5725
									50		120	5500.000	5470 to 5725
											5580	/	/
120	5580.000	5470 to 5725	Pass										
138	5580.000	5470 to 5725	Pass										
				-30	120	5580.020	5470 to 5725	Pass					
					-20	120	5579.980	5470 to 5725	Pass				
						-10	120	5579.980	5470 to 5725				
				0			120	5580.000	5470 to 5725				
					10		120	5580.000	5470 to 5725				
						30	120	5580.040	5470 to 5725				
				40			120	5580.000	5470 to 5725				
					50		120	5580.000	5470 to 5725				
							5700	/	/				
120	5700.020	5470 to 5725	Pass										
138	5699.980	5470 to 5725	Pass										
				-30	120					5699.980	5470 to 5725	Pass	
					-20					120	5700.000	5470 to 5725	Pass
										-10	120	5699.940	5470 to 5725
				0							120	5699.960	5470 to 5725
					10						120	5699.980	5470 to 5725
										30	120	5700.000	5470 to 5725
				40							120	5700.000	5470 to 5725
					50						120	5699.980	5470 to 5725
											5745	/	/
120	5744.980	5725 to 5850	Pass										
138	5745.000	5725 to 5850	Pass										
-30	120	5745.000	5725 to 5850	Pass									
	-20	120	5744.980	5725 to 5850	Pass								
		120	5744.980	5725 to 5850	Pass								
0	120	5745.000	5725 to 5850	Pass									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1010 of 1024

		5785	/	/	10	120	5744.960	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5744.960	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
					20	102	5784.980	5725 to 5850	Pass
						120	5784.960	5725 to 5850	Pass
						138	5784.940	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5784.980	5725 to 5850	Pass
		30	120	5784.980	5725 to 5850	Pass			
		40	120	5784.960	5725 to 5850	Pass			
		50	120	5784.980	5725 to 5850	Pass			
		5825	/	/	20	102	5824.960	5725 to 5850	Pass
						120	5824.940	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5824.960	5725 to 5850	Pass
					-20	120	5824.980	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
40	120				5825.000	5725 to 5850	Pass		
50	120				5825.040	5725 to 5850	Pass		
802.11ac (VHT40)	MIMO				5190	/	/	20	102
		120	5190.040	5150 to 5250					Pass
		138	5190.040	5150 to 5250					Pass
		-30	120	5190.040				5150 to 5250	Pass
		-20	120	5190.040				5150 to 5250	Pass
		-10	120	5190.080				5150 to 5250	Pass
		0	120	5190.080				5150 to 5250	Pass
		10	120	5190.080				5150 to 5250	Pass
		30	120	5190.080				5150 to 5250	Pass
		40	120	5190.040				5150 to 5250	Pass
		50	120	5190.080				5150 to 5250	Pass
		5230	/	/				20	102
					120	5230.080	5150 to 5250		Pass
					138	5230.120	5150 to 5250		Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1011 of 1024

					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5270	/	/	20	102	5270.080	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.040	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	/	/	20	102	5310.080	5250 to 5350	Pass
						120	5310.040	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.040	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.120	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.000	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.040	5470 to 5725	Pass
					-20	120	5510.040	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.040	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1012 of 1024

	5550	/	/	50	120	5510.040	5470 to 5725	Pass
				20	102	5550.080	5470 to 5725	Pass
					120	5550.080	5470 to 5725	Pass
					138	5550.040	5470 to 5725	Pass
				-30	120	5550.080	5470 to 5725	Pass
				-20	120	5550.080	5470 to 5725	Pass
				-10	120	5550.080	5470 to 5725	Pass
				0	120	5550.080	5470 to 5725	Pass
				10	120	5550.040	5470 to 5725	Pass
				30	120	5550.080	5470 to 5725	Pass
				40	120	5550.080	5470 to 5725	Pass
				50	120	5550.080	5470 to 5725	Pass
	5670	/	/	20	102	5670.000	5470 to 5725	Pass
					120	5670.040	5470 to 5725	Pass
					138	5670.040	5470 to 5725	Pass
				-30	120	5670.040	5470 to 5725	Pass
				-20	120	5670.040	5470 to 5725	Pass
				-10	120	5670.040	5470 to 5725	Pass
				0	120	5670.040	5470 to 5725	Pass
				10	120	5670.040	5470 to 5725	Pass
				30	120	5670.040	5470 to 5725	Pass
				40	120	5670.080	5470 to 5725	Pass
				50	120	5670.080	5470 to 5725	Pass
				5755	/	/	20	102
	120	5755.080	5725 to 5850					Pass
	138	5755.080	5725 to 5850					Pass
	-30	120	5755.040				5725 to 5850	Pass
	-20	120	5755.080				5725 to 5850	Pass
	-10	120	5755.040				5725 to 5850	Pass
	0	120	5755.080				5725 to 5850	Pass
	10	120	5755.040				5725 to 5850	Pass
	30	120	5755.000				5725 to 5850	Pass
	40	120	5755.040				5725 to 5850	Pass
50	120	5755.040	5725 to 5850				Pass	
5795	/	/	20				102	5795.040
				120	5795.080	5725 to 5850	Pass	
				138	5795.040	5725 to 5850	Pass	
			-30	120	5795.040	5725 to 5850	Pass	
			-20	120	5795.040	5725 to 5850	Pass	
			-10	120	5795.040	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1013 of 1024

					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.040	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.150	5150 to 5250	Pass
						120	5210.150	5150 to 5250	Pass
						138	5210.150	5150 to 5250	Pass
					-30	120	5210.150	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.150	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
					5290	/	/	20	102
		120	5290.000	5250 to 5350					Pass
		138	5290.075	5250 to 5350					Pass
		-30	120	5290.075				5250 to 5350	Pass
		-20	120	5290.075				5250 to 5350	Pass
		-10	120	5290.075				5250 to 5350	Pass
		0	120	5290.000				5250 to 5350	Pass
		10	120	5290.075				5250 to 5350	Pass
		30	120	5290.075				5250 to 5350	Pass
		40	120	5290.000				5250 to 5350	Pass
		50	120	5290.075				5250 to 5350	Pass
		5530	/	/				20	102
					120	5530.075	5470 to 5725		Pass
					138	5530.150	5470 to 5725		Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.150	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
5610	/				/	20	102	5610.150	5470 to 5725
		120	5610.150	5470 to 5725			Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

						138	5610.075	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.150	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.150	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
					5775	/	/		102
		20	120	5775.075				5725 to 5850	Pass
			138	5775.075				5725 to 5850	Pass
		-30	120	5775.075				5725 to 5850	Pass
		-20	120	5775.075				5725 to 5850	Pass
		-10	120	5775.075				5725 to 5850	Pass
		0	120	5775.000				5725 to 5850	Pass
		10	120	5775.075				5725 to 5850	Pass
		30	120	5775.075				5725 to 5850	Pass
		40	120	5775.075				5725 to 5850	Pass
		50	120	5775.075	5725 to 5850	Pass			
802.11ax (HEW20)	MIMO	5180	RU242	Left		102	5179.960	5150 to 5250	Pass
					20	120	5179.980	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5179.980	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5179.940	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
					40	120	5179.980	5150 to 5250	Pass
		50	120	5179.980	5150 to 5250	Pass			
		5200	RU242	Left		102	5200.000	5150 to 5250	Pass
					20	120	5200.000	5150 to 5250	Pass
						138	5200.080	5150 to 5250	Pass
					-30	120	5200.020	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.020	5150 to 5250	Pass
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1015 of 1024

		5240	RU242	Left	40	120	5200.000	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
					20	102	5240.020	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
					138	5240.020	5150 to 5250	Pass	
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.000	5150 to 5250	Pass
					-10	120	5240.000	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
		50	120	5240.020	5150 to 5250	Pass			
		5260	RU242	Left	20	102	5259.980	5250 to 5350	Pass
						120	5260.000	5250 to 5350	Pass
						138	5260.000	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5260.040	5250 to 5350	Pass
					30	120	5260.000	5250 to 5350	Pass
					40	120	5259.980	5250 to 5350	Pass
					50	120	5260.020	5250 to 5350	Pass
					5300	RU242	Left	20	102
		120	5299.980	5250 to 5350					Pass
		138	5299.980	5250 to 5350					Pass
		-30	120	5300.000				5250 to 5350	Pass
		-20	120	5299.980				5250 to 5350	Pass
		-10	120	5300.020				5250 to 5350	Pass
		0	120	5300.000				5250 to 5350	Pass
		10	120	5300.020				5250 to 5350	Pass
		30	120	5300.000				5250 to 5350	Pass
		40	120	5300.020				5250 to 5350	Pass
		50	120	5300.040				5250 to 5350	Pass
		5320	RU242	Left				20	102
					120	5319.980	5250 to 5350		Pass
					138	5320.000	5250 to 5350		Pass
					-30	120	5320.020	5250 to 5350	Pass
					-20	120	5320.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1016 of 1024

				-10	120	5320.020	5250 to 5350	Pass		
				0	120	5320.040	5250 to 5350	Pass		
				10	120	5320.020	5250 to 5350	Pass		
				30	120	5320.020	5250 to 5350	Pass		
				40	120	5320.000	5250 to 5350	Pass		
				50	120	5320.040	5250 to 5350	Pass		
		5500	RU242	Left		102	5500.020	5470 to 5725	Pass	
					20	120	5500.000	5470 to 5725	Pass	
						138	5500.000	5470 to 5725	Pass	
					-30	120	5500.020	5470 to 5725	Pass	
					-20	120	5500.040	5470 to 5725	Pass	
					-10	120	5500.020	5470 to 5725	Pass	
					0	120	5499.960	5470 to 5725	Pass	
					10	120	5500.040	5470 to 5725	Pass	
					30	120	5500.000	5470 to 5725	Pass	
					40	120	5500.000	5470 to 5725	Pass	
					50	120	5499.980	5470 to 5725	Pass	
		5580	RU242		Left		102	5580.020	5470 to 5725	Pass
						20	120	5580.080	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass	
				-30		120	5580.040	5470 to 5725	Pass	
				-20		120	5580.000	5470 to 5725	Pass	
				-10		120	5580.020	5470 to 5725	Pass	
				0		120	5580.000	5470 to 5725	Pass	
				10		120	5580.020	5470 to 5725	Pass	
				30		120	5580.020	5470 to 5725	Pass	
				40		120	5580.000	5470 to 5725	Pass	
				50	120	5580.020	5470 to 5725	Pass		
		5700	RU242	Left		102	5699.940	5470 to 5725	Pass	
					20	120	5700.000	5470 to 5725	Pass	
						138	5700.000	5470 to 5725	Pass	
					-30	120	5699.960	5470 to 5725	Pass	
					-20	120	5700.040	5470 to 5725	Pass	
					-10	120	5700.020	5470 to 5725	Pass	
					0	120	5700.000	5470 to 5725	Pass	
					10	120	5700.000	5470 to 5725	Pass	
					30	120	5699.980	5470 to 5725	Pass	
					40	120	5700.000	5470 to 5725	Pass	
				50	120	5700.000	5470 to 5725	Pass		
		5745	RU242	Left	20	102	5745.020	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1017 of 1024

						120	5744.980	5725 to 5850	Pass				
						138	5745.020	5725 to 5850	Pass				
						-30	120	5745.000	5725 to 5850	Pass			
						-20	120	5745.040	5725 to 5850	Pass			
						-10	120	5745.000	5725 to 5850	Pass			
						0	120	5745.000	5725 to 5850	Pass			
						10	120	5745.000	5725 to 5850	Pass			
						30	120	5745.000	5725 to 5850	Pass			
						40	120	5745.060	5725 to 5850	Pass			
						50	120	5745.000	5725 to 5850	Pass			
						5785	RU242	Left	20	102	5785.000	5725 to 5850	Pass
										120	5785.060	5725 to 5850	Pass
										138	5785.020	5725 to 5850	Pass
									-30	120	5785.000	5725 to 5850	Pass
									-20	120	5784.980	5725 to 5850	Pass
									-10	120	5785.040	5725 to 5850	Pass
									0	120	5785.000	5725 to 5850	Pass
									10	120	5785.060	5725 to 5850	Pass
30	120	5785.000	5725 to 5850	Pass									
40	120	5785.000	5725 to 5850	Pass									
50	120	5785.020	5725 to 5850	Pass									
5825	RU242	Left	20	102	5825.020				5725 to 5850	Pass			
				120	5825.020	5725 to 5850	Pass						
				138	5825.000	5725 to 5850	Pass						
			-30	120	5825.020	5725 to 5850	Pass						
			-20	120	5825.040	5725 to 5850	Pass						
			-10	120	5824.980	5725 to 5850	Pass						
			0	120	5825.000	5725 to 5850	Pass						
			10	120	5825.040	5725 to 5850	Pass						
			30	120	5824.980	5725 to 5850	Pass						
			40	120	5825.040	5725 to 5850	Pass						
			50	120	5825.040	5725 to 5850	Pass						
			802.11ax (HEW40)	MIMO	5190	RU484	Left	20	102	5190.040	5150 to 5250	Pass	
120	5190.040	5150 to 5250							Pass				
138	5190.000	5150 to 5250							Pass				
-30	120	5190.040						5150 to 5250	Pass				
-20	120	5190.040						5150 to 5250	Pass				
-10	120	5190.040						5150 to 5250	Pass				
0	120	5190.080						5150 to 5250	Pass				
10	120	5190.080						5150 to 5250	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1018 of 1024

					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.080	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.040	5150 to 5250	Pass
					-20	120	5230.040	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.120	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
					50	120	5230.040	5150 to 5250	Pass
		5270	RU484	Left	20	102	5270.040	5250 to 5350	Pass
						120	5270.080	5250 to 5350	Pass
						138	5270.000	5250 to 5350	Pass
					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.120	5250 to 5350	Pass
					30	120	5270.080	5250 to 5350	Pass
					40	120	5270.000	5250 to 5350	Pass
					50	120	5270.000	5250 to 5350	Pass
		5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass
						120	5310.080	5250 to 5350	Pass
						138	5310.080	5250 to 5350	Pass
					-30	120	5310.040	5250 to 5350	Pass
					-20	120	5310.000	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.080	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
		5510	RU484	Left	20	102	5510.040	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1019 of 1024

		5550	RU484	Left	-20	120	5510.040	5470 to 5725	Pass	
					-10	120	5510.080	5470 to 5725	Pass	
					0	120	5510.000	5470 to 5725	Pass	
					10	120	5510.040	5470 to 5725	Pass	
					30	120	5510.080	5470 to 5725	Pass	
					40	120	5510.040	5470 to 5725	Pass	
					50	120	5510.040	5470 to 5725	Pass	
					20	102	5550.040	5470 to 5725	Pass	
						120	5550.080	5470 to 5725	Pass	
						138	5550.040	5470 to 5725	Pass	
					-30	120	5550.080	5470 to 5725	Pass	
					-20	120	5550.040	5470 to 5725	Pass	
					-10	120	5550.040	5470 to 5725	Pass	
					0	120	5550.080	5470 to 5725	Pass	
					10	120	5550.040	5470 to 5725	Pass	
		30	120	5550.040	5470 to 5725	Pass				
		40	120	5550.120	5470 to 5725	Pass				
		50	120	5550.080	5470 to 5725	Pass				
		5670	RU484	Left	20	102	5670.040	5470 to 5725	Pass	
						120	5670.040	5470 to 5725	Pass	
						138	5670.040	5470 to 5725	Pass	
					-30	120	5670.080	5470 to 5725	Pass	
					-20	120	5670.080	5470 to 5725	Pass	
					-10	120	5670.000	5470 to 5725	Pass	
					0	120	5670.040	5470 to 5725	Pass	
					10	120	5670.040	5470 to 5725	Pass	
					30	120	5670.040	5470 to 5725	Pass	
					40	120	5670.040	5470 to 5725	Pass	
					50	120	5670.080	5470 to 5725	Pass	
					5755	RU484	Left	20	102	5755.040
120	5755.040								5725 to 5850	Pass
138	5755.040								5725 to 5850	Pass
-30	120							5755.080	5725 to 5850	Pass
-20	120	5755.080	5725 to 5850	Pass						
-10	120	5755.120	5725 to 5850	Pass						
0	120	5755.080	5725 to 5850	Pass						
10	120	5755.000	5725 to 5850	Pass						
30	120	5755.040	5725 to 5850	Pass						
40	120	5755.040	5725 to 5850	Pass						
50	120	5755.080	5725 to 5850	Pass						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

		5795	RU484	Left	20	102	5795.040	5725 to 5850	Pass						
						120	5795.040	5725 to 5850	Pass						
						138	5795.040	5725 to 5850	Pass						
										-30	120	5795.040	5725 to 5850	Pass	
											-20	120	5795.040	5725 to 5850	Pass
												-10	120	5795.040	5725 to 5850
										0			120	5795.080	5725 to 5850
											10		120	5795.040	5725 to 5850
												30	120	5795.120	5725 to 5850
										40			120	5795.040	5725 to 5850
											50		120	5795.000	5725 to 5850
														5210	RU996
120	5210.075	5150 to 5250	Pass												
138	5210.151	5150 to 5250	Pass												
					-30	120	5210.151	5150 to 5250	Pass						
						-20	120	5210.151	5150 to 5250	Pass					
							-10	120	5210.076	5150 to 5250	Pass				
					0			120	5210.076	5150 to 5250	Pass				
						10		120	5210.151	5150 to 5250	Pass				
							30	120	5210.000	5150 to 5250	Pass				
					40			120	5210.151	5150 to 5250	Pass				
						50		120	5210.076	5150 to 5250	Pass				
									5290	RU996	Left				
120	5290.151	5250 to 5350	Pass												
138	5290.076	5250 to 5350	Pass												
					-30	120						5290.075	5250 to 5350	Pass	
						-20						120	5290.076	5250 to 5350	Pass
												-10	120	5290.076	5250 to 5350
					0								120	5290.076	5250 to 5350
						10							120	5290.076	5250 to 5350
												30	120	5290.076	5250 to 5350
					40								120	5290.151	5250 to 5350
						50							120	5290.000	5250 to 5350
														5530	RU996
120	5530.076	5470 to 5725	Pass												
138	5530.151	5470 to 5725	Pass												
					-30	120	5530.076	5470 to 5725	Pass						
						-20	120	5530.076	5470 to 5725	Pass					
							-10	120	5530.076	5470 to 5725	Pass				
					0			120	5530.076	5470 to 5725	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1021 of 1024

	5610	RU996	Left	10	120	5530.076	5470 to 5725	Pass
				30	120	5530.151	5470 to 5725	Pass
				40	120	5530.076	5470 to 5725	Pass
				50	120	5530.076	5470 to 5725	Pass
				20	102	5610.226	5470 to 5725	Pass
					120	5610.076	5470 to 5725	Pass
					138	5610.076	5470 to 5725	Pass
				-30	120	5610.151	5470 to 5725	Pass
				-20	120	5610.076	5470 to 5725	Pass
				-10	120	5610.151	5470 to 5725	Pass
				0	120	5610.151	5470 to 5725	Pass
				10	120	5610.151	5470 to 5725	Pass
	30	120	5610.151	5470 to 5725	Pass			
	40	120	5610.300	5470 to 5725	Pass			
	50	120	5610.150	5470 to 5725	Pass			
	5775	RU996	Left	20	102	5775.076	5725 to 5850	Pass
					120	5775.000	5725 to 5850	Pass
					138	5775.076	5725 to 5850	Pass
				-30	120	5775.151	5725 to 5850	Pass
				-20	120	5775.076	5725 to 5850	Pass
				-10	120	5775.076	5725 to 5850	Pass
				0	120	5775.076	5725 to 5850	Pass
				10	120	5775.151	5725 to 5850	Pass
				30	120	5775.000	5725 to 5850	Pass
40				120	5775.076	5725 to 5850	Pass	
50				120	5775.151	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.DFS

Test Result:

BW/Channel	Test Item	Result
80MHz/5530MHz	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
	In-Service Monitoring	N/A
	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	N/A
	Uniform Spreading	N/A



The test plots was shown in the report below.

Remark: Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM



5530MHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch, SZEMC-TRF Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Radar



- End of the Report -

