

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 645 of 663

Name												
Section						30	120	5755.040	5725 to 5850	Pass		
Name						40	120	5755.000	5725 to 5850	Pass		
STATE Part						50	120	5755.000	5725 to 5850	Pass		
138 5795.040 5725 to 5850 Pass							102	5795.000	5725 to 5850	Pass		
S795						20	120	5795.000	5725 to 5850	Pass		
S795							138	5795.040	5725 to 5850	Pass		
Name						-30	120	5795.040	5725 to 5850	Pass		
0						-20	120	5795.040	5725 to 5850	Pass		
10			5795	/	/	-10	120	5795.040	5725 to 5850	Pass		
MIMO						0	120	5795.000	5725 to 5850	Pass		
MIMO						10	120	5795.000	5725 to 5850	Pass		
South						30	120	5795.040	5725 to 5850	Pass		
Name						40	120	5795.040	5725 to 5850	Pass		
MIMO						50	120	5795.040	5725 to 5850	Pass		
MIMO							102	5180.000	5150 to 5250	Pass		
802.11ac (VHT20) MIMO MIMO 120						20	120	5180.000	5150 to 5250	Pass		
802.11ac (VHT20) MIMO MIMO 120							138	5180.060	5150 to 5250	Pass		
MIMO						-30	120	5180.020	5150 to 5250	Pass		
802.11ac (VHT20) MIMO 120				/		-20	120	5179.940	5150 to 5250	Pass		
802.11ac (VHT20) MIMO 10 120 5180.000 5150 to 5250 Pass 40 120 5179.980 5150 to 5250 Pass 50 120 5200.000 5150 to 5250 Pass 102 5200.000 5150 to 5250 Pass 138 5200.000 5150 to 5250 Pass 140 120 5199.980 5150 to 5250 Pass 140 120 5199.980 5150 to 5250 Pass 150 to 5250 Pass			5180		/	-10	120	5180.000	5150 to 5250	Pass		
802.11ac (VHT20) MIMO MIMO 30						0	120	5180.000	5150 to 5250	Pass		
802.11ac (VHT20) MIMO MIMO MIMO MIMO								10	120	5180.000	5150 to 5250	Pass
802.11ac (VHT20) MIMO MIMO MIMO 50 120 5180.020 5150 to 5250 Pass 102 5200.000 5150 to 5250 Pass 138 5200.000 5150 to 5250 Pass 138 5200.000 5150 to 5250 Pass 138 5200.000 5150 to 5250 Pass -30 120 5199.980 5150 to 5250 Pass -20 120 5199.980 5150 to 5250 Pass -20 120 5199.940 5150 to 5250 Pass 0 120 5199.960 5150 to 5250 Pass 10 120 5199.960 5150 to 5250 Pass 10 120 5199.980 5150 to 5250 Pass 30 120 5199.980 5150 to 5250 Pass 40 120 5199.980 5150 to 5250 Pass 40 120 5199.980 5150 to 5250 Pass 40 120 5199.980 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 50 120 5240.000 5150 to 5250 Pass							30	120	5179.980	5150 to 5250	Pass	
802.11ac (VHT20) MIMO						40	120	5179.980	5150 to 5250	Pass		
802.11ac (VHT20) MIMO 20						50	120	5180.020	5150 to 5250	Pass		
(VHT20) MIMO 138							102	5200.000	5150 to 5250	Pass		
(VHT20) MINO 138 5200.000 5150 to 5250 Pass	802.11ac	N 41N 40				20	120	5199.980	5150 to 5250	Pass		
5200		MINIO					138	5200.000	5150 to 5250	Pass		
5200 / -10 120 5199.940 5150 to 5250 Pass 0 120 5199.960 5150 to 5250 Pass 10 120 5199.960 5150 to 5250 Pass 30 120 5199.980 5150 to 5250 Pass 40 120 5200.040 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 5240 / / 20 120 5240.020 5150 to 5250 Pass						-30	120	5199.980	5150 to 5250	Pass		
0 120 5199.960 5150 to 5250 Pass 10 120 5199.960 5150 to 5250 Pass 30 120 5199.980 5150 to 5250 Pass 40 120 5200.040 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 20 120 5240.020 5150 to 5250 Pass						-20	120	5200.040	5150 to 5250	Pass		
10 120 5199.960 5150 to 5250 Pass 30 120 5199.980 5150 to 5250 Pass 40 120 5200.040 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 20 120 5240.020 5150 to 5250 Pass			5200	/	/	-10	120	5199.940	5150 to 5250	Pass		
30 120 5199.980 5150 to 5250 Pass 40 120 5200.040 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 20 120 5240.020 5150 to 5250 Pass						0	120	5199.960	5150 to 5250	Pass		
40 120 5200.040 5150 to 5250 Pass 50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 5240 / 20 120 5240.020 5150 to 5250 Pass						10	120	5199.960	5150 to 5250	Pass		
50 120 5199.980 5150 to 5250 Pass 102 5240.000 5150 to 5250 Pass 5240 / 20 120 5240.020 5150 to 5250 Pass						30	120	5199.980	5150 to 5250	Pass		
102 5240.000 5150 to 5250 Pass 5240 / / 20 120 5240.020 5150 to 5250 Pass		5240				40	120	5200.040	5150 to 5250	Pass		
5240 / 20 120 5240.020 5150 to 5250 Pass						50	120	5199.980	5150 to 5250	Pass		
							102	5240.000	5150 to 5250	Pass		
5240 / / 138 5240.020 5150 to 5250 Pass			,	,	20	120	5240.020	5150 to 5250	Pass			
			5240	/	/		138	5240.020	5150 to 5250	Pass		
-30 120 5239.980 5150 to 5250 Pass						-30	120	5239.980	5150 to 5250	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 646 of 663

-20									
120 5240.040 5150 to 5250 Pass					-20	120	5239.980	5150 to 5250	Pass
10					-10	120	5240.000	5150 to 5250	Pass
30					0	120	5240.040	5150 to 5250	Pass
40					10	120	5239.980	5150 to 5250	Pass
50					30	120	5239.940	5150 to 5250	Pass
102 5260.000 5250 to 5350 Pass					40	120	5239.960	5150 to 5250	Pass
120 5260.060 5250 to 5350 Pass					50	120	5239.920	5150 to 5250	Pass
138						102	5260.000	5250 to 5350	Pass
Second					20	120	5260.060	5250 to 5350	Pass
10						138	5259.960	5250 to 5350	Pass
5260					-30	120	5260.040	5250 to 5350	Pass
0					-20	120	5259.940	5250 to 5350	Pass
10		5260	/	/	-10	120	5259.940	5250 to 5350	Pass
30					0	120	5259.980	5250 to 5350	Pass
40					10	120	5260.000	5250 to 5350	Pass
SO					30	120	5259.980	5250 to 5350	Pass
102 5300.000 5250 to 5350 Pass					40	120	5260.040	5250 to 5350	Pass
10					50	120	5260.040	5250 to 5350	Pass
138						102	5300.000	5250 to 5350	Pass
10					20	120	5299.980	5250 to 5350	Pass
120 5299.960 5250 to 5350 Pass						138	5300.000	5250 to 5350	Pass
10					-30	120	5300.000	5250 to 5350	Pass
0 120 5299.980 5250 to 5350 Pass 10 120 5300.060 5250 to 5350 Pass 30 120 5300.000 5250 to 5350 Pass 40 120 5300.020 5250 to 5350 Pass 50 120 5299.980 5250 to 5350 Pass 50 120 5320.080 5250 to 5350 Pass 102 5320.080 5250 to 5350 Pass 138 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 5320 / -10 120 5319.940 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass 40 120 5319.980 5250 to 5350 Pass					-20	120	5299.960	5250 to 5350	Pass
10 120 5300.060 5250 to 5350 Pass 30 120 5300.000 5250 to 5350 Pass 40 120 5300.020 5250 to 5350 Pass 50 120 5299.980 5250 to 5350 Pass 102 5320.080 5250 to 5350 Pass 20 120 5320.000 5250 to 5350 Pass 138 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass 0 120 5319.940 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass 40 120 5319.960 5250 to 5350 Pass		5300	/	/	-10	120	5300.000	5250 to 5350	Pass
30					0	120	5299.980	5250 to 5350	Pass
40					10	120	5300.060	5250 to 5350	Pass
50 120 5299.980 5250 to 5350 Pass 102 5320.080 5250 to 5350 Pass 20 120 5320.000 5250 to 5350 Pass 138 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5319.940 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.980 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass					30	120	5300.000	5250 to 5350	Pass
102 5320.080 5250 to 5350 Pass					40	120	5300.020	5250 to 5350	Pass
20					50	120	5299.980	5250 to 5350	Pass
138 5320.020 5250 to 5350 Pass -30 120 5320.020 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5319.940 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.960 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass						102	5320.080	5250 to 5350	Pass
-30 120 5320.020 5250 to 5350 Pass -20 120 5320.040 5250 to 5350 Pass -20 120 5319.940 5250 to 5350 Pass 0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.960 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass					20	120	5320.000	5250 to 5350	Pass
5320 /						138	5320.020	5250 to 5350	Pass
5320					-30	120	5320.020	5250 to 5350	Pass
0 120 5319.980 5250 to 5350 Pass 10 120 5319.980 5250 to 5350 Pass 30 120 5319.960 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass					-20	120	5320.040	5250 to 5350	Pass
10 120 5319.980 5250 to 5350 Pass 30 120 5319.960 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass		5320	/	/	-10	120	5319.940	5250 to 5350	Pass
30 120 5319.960 5250 to 5350 Pass 40 120 5320.020 5250 to 5350 Pass					0	120	5319.980	5250 to 5350	Pass
40 120 5320.020 5250 to 5350 Pass					10	120	5319.980	5250 to 5350	Pass
					30	120	5319.960	5250 to 5350	Pass
50 120 5320.000 5250 to 5350 Pass					40	120	5320.020	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 647 of 663

102									
138						102	5499.980	5470 to 5725	Pass
Section					20	120	5499.960	5470 to 5725	Pass
120						138	5499.960	5470 to 5725	Pass
10					-30	120	5499.900	5470 to 5725	Pass
0					-20	120	5499.980	5470 to 5725	Pass
10		5500	/	/	-10	120	5499.980	5470 to 5725	Pass
30					0	120	5499.940	5470 to 5725	Pass
120 5500.020 5470 to 5725 Pass					10	120	5500.000	5470 to 5725	Pass
50					30	120	5500.020	5470 to 5725	Pass
102 5579.960 5470 to 5725 Pass					40	120	5500.020	5470 to 5725	Pass
120 5580.020 5470 to 5725 Pass					50	120	5500.060	5470 to 5725	Pass
138 5580.060 5470 to 5725 Pass						102	5579.960	5470 to 5725	Pass
Solution					20	120	5580.020	5470 to 5725	Pass
10						138	5580.060	5470 to 5725	Pass
10					-30	120	5579.960	5470 to 5725	Pass
120 5580.040 5470 to 5725 Pass 10					-20	120	5580.000	5470 to 5725	Pass
10		5580	/	/	-10	120	5580.000	5470 to 5725	Pass
30					0	120	5580.040	5470 to 5725	Pass
40					10	120	5579.960	5470 to 5725	Pass
102 5579.980 5470 to 5725 Pass					30	120	5580.000	5470 to 5725	Pass
102 5700.040 5470 to 5725 Pass					40	120	5580.040	5470 to 5725	Pass
120 5700.020 5470 to 5725 Pass 138					50	120	5579.980	5470 to 5725	Pass
138 5700.000 5470 to 5725 Pass						102	5700.040	5470 to 5725	Pass
120 5699.980 5470 to 5725 Pass					20	120	5700.020	5470 to 5725	Pass
120 5699.980 5470 to 5725 Pass						138	5700.000	5470 to 5725	Pass
5700 / -10 120 5700.000 5470 to 5725 Pass 0 120 5700.040 5470 to 5725 Pass 10 120 5700.060 5470 to 5725 Pass 30 120 5699.960 5470 to 5725 Pass 40 120 5699.900 5470 to 5725 Pass 50 120 5700.020 5470 to 5725 Pass 102 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass					-30	120	5699.980	5470 to 5725	Pass
0 120 5700.040 5470 to 5725 Pass 10 120 5700.060 5470 to 5725 Pass 30 120 5699.960 5470 to 5725 Pass 40 120 5699.900 5470 to 5725 Pass 50 120 5700.020 5470 to 5725 Pass 50 120 5700.020 5470 to 5725 Pass 102 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -20 120 5745.000 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass					-20	120	5699.980	5470 to 5725	Pass
10 120 5700.060 5470 to 5725 Pass 30 120 5699.960 5470 to 5725 Pass 40 120 5699.900 5470 to 5725 Pass 50 120 5700.020 5470 to 5725 Pass 50 120 5700.020 5470 to 5725 Pass 102 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -20 120 5745.000 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass		5700	/	/	-10	120	5700.000	5470 to 5725	Pass
30					0	120	5700.040	5470 to 5725	Pass
40					10	120	5700.060	5470 to 5725	Pass
50 120 5700.020 5470 to 5725 Pass 102 5744.980 5725 to 5850 Pass 20 120 5745.020 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 20 120 5745.040 5725 to 5850 Pass 20 120 5745.000 5725 to 5850 Pass 20 120 5744.980 5725 to 5850 Pass					30	120	5699.960	5470 to 5725	Pass
102 5744.980 5725 to 5850 Pass 120 5745.020 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 138 5745.040 5725 to 5850 Pass 120 5745.040 5725 to 5850 Pass 120 5745.000 5725 to 5850 Pass 120 5744.980 5725 to 5850 Pass 120 5745.000 5725 to 5850 Pass 120 5745.000					40	120	5699.900	5470 to 5725	Pass
20 120 5745.020 5725 to 5850 Pass 138 5744.980 5725 to 5850 Pass 5745 / -30 120 5745.040 5725 to 5850 Pass -20 120 5745.000 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass					50	120	5700.020	5470 to 5725	Pass
5745 /						102	5744.980	5725 to 5850	Pass
5745 / -30 120 5745.040 5725 to 5850 Pass -20 120 5745.000 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass					20	120	5745.020	5725 to 5850	Pass
-20 120 5745.000 5725 to 5850 Pass -10 120 5744.980 5725 to 5850 Pass						138	5744.980	5725 to 5850	Pass
-10 120 5744.980 5725 to 5850 Pass		5745 /	/	/	-30	120	5745.040	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
						5744.980			
					0	120	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 648 of 663

10													
Handblack						10	120	5744.920	5725 to 5850	Pass			
Second S						30	120	5744.980	5725 to 5850	Pass			
102 5785.000 5725 to 5850 Pass 20 120 5785.000 5725 to 5850 Pass 138 5784.960 5725 to 5850 Pass 7-20 120 5784.960 5725 to 5850 Pass 7-20 120 5784.960 5725 to 5850 Pass 7-20 120 5784.940 5725 to 5850 Pass 7-20 120 5784.940 5725 to 5850 Pass 7-20 120 5785.000 5725 to 5850 Pass 7-20 120 5785.000 5725 to 5850 Pass 7-20 120 5785.000 5725 to 5850 Pass 7-20 120 5784.980 5725 to 5850 Pass 7-20 120 5784.980 5725 to 5850 Pass 7-20 120 5824.980 5725 to 5850 Pass 7-20 120 5824.980 5725 to 5850 Pass 7-20 120 5824.940 5725 to 5850 Pass 7-20 120 5824.960 5725 to 5850 Pass 7-20 120 5825.000 5725 to 5850 Pass 7-20 120 5820.000 5825 to 5250 Pass 7-20 120 5820.000 5825 to 5250 Pass 7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20 7-20						40	120	5745.000	5725 to 5850	Pass			
120 5785.000 5725 to 5850 Pass						50	120	5744.980	5725 to 5850	Pass			
138							102	5785.000	5725 to 5850	Pass			
S785						20	120	5785.000	5725 to 5850	Pass			
S785							138	5784.960	5725 to 5850	Pass			
S785						-30	120	5784.920	5725 to 5850	Pass			
Name						-20	120	5784.960	5725 to 5850	Pass			
10			5785	/	/	-10	120	5784.940	5725 to 5850	Pass			
Second S						0	120	5785.000	5725 to 5850	Pass			
A0						10	120	5785.000	5725 to 5850	Pass			
Second S						30	120	5785.000	5725 to 5850	Pass			
102 5825.020 5725 to 5850 Pass						40	120	5784.980	5725 to 5850	Pass			
Second						50	120	5784.980	5725 to 5850	Pass			
Second S							102	5825.020	5725 to 5850	Pass			
Second S						20	120	5824.960	5725 to 5850	Pass			
Second S							138	5825.020	5725 to 5850	Pass			
S825						-30	120	5824.940	5725 to 5850	Pass			
MIMO						-20	120	5824.920	5725 to 5850	Pass			
10			5825	/	/	-10	120	5825.000	5725 to 5850	Pass			
30						0	120	5825.000	5725 to 5850	Pass			
MIMO									10	120	5824.960	5725 to 5850	Pass
SO								30	120	5825.000	5725 to 5850	Pass	
NIMO						40	120	5824.960	5725 to 5850	Pass			
802.11ac (VHT40) MIMO MIMO MIMO						50	120	5825.000	5725 to 5850	Pass			
MIMO							102	5190.040	5150 to 5250	Pass			
802.11ac (VHT40) MIMO MIMO 5190 -30 120 5190.080 5150 to 5250 Fass -20 120 5190.040 5150 to 5250 Fass 0 120 5190.040 5150 to 5250 Fass 0 120 5190.040 5150 to 5250 Fass 101 120 5190.040 5150 to 5250 Fass 102 5190.040 5150 to 5250 Fass 40 120 5190.040 5150 to 5250 Fass 40 120 5190.040 5150 to 5250 Fass 40 120 5190.040 5150 to 5250 Fass 102 5230.000 5150 to 5250 Fass 102 5230.000 5150 to 5250 Fass 102 5230.000 5150 to 5250 Fass						20	120	5190.040	5150 to 5250	Pass			
802.11ac (VHT40) MIMO MIMO 5190							138	5190.120	5150 to 5250	Pass			
802.11ac (VHT40) MIMO						-30	120	5190.080	5150 to 5250	Pass			
802.11ac (VHT40) MIMO MIMO MIMO 0 120 5190.040 5150 to 5250 Pass 10 120 5190.040 5150 to 5250 Pass 30 120 5190.040 5150 to 5250 Pass 40 120 5190.040 5150 to 5250 Pass 50 120 5190.040 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass						-20	120	5190.040	5150 to 5250	Pass			
(VHT40) MIMO 10 120 5190.040 5150 to 5250 Pass 30 120 5190.080 5150 to 5250 Pass 40 120 5190.040 5150 to 5250 Pass 50 120 5190.040 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass 5230 / 20 120 5230.000 5150 to 5250 Pass				/	/	-10	120	5190.040	5150 to 5250	Pass			
(VHT40) 10 120 5190.040 5150 to 5250 Pass 30 120 5190.080 5150 to 5250 Pass 40 120 5190.040 5150 to 5250 Pass 50 120 5190.040 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass 5230 / / 20 120 5230.000 5150 to 5250 Pass	802.11ac	NAIN 40				0	120	5190.040	5150 to 5250	Pass			
40 120 5190.040 5150 to 5250 Pass 50 120 5190.040 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass 5230 / 20 120 5230.000 5150 to 5250 Pass		IVIIIVIU				10	120	5190.040	5150 to 5250	Pass			
50 120 5190.040 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass 5230 / / 20 120 5230.000 5150 to 5250 Pass						30	120	5190.080	5150 to 5250	Pass			
5230 / / 20 102 5230.000 5150 to 5250 Pass 102 5230.000 5150 to 5250 Pass		5230			40	120	5190.040	5150 to 5250	Pass				
5230 / / 20 120 5230.000 5150 to 5250 Pass					50	120	5190.040	5150 to 5250	Pass				
						102	5230.000	5150 to 5250	Pass				
138 5230.000 5150 to 5250 Pass			/	/	20	120	5230.000	5150 to 5250	Pass				
							138	5230.000	5150 to 5250	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 649 of 663

			-30	120	5230.000	5150 to 5250	Pass
			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.040	5150 to 5250	Pass
			10	120	5230.000	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5229.960	5150 to 5250	Pass
			50	120	5230.040	5150 to 5250	Pass
				102	5270.000	5250 to 5350	Pass
			20	120	5270.000	5250 to 5350	Pass
				138	5270.000	5250 to 5350	Pass
			-30	120	5270.000	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
5270	/	/	-10	120	5270.040	5250 to 5350	Pass
			0	120	5270.000	5250 to 5350	Pass
			10	120	5270.000	5250 to 5350	Pass
			30	120	5270.040	5250 to 5350	Pass
			40	120	5270.040	5250 to 5350	Pass
			50	120	5270.000	5250 to 5350	Pass
				102	5310.040	5250 to 5350	Pass
			20	120	5310.040	5250 to 5350	Pass
				138	5310.080	5250 to 5350	Pass
			-30	120	5310.040	5250 to 5350	Pass
			-20	120	5310.080	5250 to 5350	Pass
5310	/	/	-10	120	5310.080	5250 to 5350	Pass
			0	120	5310.000	5250 to 5350	Pass
			10	120	5310.040	5250 to 5350	Pass
			30	120	5310.040	5250 to 5350	Pass
			40	120	5310.040	5250 to 5350	Pass
			50	120	5310.000	5250 to 5350	Pass
				102	5510.040	5470 to 5725	Pass
			20	120	5510.000	5470 to 5725	Pass
				138	5510.040	5470 to 5725	Pass
			-30	120	5510.000	5470 to 5725	Pass
FF40	,	,	-20	120	5510.000	5470 to 5725	Pass
5510	/	/	-10	120	5510.000	5470 to 5725	Pass
			0	120	5510.000	5470 to 5725	Pass
			10	120	5510.040	5470 to 5725	Pass
			30	120	5510.040	5470 to 5725	Pass
1		1	40	120	5509.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 650 of 663

			50	120	5510.040	5470 to 5725	Pass
				102	5550.040	5470 to 5725	Pass
			20	120	5550.040	5470 to 5725	Pass
				138	5550.040	5470 to 5725	Pass
			-30	120	5550.040	5470 to 5725	Pass
			-20	120	5550.040	5470 to 5725	Pass
5550	/	/	-10	120	5550.040	5470 to 5725	Pass
			0	120	5550.040	5470 to 5725	Pass
			10	120	5550.040	5470 to 5725	Pass
			30	120	5550.040	5470 to 5725	Pass
			40	120	5550.000	5470 to 5725	Pass
			50	120	5550.040	5470 to 5725	Pass
				102	5670.040	5470 to 5725	Pass
			20	120	5670.000	5470 to 5725	Pass
				138	5670.000	5470 to 5725	Pass
			-30	120	5670.040	5470 to 5725	Pass
			-20	120	5670.040	5470 to 5725	Pass
5670	/	/	-10	120	5670.000	5470 to 5725	Pass
			0	120	5670.000	5470 to 5725	Pass
			10	120	5670.040	5470 to 5725	Pass
			30	120	5670.000	5470 to 5725	Pass
			40	120	5670.040	5470 to 5725	Pass
			50	120	5670.040	5470 to 5725	Pass
				102	5755.000	5725 to 5850	Pass
			20	120	5755.000	5725 to 5850	Pass
				138	5755.080	5725 to 5850	Pass
			-30	120	5755.040	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
5755	/	/	-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5754.960	5725 to 5850	Pass
			30	120	5754.960	5725 to 5850	Pass
			40	120	5755.000	5725 to 5850	Pass
			50	120	5755.040	5725 to 5850	Pass
				102	5795.000	5725 to 5850	Pass
			20	120	5795.000	5725 to 5850	Pass
E70E	,	,		138	5795.000	5725 to 5850	Pass
5795	/	/	-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.040	5725 to 5850	Pass
			-10	120	5795.000	5725 to 5850	Pass
 · · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 651 of 663

					0	120	5795.040	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.000	5725 to 5850	Pass
					50	120	5795.040	5725 to 5850	Pass
						102	5210.075	5150 to 5250	Pass
					20	120	5210.075	5150 to 5250	Pass
						138	5210.075	5150 to 5250	Pass
					-30	120	5210.075	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
		5210	/	/	-10	120	5210.075	5150 to 5250	Pass
					0	120	5210.075	5150 to 5250	Pass
					10	120	5210.075	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.075	5150 to 5250	Pass
					50	120	5210.075	5150 to 5250	Pass
						102	5290.075	5250 to 5350	Pass
					20	120	5290.000	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
000 44		5290	/	/	-10	120	5290.075	5250 to 5350	Pass
802.11ac (VHT80)	MIMO				0	120	5290.075	5250 to 5350	Pass
(111100)					10	120	5290.075	5250 to 5350	Pass
					30	120	5290.075	5250 to 5350	Pass
					40	120	5290.075	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
						102	5530.075	5470 to 5725	Pass
					20	120	5530.000	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.075	5470 to 5725	Pass
					-20	120	5530.075	5470 to 5725	Pass
		5530	/	/	-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
				30	120	5530.000	5470 to 5725	Pass	
				40	120	5530.075	5470 to 5725	Pass	
				50	120	5530.000	5470 to 5725	Pass	
		1	,	20	102	5610.000	5470 to 5725	Pass	
		5610	/	/	20	120	5610.075	5470 to 5725	Pass
					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 652 of 663

						138	5610.075	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
					-10	120	5610.075	5470 to 5725	Pass
					0	120	5610.075	5470 to 5725	Pass
					10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.000	5470 to 5725	Pass
					50	120	5610.075	5470 to 5725	Pass
						102	5775.000	5725 to 5850	Pass
					20	120	5775.000	5725 to 5850	Pass
						138	5775.075	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.075	5725 to 5850	Pass
		5775	/	/	-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.000	5725 to 5850	Pass
					10	120	5775.075	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5775.000	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
						102	5180.020	5150 to 5250	Pass
					20	120	5180.040	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.000	5150 to 5250	Pass
		5180	RU242	Left	-10	120	5180.000	5150 to 5250	Pass
					0	120	5179.980	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
802.11ax	NAINAO				40	120	5180.000	5150 to 5250	Pass
(HEW20)	MIMO				50	120	5179.980	5150 to 5250	Pass
						102	5199.980	5150 to 5250	Pass
					20	120	5199.980	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.000	5150 to 5250	Pass
		5200	RU242	Left	-20	120	5200.020	5150 to 5250	Pass
	5200 RU			-10	120	5199.980	5150 to 5250	Pass	
					0	120	5200.000	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5199.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 653 of 663

				40	120	5200.000	5150 to 5250	Pass
				50	120	5200.000	5150 to 5250	Pass
					102	5240.020	5150 to 5250	Pass
				20	120	5240.000	5150 to 5250	Pass
					138	5239.980	5150 to 5250	Pass
				-30	120	5240.000	5150 to 5250	Pass
				-20	120	5239.960	5150 to 5250	Pass
	5240	RU242	Left	-10	120	5240.000	5150 to 5250	Pass
				0	120	5239.980	5150 to 5250	Pass
				10	120	5239.980	5150 to 5250	Pass
				30	120	5239.980	5150 to 5250	Pass
				40	120	5240.000	5150 to 5250	Pass
				50	120	5240.000	5150 to 5250	Pass
					102	5259.980	5250 to 5350	Pass
				20	120	5260.000	5250 to 5350	Pass
					138	5260.000	5250 to 5350	Pass
				-30	120	5260.000	5250 to 5350	Pass
				-20	120	5260.040	5250 to 5350	Pass
	5260	RU242	Left	-10	120	5260.000	5250 to 5350	Pass
				0	120	5259.980	5250 to 5350	Pass
				10	120	5259.980	5250 to 5350	Pass
				30	120	5259.980	5250 to 5350	Pass
				40	120	5259.980	5250 to 5350	Pass
				50	120	5259.980	5250 to 5350	Pass
					102	5299.980	5250 to 5350	Pass
				20	120	5300.000	5250 to 5350	Pass
					138	5299.980	5250 to 5350	Pass
				-30	120	5299.980	5250 to 5350	Pass
				-20	120	5299.980	5250 to 5350	Pass
	5300	RU242	Left	-10	120	5299.980	5250 to 5350	Pass
				0	120	5300.000	5250 to 5350	Pass
				10	120	5299.980	5250 to 5350	Pass
				30	120	5299.980	5250 to 5350	Pass
				40	120	5300.000	5250 to 5350	Pass
				50	120	5299.980	5250 to 5350	Pass
					102	5320.000	5250 to 5350	Pass
			20	120	5320.020	5250 to 5350	Pass	
	5320	RU242	Left		138	5319.980	5250 to 5350	Pass
	5320 RU242		-30	120	5319.980	5250 to 5350	Pass	
				-20	120	5319.980	5250 to 5350	Pass
		1						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 654 of 663

Heart 10									
10					-10	120	5320.020	5250 to 5350	Pass
Section Sect					0	120	5320.000	5250 to 5350	Pass
Heat					10	120	5320.000	5250 to 5350	Pass
South Sout					30	120	5319.980	5250 to 5350	Pass
Section					40	120	5320.020	5250 to 5350	Pass
Second Part					50	120	5320.020	5250 to 5350	Pass
Section Sect						102	5500.020	5470 to 5725	Pass
Section Sect					20	120	5500.000	5470 to 5725	Pass
S500 RU242 Left -20						138	5499.980	5470 to 5725	Pass
S500 RU242 Left -10 120 5499.980 5470 to 5725 Pass					-30	120	5499.980	5470 to 5725	Pass
Name					-20	120	5499.980	5470 to 5725	Pass
10		5500	RU242	Left	-10	120	5499.980	5470 to 5725	Pass
30					0	120	5499.980	5470 to 5725	Pass
A0					10	120	5499.980	5470 to 5725	Pass
So					30	120	5499.980	5470 to 5725	Pass
Second Part					40	120	5499.980	5470 to 5725	Pass
RU242 Left 120 5580.040 5470 to 5725 Pass					50	120	5500.000	5470 to 5725	Pass
138 5580.020 5470 to 5725 Pass						102	5579.980	5470 to 5725	Pass
Second Figure Second Figur					20	120	5580.040	5470 to 5725	Pass
Section Ru242 Left						138	5580.020	5470 to 5725	Pass
5580 RU242 Left -10 120 5580.000 5470 to 5725 Pass 0 120 5579.980 5470 to 5725 Pass 10 120 5580.020 5470 to 5725 Pass 30 120 5580.000 5470 to 5725 Pass 40 120 5579.980 5470 to 5725 Pass 50 120 5580.000 5470 to 5725 Pass 20 120 5699.980 5470 to 5725 Pass 138 5700.020 5470 to 5725 Pass -30 120 5700.020 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass 0 120 5700.040 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5					-30	120	5580.020	5470 to 5725	Pass
Name					-20	120	5580.020	5470 to 5725	Pass
10		5580	RU242	Left	-10	120	5580.000	5470 to 5725	Pass
30					0	120	5579.980	5470 to 5725	Pass
Heat					10	120	5580.020	5470 to 5725	Pass
50 120 5580.000 5470 to 5725 Pass 102 5699.980 5470 to 5725 Pass 20 120 5699.980 5470 to 5725 Pass 138 5700.020 5470 to 5725 Pass -30 120 5700.020 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass					30	120	5580.000	5470 to 5725	Pass
102 5699.980 5470 to 5725 Pass					40	120	5579.980	5470 to 5725	Pass
Second Part					50	120	5580.000	5470 to 5725	Pass
138 5700.020 5470 to 5725 Pass						102	5699.980	5470 to 5725	Pass
FOR STOOL RU242 RU242 Left					20	120	5699.980	5470 to 5725	Pass
5700 RU242 Left						138	5700.020	5470 to 5725	Pass
5700 RU242 Left -10 120 5700.000 5470 to 5725 Pass 0 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass					-30	120	5700.020	5470 to 5725	Pass
0 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass					-20	120	5700.040	5470 to 5725	Pass
10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass		5700	RU242	Left	-10	120	5700.000	5470 to 5725	Pass
30 120 5700.020 5470 to 5725 Pass 40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass					0	120	5699.980	5470 to 5725	Pass
40 120 5699.980 5470 to 5725 Pass 50 120 5700.000 5470 to 5725 Pass					10	120	5699.980	5470 to 5725	Pass
50 120 5700.000 5470 to 5725 Pass					30	120	5700.020	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
5745 RU242 Left 20 102 5744.980 5725 to 5850 Pass					50	120	5700.000	5470 to 5725	Pass
		5745	RU242	Left	20	102	5744.980	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 655 of 663

120								1 ugo. 000	01 000		
Separation							120	5744.960	5725 to 5850	Pass	
Page							138	5745.020	5725 to 5850	Pass	
1-10						-30	120	5744.980	5725 to 5850	Pass	
Name						-20	120	5744.980	5725 to 5850	Pass	
10						-10	120	5744.980	5725 to 5850	Pass	
Separation						0	120	5745.000	5725 to 5850	Pass	
Hard 120 5745.000 5725 to 5850 Pass						10	120	5744.980	5725 to 5850	Pass	
Separation						30	120	5745.000	5725 to 5850	Pass	
STATE STAT						40	120	5745.000	5725 to 5850	Pass	
STATE STAT						50	120	5745.000	5725 to 5850	Pass	
S785 RU242 Left 1-10 120 5785-00 5725 to 5850 Pass							102	5785.000	5725 to 5850	Pass	
S785 RU242 Left						20	120	5785.000	5725 to 5850	Pass	
S785 RU242 Left							138	5785.000	5725 to 5850	Pass	
S785 RU242 Left						-30	120	5784.980	5725 to 5850	Pass	
Name						-20	120	5785.000	5725 to 5850	Pass	
10			5785	RU242	Left	-10	120	5785.000	5725 to 5850	Pass	
Second						0	120	5785.000	5725 to 5850	Pass	
Harmonia						10	120	5784.980	5725 to 5850	Pass	
Second S						30	120	5785.000	5725 to 5850	Pass	
Ruarian (Hewao) Mimo Signature Sig						40	120	5784.980	5725 to 5850	Pass	
Second Security Second Sec						50	120	5785.020	5725 to 5850	Pass	
Second S								102	5824.980	5725 to 5850	Pass
Secondaria Sec						20	120	5825.020	5725 to 5850	Pass	
Name							138	5825.000	5725 to 5850	Pass	
S825 RU242 Left -10 120 5824.980 5725 to 5850 Pass						-30	120	5825.000	5725 to 5850	Pass	
Name						-20	120	5825.020	5725 to 5850	Pass	
10			5825	RU242	Left	-10	120	5824.980	5725 to 5850	Pass	
30						0	120	5824.980	5725 to 5850	Pass	
MIMO						10	120	5824.980	5725 to 5850	Pass	
802.11ax (HEW40) MIMO 5190 RU484 RU484 Fig. 120 5190.040 5150 to 5250 Pass						30	120	5824.980	5725 to 5850	Pass	
802.11ax (HEW40) MIMO 5190 RU484 RU484 Left						40	120	5825.000	5725 to 5850	Pass	
802.11ax (HEW40) MIMO 5190 RU484 RU484 Left 20 120 5190.040 5150 to 5250 Pass 138 5190.000 5150 to 5250 Pass -30 120 5190.040 5150 to 5250 Pass -20 120 5190.040 5150 to 5250 Pass -10 120 5190.040 5150 to 5250 Pass 0 120 5190.040 5150 to 5250 Pass						50	120	5825.020	5725 to 5850	Pass	
802.11ax (HEW40) MIMO							102	5190.040	5150 to 5250	Pass	
802.11ax (HEW40) MIMO 5190 RU484 Left -30 120 5190.040 5150 to 5250 Pass -20 120 5190.040 5150 to 5250 Pass -10 120 5190.040 5150 to 5250 Pass 0 120 5190.040 5150 to 5250 Pass						20	120	5190.040	5150 to 5250	Pass	
(HEW40) MIMO 5190 RU484 Left -20 120 5190.040 5150 to 5250 Pass -10 120 5190.040 5150 to 5250 Pass 0 120 5190.040 5150 to 5250 Pass							138	5190.000	5150 to 5250	Pass	
(HEW40)	802.11ax	NAINAO	E100	DIIAGA	1.64	-30	120	5190.040	5150 to 5250	Pass	
0 120 5190.040 5150 to 5250 Pass	(HEW40)	MIMO 5190 RU484	Leit	-20	120	5190.040	5150 to 5250	Pass			
						-10	120	5190.040	5150 to 5250	Pass	
10 120 5190.040 5150 to 5250 Pass						0	120	5190.040	5150 to 5250	Pass	
<u></u>						10	120	5190.040	5150 to 5250	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 656 of 663

						<u> </u>		
				30	120	5190.040	5150 to 5250	Pass
				40	120	5190.040	5150 to 5250	Pass
				50	120	5190.040	5150 to 5250	Pass
					102	5230.040	5150 to 5250	Pass
				20	120	5230.040	5150 to 5250	Pass
					138	5230.040	5150 to 5250	Pass
				-30	120	5230.040	5150 to 5250	Pass
				-20	120	5230.080	5150 to 5250	Pass
	5230	RU484	Left	-10	120	5230.040	5150 to 5250	Pass
				0	120	5230.080	5150 to 5250	Pass
				10	120	5230.000	5150 to 5250	Pass
				30	120	5230.080	5150 to 5250	Pass
				40	120	5230.080	5150 to 5250	Pass
				50	120	5230.000	5150 to 5250	Pass
					102	5270.040	5250 to 5350	Pass
				20	120	5270.000	5250 to 5350	Pass
					138	5270.040	5250 to 5350	Pass
				-30	120	5270.040	5250 to 5350	Pass
		RU484	Left	-20	120	5270.000	5250 to 5350	Pass
	5270			-10	120	5270.040	5250 to 5350	Pass
				0	120	5270.040	5250 to 5350	Pass
				10	120	5270.040	5250 to 5350	Pass
				30	120	5269.960	5250 to 5350	Pass
				40	120	5270.040	5250 to 5350	Pass
				50	120	5270.040	5250 to 5350	Pass
					102	5310.080	5250 to 5350	Pass
				20	120	5310.040	5250 to 5350	Pass
					138	5310.040	5250 to 5350	Pass
				-30	120	5310.000	5250 to 5350	Pass
				-20	120	5310.040	5250 to 5350	Pass
	5310	RU484	Left	-10	120	5310.080	5250 to 5350	Pass
				0	120	5310.040	5250 to 5350	Pass
		5540		10	120	5310.120	5250 to 5350	Pass
				30	120	5310.040	5250 to 5350	Pass
				40	120	5310.040	5250 to 5350	Pass
				50	120	5310.080	5250 to 5350	Pass
					102	5510.040	5470 to 5725	Pass
				20	120	5510.000	5470 to 5725	Pass
	5510 RU484	Left		138	5510.040	5470 to 5725	Pass	
				-30	120	5510.040	5470 to 5725	Pass
L			1	1		•	·	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 657 of 663

Page										
Name						-20	120	5510.040	5470 to 5725	Pass
10						-10	120	5510.080	5470 to 5725	Pass
Section						0	120	5510.000	5470 to 5725	Pass
Heat						10	120	5510.080	5470 to 5725	Pass
So						30	120	5510.000	5470 to 5725	Pass
The color of the						40	120	5510.040	5470 to 5725	Pass
Section Sect						50	120	5510.120	5470 to 5725	Pass
Section Sect				RU484	Left	20	102	5550.000	5470 to 5725	Pass
Section Rush Section Section							120	5550.080	5470 to 5725	Pass
S550 RU484 Left -10 120 5550.120 5470 to 5725 Pass							138	5550.080	5470 to 5725	Pass
S550 RU484 Left						-30	120	5550.040	5470 to 5725	Pass
New York Pass						-20	120	5550.120	5470 to 5725	Pass
10			5550			-10	120	5550.000	5470 to 5725	Pass
Section						0	120	5550.040	5470 to 5725	Pass
A0						10	120	5550.080	5470 to 5725	Pass
So						30	120	5550.120	5470 to 5725	Pass
RU484 Left 102 5670.000 5470 to 5725 Pass						40	120	5550.080	5470 to 5725	Pass
Section Sect						50	120	5550.040	5470 to 5725	Pass
Section of the section Section of the section o			5670	RU484	Left	20	102	5670.000	5470 to 5725	Pass
Section of Section Sec							120	5670.040	5470 to 5725	Pass
Form Ru484 Left							138	5670.040	5470 to 5725	Pass
Test						-30	120	5670.080	5470 to 5725	Pass
0 120 5670.040 5470 to 5725 Pass 10 120 5670.040 5470 to 5725 Pass 30 120 5670.040 5470 to 5725 Pass 40 120 5670.040 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 102 5755.000 5725 to 5850 Pass 138 5755.040 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass -30 120 5755.000 5725 to 5850 Pass -20 120 5755.000 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass						-20	120	5670.040	5470 to 5725	Pass
10						-10	120	5670.040	5470 to 5725	Pass
30						0	120	5670.040	5470 to 5725	Pass
A0						10	120	5670.040	5470 to 5725	Pass
50 120 5670.040 5470 to 5725 Pass 102 5755.000 5725 to 5850 Pass 20 120 5755.080 5725 to 5850 Pass 138 5755.040 5725 to 5850 Pass -30 120 5755.000 5725 to 5850 Pass -20 120 5755.000 5725 to 5850 Pass -20 120 5755.000 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass						30	120	5670.040	5470 to 5725	Pass
102 5755.000 5725 to 5850 Pass						40	120	5670.080	5470 to 5725	Pass
20						50	120	5670.040	5470 to 5725	Pass
138 5755.040 5725 to 5850 Pass -30 120 5755.000 5725 to 5850 Pass -20 120 5755.000 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 30 120 5755.040 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass				RU484	Left		102	5755.000	5725 to 5850	Pass
-30 120 5755.000 5725 to 5850 Pass -20 120 5755.000 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass 0 120 5755.080 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 30 120 5755.040 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass						20	120	5755.080	5725 to 5850	Pass
FU484 Left							138	5755.040	5725 to 5850	Pass
5755 RU484 Left			5755			-30	120	5755.000	5725 to 5850	Pass
0 120 5755.080 5725 to 5850 Pass 10 120 5755.080 5725 to 5850 Pass 30 120 5755.040 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass						-20	120	5755.000	5725 to 5850	Pass
10 120 5755.080 5725 to 5850 Pass 30 120 5755.040 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass						-10	120	5755.040	5725 to 5850	Pass
30 120 5755.040 5725 to 5850 Pass 40 120 5755.040 5725 to 5850 Pass						0	120	5755.080	5725 to 5850	Pass
40 120 5755.040 5725 to 5850 Pass						10	120	5755.080	5725 to 5850	Pass
						30	120	5755.040	5725 to 5850	Pass
50 120 5755.040 5725 to 5850 Pass						40	120	5755.040	5725 to 5850	Pass
						50	120	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 658 of 663

	5725 to 5850	Pass
20 120 5795.080 57		газэ
	5725 to 5850	Pass
138 5795.040 57	5725 to 5850	Pass
-30 120 5795.000 57	5725 to 5850	Pass
-20 120 5795.080 57	5725 to 5850	Pass
5795 RU484 Left -10 120 5795.040 57	5725 to 5850	Pass
0 120 5795.000 57	5725 to 5850	Pass
10 120 5795.040 57	5725 to 5850	Pass
30 120 5795.000 57	5725 to 5850	Pass
40 120 5795.040 57	5725 to 5850	Pass
50 120 5795.000 57	5725 to 5850	Pass
102 5210.150 52	5150 to 5250	Pass
20 120 5210.075 5	5150 to 5250	Pass
138 5210.075 5	5150 to 5250	Pass
-30 120 5210.075 5	5150 to 5250	Pass
-20 120 5209.925 5 ²	5150 to 5250	Pass
5210 RU996 Left -10 120 5210.075 5	5150 to 5250	Pass
0 120 5210.075 5	5150 to 5250	Pass
10 120 5210.075 5	5150 to 5250	Pass
30 120 5210.150 5	5150 to 5250	Pass
40 120 5210.150 5	5150 to 5250	Pass
50 120 5210.075 5	5150 to 5250	Pass
102 5290.075 52	5250 to 5350	Pass
20 120 5290.150 52	5250 to 5350	Pass
	5250 to 5350	Pass
802.11ax (HEW80) MIMO -30 120 5290.150 52	5250 to 5350	Pass
-20 120 5290.075 52	5250 to 5350	Pass
5290 RU996 Left -10 120 5290.075 52	5250 to 5350	Pass
0 120 5290.075 52	5250 to 5350	Pass
10 120 5290.075 52	5250 to 5350	Pass
30 120 5290.000 52	5250 to 5350	Pass
40 120 5290.075 52	5250 to 5350	Pass
50 120 5290.075 52	5250 to 5350	Pass
102 5530.075 54	5470 to 5725	Pass
20 120 5530.075 54	5470 to 5725	Pass
138 5530.075 54	5470 to 5725	Pass
5530 RU996 Left -30 120 5530.075 54	5470 to 5725	Pass
-20 120 5530.075 54	5470 to 5725	Pass
-10 120 5530.075 54	5470 to 5725	Pass
0 120 5530.075 54	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Co.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 659 of 663

					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.075	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.075	5470 to 5725	Pass
			RU996	Left	20	102	5610.150	5470 to 5725	Pass
						120	5610.150	5470 to 5725	Pass
						138	5610.150	5470 to 5725	Pass
					-30	120	5610.075	5470 to 5725	Pass
					-20	120	5610.075	5470 to 5725	Pass
		5610			-10	120	5610.150	5470 to 5725	Pass
					0	120	5610.150	5470 to 5725	Pass
	_				10	120	5610.075	5470 to 5725	Pass
					30	120	5610.075	5470 to 5725	Pass
					40	120	5610.075	5470 to 5725	Pass
					50	120	5610.150	5470 to 5725	Pass
		5775				102	5775.075	5725 to 5850	Pass
					20	120	5775.075	5725 to 5850	Pass
						138	5775.150	5725 to 5850	Pass
					-30	120	5775.075	5725 to 5850	Pass
			RU996	Left	-20	120	5775.075	5725 to 5850	Pass
					-10	120	5775.000	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.150	5725 to 5850	Pass
					30	120	5775.000	5725 to 5850	Pass
					40	120	5775.075	5725 to 5850	Pass
					50	120	5775.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 660 of 663

6. DFS(Dynamic Frequency Selection)

Test Result:

BW/Channel	Test Item	Result	
	Channel Availability Check Time	N/A	
	Minimum Off-Channel CAC Time	N/A	
	Maximum Off-Channel CAC Time	N/A	
80MHz/5290MHz;	In-Service Monitoring	N/A	
80MHz/5530MHz;	Channel Move Time	Pass	
	Channel Closing Transmission Time	Pass	
	Non-Occupancy Period	N/A	
	Uniform Spreading	N/A	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 661 of 663

Radar:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/1


Report No.: SZCR240800301805

Page: 662 of 663

Channel Shutdown

5290MHz:





T0: -0.0245 S (Radar Injection Start)
T1: 0.0000 S (Radar Injection Stop)
T2: 0.2000 S (200msec Interval)
T3: 0.4420 S (Channel Move Time)

Time Per Bin:0.4999833 T2~T3 Bins Over Threshold:

Channel Move Time: 0.4419853 S Channel Close Time: 0.0029999 S

= 6 Bins



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn





SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240800301805

Page: 663 of 663

5530MHz:





- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Ill-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn