


SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 972 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 973 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 974 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ****Certificate, please contact us at telephone

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 975 of 1027





5765.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


5805.0



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 976 of 1027





5765.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere teatined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


5805.0



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 977 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 978 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 979 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 980 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 981 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued selfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 982 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere teatined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 983 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 984 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 985 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 986 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 987 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 988 of 1027





5715.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com

Ant1 Ant2


5795.0



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 989 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 990 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 991 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 992 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 993 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 994 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere teatined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

Frequency (MHz)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 995 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 996 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 997 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere teatined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com


Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 998 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 999 of 1027





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere tealined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND poccheckers.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1000 of 1027







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sere teatined for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1001 of 1027 Page:

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

					Ant1				
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
						3.06	5180.040	5150 to 5250	Pass
					20	3.6	5180.000	5150 to 5250	Pass
						4.14	5179.980	5150 to 5250	Pass
					-30	3.6	5180.020	5150 to 5250	Pass
					-20	3.6	5180.020	5150 to 5250	Pass
		5180	/	/	-10	3.6	5180.000	5150 to 5250	Pass
					0	3.6	5179.980	5150 to 5250	Pass
					10	3.6	5180.000	5150 to 5250	Pass
					30	3.6	5180.000	5150 to 5250	Pass
					40	3.6	5179.940	5150 to 5250	Pass
	MIMO				50	3.6	5179.980	5150 to 5250	Pass
			/	/		3.06	5200.040	5150 to 5250	Pass
					20	3.6	5200.000	5150 to 5250	Pass
						4.14	5199.920	5150 to 5250	Pass
802.11a					-30	3.6	5200.020	5150 to 5250	Pass
					-20	3.6	5200.000	5150 to 5250	Pass
		5200			-10	3.6	5200.040	5150 to 5250	Pass
					0	3.6	5200.020	5150 to 5250	Pass
					10	3.6	5199.960	5150 to 5250	Pass
					30	3.6	5200.020	5150 to 5250	Pass
					40	3.6	5200.020	5150 to 5250	Pass
					50	3.6	5200.000	5150 to 5250	Pass
						3.06	5239.960	5150 to 5250	Pass
					20	3.6	5240.000	5150 to 5250	Pass
						4.14	5239.980	5150 to 5250	Pass
		5240	/	/	-30	3.6	5240.040	5150 to 5250	Pass
					-20	3.6	5239.920	5150 to 5250	Pass
					-10	3.6	5239.920	5150 to 5250	Pass
					0	3.6	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@sas.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1002 of 1027 Page:

				10	3.6	5239.920	5150 to 5250	Pass
				30	3.6	5240.000	5150 to 5250	Pass
				40	3.6	5239.940	5150 to 5250	Pass
				50	3.6	5240.040	5150 to 5250	Pass
					3.06	5260.020	5250 to 5350	Pass
				20	3.6	5260.000	5250 to 5350	Pass
					4.14	5259.980	5250 to 5350	Pass
				-30	3.6	5260.020	5250 to 5350	Pass
				-20	3.6	5260.020	5250 to 5350	Pass
	5260	/	/	-10	3.6	5260.000	5250 to 5350	Pass
				0	3.6	5259.960	5250 to 5350	Pass
				10	3.6	5259.980	5250 to 5350	Pass
				30	3.6	5260.000	5250 to 5350	Pass
				40	3.6	5260.020	5250 to 5350	Pass
				50	3.6	5259.940	5250 to 5350	Pass
					3.06	5300.040	5250 to 5350	Pass
				20	3.6	5300.000	5250 to 5350	Pass
					4.14	5299.960	5250 to 5350	Pass
	5300	/	/	-30	3.6	5300.020	5250 to 5350	Pass
				-20	3.6	5299.940	5250 to 5350	Pass
				-10	3.6	5300.040	5250 to 5350	Pass
				0	3.6	5300.020	5250 to 5350	Pass
				10	3.6	5300.020	5250 to 5350	Pass
				30	3.6	5300.060	5250 to 5350	Pass
				40	3.6	5299.960	5250 to 5350	Pass
				50	3.6	5300.000	5250 to 5350	Pass
					3.06	5319.980	5250 to 5350	Pass
				20	3.6	5320.040	5250 to 5350	Pass
					4.14	5320.000	5250 to 5350	Pass
				-30	3.6	5319.980	5250 to 5350	Pass
				-20	3.6	5320.000	5250 to 5350	Pass
	5320	/	/	-10	3.6	5320.000	5250 to 5350	Pass
				0	3.6	5319.960	5250 to 5350	Pass
				10	3.6	5320.020	5250 to 5350	Pass
				30	3.6	5320.000	5250 to 5350	Pass
				40	3.6	5319.980	5250 to 5350	Pass
				50	3.6	5320.040	5250 to 5350	Pass
			/		3.06	5499.980	5470 to 5725	Pass
	5500	/		20	3.6	5499.960	5470 to 5725	Pass
					4.14	5499.940	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1003 of 1027 Page:

-30 3.6 5499.960 5470 to 5725 Pass -20 3.6 5500.020 5470 to 5725 Pass -10 3.6 5500.000 5470 to 5725 Pass -10 3.6 5500.000 5470 to 5725 Pass -10 3.6 5590.000 5470 to 5725 Pass -10 3.6 5499.980 5470 to 5725 Pass -10 3.6 5590.000 5470 to 5725 Pass -10 3.6 5590.000 5470 to 5725 Pass -10 3.6 5590.020 5470 to 5725 Pass -10 3.6 5580.020 5470 to 5725 Pass -10 3.6 5580.020 5470 to 5725 Pass -10 3.6 5580.000 5470 to 5725 Pass -10 3.6 5579.980 5470 to 5725 Pass -10 3.6 5599.980 5470 to 5725 Pass -10 3.6 5599.990 5470 to 5725 Pass -10 3.6 5699.940 5470 to 5725 Pass -10 3.6 5700.000 5470 to 5725 Pass -10 3.6 5700.000 5470 to 5725 Pass -10 3.6 5700.000 5470 to 5725 Pass -10 3.6 5744.980 5725 to 5850 Pass -10 3.6 5744.980										
1-10 3.6 5500.000 5470 to 5725 Pass						-30	3.6	5499.960	5470 to 5725	Pass
0 3.6 5500.060 5470 to 5725 Pass						-20	3.6	5500.020	5470 to 5725	Pass
10 3.6 5499.980 5470 to 5725 Pass						-10	3.6	5500.000	5470 to 5725	Pass
30 3.6 5500.000 5470 to 5725 Pass						0	3.6	5500.060	5470 to 5725	Pass
40						10	3.6	5499.980	5470 to 5725	Pass
50						30	3.6	5500.000	5470 to 5725	Pass
Section Sect						40	3.6	5499.980	5470 to 5725	Pass
20 3.6 5580.040 5470 to 5725 Pass						50	3.6	5500.020	5470 to 5725	Pass
							3.06	5580.020	5470 to 5725	Pass
S580						20	3.6	5580.040	5470 to 5725	Pass
1-20 3.6 5579.980 5470 to 5725 Pass							4.14	5580.060	5470 to 5725	Pass
5580						-30	3.6	5580.020	5470 to 5725	Pass
10 3.6 5579.960 5470 to 5725 Pass 10 3.6 5579.980 5470 to 5725 Pass 30 3.6 5580.020 5470 to 5725 Pass 40 3.6 5580.020 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 20 3.6 5699.940 5470 to 5725 Pass 4.14 5700.020 5470 to 5725 Pass -20 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass 0 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 30 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 40 3.6 5744.980 5725 to 5850 Pass 41 5745.000 5725 to 5850 Pass -20 3.6 5744.980 5725 to 5850 -20 3.6 5744.980 5725 to 5850 Pass -20 3.6 5						-20	3.6	5579.980	5470 to 5725	Pass
10 3.6 5579.980 5470 to 5725 Pass 30 3.6 5580.020 5470 to 5725 Pass 40 3.6 5580.020 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 20 3.6 5699.940 5470 to 5725 Pass 4.14 5700.020 5470 to 5725 Pass -30 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 10 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 50 3.6 5744.980 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -40 3.6 5744.980 5725 to 5850 Pass			5580	/	/	-10	3.6	5579.980	5470 to 5725	Pass
30 3.6 5580.020 5470 to 5725 Pass						0	3.6	5579.960	5470 to 5725	Pass
40 3.6 5579.960 5470 to 5725 Pass 50 3.6 5580.060 5470 to 5725 Pass 20 3.06 5700.000 5470 to 5725 Pass 20 3.6 5699.940 5470 to 5725 Pass 4.14 5700.020 5470 to 5725 Pass -30 3.6 5700.000 5470 to 5725 Pass -20 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.980 5470 to 5725 Pass -20 3.6 5699.940 5470 to 5725 Pass 0 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 30 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.000 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 50 3.6 5744.980 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5745.000 5725 to 5850 Pass -30 3.6 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 -30 3.6 5744.980 5725 to						10	3.6	5579.980	5470 to 5725	Pass
So						30	3.6	5580.020	5470 to 5725	Pass
STAS						40	3.6	5579.960	5470 to 5725	Pass
20 3.6 5699.940 5470 to 5725 Pass						50	3.6	5580.060	5470 to 5725	Pass
			5700	/	/	20	3.06	5700.000	5470 to 5725	Pass
10 3.6 5700.000 5470 to 5725 Pass							3.6	5699.940	5470 to 5725	Pass
10 3.6 5699.980 5470 to 5725 Pass							4.14	5700.020	5470 to 5725	Pass
5700						-30	3.6	5700.000	5470 to 5725	Pass
0 3.6 5700.040 5470 to 5725 Pass 10 3.6 5699.940 5470 to 5725 Pass 30 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.020 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 50 3.6 5744.980 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.980 5725 to 5850 Pass 5745 0 3.6 5744.980 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5745.000 5725 to 5850 Pass 5745 0 3.6 5745.000 5725 to 5850 Pass 5745 0 3.6 5745.000 5725 to 5850 Pass						-20	3.6	5699.980	5470 to 5725	Pass
10 3.6 5699.940 5470 to 5725 Pass 30 3.6 5700.000 5470 to 5725 Pass 40 3.6 5700.020 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 50 3.6 5700.000 5470 to 5725 Pass 20 3.6 5744.980 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -10 3.6 5744.960 5725 to 5850 Pass 0 3.6 5744.920 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5745.000 5725 to 5850 Pass						-10	3.6	5699.940	5470 to 5725	Pass
30 3.6 5700.000 5470 to 5725 Pass						0	3.6	5700.040	5470 to 5725	Pass
A0 3.6 5700.020 5470 to 5725 Pass						10	3.6	5699.940	5470 to 5725	Pass
50 3.6 5700.000 5470 to 5725 Pass 3.06 5744.980 5725 to 5850 Pass 20 3.6 5744.960 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.980 5725 to 5850 Pass -10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass						30	3.6	5700.000	5470 to 5725	Pass
ST45						40	3.6	5700.020	5470 to 5725	Pass
5745 20 3.6 5744.960 5725 to 5850 Pass 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.960 5725 to 5850 Pass -20 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5745.000 5725 to 5850 Pass 5725 to 5850 Pass 7						50	3.6	5700.000	5470 to 5725	Pass
5745 4.14 5745.000 5725 to 5850 Pass -30 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.960 5725 to 5850 Pass -10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass							3.06	5744.980	5725 to 5850	Pass
5745 -30 3.6 5744.980 5725 to 5850 Pass -20 3.6 5744.960 5725 to 5850 Pass -10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass						20	3.6	5744.960	5725 to 5850	Pass
5745 / -20 3.6 5744.960 5725 to 5850 Pass -10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass							4.14	5745.000	5725 to 5850	Pass
-10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass			5745			-30	3.6	5744.980	5725 to 5850	Pass
-10 3.6 5744.920 5725 to 5850 Pass 0 3.6 5745.000 5725 to 5850 Pass 10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass				,	,	-20	3.6	5744.960	5725 to 5850	Pass
10 3.6 5745.000 5725 to 5850 Pass 30 3.6 5744.980 5725 to 5850 Pass				/	'	-10	3.6	5744.920	5725 to 5850	Pass
30 3.6 5744.980 5725 to 5850 Pass						0	3.6	5745.000	5725 to 5850	Pass
						10	3.6	5745.000	5725 to 5850	Pass
40 3.6 5744.980 5725 to 5850 Pass						30	3.6	5744.980	5725 to 5850	Pass
<u>, , , , , , , , , , , , , , , , , , , </u>						40	3.6	5744.980	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1004 of 1027 Page:

					50	3.6	5745.020	5725 to 5850	Pass
						3.06	5785.020	5725 to 5850	Pass
					20	3.6	5785.000	5725 to 5850	Pass
						4.14	5785.000	5725 to 5850	Pass
					-30	3.6	5784.920	5725 to 5850	Pass
					-20	3.6	5785.020	5725 to 5850	Pass
		5785	/	/	-10	3.6	5784.960	5725 to 5850	Pass
					0	3.6	5784.960	5725 to 5850	Pass
					10	3.6	5785.000	5725 to 5850	Pass
					30	3.6	5784.960	5725 to 5850	Pass
					40	3.6	5784.980	5725 to 5850	Pass
					50	3.6	5784.960	5725 to 5850	Pass
						3.06	5824.960	5725 to 5850	Pass
					20	3.6	5824.960	5725 to 5850	Pass
						4.14	5824.960	5725 to 5850	Pass
					-30	3.6	5825.020	5725 to 5850	Pass
					-20	3.6	5824.960	5725 to 5850	Pass
		5825	/	/	-10	3.6	5824.960	5725 to 5850	Pass
					0	3.6	5825.020	5725 to 5850	Pass
					10	3.6	5824.960	5725 to 5850	Pass
					30	3.6	5825.020	5725 to 5850	Pass
					40	3.6	5825.000	5725 to 5850	Pass
					50	3.6	5824.960	5725 to 5850	Pass
		5180			20	3.06	5180.020	5150 to 5250	Pass
						3.6	5180.000	5150 to 5250	Pass
						4.14	5179.980	5150 to 5250	Pass
					-30	3.6	5179.980	5150 to 5250	Pass
					-20	3.6	5180.000	5150 to 5250	Pass
			/	/	-10	3.6	5179.980	5150 to 5250	Pass
					0	3.6	5179.980	5150 to 5250	Pass
000.44					10	3.6	5180.000	5150 to 5250	Pass
802.11n (HT20)	MIMO				30	3.6	5180.000	5150 to 5250	Pass
(11120)					40	3.6	5179.980	5150 to 5250	Pass
					50	3.6	5179.980	5150 to 5250	Pass
						3.06	5200.020	5150 to 5250	Pass
					20	3.6	5200.000	5150 to 5250	Pass
		E200	,	,		4.14	5199.980	5150 to 5250	Pass
		5200	/	/	-30	3.6	5199.980	5150 to 5250	Pass
					-20	3.6	5200.000	5150 to 5250	Pass
					-10	3.6	5200.000	5150 to 5250	Pass
				•		•	•		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1005 of 1027 Page:

					0	2.6	E100 000	E1E0 to E2E0	Door
					0	3.6	5199.980	5150 to 5250	Pass
					10	3.6	5199.980	5150 to 5250	Pass
					30	3.6	5200.000	5150 to 5250	Pass
					40	3.6	5200.000	5150 to 5250	Pass
					50	3.6	5199.960	5150 to 5250	Pass
						3.06	5240.000	5150 to 5250	Pass
					20	3.6	5240.040	5150 to 5250	Pass
						4.14	5240.000	5150 to 5250	Pass
					-30	3.6	5240.000	5150 to 5250	Pass
					-20	3.6	5240.020	5150 to 5250	Pass
		5240	/	/	-10	3.6	5240.020	5150 to 5250	Pass
					0	3.6	5240.000	5150 to 5250	Pass
					10	3.6	5240.000	5150 to 5250	Pass
					30	3.6	5239.980	5150 to 5250	Pass
					40	3.6	5239.960	5150 to 5250	Pass
					50	3.6	5240.040	5150 to 5250	Pass
		5260		/	20	3.06	5260.020	5250 to 5350	Pass
			/			3.6	5260.020	5250 to 5350	Pass
						4.14	5260.020	5250 to 5350	Pass
					-30	3.6	5259.980	5250 to 5350	Pass
					-20	3.6	5260.000	5250 to 5350	Pass
					-10	3.6	5259.980	5250 to 5350	Pass
					0	3.6	5260.020	5250 to 5350	Pass
					10	3.6	5259.980	5250 to 5350	Pass
					30	3.6	5260.000	5250 to 5350	Pass
					40	3.6	5260.000	5250 to 5350	Pass
					50	3.6	5259.980	5250 to 5350	Pass
						3.06	5300.000	5250 to 5350	Pass
					20	3.6	5299.980	5250 to 5350	Pass
						4.14	5300.000	5250 to 5350	Pass
					-30	3.6	5299.980	5250 to 5350	Pass
					-20	3.6	5300.000	5250 to 5350	Pass
		5300	/	/	-10	3.6	5299.980	5250 to 5350	Pass
					0	3.6	5299.980	5250 to 5350	Pass
					10	3.6	5300.000	5250 to 5350	Pass
				30	3.6	5300.000	5250 to 5350	Pass	
					40	3.6	5300.020	5250 to 5350	Pass
					50	3.6	5300.020	5250 to 5350	Pass
			1			3.06	5319.980	5250 to 5350	Pass
		5320	/	/	20	3.6	5320.020	5250 to 5350	Pass
					3.0	3320.020	3230 (0 3330	r a 3 3	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1006 of 1027 Page:

4.14 5320.040 5250 to -30 3.6 5320.000 5250 to -20 3.6 5320.000 5250 to -10 3.6 5319.980 5250 to 0 3.6 5320.000 5250 to 10 3.6 5319.980 5250 to 30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass 5350 Pass 5350 Pass 5350 Pass 5350 Pass 5350 Pass 5350 Pass
-20 3.6 5320.000 5250 to -10 3.6 5319.980 5250 to 0 3.6 5320.000 5250 to 10 3.6 5319.980 5250 to 30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass 5350 Pass 5350 Pass 5350 Pass 5350 Pass
-10 3.6 5319.980 5250 to 0 3.6 5320.000 5250 to 10 3.6 5319.980 5250 to 30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass 5350 Pass 5350 Pass 5350 Pass
0 3.6 5320.000 5250 to 10 3.6 5319.980 5250 to 30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass 5350 Pass 5350 Pass
10 3.6 5319.980 5250 to 30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass 5350 Pass
30 3.6 5320.000 5250 to 40 3.6 5319.980 5250 to	5350 Pass
40 3.6 5319.980 5250 to	
	E250 Door
	5350 Pass
50 3.6 5320.000 5250 to	5350 Pass
3.06 5499.960 5470 to	5725 Pass
20 3.6 5500.000 5470 to	5725 Pass
4.14 5499.980 5470 to	5725 Pass
-30 3.6 5500.020 5470 to	5725 Pass
-20 3.6 5500.000 5470 to	5725 Pass
5500 / / -10 3.6 5500.000 5470 to	5725 Pass
0 3.6 5500.000 5470 to	5725 Pass
10 3.6 5499.980 5470 to	5725 Pass
30 3.6 5500.000 5470 to	5725 Pass
40 3.6 5499.980 5470 to	5725 Pass
50 3.6 5499.960 5470 to	5725 Pass
3.06 5579.940 5470 to	5725 Pass
20 3.6 5580.000 5470 to	5725 Pass
4.14 5579.980 5470 to	5725 Pass
-30 3.6 5580.000 5470 to	5725 Pass
-20 3.6 5580.000 5470 to	5725 Pass
5580 / / -10 3.6 5579.980 5470 to	5725 Pass
0 3.6 5579.980 5470 to	5725 Pass
10 3.6 5580.000 5470 to	5725 Pass
30 3.6 5579.980 5470 to	5725 Pass
40 3.6 5580.020 5470 to	5725 Pass
50 3.6 5579.980 5470 to	5725 Pass
3.06 5699.940 5470 to	5725 Pass
20 3.6 5699.980 5470 to	5725 Pass
4.14 5700.000 5470 to	5725 Pass
-30 3.6 5699.980 5470 to	5725 Pass
5700 / -20 3.6 5700.000 5470 to	5725 Pass
-10 3.6 5699.980 5470 to	5725 Pass
0 3.6 5700.000 5470 to	5725 Pass
10 3.6 5700.000 5470 to	5725 Pass
30 3.6 5700.000 5470 to	5725 Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1007 of 1027 Page:

					40	3.6	5700.000	5470 to 5725	Pass
					50	3.6	5699.980	5470 to 5725	Pass
						3.06	5744.980	5725 to 5850	Pass
					20	3.6	5745.000	5725 to 5850	Pass
						4.14	5744.980	5725 to 5850	Pass
					-30	3.6	5744.980	5725 to 5850	Pass
					-20	3.6	5745.020	5725 to 5850	Pass
		5745	/	/	-10	3.6	5745.040	5725 to 5850	Pass
					0	3.6	5745.000	5725 to 5850	Pass
					10	3.6	5744.980	5725 to 5850	Pass
					30	3.6	5745.020	5725 to 5850	Pass
					40	3.6	5744.980	5725 to 5850	Pass
					50	3.6	5745.000	5725 to 5850	Pass
						3.06	5784.960	5725 to 5850	Pass
					20	3.6	5784.980	5725 to 5850	Pass
						4.14	5785.040	5725 to 5850	Pass
					-30	3.6	5784.980	5725 to 5850	Pass
				/	-20	3.6	5785.000	5725 to 5850	Pass
		5785	/		-10	3.6	5785.000	5725 to 5850	Pass
					0	3.6	5785.000	5725 to 5850	Pass
					10	3.6	5784.980	5725 to 5850	Pass
					30	3.6	5784.960	5725 to 5850	Pass
					40	3.6	5784.980	5725 to 5850	Pass
					50	3.6	5785.000	5725 to 5850	Pass
					20	3.06	5825.000	5725 to 5850	Pass
						3.6	5825.020	5725 to 5850	Pass
						4.14	5825.020	5725 to 5850	Pass
					-30	3.6	5824.940	5725 to 5850	Pass
					-20	3.6	5825.040	5725 to 5850	Pass
		5825	/	/	-10	3.6	5825.020	5725 to 5850	Pass
					0	3.6	5824.980	5725 to 5850	Pass
					10	3.6	5824.960	5725 to 5850	Pass
					30	3.6	5825.000	5725 to 5850	Pass
					40	3.6	5824.980	5725 to 5850	Pass
					50	3.6	5825.000	5725 to 5850	Pass
						3.06	5190.040	5150 to 5250	Pass
000.44					20	3.6	5190.040	5150 to 5250	Pass
802.11n (HT40)	MIMO	5190	/	/		4.14	5190.040	5150 to 5250	Pass
(11140)					-30	3.6	5190.040	5150 to 5250	Pass
					-20	3.6	5190.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

中国·深圳·科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1008 of 1027 Page:

					-10	3.6	5100 040	5150 to 5250	Dacc
					-10	3.6	5190.040		Pass
					0	3.6	5190.040	5150 to 5250	Pass
					10	3.6	5190.040	5150 to 5250	Pass
					30	3.6	5190.080	5150 to 5250	Pass
					40	3.6	5190.040	5150 to 5250	Pass
					50	3.6	5190.000	5150 to 5250	Pass
						3.06	5230.080	5150 to 5250	Pass
					20	3.6	5230.120	5150 to 5250	Pass
						4.14	5230.080	5150 to 5250	Pass
					-30	3.6	5230.120	5150 to 5250	Pass
					-20	3.6	5230.040	5150 to 5250	Pass
		5230	/	/	-10	3.6	5230.080	5150 to 5250	Pass
					0	3.6	5230.080	5150 to 5250	Pass
					10	3.6	5230.080	5150 to 5250	Pass
					30	3.6	5230.040	5150 to 5250	Pass
					40	3.6	5230.080	5150 to 5250	Pass
					50	3.6	5230.040	5150 to 5250	Pass
						3.06	5270.080	5250 to 5350	Pass
				20	3.6	5270.040	5250 to 5350	Pass	
				/		4.14	5270.040	5250 to 5350	Pass
					-30	3.6	5270.080	5250 to 5350	Pass
			/		-20	3.6	5270.080	5250 to 5350	Pass
		5270			-10	3.6	5270.080	5250 to 5350	Pass
					0	3.6	5270.040	5250 to 5350	Pass
					10	3.6	5270.040	5250 to 5350	Pass
					30	3.6	5270.080	5250 to 5350	Pass
					40	3.6	5270.080	5250 to 5350	Pass
					50	3.6	5270.080	5250 to 5350	Pass
						3.06	5310.040	5250 to 5350	Pass
					20	3.6	5310.080	5250 to 5350	Pass
						4.14	5310.040	5250 to 5350	Pass
					-30	3.6	5310.040	5250 to 5350	Pass
	5310			-20	3.6	5310.080	5250 to 5350	Pass	
		/	/	-10	3.6	5310.040	5250 to 5350	Pass	
				0	3.6	5310.040	5250 to 5350	Pass	
				10	3.6	5310.080	5250 to 5350	Pass	
				30	3.6	5310.040	5250 to 5350	Pass	
				40	3.6	5310.080	5250 to 5350	Pass	
				50	3.6	5310.040	5250 to 5350	Pass	
		5510	/	/	20	3.06	5510.040	5470 to 5725	Pass
		1 55.5	<u> </u>	_ ′	0	0.00	00.0.010	3 3 .0 0, 20	. 400



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1009 of 1027 Page:

3.6 5510.040 5470 to 5725 Pass					<u> </u>	0.0	5540.040	E 470 to E70E	D
-30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5550.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass -20 3.6 5675.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040						3.6	5510.040	5470 to 5725	Pass
-20 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass -10 3.6 5550.040 5470 to 5725 Pass -10 3.6 5550.080 5470 to 5725 Pass -10 3.6 5550.040 5470 to 5725 Pass -10 3.6 5550.040 5470 to 5725 Pass -10 3.6 5550.040 5470 to 5725 Pass -10 3.6 5670.040 5470 to 5725 Pass -10 3.6 5675.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040								+	
1-10								+	
0 3.6 5510.040 5470 to 5725 Pass								+	
10								+	
30 3.6 5510.040 5470 to 5725 Pass								+	
40 3.6 5510.040 5470 to 5725 Pass					10	3.6	5510.080	5470 to 5725	Pass
Solution Solution					30	3.6	5510.040	5470 to 5725	Pass
Section Sect					40	3.6	5510.040	5470 to 5725	Pass
Section					50	3.6	5510.040	5470 to 5725	Pass
1.14 5550.080 5470 to 5725 Pass						3.06	5550.040	5470 to 5725	Pass
1.30 3.6 5550.040 5470 to 5725 Pass					20	3.6	5550.040	5470 to 5725	Pass
10 3.6 5550.120 5470 to 5725 Pass						4.14	5550.080	5470 to 5725	Pass
10 3.6 5550.080 5470 to 5725 Pass 10 3.6 5550.080 5470 to 5725 Pass 10 3.6 5550.040 5470 to 5725 Pass 30 3.6 5550.040 5470 to 5725 Pass 40 3.6 5550.040 5470 to 5725 Pass 40 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 20 3.6 5670.040 5470 to 5725 Pass -30 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5					-30	3.6	5550.040	5470 to 5725	Pass
10 3.6 5550.080 5470 to 5725 Pass 10 3.6 5550.040 5470 to 5725 Pass 30 3.6 5550.080 5470 to 5725 Pass 40 3.6 5550.040 5470 to 5725 Pass 40 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 3.06 5670.040 5470 to 5725 Pass 20 3.6 5670.040 5470 to 5725 Pass 4.14 5670.040 5470 to 5725 Pass -30 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5755.040 5725 to 5850 Pass -30 -3					-20	3.6	5550.120	5470 to 5725	Pass
10 3.6 5550.040 5470 to 5725 Pass 30 3.6 5550.080 5470 to 5725 Pass 40 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 20 3.6 5670.040 5470 to 5725 Pass 4.14 5670.040 5470 to 5725 Pass -30 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass 0 3.6 5670.040 5470 to 5725 Pass 10 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5675.040 5725 to 5850 Pass 40 3.6 5755.040		5550	/	/	-10	3.6	5550.080	5470 to 5725	Pass
30 3.6 5550.080 5470 to 5725 Pass					0	3.6	5550.080	5470 to 5725	Pass
40 3.6 5550.040 5470 to 5725 Pass 50 3.6 5550.040 5470 to 5725 Pass 3.06 5670.040 5470 to 5725 Pass 20 3.6 5670.040 5470 to 5725 Pass 4.14 5670.040 5470 to 5725 Pass 4.14 5670.040 5470 to 5725 Pass -30 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.040 5470 to 5725 Pass 0 3.6 5670.040 5470 to 5725 Pass 0 3.6 5670.040 5470 to 5725 Pass 10 3.6 5670.040 5470 to 5725 Pass 10 3.6 5670.040 5470 to 5725 Pass 30 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -30 3.6					10	3.6	5550.040	5470 to 5725	Pass
50 3.6 5550.040 5470 to 5725 Pass					30	3.6	5550.080	5470 to 5725	Pass
20 3.06 5670.040 5470 to 5725 Pass					40	3.6	5550.040	5470 to 5725	Pass
20 3.6 5670.040 5470 to 5725 Pass					50	3.6	5550.040	5470 to 5725	Pass
1.14						3.06	5670.040	5470 to 5725	Pass
1-30 3.6 5670.040 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5670.080 5470 to 5725 Pass -20 3.6 5755.040 5725 to 5850 Pass					20	3.6	5670.040	5470 to 5725	Pass
10 3.6 5670.040 5470 to 5725 Pass						4.14	5670.040	5470 to 5725	Pass
5670 / -10 3.6 5670.040 5470 to 5725 Pass 0 3.6 5670.040 5470 to 5725 Pass 10 3.6 5670.040 5470 to 5725 Pass 30 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 20 3.06 5755.040 5725 to 5850 Pass 4.14 5755.040 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass					-30	3.6	5670.040	5470 to 5725	Pass
0 3.6 5670.040 5470 to 5725 Pass 10 3.6 5670.040 5470 to 5725 Pass 30 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 20 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass 4.14 5755.040 5725 to 5850 Pass 5755 5755.040 5725 to 5850 Pass 5755 5755.040 5725 to 5850 Pass					-20	3.6	5670.040	5470 to 5725	Pass
10 3.6 5670.040 5470 to 5725 Pass 30 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 40 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass 4.14 5755.040 5725 to 5850 Pass 4.10 3.6 5755.040 5725 to 5850 Pass 5725 to 5850 Pass 5725 to 5850 Pass		5670	/	/	-10	3.6	5670.040	5470 to 5725	Pass
30 3.6 5670.040 5470 to 5725 Pass 40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5755.040 5725 to 5850 Pass 20 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.080 5725 to 5850 Pass -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10					0	3.6	5670.040	5470 to 5725	Pass
40 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 50 3.6 5670.080 5470 to 5725 Pass 3.06 5755.040 5725 to 5850 Pass 4.14 5755.040 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.080 5725 to 5850 Pass					10	3.6	5670.040	5470 to 5725	Pass
50 3.6 5670.080 5470 to 5725 Pass 3.06 5755.040 5725 to 5850 Pass 20 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass					30	3.6	5670.040	5470 to 5725	Pass
5755 A					40	3.6	5670.080	5470 to 5725	Pass
5755 20 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass					50	3.6	5670.080	5470 to 5725	Pass
5755 20 3.6 5755.040 5725 to 5850 Pass 4.14 5755.000 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -30 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass						3.06	5755.040	5725 to 5850	Pass
5755 / -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass					20	3.6	5755.040	5725 to 5850	Pass
5755 / -30 3.6 5755.040 5725 to 5850 Pass -20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass		5755 /				4.14	5755.000	5725 to 5850	Pass
-20 3.6 5755.040 5725 to 5850 Pass -10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass			,	,	-30	3.6	5755.040	5725 to 5850	
-10 3.6 5755.040 5725 to 5850 Pass 0 3.6 5755.080 5725 to 5850 Pass			/	/	-20	3.6	5755.040	5725 to 5850	Pass
0 3.6 5755.080 5725 to 5850 Pass					-10		5755.040	1	
					0	3.6	5755.080	5725 to 5850	Pass
							1		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1010 of 1027

					30	3.6	5755.080	5725 to 5850	Pass
					40	3.6	5755.040	5725 to 5850	Pass
					50	3.6	5755.040	5725 to 5850	Pass
						3.06	5795.040	5725 to 5850	Pass
					20	3.6	5795.040	5725 to 5850	Pass
						4.14	5795.040	5725 to 5850	Pass
					-30	3.6	5795.040	5725 to 5850	Pass
					-20	3.6	5795.040	5725 to 5850	Pass
		5795	/	/	-10	3.6	5795.080	5725 to 5850	Pass
				,	0	3.6	5795.040	5725 to 5850	Pass
					10	3.6	5795.040	5725 to 5850	Pass
					30	3.6	5795.040	5725 to 5850	Pass
					40	3.6	5795.040	5725 to 5850	Pass
					50	3.6	5795.040	5725 to 5850	Pass
						3.06	5180.100	5150 to 5250	Pass
					20	3.6	5180.000	5150 to 5250	Pass
						4.14	5179.980	5150 to 5250	Pass
					-30	3.6	5180.020	5150 to 5250	Pass
				-20	3.6	5180.020	5150 to 5250	Pass	
	5180	/	/	-10	3.6	5179.980	5150 to 5250	Pass	
				0	3.6	5179.980	5150 to 5250	Pass	
				10	3.6	5180.040	5150 to 5250	Pass	
					30	3.6	5179.960	5150 to 5250	Pass
					40	3.6	5179.980	5150 to 5250	Pass
					50	3.6	5179.960	5150 to 5250	Pass
						3.06	5200.000	5150 to 5250	Pass
802.11ac	N 41N 40				20	3.6	5200.020	5150 to 5250	Pass
(VHT20)	MIMO					4.14	5199.980	5150 to 5250	Pass
					-30	3.6	5200.020	5150 to 5250	Pass
					-20	3.6	5200.000	5150 to 5250	Pass
		5200	/	/	-10	3.6	5200.020	5150 to 5250	Pass
					0	3.6	5200.000	5150 to 5250	Pass
				10	3.6	5199.980	5150 to 5250	Pass	
				30	3.6	5200.020	5150 to 5250	Pass	
				40	3.6	5199.980	5150 to 5250	Pass	
				50	3.6	5199.980	5150 to 5250	Pass	
					3.06	5240.000	5150 to 5250	Pass	
		5240	/	/	20	3.6	5240.000	5150 to 5250	Pass
						4.14	5240.000	5150 to 5250	Pass
					-30	3.6	5239.960	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1011 of 1027 Page:

-20										
0 3.6 5240.020 5150 to 5250 Pass						-20	3.6	5240.040	5150 to 5250	Pass
10						-10	3.6	5240.020	5150 to 5250	Pass
30 3.6 5240.020 5150 to 5250 Pass						0	3.6	5240.020	5150 to 5250	Pass
40 3.6 5239.980 5150 to 5250 Pass						10	3.6	5240.020	5150 to 5250	Pass
50						30	3.6	5240.020	5150 to 5250	Pass
Section Sect						40	3.6	5239.980	5150 to 5250	Pass
20						50	3.6	5240.040	5150 to 5250	Pass
							3.06	5260.000	5250 to 5350	Pass
1-30 3.6 5260.020 5250 to 5350 Pass -20 3.6 5260.000 5250 to 5350 Pass -20 3.6 5259.980 5250 to 5350 Pass -20 3.6 5259.980 5250 to 5350 Pass -20 3.6 5259.980 5250 to 5350 Pass -20 3.6 5260.000 5250 to 5350 Pass -20 3.6 5260.000 5250 to 5350 Pass -20 3.6 5260.000 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5320.000 5250 to 5350 Pass -20 3.6 5320.00						20	3.6	5259.980	5250 to 5350	Pass
10 3.6 5260.000 5250 to 5350 Pass							4.14	5259.980	5250 to 5350	Pass
5260						-30	3.6	5260.020	5250 to 5350	Pass
0 3.6 5259.980 5250 to 5350 Pass 10 3.6 5260.000 5250 to 5350 Pass 30 3.6 5260.000 5250 to 5350 Pass 40 3.6 5269.980 5250 to 5350 Pass 50 3.6 5260.020 5250 to 5350 Pass 50 3.6 5260.020 5250 to 5350 Pass 20 3.6 5300.000 5250 to 5350 Pass 4.14 5300.000 5250 to 5350 Pass -30 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.020 5250 to 5350 Pass 10 3.6 5300.020 5250 to 5350 Pass 10 3.6 5300.020 5250 to 5350 Pass 40 3.6 5300.040 5250 to 5350 Pass 50 3.6 5300.040 5250 to 5350 Pass 50 3.6 5300.040 5250 to 5350 Pass 50 3.6 5320.000 5250 to 5350 Pass 20 3.6 5319.980 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass						-20	3.6	5260.000	5250 to 5350	Pass
10			5260	/	/	-10	3.6	5259.980	5250 to 5350	Pass
30 3.6 5260.000 5250 to 5350 Pass						0	3.6	5259.980	5250 to 5350	Pass
40 3.6 5259.980 5250 to 5350 Pass 50 3.6 5260.020 5250 to 5350 Pass 20 3.6 5300.000 5250 to 5350 Pass 20 3.6 5300.000 5250 to 5350 Pass 4.14 5300.000 5250 to 5350 Pass -30 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5300.020 5250 to 5350 Pass -10 3.6 5300.020 5250 to 5350 Pass -10 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5320.000 5250 to 5						10	3.6	5260.000	5250 to 5350	Pass
50 3.6 5260.020 5250 to 5350 Pass						30	3.6	5260.000	5250 to 5350	Pass
3.06 5300.000 5250 to 5350 Pass						40	3.6	5259.980	5250 to 5350	Pass
20 3.6 5300.000 5250 to 5350 Pass						50	3.6	5260.020	5250 to 5350	Pass
1.14							3.06	5300.000	5250 to 5350	Pass
1-30 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.020 5250 to 5350 Pass -20 3.6 5300.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5320.000 5250 to 5350 Pass					20	3.6	5300.000	5250 to 5350	Pass	
10 3.6 5300.040 5250 to 5350 Pass				/			4.14	5300.000	5250 to 5350	Pass
5300					/	-30	3.6	5300.020	5250 to 5350	Pass
0 3.6 5300.000 5250 to 5350 Pass 10 3.6 5300.020 5250 to 5350 Pass 30 3.6 5300.020 5250 to 5350 Pass 40 3.6 5299.980 5250 to 5350 Pass 50 3.6 5300.040 5250 to 5350 Pass 50 3.6 5320.000 5250 to 5350 Pass 4.14 5319.980 5250 to 5350 Pass 5320 / -10 3.6 5320.000 5250 to 5350 Pass 5320 / -30 3.6 5320.040 5250 to 5350 Pass 5320 7 -30 3.6 5320.040 5250 to 5350 Pass 5320 7 -30 3.6 5320.040 5250 to 5350 Pass						-20	3.6	5300.040	5250 to 5350	Pass
10 3.6 5300.020 5250 to 5350 Pass 30 3.6 5300.020 5250 to 5350 Pass 40 3.6 5299.980 5250 to 5350 Pass 50 3.6 5300.040 5250 to 5350 Pass 50 3.6 5320.000 5250 to 5350 Pass 20 3.6 5319.980 5250 to 5350 Pass 4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5320.040 5250 to 5350 Pass 5320 7 7 8 8 5320.040 5250 to 5350 Pass 5320 7 8 8 5320.040 5250 to 5350 Pass			5300			-10	3.6	5299.980	5250 to 5350	Pass
30 3.6 5300.020 5250 to 5350 Pass 40 3.6 5299.980 5250 to 5350 Pass 50 3.6 5300.040 5250 to 5350 Pass 3.06 5320.000 5250 to 5350 Pass 20 3.6 5319.980 5250 to 5350 Pass 4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass						0	3.6	5300.000	5250 to 5350	Pass
A0 3.6 5299.980 5250 to 5350 Pass						10	3.6	5300.020	5250 to 5350	Pass
50 3.6 5300.040 5250 to 5350 Pass 3.06 5320.000 5250 to 5350 Pass 20 3.6 5319.980 5250 to 5350 Pass 4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 0 3.6 5319.980 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass						30	3.6	5300.020	5250 to 5350	Pass
3.06 5320.000 5250 to 5350 Pass 20 3.6 5319.980 5250 to 5350 Pass 4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass						40	3.6	5299.980	5250 to 5350	Pass
20 3.6 5319.980 5250 to 5350 Pass 4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass 50 50 50 50 50 50 50						50	3.6	5300.040	5250 to 5350	Pass
4.14 5319.960 5250 to 5350 Pass -30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass 0 3.6 5319.980 5250 to 5350 Pass 10 3.6 5320.000 5250 to 5350 Pass 30 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass							3.06	5320.000	5250 to 5350	Pass
-30 3.6 5320.040 5250 to 5350 Pass -20 3.6 5319.980 5250 to 5350 Pass -10 3.6 5319.980 5250 to 5350 Pass 0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass						20	3.6	5319.980	5250 to 5350	Pass
5320 /							4.14	5319.960	5250 to 5350	Pass
5320 / -10 3.6 5319.980 5250 to 5350 Pass 0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass						-30	3.6	5320.040	5250 to 5350	Pass
0 3.6 5320.000 5250 to 5350 Pass 10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass		5320			-20	3.6	5319.980	5250 to 5350	Pass	
10 3.6 5320.020 5250 to 5350 Pass 30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass			/	/	-10	3.6	5319.980	5250 to 5350	Pass	
30 3.6 5320.040 5250 to 5350 Pass 40 3.6 5319.980 5250 to 5350 Pass					0	3.6	5320.000	5250 to 5350	Pass	
40 3.6 5319.980 5250 to 5350 Pass					10	3.6	5320.020	5250 to 5350	Pass	
					30	3.6	5320.040	5250 to 5350	Pass	
50 2.6 5220,000 5250 to 5250 Door					40	3.6	5319.980	5250 to 5350	Pass	
					50	3.6	5320.000	5250 to 5350	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1012 of 1027 Page:

					3.06	5500.000	5470 to 5725	Pass
				20	3.6	5500.000	5470 to 5725	Pass
					4.14	5500.040	5470 to 5725	Pass
				-30	3.6	5499.980	5470 to 5725	Pass
				-20	3.6	5499.960	5470 to 5725	Pass
	5500	/	/	-10	3.6	5500.040	5470 to 5725	Pass
				0	3.6	5499.960	5470 to 5725	Pass
				10	3.6	5500.000	5470 to 5725	Pass
				30	3.6	5499.980	5470 to 5725	Pass
				40	3.6	5499.960	5470 to 5725	Pass
				50	3.6	5500.000	5470 to 5725	Pass
					3.06	5580.000	5470 to 5725	Pass
				20	3.6	5580.020	5470 to 5725	Pass
					4.14	5579.960	5470 to 5725	Pass
				-30	3.6	5579.960	5470 to 5725	Pass
				-20	3.6	5580.000	5470 to 5725	Pass
	5580	/	/	-10	3.6	5579.940	5470 to 5725	Pass
				0	3.6	5579.980	5470 to 5725	Pass
				10	3.6	5579.980	5470 to 5725	Pass
				30	3.6	5579.980	5470 to 5725	Pass
				40	3.6	5579.980	5470 to 5725	Pass
				50	3.6	5579.980	5470 to 5725	Pass
					3.06	5699.980	5470 to 5725	Pass
				20	3.6	5699.980	5470 to 5725	Pass
					4.14	5699.960	5470 to 5725	Pass
				-30	3.6	5699.940	5470 to 5725	Pass
				-20	3.6	5699.960	5470 to 5725	Pass
	5700	/	/	-10	3.6	5699.980	5470 to 5725	Pass
				0	3.6	5699.920	5470 to 5725	Pass
				10	3.6	5699.980	5470 to 5725	Pass
				30	3.6	5699.960	5470 to 5725	Pass
				40	3.6	5699.960	5470 to 5725	Pass
	5745			50	3.6	5699.960	5470 to 5725	Pass
					3.06	5745.020	5725 to 5850	Pass
				20	3.6	5744.980	5725 to 5850	Pass
					4.14	5745.000	5725 to 5850	Pass
		/	/	-30	3.6	5745.020	5725 to 5850	Pass
				-20	3.6	5744.960	5725 to 5850	Pass
				-10	3.6	5744.960	5725 to 5850	Pass
				0	3.6	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1013 of 1027 Page:

30 3.6 5744.980 5725 to 5850 Pass						10	3.6	5745.000	5725 to 5850	Pass
40 3.6 5744.980 5725 to 5850 Pass									+	
50 3.6 5745.020 5725 to 5850 Pass									+	
3.06 5784.960 5725 to 5850 Pass									+	
20 3.6 5784.980 5725 to 5850 Pass						30			+	
						20			+	
1-30 3.6 5784.980 5725 to 5850 Pass -20 3.6 5785.020 5725 to 5850 Pass -20 3.6 5785.000 5725 to 5850 Pass -20 3.6 5784.980 5725 to 5850 Pass -20 3.6 5784.980 5725 to 5850 Pass -20 3.6 5824.940 5725 to 5850 Pass						20			+	
10 3.6 5784.980 5725 to 5850 Pass						20			+	
5785 / -10 3.6 5784.980 5725 to 5850 Pass 0 3.6 5785.020 5725 to 5850 Pass 10 3.6 5785.000 5725 to 5850 Pass 30 3.6 5784.960 5725 to 5850 Pass 40 3.6 5785.000 5725 to 5850 Pass 50 3.6 5784.980 5725 to 5850 Pass 20 3.6 5824.960 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass 5825 / -10 3.6 5824.940 5725 to 5850 Pass 5825 / -10 3.6 5824.940 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass									+	
0 3.6 5785.020 5725 to 5850 Pass 10 3.6 5785.000 5725 to 5850 Pass 30 3.6 5784.960 5725 to 5850 Pass 40 3.6 5784.980 5725 to 5850 Pass 50 3.6 5784.980 5725 to 5850 Pass 20 3.6 5824.960 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass 5825 / / -10 3.6 5824.940 5725 to 5850 Pass 0 3.6 5824.940 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 30 3.6 5824.960 5725 to 5850 Pass 5825 / -10 3.6 5824.960 5725 to 5850 Pass 30 3.6 5824.960 5725 to 5850 Pass			E70E	,	,				+	
10 3.6 5785.000 5725 to 5850 Pass 30 3.6 5784.960 5725 to 5850 Pass 40 3.6 5785.000 5725 to 5850 Pass 50 3.6 5784.980 5725 to 5850 Pass 50 3.6 5824.960 5725 to 5850 Pass 20 3.6 5824.940 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass 5825 / / 3.6 5824.940 5725 to 5850 Pass 5825 / 3.6 5824.940 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass			5/85	/	/				+	
30 3.6 5784.960 5725 to 5850 Pass 40 3.6 5785.000 5725 to 5850 Pass 50 3.6 5784.980 5725 to 5850 Pass 3.06 5824.960 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.940 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.960 5725 to 5850 Pass -20 3.6 5824.980 5725 to 5850 Pass									+	
40 3.6 5785.000 5725 to 5850 Pass 50 3.6 5784.980 5725 to 5850 Pass 3.06 5824.960 5725 to 5850 Pass 20 3.6 5824.940 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass 0 3.6 5824.940 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass									+	
50 3.6 5784.980 5725 to 5850 Pass 3.06 5824.960 5725 to 5850 Pass 20 3.6 5824.940 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass 0 3.6 5824.940 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass									+	
3.06 5824.960 5725 to 5850 Pass 20 3.6 5824.940 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass -20 3.6 5824.940 5725 to 5850 Pass 0 3.6 5824.940 5725 to 5850 Pass 10 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass									+	
20 3.6 5824.940 5725 to 5850 Pass 4.14 5825.000 5725 to 5850 Pass -30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass -20 3.6 5824.940 5725 to 5850 Pass 0 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass						50			+	
-30 3.6 5824.960 5725 to 5850 Pass -20 3.6 5825.020 5725 to 5850 Pass -10 3.6 5824.940 5725 to 5850 Pass 0 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass						20			+	
5825 /									+	
5825 / -10 3.6 5824.940 5725 to 5850 Pass 0 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass									+	
0 3.6 5824.960 5725 to 5850 Pass 10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass										
10 3.6 5825.040 5725 to 5850 Pass 30 3.6 5824.980 5725 to 5850 Pass			5825	5825 /	/	-10			+	
30 3.6 5824.980 5725 to 5850 Pass						0		5824.960	5725 to 5850	
						10	3.6	5825.040	5725 to 5850	Pass
40 2.6 F025 020 F725 to 5050 Door						30	3.6	5824.980	5725 to 5850	Pass
40 3.6 3625.020 5725 t0 5650 Pass						40	3.6	5825.020	5725 to 5850	Pass
50 3.6 5824.940 5725 to 5850 Pass						50	3.6	5824.940	5725 to 5850	Pass
3.06 5190.040 5150 to 5250 Pass							3.06	5190.040	5150 to 5250	Pass
20 3.6 5190.080 5150 to 5250 Pass						20	3.6	5190.080	5150 to 5250	Pass
4.14 5190.080 5150 to 5250 Pass							4.14	5190.080	5150 to 5250	Pass
-30 3.6 5190.120 5150 to 5250 Pass						-30	3.6	5190.120	5150 to 5250	Pass
-20 3.6 5190.080 5150 to 5250 Pass						-20	3.6	5190.080	5150 to 5250	Pass
5190 / -10 3.6 5190.040 5150 to 5250 Pass			5190	/	/	-10	3.6	5190.040	5150 to 5250	Pass
802.11ac MIMO 0 3.6 5190.080 5150 to 5250 Pass	802.11ac					0	3.6	5190.080	5150 to 5250	Pass
(VHT40) 10 3.6 5190.080 5150 to 5250 Pass	(VHT40) MIMO				10	3.6	5190.080	5150 to 5250	Pass	
30 3.6 5190.080 5150 to 5250 Pass					30	3.6	5190.080	5150 to 5250	Pass	
40 3.6 5190.040 5150 to 5250 Pass					40	3.6	5190.040	5150 to 5250	Pass	
50 3.6 5190.080 5150 to 5250 Pass					50	3.6	5190.080	5150 to 5250	Pass	
3.06 5230.040 5150 to 5250 Pass							3.06	5230.040	5150 to 5250	Pass
5230 / / 20 3.6 5230.080 5150 to 5250 Pass			5230	/	/	20	3.6	5230.080	5150 to 5250	Pass
4.14 5230.120 5150 to 5250 Pass			5230	/			4.14	5230.120	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1014 of 1027 Page:

-20										
-10						-30	3.6	5230.040	5150 to 5250	Pass
0 3.6 5230.040 5150 to 5250 Pass 10 3.6 5230.080 5150 to 5250 Pass 30 3.6 5230.080 5150 to 5250 Pass 50 3.6 5230.040 5150 to 5250 Pass 50 3.6 5230.040 5150 to 5250 Pass 50 3.6 5230.040 5150 to 5250 Pass 50 3.6 5270.080 5250 to 5350 Pass 4.14 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5270.080 5250 to 5350 Pass 5270 / -10 3.6 5310.040 5270 to 5725 Pass 5270 / -10 3.6 5310.040 5470 to 5725 Pass 5270 / -10 3.6 5310.040 5470 to 5725 Pass 5270 / -10 3.6 5310.040 5470 to 5725 Pass 5270 / -10 3.6 5310.040 5470 to 5725 Pass 5270 / -10 3.6 5310.040 5470 to 5725 Pass 5270 / -10 3.						-20	3.6	5230.080	5150 to 5250	Pass
10						-10	3.6	5230.040	5150 to 5250	Pass
30 3.6 5230.120 5150 to 5250 Pasi						0	3.6	5230.040	5150 to 5250	Pass
40 3.6 5230.080 5150 to 5250 Pass						10	3.6	5230.080	5150 to 5250	Pass
50						30	3.6	5230.120	5150 to 5250	Pass
3.06 5270.080 5250 to 5350 Past						40	3.6	5230.080	5150 to 5250	Pass
20 3.6 5270.080 5250 to 5350 Pass						50	3.6	5230.040	5150 to 5250	Pass
							3.06	5270.080	5250 to 5350	Pass
1-30 3.6 5270.080 5250 to 5350 Pass -20 3.6 5310.040 5250 to 5350 Pass -20 3.6 5310.040 5250 to 5350 Pass -20 3.6 5310.040 5250 to 5350 Pass -20 3.6 5310.080 5250 to 5350 Pass -20 3.6 5310.040 5250 to 5350 Pass -20 3.6 5310.080 5470 to 5725 Pass -20 3.6 5510.080 5470 to 5725 Pass -20 3.6 5510.040 5470 to 5725 Pass						20	3.6	5270.080	5250 to 5350	Pass
10 10 10 10 10 10 10 10							4.14	5270.080	5250 to 5350	Pass
5270						-30	3.6	5270.080	5250 to 5350	Pass
0 3.6 5270.080 5250 to 5350 Pass 10 3.6 5270.040 5250 to 5350 Pass 30 3.6 5270.080 5250 to 5350 Pass 40 3.6 5270.080 5250 to 5350 Pass 50 3.6 5270.080 5250 to 5350 Pass 50 3.6 5270.080 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 4.14 5310.080 5250 to 5350 Pass 4.10 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 10 3.6 5310.040 5270 to 5725 Pass 10 3.6 5310.040 5270 to 5725 Pass						-20	3.6	5270.080	5250 to 5350	Pass
10 3.6 5270.040 5250 to 5350 Pass 30 3.6 5270.080 5250 to 5350 Pass 40 3.6 5270.080 5250 to 5350 Pass 50 3.6 5270.080 5250 to 5350 Pass 50 3.6 5270.080 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 4.14 5310.080 5250 to 5350 Pass 4.10 3.6 5310.040 5250 to 5350 Pass 5310 / -10 3.6 5310.080 5250 to 5350 Pass 10 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 40 3.6 5510.040 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 50 3.6 5510.040 5470 to 5725 Pass 50 3.6 5510.040 5470 to 5725 Pass			5270	/	/	-10	3.6	5270.080	5250 to 5350	Pass
30 3.6 5270.080 5250 to 5350 Pass						0	3.6	5270.080	5250 to 5350	Pass
40 3.6 5270.080 5250 to 5350 Pass						10	3.6	5270.040	5250 to 5350	Pass
S0						30	3.6	5270.080	5250 to 5350	Pass
3.06 5310.040 5250 to 5350 Pass						40	3.6	5270.080	5250 to 5350	Pass
20 3.6 5310.040 5250 to 5350 Pass						50	3.6	5270.080	5250 to 5350	Pass
4.14							3.06	5310.040	5250 to 5350	Pass
-30						20	3.6	5310.040	5250 to 5350	Pass
10 10 3.6 5310.080 5250 to 5350 Pass					/		4.14	5310.080	5250 to 5350	Pass
5310						-30	3.6	5310.040	5250 to 5350	Pass
0 3.6 5310.120 5250 to 5350 Pass 10 3.6 5310.040 5250 to 5350 Pass 30 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.080 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 20 3.6 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass -30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass						-20	3.6	5310.080	5250 to 5350	Pass
10 3.6 5310.040 5250 to 5350 Pass 30 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.080 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 4.10 3.6 5510.040 5470 to 5725 Pass 50 3.6 5510.040 5470 to 5725 Pass 50 3.6 5510.040 5470 to 5725 Pass 50 3.6 5510.040 5470 to 5725 Pass			5310	/		-10	3.6	5310.080	5250 to 5350	Pass
30 3.6 5310.040 5250 to 5350 Pass 40 3.6 5310.080 5250 to 5350 Pass 50 3.6 5310.040 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass -30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass 5510 /						0	3.6	5310.120	5250 to 5350	Pass
40 3.6 5310.080 5250 to 5350 Pass						10	3.6	5310.040	5250 to 5350	Pass
50 3.6 5310.040 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass -30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.040 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass						30	3.6	5310.040	5250 to 5350	Pass
3.06 5510.080 5470 to 5725 Pass 3.6 5510.040 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass -30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass						40	3.6	5310.080	5250 to 5350	Pass
20 3.6 5510.040 5470 to 5725 Pass						50	3.6	5310.040	5250 to 5350	Pass
4.14 5510.080 5470 to 5725 Pass -30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass							3.06	5510.080	5470 to 5725	Pass
-30 3.6 5510.040 5470 to 5725 Pass -20 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass						20	3.6	5510.040	5470 to 5725	Pass
5510 / -20 3.6 5510.080 5470 to 5725 Pass -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass							4.14	5510.080	5470 to 5725	Pass
5510 / -10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass			5510			-30	3.6	5510.040	5470 to 5725	Pass
-10 3.6 5510.040 5470 to 5725 Pass 0 3.6 5510.040 5470 to 5725 Pass				,	,	-20	3.6	5510.080	5470 to 5725	Pass
				′	_ ′	-10	3.6	5510.040	5470 to 5725	Pass
10 3.6 5510.080 5470 to 5725 Pass					0	3.6	5510.040	5470 to 5725	Pass	
, <u> </u>				_	10	3.6	5510.080	5470 to 5725	Pass	
30 3.6 5510.040 5470 to 5725 Pass					30	3.6	5510.040	5470 to 5725	Pass	
40 3.6 5510.040 5470 to 5725 Pass				40	3.6	5510.040	5470 to 5725	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1015 of 1027 Page:

					50	3.6	5510.080	5470 to 5725	Pass
						3.06	5550.040	5470 to 5725	Pass
					20	3.6	5550.000	5470 to 5725	Pass
						4.14	5550.040	5470 to 5725	Pass
					-30	3.6	5550.080	5470 to 5725	Pass
					-20	3.6	5550.040	5470 to 5725	Pass
		5550	/	/	-10	3.6	5550.040	5470 to 5725	Pass
					0	3.6	5550.040	5470 to 5725	Pass
					10	3.6	5550.040	5470 to 5725	Pass
					30	3.6	5550.080	5470 to 5725	Pass
					40	3.6	5550.040	5470 to 5725	Pass
					50	3.6	5550.080	5470 to 5725	Pass
						3.06	5670.040	5470 to 5725	Pass
					20	3.6	5670.040	5470 to 5725	Pass
						4.14	5670.000	5470 to 5725	Pass
					-30	3.6	5670.040	5470 to 5725	Pass
					-20	3.6	5670.040	5470 to 5725	Pass
		5670	/	/	-10	3.6	5670.040	5470 to 5725	Pass
					0	3.6	5670.040	5470 to 5725	Pass
					10	3.6	5670.080	5470 to 5725	Pass
				30	3.6	5670.040	5470 to 5725	Pass	
					40	3.6	5670.040	5470 to 5725	Pass
					50	3.6	5670.040	5470 to 5725	Pass
						3.06	5755.080	5725 to 5850	Pass
					20	3.6	5755.040	5725 to 5850	Pass
						4.14	5755.080	5725 to 5850	Pass
					-30	3.6	5755.040	5725 to 5850	Pass
					-20	3.6	5755.040	5725 to 5850	Pass
		5755	/	/	-10	3.6	5755.040	5725 to 5850	Pass
					0	3.6	5755.040	5725 to 5850	Pass
					10	3.6	5755.040	5725 to 5850	Pass
					30	3.6	5755.040	5725 to 5850	Pass
	5795			40	3.6	5755.080	5725 to 5850	Pass	
				50	3.6	5755.080	5725 to 5850	Pass	
					3.06	5795.080	5725 to 5850	Pass	
				20	3.6	5795.040	5725 to 5850	Pass	
		5 / /	,		4.14	5795.040	5725 to 5850	Pass	
			/	-30	3.6	5795.080	5725 to 5850	Pass	
				-20	3.6	5795.040	5725 to 5850	Pass	
					-10	3.6	5795.000	5725 to 5850	Pass
		1							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1016 of 1027

					0	3.6	5795.040	5725 to 5850	Pass
					10	3.6	5795.040	5725 to 5850	Pass
					30	3.6	5795.000	5725 to 5850	Pass
					40	3.6	5795.040	5725 to 5850	Pass
					50	3.6	5795.080	5725 to 5850	Pass
					30	3.06	5210.075	5150 to 5250	Pass
					20	3.6	5210.075	5150 to 5250 5150 to 5250	Pass
					20	4.14	5210.075	5150 to 5250	
					-30	3.6	5210.075	5150 to 5250 5150 to 5250	Pass Pass
					-20	3.6	5210.075	5150 to 5250	
		E210	,	,				1	Pass
		5210	/	/	-10	3.6	5210.075	5150 to 5250	Pass
					0	3.6	5210.075	5150 to 5250	Pass
					10	3.6	5210.075	5150 to 5250	Pass
					30	3.6	5210.075	5150 to 5250	Pass
					40	3.6	5210.075	5150 to 5250	Pass
					50	3.6	5210.075	5150 to 5250	Pass
						3.06	5290.075	5250 to 5350	Pass
					20	3.6	5290.075	5250 to 5350	Pass
					4.14	5290.075	5250 to 5350	Pass	
				-30	3.6	5290.075	5250 to 5350	Pass	
		,		-20	3.6	5290.075	5250 to 5350	Pass	
802.11ac	802 11ac	5290	/	/	-10	3.6	5290.075	5250 to 5350	Pass
(VHT80)	MIMO				0	3.6	5290.075	5250 to 5350	Pass
					10	3.6	5290.075	5250 to 5350	Pass
					30	3.6	5290.075	5250 to 5350	Pass
					40	3.6	5290.075	5250 to 5350	Pass
					50	3.6	5290.075	5250 to 5350	Pass
						3.06	5530.075	5470 to 5725	Pass
					20	3.6	5530.075	5470 to 5725	Pass
						4.14	5530.075	5470 to 5725	Pass
					-30	3.6	5530.075	5470 to 5725	Pass
					-20	3.6	5530.075	5470 to 5725	Pass
		5530	/	/	-10	3.6	5530.075	5470 to 5725	Pass
				0	3.6	5530.075	5470 to 5725	Pass	
				10	3.6	5530.075	5470 to 5725	Pass	
			_	30	3.6	5530.075	5470 to 5725	Pass	
				40	3.6	5530.075	5470 to 5725	Pass	
				50	3.6	5530.075	5470 to 5725	Pass	
	E640	,	,	20	3.06	5610.075	5470 to 5725	Pass	
	5610	/	/	20	3.6	5610.075	5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1017 of 1027 Page:

Second Region Second Regio							111	5610.150	5470 to 5725	Door
Part						20	4.14		5470 to 5725	Pass
STATE Part									<u> </u>	
Name									<u> </u>	
10 3.6 5610.075 5470 to 5725 Pass									<u> </u>	
STATE STAT									1	
A									<u> </u>	
Second Content									<u> </u>	
STATE									†	
STATE STAT						50				
STATE									<u> </u>	
S775						20			<u> </u>	
S775									<u> </u>	Pass
Name						-30	3.6	5775.075	†	Pass
Name						-20	3.6	5775.075	5725 to 5850	Pass
Name			5775	/	/	-10	3.6	5775.075	5725 to 5850	Pass
Name						0	3.6	5775.075	5725 to 5850	Pass
Harmonia						10	3.6	5775.075	5725 to 5850	Pass
Solid Soli						30	3.6	5775.075	5725 to 5850	Pass
Ruzar Ruza						40	3.6	5775.075	5725 to 5850	Pass
Name					50	3.6	5775.075	5725 to 5850	Pass	
Name							3.06	5180.020	5150 to 5250	Pass
802.11ax (HEW20) MIMO RU242 RU242 RU242 RU242 RU242 RU244 RU244 RU244 RU244 RU244 RU244 RU244 RU244 RU244 RU245 RU244 RU244 RU244 RU244 RU244 RU244 RU244 RU244 RU245 RU244 RU244 RU245 RU244 RU244 RU246 RU246 RU246 RU247 RU247 RU247 RU247 RU247 RU248 RU248 RU248 RU248 RU248 RU249 RU249						20	3.6	5179.940	5150 to 5250	Pass
802.11ax (HEW20) MIMO RU242 Left -20 3.6 5180.000 5150 to 5250 Pass -10 3.6 5179.980 5150 to 5250 Pass 0 3.6 5179.980 5150 to 5250 Pass 10 3.6 5179.980 5150 to 5250 Pass 30 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 50 3.6 5179.980 5150 to 5250 Pass 20 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass							4.14	5179.960	5150 to 5250	Pass
802.11ax (HEW20) MIMO 5180 RU242 Left -10 3.6 5179.980 5150 to 5250 Pass 10 3.6 5179.980 5150 to 5250 Pass 10 3.6 5179.980 5150 to 5250 Pass 30 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 50 3.6 5179.980 5150 to 5250 Pass 50 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 40 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass						-30	3.6	5179.980	5150 to 5250	Pass
Name						-20	3.6	5180.000	5150 to 5250	Pass
802.11ax (HEW20) MIMO			5180	RU242	Left	-10	3.6	5179.980	5150 to 5250	Pass
802.11ax (HEW20) MIMO MIMO 30 3.6 5179.980 5150 to 5250 Pass 40 3.6 5179.980 5150 to 5250 Pass 50 3.6 5179.980 5150 to 5250 Pass 3.06 5200.000 5150 to 5250 Pass 20 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass						0	3.6	5179.980	5150 to 5250	Pass
802.11ax (HEW20) MIMO						10	3.6	5179.960	5150 to 5250	Pass
3.06 5200.000 5150 to 5250 Pass 20 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass						30	3.6	5179.980	5150 to 5250	Pass
3.06 5200.000 5150 to 5250 Pass 20 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass	802.11ax	302.11ax (HEW20) MIMO				40	3.6	5179.980	5150 to 5250	Pass
20 3.6 5200.000 5150 to 5250 Pass 4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass	(HEW20)					50	3.6	5179.980	5150 to 5250	Pass
4.14 5199.960 5150 to 5250 Pass -30 3.6 5200.040 5150 to 5250 Pass	(TIEWZO)					3.06	5200.000	5150 to 5250	Pass	
-30 3.6 5200.040 5150 to 5250 Pass					20	3.6	5200.000	5150 to 5250	Pass	
						4.14	5199.960	5150 to 5250	Pass	
5200 RU242 Left -20 3.6 5199.960 5150 to 5250 Pass					-30	3.6	5200.040	5150 to 5250	Pass	
		5200 F	RU242	Left	-20	3.6	5199.960	5150 to 5250	Pass	
-10 3.6 5200.000 5150 to 5250 Pass					-10	3.6	5200.000	5150 to 5250	Pass	
0 3.6 5200.060 5150 to 5250 Pass									†	
10 3.6 5200.000 5150 to 5250 Pass					10	3.6		†	Pass	
30 3.6 5199.960 5150 to 5250 Pass									†	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1018 of 1027 Page:

					40	3.6	5200.000	5150 to 5250	Pass
					50	3.6	5199.960	5150 to 5250	Pass
						3.06	5239.960	5150 to 5250	Pass
					20	3.6	5239.960	5150 to 5250	Pass
						4.14	5239.940	5150 to 5250	Pass
					-30	3.6	5239.940	5150 to 5250	Pass
					-20	3.6	5239.980	5150 to 5250	Pass
		5240	RU242	Left	-10	3.6	5239.960	5150 to 5250	Pass
					0	3.6	5239.960	5150 to 5250	Pass
					10	3.6	5239.980	5150 to 5250	Pass
					30	3.6	5239.940	5150 to 5250	Pass
					40	3.6	5239.940	5150 to 5250	Pass
					50	3.6	5240.000	5150 to 5250	Pass
						3.06	5259.960	5250 to 5350	Pass
					20	3.6	5259.920	5250 to 5350	Pass
						4.14	5260.000	5250 to 5350	Pass
					-30	3.6	5260.000	5250 to 5350	Pass
					-20	3.6	5259.920	5250 to 5350	Pass
		5260	RU242	Left	-10	3.6	5259.960	5250 to 5350	Pass
				0	3.6	5259.920	5250 to 5350	Pass	
					10	3.6	5259.960	5250 to 5350	Pass
					30	3.6	5259.960	5250 to 5350	Pass
					40	3.6	5259.980	5250 to 5350	Pass
					50	3.6	5259.960	5250 to 5350	Pass
						3.06	5299.940	5250 to 5350	Pass
					20	3.6	5300.000	5250 to 5350	Pass
						4.14	5299.980	5250 to 5350	Pass
					-30	3.6	5299.960	5250 to 5350	Pass
					-20	3.6	5299.960	5250 to 5350	Pass
		5300	RU242	Left	-10	3.6	5300.000	5250 to 5350	Pass
					0	3.6	5299.940	5250 to 5350	Pass
					10	3.6	5300.000	5250 to 5350	Pass
					30	3.6	5299.980	5250 to 5350	Pass
					40	3.6	5299.980	5250 to 5350	Pass
				50	3.6	5299.980	5250 to 5350	Pass	
				3.06	5319.960	5250 to 5350	Pass		
			20	3.6	5319.980	5250 to 5350	Pass		
		5320	RU242	Left		4.14	5320.040	5250 to 5350	Pass
	5320 RU242		-30	3.6	5319.960	5250 to 5350	Pass		
			-20	3.6	5319.980	5250 to 5350	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1019 of 1027 Page:

				-10	3.6	5319.980	5250 to 5350	Pass
				0	3.6	5320.000	5250 to 5350 5250 to 5350	Pass
				10	3.6	5319.960	5250 to 5350	Pass
				30	3.6	5320.000	5250 to 5350	Pass
				40	3.6	5319.920	5250 to 5350	Pass
				50	3.6	5319.940	5250 to 5350	
-				50			<u> </u>	Pass
				20	3.06	5500.000	5470 to 5725	Pass
				20	3.6	5500.000	5470 to 5725	Pass
				-30	4.14 3.6	5499.980 5500.000	5470 to 5725	Pass
				-20			5470 to 5725	Pass
	EE00	DLIDAO	l of4		3.6	5500.000	5470 to 5725	Pass
	5500	RU242	Left	-10	3.6	5499.980	5470 to 5725	Pass
				0	3.6	5499.980	5470 to 5725	Pass
				10	3.6	5500.000	5470 to 5725	Pass
				30	3.6	5499.980	5470 to 5725	Pass
				40	3.6	5499.980	5470 to 5725	Pass
-			Left	50	3.6	5500.020	5470 to 5725	Pass
					3.06	5579.940	5470 to 5725	Pass
				20	3.6	5580.000	5470 to 5725	Pass
					4.14	5579.960	5470 to 5725	Pass
				-30	3.6	5579.940	5470 to 5725	Pass
				-20	3.6	5579.960	5470 to 5725	Pass
	5580	RU242		-10	3.6	5579.980	5470 to 5725	Pass
				0	3.6	5579.980	5470 to 5725	Pass
				10	3.6	5579.940	5470 to 5725	Pass
				30	3.6	5579.980	5470 to 5725	Pass
				40	3.6	5579.940	5470 to 5725	Pass
				50	3.6	5580.000	5470 to 5725	Pass
					3.06	5699.980	5470 to 5725	Pass
				20	3.6	5700.020	5470 to 5725	Pass
					4.14	5699.960	5470 to 5725	Pass
				-30	3.6	5699.980	5470 to 5725	Pass
				-20	3.6	5699.980	5470 to 5725	Pass
	5700 RU242	Left	-10	3.6	5700.040	5470 to 5725	Pass	
			0	3.6	5700.020	5470 to 5725	Pass	
			10	3.6	5699.940	5470 to 5725	Pass	
			30	3.6	5699.940	5470 to 5725	Pass	
			40	3.6	5699.960	5470 to 5725	Pass	
		-	50	3.6	5699.980	5470 to 5725	Pass	
				50	5.0	3033.300	3470 10 3723	газэ



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1020 of 1027 Page:

						3.6	5744.940	5725 to 5850	Pass
						4.14	5744.940	5725 to 5850	Pass
					-30	3.6	5744.960	5725 to 5850	Pass
					-20	3.6	5744.980	5725 to 5850	Pass
					-10	3.6	5744.960	5725 to 5850	Pass
					0	3.6	5744.940	5725 to 5850	Pass
					10	3.6	5744.960	5725 to 5850	Pass
					30	3.6	5744.940	5725 to 5850	Pass
					40	3.6	5744.960	5725 to 5850	Pass
					50	3.6	5744.960	5725 to 5850	Pass
						3.06	5784.960	5725 to 5850	Pass
					20	3.6	5784.980	5725 to 5850	Pass
						4.14	5784.960	5725 to 5850	Pass
					-30	3.6	5784.940	5725 to 5850	Pass
					-20	3.6	5785.000	5725 to 5850	Pass
		5785	RU242	Left	-10	3.6	5784.940	5725 to 5850	Pass
					0	3.6	5784.940	5725 to 5850	Pass
					10	3.6	5784.900	5725 to 5850	Pass
					30	3.6	5784.960	5725 to 5850	Pass
					40	3.6	5784.940	5725 to 5850	Pass
					50	3.6	5784.960	5725 to 5850	Pass
						3.06	5824.960	5725 to 5850	Pass
					20	3.6	5824.960	5725 to 5850	Pass
						4.14	5824.980	5725 to 5850	Pass
					-30	3.6	5824.940	5725 to 5850	Pass
					-20	3.6	5824.980	5725 to 5850	Pass
		5825	RU242	Left	-10	3.6	5825.000	5725 to 5850	Pass
					0	3.6	5824.980	5725 to 5850	Pass
					10	3.6	5825.000	5725 to 5850	Pass
					30	3.6	5824.980	5725 to 5850	Pass
					40	3.6	5824.980	5725 to 5850	Pass
					50	3.6	5824.960	5725 to 5850	Pass
						3.06	5190.000	5150 to 5250	Pass
					20	3.6	5189.960	5150 to 5250	Pass
						4.14	5190.000	5150 to 5250	Pass
802.11ax	MIMO	5190	RU484	Left	-30	3.6	5189.960	5150 to 5250	Pass
(HEW40)	IVIIIVIO	3130	110404	Len	-20	3.6	5189.920	5150 to 5250	Pass
					-10	3.6	5189.960	5150 to 5250	Pass
					0	3.6	5190.040	5150 to 5250	Pass
					10	3.6	5189.960	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1021 of 1027 Page:

30 3.6 5190.040 5150 to 5250 Pass									
Section Sect					30	3.6	5190.040	5150 to 5250	Pass
Section Sect					40	3.6	5190.000	5150 to 5250	Pass
Section Sect					50	3.6	5189.920	5150 to 5250	Pass
Section Sect						3.06	5230.080	5150 to 5250	Pass
Section Sect					20	3.6	5230.000	5150 to 5250	Pass
S230 RU484 Left -10 3.6 5230.000 5150 to 5250 Pass						4.14	5230.000	5150 to 5250	Pass
S230 RU484 Left					-30	3.6	5229.920	5150 to 5250	Pass
Name					-20	3.6	5230.000	5150 to 5250	Pass
10 3.6 5230.040 5150 to 5250 Pass		5230	RU484	Left	-10	3.6	5230.160	5150 to 5250	Pass
Section Sect					0	3.6	5230.000	5150 to 5250	Pass
A0					10	3.6	5230.040	5150 to 5250	Pass
50 3.6 5230.040 5150 to 5250 Pass 3.06 5269.920 5250 to 5350 Pass 20 3.6 5270.000 5250 to 5350 Pass 4.14 5269.960 5250 to 5350 Pass -30 3.6 5270.000 5250 to 5350 Pass -30 3.6 5270.000 5250 to 5350 Pass -20 3.6 5270.000 5250 to 5350 Pass -20 3.6 5270.040 5250 to 5350 Pass -20 3.6 5269.920 5250 to 5350 Pass -20 3.6 5269.920 5250 to 5350 Pass 0 3.6 5269.920 5250 to 5350 Pass 30 3.6 5269.920 5250 to 5350 Pass 30 3.6 5269.920 5250 to 5350 Pass 40 3.6 5269.920 5250 to 5350 Pass 40 3.6 5269.960 5250 to 5350 Pass 50 3.6 5269.960 5250 to 5350 Pass 40 3.6 5269.960 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass -30 3.6 5310.000 5250 to 5350 Pass -20 3.6 5310.000 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass -20 3.6 5300.000 5250 to 5350 Pass -20 5300 5250 to 5350 P					30	3.6	5229.960	5150 to 5250	Pass
Second					40	3.6	5230.240	5150 to 5250	Pass
Section Sect					50	3.6	5230.040	5150 to 5250	Pass
Section Sect						3.06	5269.920	5250 to 5350	Pass
Section Sect					20	3.6	5270.000	5250 to 5350	Pass
S270 RU484 Left -10 3.6 5270.040 5250 to 5350 Pass						4.14	5269.960	5250 to 5350	Pass
5270 RU484 Left -10 3.6 5269.920 5250 to 5350 Pass 0 3.6 5269.960 5250 to 5350 Pass 10 3.6 5269.920 5250 to 5350 Pass 30 3.6 5269.960 5250 to 5350 Pass 40 3.6 5269.960 5250 to 5350 Pass 50 3.6 5269.960 5250 to 5350 Pass 20 3.6 5309.960 5250 to 5350 Pass -30 3.6 5310.000 5250 to 5350 Pass -30 3.6 5309.960 5250 to 5350 Pass -30 3.6 5309.960 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass 0 3.6 5310.000 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 10 3.6 5310.000 5250 to 5350 Pass 30 3					-30	3.6	5270.000	5250 to 5350	Pass
Name			RU484	Left	-20	3.6	5270.040	5250 to 5350	Pass
10 3.6 5269.920 5250 to 5350 Pass		5270			-10	3.6	5269.920	5250 to 5350	Pass
30 3.6 5269.960 5250 to 5350 Pass					0	3.6	5269.960	5250 to 5350	Pass
Heat Section					10	3.6	5269.920	5250 to 5350	Pass
50 3.6 5269.960 5250 to 5350 Pass 3.06 5309.960 5250 to 5350 Pass 20 3.6 5310.000 5250 to 5350 Pass 4.14 5309.960 5250 to 5350 Pass -30 3.6 5309.920 5250 to 5350 Pass -20 3.6 5309.920 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass 0 3.6 5309.960 5250 to 5350 Pass 0 3.6 5310.000 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 50 50 50 50 50 50 50 50 50 50 50 50 5					30	3.6	5269.960	5250 to 5350	Pass
Solution					40	3.6	5270.000	5250 to 5350	Pass
Solution					50	3.6	5269.960	5250 to 5350	Pass
5310 RU484 Left 4.14 5309.960 5250 to 5350 Pass -30 3.6 5309.920 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass 0 3.6 5309.960 5250 to 5350 Pass 10 3.6 5310.000 5250 to 5350 Pass 30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass						3.06	5309.960	5250 to 5350	Pass
-30 3.6 5309.920 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass -20 3.6 5309.960 5250 to 5350 Pass 0 3.6 5310.000 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 3.06 5310.000 5250 to 5350 Pass 40 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 40 3.6 5310.000 5250 to 5350 Pass 40 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 40 4.14 5510.080 5470 to 5725 Pass					20	3.6	5310.000	5250 to 5350	Pass
Figure 1.5310 RU484 Left						4.14	5309.960	5250 to 5350	Pass
5310 RU484 Left					-30	3.6	5309.920	5250 to 5350	Pass
0 3.6 5310.000 5250 to 5350 Pass 10 3.6 5309.960 5250 to 5350 Pass 30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 3.6 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					-20	3.6	5309.960	5250 to 5350	Pass
10 3.6 5309.960 5250 to 5350 Pass 30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 20 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass			RU484	Left	-10	3.6	5309.960	5250 to 5350	Pass
30 3.6 5310.000 5250 to 5350 Pass 40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 3.06 5310.000 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					0	3.6	5310.000	5250 to 5350	Pass
40 3.6 5309.920 5250 to 5350 Pass 50 3.6 5310.000 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					10	3.6	5309.960	5250 to 5350	Pass
50 3.6 5310.000 5250 to 5350 Pass 3.06 5510.080 5470 to 5725 Pass 20 3.6 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					30	3.6	5310.000	5250 to 5350	Pass
3.06 5510.080 5470 to 5725 Pass RU484 Left 20 3.6 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					40	3.6	5309.920	5250 to 5350	Pass
5510 RU484 Left 20 3.6 5510.080 5470 to 5725 Pass 4.14 5510.080 5470 to 5725 Pass					50	3.6	5310.000	5250 to 5350	Pass
5510 RU484 Left 4.14 5510.080 5470 to 5725 Pass						3.06	5510.080	5470 to 5725	Pass
4.14 5510.080 5470 to 5725 Pass			RU484 Le	Left	20	3.6	5510.080	5470 to 5725	Pass
-30 3.6 5510.040 5470 to 5725 Pass						4.14	5510.080	5470 to 5725	Pass
					-30	3.6	5510.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1022 of 1027 Page:

Ι					20	2.6	5510 000	5470 to 5705	Door
					-20 10	3.6	5510.000	5470 to 5725	Pass
					-10	3.6	5509.960	5470 to 5725	Pass
					0	3.6	5510.320	5470 to 5725	Pass
					10	3.6	5510.000	5470 to 5725	Pass
					30	3.6	5510.000	5470 to 5725	Pass
					40	3.6	5510.040	5470 to 5725	Pass
					50	3.6	5510.040	5470 to 5725	Pass
						3.06	5550.000	5470 to 5725	Pass
					20	3.6	5550.040	5470 to 5725	Pass
						4.14	5549.920	5470 to 5725	Pass
					-30	3.6	5549.960	5470 to 5725	Pass
					-20	3.6	5550.080	5470 to 5725	Pass
		5550	RU484	Left	-10	3.6	5550.000	5470 to 5725	Pass
					0	3.6	5550.040	5470 to 5725	Pass
					10	3.6	5550.040	5470 to 5725	Pass
					30	3.6	5549.920	5470 to 5725	Pass
					40	3.6	5550.000	5470 to 5725	Pass
					50	3.6	5550.000	5470 to 5725	Pass
					20	3.06	5669.960	5470 to 5725	Pass
						3.6	5670.000	5470 to 5725	Pass
						4.14	5669.960	5470 to 5725	Pass
					-30	3.6	5669.960	5470 to 5725	Pass
		5670 F			-20	3.6	5669.960	5470 to 5725	Pass
			RU484	Left	-10	3.6	5669.960	5470 to 5725	Pass
					0	3.6	5670.000	5470 to 5725	Pass
					10	3.6	5669.920	5470 to 5725	Pass
					30	3.6	5669.960	5470 to 5725	Pass
					40	3.6	5669.960	5470 to 5725	Pass
					50	3.6	5669.960	5470 to 5725	Pass
						3.06	5755.040	5725 to 5850	Pass
					20	3.6	5755.000	5725 to 5850	Pass
						4.14	5755.000	5725 to 5850	Pass
					-30	3.6	5754.960	5725 to 5850	Pass
					-20	3.6	5754.920	5725 to 5850	Pass
		5755	5 RU484	Left	-10	3.6	5754.960	5725 to 5850	Pass
				2. 2010	0	3.6	5755.040	5725 to 5850	Pass
					10	3.6	5754.920	5725 to 5850	Pass
					30	3.6	5754.960	5725 to 5850	Pass
					40	3.6	5755.000	5725 to 5850	Pass
					50	3.6	5755.000	5725 to 5850	Pass
			j .			0.0	0.00.000	3. 23 .0 0000	. 400



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) sear retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1023 of 1027

Second Color							<u> </u>		T	
Name							3.06	5794.960	5725 to 5850	Pass
S795 RU484 Left					ļ	20		5794.920	5725 to 5850	Pass
RU484 Left -20							4.14	5795.000	5725 to 5850	Pass
Name						-30	3.6	5794.960	5725 to 5850	Pass
Name						-20	3.6	5795.000	5725 to 5850	Pass
Name			5795	RU484	Left	-10	3.6	5795.040	5725 to 5850	Pass
Name						0	3.6	5794.840	5725 to 5850	Pass
Name						10	3.6	5794.960	5725 to 5850	Pass
Second Residue						30	3.6	5795.000	5725 to 5850	Pass
Name						40	3.6	5794.960	5725 to 5850	Pass
Name						50	3.6	5794.960	5725 to 5850	Pass
Name							3.06	5210.150	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						20	3.6	5210.150	5150 to 5250	Pass
Name							4.14	5210.000	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						-30	3.6	5210.150	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						-20	3.6	5210.226	5150 to 5250	Pass
MIMO NUM RU996 RU996				RU996	Left	-10	3.6	5210.151	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						0	3.6	5210.075	5150 to 5250	Pass
MIMO						10	3.6	5210.076	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						30	3.6	5210.000	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						40	3.6	5210.375	5150 to 5250	Pass
802.11ax (HEW80) MIMO RU996						50	3.6	5210.151	5150 to 5250	Pass
MIMO MIMO RU996 RU996 Left				RU996	Left		3.06	5290.076	5250 to 5350	Pass
MIMO (HEW80) MIMO 5290 RU996 RU996 Left -30 3.6 5290.151 5250 to 5350 Pass -20 3.6 5290.076 5250 to 5350 Pass 0 3.6 5290.526 5250 to 5350 Pass 10 3.6 5290.151 5250 to 5350 Pass 10 3.6 5290.151 5250 to 5350 Pass 10 3.6 5290.151 5250 to 5350 Pass 30 3.6 5290.151 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 30 3.6 5290.076 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 30 3.6 5290.076 5250 to 5350 Pass 40 3.6 5290.000 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Fass 50 50 50 50 50 50 50 50 50 50 50 50 50						20	3.6	5290.076	5250 to 5350	Pass
(HEW80) NIMO Figure Figu							4.14	5290.151	5250 to 5350	Pass
Figure 1.5290 RU996 Left -20 3.6 5290.076 5250 to 5350 Pass		МІМО				-30	3.6	5290.151	5250 to 5350	Pass
0 3.6 5290.526 5250 to 5350 Pass 10 3.6 5290.151 5250 to 5350 Pass 30 3.6 5290.151 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Pass 20 3.6 5531.576 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass	(ПЕ 7760)					-20	3.6	5290.076	5250 to 5350	Pass
10 3.6 5290.151 5250 to 5350 Pass 30 3.6 5290.151 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Pass 3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass -20 3.6 5530.150 5470 to 5725 Pass			5290			-10	3.6	5290.000	5250 to 5350	Pass
30 3.6 5290.151 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Pass 3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass -20 3.6 5530.150 5470 to 5725 Pass						0	3.6	5290.526	5250 to 5350	Pass
30 3.6 5290.151 5250 to 5350 Pass 40 3.6 5290.076 5250 to 5350 Pass 50 3.6 5290.000 5250 to 5350 Pass 3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass						10	3.6	5290.151	5250 to 5350	Pass
50 3.6 5290.000 5250 to 5350 Pass 3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass						30	3.6		5250 to 5350	Pass
3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass						40	3.6		5250 to 5350	Pass
3.06 5531.576 5470 to 5725 Pass 20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass						50		5290.000	+	
20 3.6 5530.225 5470 to 5725 Pass 4.14 5530.226 5470 to 5725 Pass 5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass									+	
5530 RU996 Left 4.14 5530.226 5470 to 5725 Pass -20 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass			5530	RU996		20			+	
5530 RU996 Left -30 3.6 5530.150 5470 to 5725 Pass -20 3.6 5530.151 5470 to 5725 Pass									†	
-20 3.6 5530.151 5470 to 5725 Pass					Left	-30			1	
									†	
									1	
0 3.6 5530.226 5470 to 5725 Pass									†	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

1024 of 1027 Page:

10 3.6 5532.327 5470 to 5725 Pass										
A0						10	3.6	5532.327	5470 to 5725	Pass
Solid Soli						30	3.6	5530.750	5470 to 5725	Pass
Section Sect						40	3.6	5530.076	5470 to 5725	Pass
Ru996 Left 20 3.6 5610.151 5470 to 5725 Pass						50	3.6	5530.526	5470 to 5725	Pass
Section Russian Section Sect							3.06	5610.075	5470 to 5725	Pass
Section Russian Section Sect						20	3.6	5610.151	5470 to 5725	Pass
Section Russian							4.14	5610.075	5470 to 5725	Pass
Section Rue Left						-30	3.6	5610.000	5470 to 5725	Pass
0 3.6 5610.300 5470 to 5725 Pass 10 3.6 5610.150 5470 to 5725 Pass 30 3.6 5610.151 5470 to 5725 Pass 40 3.6 5610.375 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 40 3.6 5775.000 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass 5775 RU996 Left -10 3.6 5775.000 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass 5775 Pass						-20	3.6	5610.076	5470 to 5725	Pass
10 3.6 5610.150 5470 to 5725 Pass 30 3.6 5610.151 5470 to 5725 Pass 40 3.6 5610.375 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 20 3.6 5775.000 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass -30 3.6 5775.076 5725 to 5850 Pass -20 3.6 5775.000 5725 to 5850 Pass 5775 RU996 Left -10 3.6 5775.000 5725 to 5850 Pass 0 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 30 3.6 5775.000 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass 5775 Pass			5610	RU996	Left	-10	3.6	5610.075	5470 to 5725	Pass
30 3.6 5610.151 5470 to 5725 Pass 40 3.6 5610.375 5470 to 5725 Pass 50 3.6 5610.300 5470 to 5725 Pass 3.06 5775.000 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass -30 3.6 5775.076 5725 to 5850 Pass -20 3.6 5775.000 5725 to 5850 Pass						0	3.6	5610.300	5470 to 5725	Pass
A0 3.6 5610.375 5470 to 5725 Pass						10	3.6	5610.150	5470 to 5725	Pass
50 3.6 5610.300 5470 to 5725 Pass 3.06 5775.000 5725 to 5850 Pass 20 3.6 5774.925 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass -30 3.6 5775.076 5725 to 5850 Pass -20 3.6 5775.076 5725 to 5850 Pass -20 3.6 5775.000 5725 to 5850 Pass 0 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 30 3.6 5775.000 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass						30	3.6	5610.151	5470 to 5725	Pass
3.06 5775.000 5725 to 5850 Pass 20 3.6 5774.925 5725 to 5850 Pass 4.14 5775.000 5725 to 5850 Pass -30 3.6 5775.076 5725 to 5850 Pass -20 3.6 5775.000 5725 to 5850 Pass -20 3.6 5775.000 5725 to 5850 Pass 0 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 30 3.6 5775.000 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass 30 3.6 5774.925 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass						40	3.6	5610.375	5470 to 5725	Pass
20 3.6 5774.925 5725 to 5850 Pass						50	3.6	5610.300	5470 to 5725	Pass
A.14 5775.000 5725 to 5850 Pass							3.06	5775.000	5725 to 5850	Pass
FU996 RU996 Left						20	3.6	5774.925	5725 to 5850	Pass
FU996 RU996 Left							4.14	5775.000	5725 to 5850	Pass
5775 RU996 Left						-30	3.6	5775.076	5725 to 5850	Pass
0 3.6 5775.000 5725 to 5850 Pass 10 3.6 5775.000 5725 to 5850 Pass 30 3.6 5774.925 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass		5775		RU996		-20	3.6	5775.000	5725 to 5850	Pass
10 3.6 5775.000 5725 to 5850 Pass 30 3.6 5774.925 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass			5775		Left	-10	3.6	5775.000	5725 to 5850	Pass
30 3.6 5774.925 5725 to 5850 Pass 40 3.6 5775.000 5725 to 5850 Pass						0	3.6	5775.000	5725 to 5850	Pass
40 3.6 5775.000 5725 to 5850 Pass						10	3.6	5775.000	5725 to 5850	Pass
						30	3.6	5774.925	5725 to 5850	Pass
50 3.6 5775.076 5725 to 5850 Pass						40	3.6	5775.000	5725 to 5850	Pass
						50	3.6	5775.076	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sos.com

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1025 of 1027

7. DFS(Dynamic Frequency Selection)

Test Result:

BW/Channel	Test Item	Result
	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
00MH-/FF20MH-	In-Service Monitoring	N/A
80MHz/5530MHz	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	N/A
	Uniform Spreading	N/A

The test plots was shown in the report below.

Remark: Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1026 of 1027

Radar:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@sas.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房





SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200047805

Page: 1027 of 1027

5530MHz:





- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocchee/Ress comp.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com