




11AX40MIMO_Ant2_5755_52Tone_RU40




11AX40MIMO_Ant2_5755_52Tone_RU44




11AX40MIMO_Ant2_5755_106Tone_RU53




11AX40MIMO_Ant2_5755_106Tone_RU54




11AX40MIMO_Ant2_5755_106Tone_RU55




11AX40MIMO_Ant2_5755_106Tone_RU56




11AX40MIMO_Ant2_5755_242Tone_RU61




11AX40MIMO_Ant2_5755_242Tone_RU62




11AX40MIMO_Ant1_5795_26Tone_RU0




11AX40MIMO_Ant1_5795_26Tone_RU8




11AX40MIMO_Ant1_5795_26Tone_RU17




11AX40MIMO_Ant1_5795_52Tone_RU37




11AX40MIMO_Ant1_5795_52Tone_RU40




11AX40MIMO_Ant1_5795_52Tone_RU44




11AX40MIMO_Ant1_5795_106Tone_RU53




11AX40MIMO_Ant1_5795_106Tone_RU54




11AX40MIMO_Ant1_5795_106Tone_RU55




11AX40MIMO_Ant1_5795_106Tone_RU56




11AX40MIMO_Ant1_5795_242Tone_RU61




11AX40MIMO_Ant1_5795_242Tone_RU62




11AX40MIMO_Ant2_5795_26Tone_RU0




11AX40MIMO_Ant2_5795_26Tone_RU8




11AX40MIMO_Ant2_5795_26Tone_RU17




11AX40MIMO_Ant2_5795_52Tone_RU37




11AX40MIMO_Ant2_5795_52Tone_RU40




11AX40MIMO_Ant2_5795_52Tone_RU44




11AX40MIMO_Ant2_5795_106Tone_RU53




11AX40MIMO_Ant2_5795_106Tone_RU54




11AX40MIMO_Ant2_5795_106Tone_RU55




11AX40MIMO_Ant2_5795_106Tone_RU56




11AX40MIMO_Ant2_5795_242Tone_RU61




11AX40MIMO_Ant2_5795_242Tone_RU62




11AX80MIMO_Ant1_5210_26Tone_RU0




11AX80MIMO_Ant1_5210_26Tone_RU19




11AX80MIMO_Ant1_5210_26Tone_RU36




11AX80MIMO_Ant1_5210_52Tone_RU37




11AX80MIMO_Ant1_5210_52Tone_RU44




11AX80MIMO_Ant1_5210_52Tone_RU52




11AX80MIMO_Ant1_5210_106Tone_RU53




11AX80MIMO_Ant1_5210_106Tone_RU56




11AX80MIMO_Ant1_5210_106Tone_RU60




11AX80MIMO_Ant1_5210_242Tone_RU61




11AX80MIMO_Ant1_5210_242Tone_RU62




11AX80MIMO_Ant1_5210_242Tone_RU63




11AX80MIMO_Ant1_5210_242Tone_RU64




11AX80MIMO_Ant1_5210_484Tone_RU65




11AX80MIMO_Ant1_5210_484Tone_RU66




11AX80MIMO_Ant2_5210_26Tone_RU0




11AX80MIMO_Ant2_5210_26Tone_RU19




11AX80MIMO_Ant2_5210_26Tone_RU36




11AX80MIMO_Ant2_5210_52Tone_RU37




11AX80MIMO_Ant2_5210_52Tone_RU44




11AX80MIMO_Ant2_5210_52Tone_RU52




11AX80MIMO_Ant2_5210_106Tone_RU53




11AX80MIMO_Ant2_5210_106Tone_RU56




11AX80MIMO_Ant2_5210_106Tone_RU60




11AX80MIMO_Ant2_5210_242Tone_RU61




11AX80MIMO_Ant2_5210_242Tone_RU62




11AX80MIMO_Ant2_5210_242Tone_RU63




11AX80MIMO_Ant2_5210_242Tone_RU64




11AX80MIMO_Ant2_5210_484Tone_RU65




11AX80MIMO_Ant2_5210_484Tone_RU66




11AX80MIMO_Ant1_5290_26Tone_RU0




11AX80MIMO_Ant1_5290_26Tone_RU19




11AX80MIMO_Ant1_5290_26Tone_RU36




11AX80MIMO_Ant1_5290_52Tone_RU37




11AX80MIMO_Ant1_5290_52Tone_RU44




11AX80MIMO_Ant1_5290_52Tone_RU52




11AX80MIMO_Ant1_5290_106Tone_RU53




11AX80MIMO_Ant1_5290_106Tone_RU56




11AX80MIMO_Ant1_5290_106Tone_RU60




11AX80MIMO_Ant1_5290_242Tone_RU61




11AX80MIMO_Ant1_5290_242Tone_RU62




11AX80MIMO_Ant1_5290_242Tone_RU63




11AX80MIMO_Ant1_5290_242Tone_RU64




11AX80MIMO_Ant1_5290_484Tone_RU65




11AX80MIMO_Ant1_5290_484Tone_RU66




11AX80MIMO_Ant2_5290_26Tone_RU0




11AX80MIMO_Ant2_5290_26Tone_RU19




11AX80MIMO_Ant2_5290_26Tone_RU36




11AX80MIMO_Ant2_5290_52Tone_RU37




11AX80MIMO_Ant2_5290_52Tone_RU44




11AX80MIMO_Ant2_5290_52Tone_RU52




11AX80MIMO_Ant2_5290_106Tone_RU53




11AX80MIMO_Ant2_5290_106Tone_RU56




11AX80MIMO_Ant2_5290_106Tone_RU60




11AX80MIMO_Ant2_5290_242Tone_RU61




11AX80MIMO_Ant2_5290_242Tone_RU62




11AX80MIMO_Ant2_5290_242Tone_RU63




11AX80MIMO_Ant2_5290_242Tone_RU64




11AX80MIMO_Ant2_5290_484Tone_RU65




11AX80MIMO_Ant2_5290_484Tone_RU66




11AX80MIMO_Ant1_5530_26Tone_RU0




11AX80MIMO_Ant1_5530_26Tone_RU19




11AX80MIMO_Ant1_5530_26Tone_RU36



11AX80MIMO_Ant1_5530_52Tone_RU37




11AX80MIMO_Ant1_5530_52Tone_RU44




11AX80MIMO_Ant1_5530_52Tone_RU52




11AX80MIMO_Ant1_5530_106Tone_RU53




11AX80MIMO_Ant1_5530_106Tone_RU56




11AX80MIMO_Ant1_5530_106Tone_RU60




11AX80MIMO_Ant1_5530_242Tone_RU61




11AX80MIMO_Ant1_5530_242Tone_RU62




11AX80MIMO_Ant1_5530_242Tone_RU63




11AX80MIMO_Ant1_5530_242Tone_RU64




11AX80MIMO_Ant1_5530_484Tone_RU65




11AX80MIMO_Ant1_5530_484Tone_RU66




11AX80MIMO_Ant2_5530_26Tone_RU0




11AX80MIMO_Ant2_5530_26Tone_RU19




11AX80MIMO_Ant2_5530_26Tone_RU36




11AX80MIMO_Ant2_5530_52Tone_RU37




11AX80MIMO_Ant2_5530_52Tone_RU44




11AX80MIMO_Ant2_5530_52Tone_RU52




11AX80MIMO_Ant2_5530_106Tone_RU53




11AX80MIMO_Ant2_5530_106Tone_RU56




11AX80MIMO_Ant2_5530_106Tone_RU60




11AX80MIMO_Ant2_5530_242Tone_RU61




11AX80MIMO_Ant2_5530_242Tone_RU62




11AX80MIMO_Ant2_5530_242Tone_RU63




11AX80MIMO_Ant2_5530_242Tone_RU64




11AX80MIMO_Ant2_5530_484Tone_RU65




11AX80MIMO_Ant2_5530_484Tone_RU66




11AX80MIMO_Ant1_5610_26Tone_RU0




11AX80MIMO_Ant1_5610_26Tone_RU19




11AX80MIMO_Ant1_5610_26Tone_RU36




11AX80MIMO_Ant1_5610_52Tone_RU37




11AX80MIMO_Ant1_5610_52Tone_RU44




11AX80MIMO_Ant1_5610_52Tone_RU52




11AX80MIMO_Ant1_5610_106Tone_RU53




11AX80MIMO_Ant1_5610_106Tone_RU56




11AX80MIMO_Ant1_5610_106Tone_RU60




11AX80MIMO_Ant1_5610_242Tone_RU61




11AX80MIMO_Ant1_5610_242Tone_RU62




11AX80MIMO_Ant1_5610_242Tone_RU63




11AX80MIMO_Ant1_5610_242Tone_RU64




11AX80MIMO_Ant1_5610_484Tone_RU65




11AX80MIMO_Ant1_5610_484Tone_RU66




11AX80MIMO_Ant2_5610_26Tone_RU0




11AX80MIMO_Ant2_5610_26Tone_RU19




11AX80MIMO_Ant2_5610_26Tone_RU36




11AX80MIMO_Ant2_5610_52Tone_RU37




11AX80MIMO_Ant2_5610_52Tone_RU44




11AX80MIMO_Ant2_5610_52Tone_RU52




11AX80MIMO_Ant2_5610_106Tone_RU53




11AX80MIMO_Ant2_5610_106Tone_RU56




11AX80MIMO_Ant2_5610_106Tone_RU60




11AX80MIMO_Ant2_5610_242Tone_RU61




11AX80MIMO_Ant2_5610_242Tone_RU62




11AX80MIMO_Ant2_5610_242Tone_RU63




11AX80MIMO_Ant2_5610_242Tone_RU64




11AX80MIMO_Ant2_5610_484Tone_RU65




11AX80MIMO_Ant2_5610_484Tone_RU66




11AX80MIMO_Ant1_5775_26Tone_RU0




11AX80MIMO_Ant1_5775_26Tone_RU19




11AX80MIMO_Ant1_5775_26Tone_RU36




11AX80MIMO_Ant1_5775_52Tone_RU37




11AX80MIMO_Ant1_5775_52Tone_RU44




11AX80MIMO_Ant1_5775_52Tone_RU52




11AX80MIMO_Ant1_5775_106Tone_RU53




11AX80MIMO_Ant1_5775_106Tone_RU56




11AX80MIMO_Ant1_5775_106Tone_RU60




11AX80MIMO_Ant1_5775_242Tone_RU61




11AX80MIMO_Ant1_5775_242Tone_RU62




11AX80MIMO_Ant1_5775_242Tone_RU63




11AX80MIMO_Ant1_5775_242Tone_RU64




11AX80MIMO_Ant1_5775_484Tone_RU65




11AX80MIMO_Ant1_5775_484Tone_RU66




11AX80MIMO_Ant2_5775_26Tone_RU0




11AX80MIMO_Ant2_5775_26Tone_RU19




11AX80MIMO_Ant2_5775_26Tone_RU36




11AX80MIMO_Ant2_5775_52Tone_RU37




11AX80MIMO_Ant2_5775_52Tone_RU44




11AX80MIMO_Ant2_5775_52Tone_RU52




11AX80MIMO_Ant2_5775_106Tone_RU53




11AX80MIMO_Ant2_5775_106Tone_RU56




11AX80MIMO_Ant2_5775_106Tone_RU60




11AX80MIMO_Ant2_5775_242Tone_RU61




11AX80MIMO_Ant2_5775_242Tone_RU62




11AX80MIMO_Ant2_5775_242Tone_RU63




11AX80MIMO_Ant2_5775_242Tone_RU64



11AX80MIMO_Ant2_5775_484Tone_RU65



11AX80MIMO_Ant2_5775_484Tone_RU66



7. Frequency Stability Measurement

7.1. Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.


7.2. Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

7.3. Test Procedures

- (1) To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
- (2) The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10 dB lower than the measured peak value.
- (3) The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

7.4. Test Setup



7.5. Test Result

Test Mode	Antenna	Channel	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)				
11A	Ant1	5180	NV	NT	-20000	-3.861004	20	PASS
			LV	NT	-40000	-7.722008	20	PASS
			HV	NT	-40000	-7.722008	20	PASS
	Ant2	5180	NV	NT	-40000	-7.722008	20	PASS
			LV	NT	-40000	-7.722008	20	PASS
			HV	NT	-40000	-7.722008	20	PASS
	Ant1	5200	NV	NT	-40000	-7.692308	20	PASS
			LV	NT	-40000	-7.692308	20	PASS
			HV	NT	-40000	-7.692308	20	PASS
	Ant2	5200	NV	NT	-40000	-7.692308	20	PASS
			LV	NT	-40000	-7.692308	20	PASS
			HV	NT	-40000	-7.692308	20	PASS
Ant1	5240	NV	NT	-60000	-11.450382	20	PASS	

		LV	NT	-40000	-7.633588	20	PASS
		HV	NT	-40000	-7.633588	20	PASS
Ant2	5240	NV	NT	-40000	-7.633588	20	PASS
		LV	NT	-40000	-7.633588	20	PASS
		HV	NT	-40000	-7.633588	20	PASS
Ant1	5260	NV	NT	-40000	-7.604563	20	PASS
		LV	NT	-40000	-7.604563	20	PASS
		HV	NT	-40000	-7.604563	20	PASS
Ant2	5260	NV	NT	-40000	-7.604563	20	PASS
		LV	NT	-40000	-7.604563	20	PASS
		HV	NT	-40000	-7.604563	20	PASS
Ant1	5280	NV	NT	-40000	-7.575758	20	PASS
		LV	NT	-40000	-7.575758	20	PASS
		HV	NT	-40000	-7.575758	20	PASS
Ant2	5280	NV	NT	-60000	-11.363636	20	PASS
		LV	NT	-40000	-7.575758	20	PASS
		HV	NT	-40000	-7.575758	20	PASS
Ant1	5320	NV	NT	-40000	-7.518797	20	PASS
		LV	NT	-40000	-7.518797	20	PASS
		HV	NT	-40000	-7.518797	20	PASS
Ant2	5320	NV	NT	-40000	-7.518797	20	PASS
		LV	NT	-40000	-7.518797	20	PASS
		HV	NT	-60000	-11.278195	20	PASS
Ant1	5500	NV	NT	-40000	-7.272727	20	PASS
		LV	NT	-40000	-7.272727	20	PASS
		HV	NT	-40000	-7.272727	20	PASS
Ant2	5500	NV	NT	-60000	-10.909091	20	PASS
		LV	NT	-60000	-10.909091	20	PASS
		HV	NT	-60000	-10.909091	20	PASS
Ant1	5580	NV	NT	-40000	-7.168459	20	PASS
		LV	NT	-40000	-7.168459	20	PASS
		HV	NT	-40000	-7.168459	20	PASS
Ant2	5580	NV	NT	-60000	-10.752688	20	PASS
		LV	NT	-60000	-10.752688	20	PASS
		HV	NT	-40000	-7.168459	20	PASS
Ant1	5700	NV	NT	-40000	-7.017544	20	PASS
		LV	NT	-40000	-7.017544	20	PASS
		HV	NT	-60000	-10.526316	20	PASS
Ant2	5700	NV	NT	-40000	-7.017544	20	PASS
		LV	NT	-40000	-7.017544	20	PASS
		HV	NT	-40000	-7.017544	20	PASS
Ant1	5745	NV	NT	-40000	-6.962576	20	PASS
		LV	NT	-60000	-10.443864	20	PASS
		HV	NT	-40000	-6.962576	20	PASS
Ant2	5745	NV	NT	-60000	-10.443864	20	PASS
		LV	NT	-60000	-10.443864	20	PASS
		HV	NT	-40000	-6.962576	20	PASS
Ant1	5785	NV	NT	-40000	-6.914434	20	PASS
		LV	NT	-40000	-6.914434	20	PASS
		HV	NT	-40000	-6.914434	20	PASS
Ant2	5785	NV	NT	-40000	-6.914434	20	PASS

	Ant1	5825	LV	NT	-40000	-6.914434	20	PASS
			HV	NT	-40000	-6.914434	20	PASS
			NV	NT	-40000	-6.866953	20	PASS
	Ant2	5825	LV	NT	-60000	-10.300429	20	PASS
			HV	NT	-40000	-6.866953	20	PASS
			NV	NT	-40000	-6.866953	20	PASS
11N20MIM O	Ant1	5180	NV	NT	-40000	-7.722008	20	PASS
			LV	NT	-40000	-7.722008	20	PASS
			HV	NT	-20000	-3.861004	20	PASS
	Ant2	5180	NV	NT	-40000	-7.722008	20	PASS
			LV	NT	-40000	-7.722008	20	PASS
			HV	NT	-40000	-7.722008	20	PASS
	Ant1	5200	NV	NT	-20000	-3.846154	20	PASS
			LV	NT	-20000	-3.846154	20	PASS
			HV	NT	-40000	-7.692308	20	PASS
	Ant2	5200	NV	NT	-40000	-7.692308	20	PASS
			LV	NT	-40000	-7.692308	20	PASS
			HV	NT	-40000	-7.692308	20	PASS
	Ant1	5240	NV	NT	-20000	-3.816794	20	PASS
			LV	NT	-20000	-3.816794	20	PASS
			HV	NT	-20000	-3.816794	20	PASS
	Ant2	5240	NV	NT	-40000	-7.633588	20	PASS
			LV	NT	-40000	-7.633588	20	PASS
			HV	NT	-40000	-7.633588	20	PASS
	Ant1	5260	NV	NT	-40000	-7.604563	20	PASS
			LV	NT	-40000	-7.604563	20	PASS
			HV	NT	-40000	-7.604563	20	PASS
	Ant2	5260	NV	NT	-40000	-7.604563	20	PASS
			LV	NT	-20000	-3.802281	20	PASS
			HV	NT	-40000	-7.604563	20	PASS
Ant1	5280	NV	NT	-40000	-7.575758	20	PASS	
		LV	NT	-40000	-7.575758	20	PASS	
		HV	NT	-40000	-7.575758	20	PASS	
Ant2	5280	NV	NT	-40000	-7.575758	20	PASS	
		LV	NT	-40000	-7.575758	20	PASS	
		HV	NT	-20000	-3.787879	20	PASS	
Ant1	5320	NV	NT	-40000	-7.518797	20	PASS	
		LV	NT	-40000	-7.518797	20	PASS	
		HV	NT	-40000	-7.518797	20	PASS	
Ant2	5320	NV	NT	-20000	-3.759398	20	PASS	
		LV	NT	-20000	-3.759398	20	PASS	
		HV	NT	-20000	-3.759398	20	PASS	
Ant1	5500	NV	NT	-40000	-7.272727	20	PASS	
		LV	NT	-40000	-7.272727	20	PASS	
		HV	NT	-40000	-7.272727	20	PASS	
Ant2	5500	NV	NT	-20000	-3.636364	20	PASS	
		LV	NT	-40000	-7.272727	20	PASS	
		HV	NT	-40000	-7.272727	20	PASS	
Ant1	5580	NV	NT	-60000	-10.752688	20	PASS	

11N40MIM O		LV	NT	-40000	-7.168459	20	PASS	
		HV	NT	-40000	-7.168459	20	PASS	
	Ant2	5580	NV	NT	-40000	-7.168459	20	PASS
			LV	NT	-40000	-7.168459	20	PASS
			HV	NT	-40000	-7.168459	20	PASS
	Ant1	5700	NV	NT	-40000	-7.017544	20	PASS
			LV	NT	-40000	-7.017544	20	PASS
			HV	NT	-40000	-7.017544	20	PASS
	Ant2	5700	NV	NT	-40000	-7.017544	20	PASS
			LV	NT	-40000	-7.017544	20	PASS
			HV	NT	-40000	-7.017544	20	PASS
	Ant1	5745	NV	NT	-40000	-6.962576	20	PASS
			LV	NT	-20000	-3.481288	20	PASS
			HV	NT	-40000	-6.962576	20	PASS
	Ant2	5745	NV	NT	-40000	-6.962576	20	PASS
			LV	NT	-40000	-6.962576	20	PASS
			HV	NT	-40000	-6.962576	20	PASS
	Ant1	5785	NV	NT	-40000	-6.914434	20	PASS
			LV	NT	-40000	-6.914434	20	PASS
			HV	NT	-60000	-10.371651	20	PASS
Ant2	5785	NV	NT	-40000	-6.914434	20	PASS	
		LV	NT	-60000	-10.371651	20	PASS	
		HV	NT	-40000	-6.914434	20	PASS	
Ant1	5825	NV	NT	-60000	-10.300429	20	PASS	
		LV	NT	-40000	-6.866953	20	PASS	
		HV	NT	-40000	-6.866953	20	PASS	
Ant1	5190	NV	NT	-40000	-7.707129	20	PASS	
		LV	NT	-80000	-15.414258	20	PASS	
		HV	NT	0	0	20	PASS	
Ant2	5190	NV	NT	-200000	-38.535645	20	FAIL	
		LV	NT	-40000	-7.707129	20	PASS	
		HV	NT	0	0	20	PASS	
Ant1	5230	NV	NT	-40000	-7.648184	20	PASS	
		LV	NT	-40000	-7.648184	20	PASS	
		HV	NT	-40000	-7.648184	20	PASS	
Ant2	5230	NV	NT	-40000	-7.648184	20	PASS	
		LV	NT	-40000	-7.648184	20	PASS	
		HV	NT	-40000	-7.648184	20	PASS	
Ant1	5270	NV	NT	0	0	20	PASS	
		LV	NT	0	0	20	PASS	
		HV	NT	-40000	-7.590133	20	PASS	
Ant2	5270	NV	NT	0	0	20	PASS	
		LV	NT	0	0	20	PASS	
		HV	NT	-40000	-7.590133	20	PASS	
Ant1	5310	NV	NT	0	0	20	PASS	
		LV	NT	-40000	-7.532957	20	PASS	
		HV	NT	-40000	-7.532957	20	PASS	
Ant2	5310	NV	NT	-40000	-7.532957	20	PASS	
		LV	NT	-40000	-7.532957	20	PASS	
		HV	NT	-80000	-15.065913	20	PASS	
Ant1	5510	NV	NT	-40000	-7.259528	20	PASS	

11AC20MI MO	Ant2	5510	LV	NT	-40000	-7.259528	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5510	NV	NT	-40000	-7.259528	20	PASS
			LV	NT	-40000	-7.259528	20	PASS
			HV	NT	-40000	-7.259528	20	PASS
	Ant1	5550	NV	NT	-80000	-14.414414	20	PASS
			LV	NT	-40000	-7.207207	20	PASS
			HV	NT	-40000	-7.207207	20	PASS
	Ant2	5550	NV	NT	-40000	-7.207207	20	PASS
			LV	NT	-40000	-7.207207	20	PASS
			HV	NT	-40000	-7.207207	20	PASS
	Ant1	5670	NV	NT	0	0	20	PASS
			LV	NT	-80000	-14.109347	20	PASS
			HV	NT	-40000	-7.054674	20	PASS
	Ant2	5670	NV	NT	-40000	-7.054674	20	PASS
			LV	NT	-40000	-7.054674	20	PASS
			HV	NT	-80000	-14.109347	20	PASS
	Ant1	5755	NV	NT	-40000	-6.950478	20	PASS
			LV	NT	-40000	-6.950478	20	PASS
			HV	NT	-40000	-6.950478	20	PASS
	Ant2	5755	NV	NT	-40000	-6.950478	20	PASS
			LV	NT	-80000	-13.900956	20	PASS
			HV	NT	-40000	-6.950478	20	PASS
	Ant1	5795	NV	NT	-40000	-6.902502	20	PASS
LV			NT	-40000	-6.902502	20	PASS	
HV			NT	-40000	-6.902502	20	PASS	
Ant2	5795	NV	NT	-80000	-13.805004	20	PASS	
		LV	NT	-80000	-13.805004	20	PASS	
		HV	NT	0	0	20	PASS	
Ant1	5180	NV	NT	-40000	-7.722008	20	PASS	
		LV	NT	-40000	-7.722008	20	PASS	
		HV	NT	-40000	-7.722008	20	PASS	
Ant2	5180	NV	NT	-60000	-11.583012	20	PASS	
		LV	NT	-40000	-7.722008	20	PASS	
		HV	NT	-40000	-7.722008	20	PASS	
Ant1	5200	NV	NT	-40000	-7.692308	20	PASS	
		LV	NT	-40000	-7.692308	20	PASS	
		HV	NT	-40000	-7.692308	20	PASS	
Ant2	5200	NV	NT	-20000	-3.846154	20	PASS	
		LV	NT	-40000	-7.692308	20	PASS	
		HV	NT	-40000	-7.692308	20	PASS	
Ant1	5240	NV	NT	-40000	-7.633588	20	PASS	
		LV	NT	-20000	-3.816794	20	PASS	
		HV	NT	-40000	-7.633588	20	PASS	
Ant2	5240	NV	NT	-20000	-3.816794	20	PASS	
		LV	NT	-20000	-3.816794	20	PASS	
		HV	NT	-20000	-3.816794	20	PASS	
Ant1	5260	NV	NT	-40000	-7.604563	20	PASS	
		LV	NT	-40000	-7.604563	20	PASS	
		HV	NT	-40000	-7.604563	20	PASS	
Ant2	5260	NV	NT	-40000	-7.604563	20	PASS	

			LV	NT	-40000	-7.604563	20	PASS
			HV	NT	-40000	-7.604563	20	PASS
	Ant1	5280	NV	NT	-40000	-7.575758	20	PASS
			LV	NT	-40000	-7.575758	20	PASS
			HV	NT	-40000	-7.575758	20	PASS
	Ant2	5280	NV	NT	-20000	-3.787879	20	PASS
			LV	NT	-20000	-3.787879	20	PASS
			HV	NT	-40000	-7.575758	20	PASS
	Ant1	5320	NV	NT	-40000	-7.518797	20	PASS
			LV	NT	-40000	-7.518797	20	PASS
			HV	NT	-40000	-7.518797	20	PASS
	Ant2	5320	NV	NT	-40000	-7.518797	20	PASS
			LV	NT	-40000	-7.518797	20	PASS
			HV	NT	-40000	-7.518797	20	PASS
	Ant1	5500	NV	NT	-40000	-7.272727	20	PASS
			LV	NT	-60000	-10.909091	20	PASS
			HV	NT	-40000	-7.272727	20	PASS
	Ant2	5500	NV	NT	-40000	-7.272727	20	PASS
			LV	NT	-40000	-7.272727	20	PASS
			HV	NT	-40000	-7.272727	20	PASS
	Ant1	5580	NV	NT	-40000	-7.168459	20	PASS
			LV	NT	-40000	-7.168459	20	PASS
			HV	NT	-40000	-7.168459	20	PASS
	Ant2	5580	NV	NT	-40000	-7.168459	20	PASS
			LV	NT	-40000	-7.168459	20	PASS
			HV	NT	-40000	-7.168459	20	PASS
	Ant1	5700	NV	NT	-60000	-10.526316	20	PASS
			LV	NT	-40000	-7.017544	20	PASS
			HV	NT	-60000	-10.526316	20	PASS
	Ant2	5700	NV	NT	-40000	-7.017544	20	PASS
			LV	NT	-40000	-7.017544	20	PASS
			HV	NT	-60000	-10.526316	20	PASS
	Ant1	5745	NV	NT	-40000	-6.962576	20	PASS
			LV	NT	-40000	-6.962576	20	PASS
			HV	NT	-40000	-6.962576	20	PASS
	Ant2	5745	NV	NT	-40000	-6.962576	20	PASS
			LV	NT	-40000	-6.962576	20	PASS
			HV	NT	-20000	-3.481288	20	PASS
	Ant1	5785	NV	NT	-40000	-6.914434	20	PASS
			LV	NT	-40000	-6.914434	20	PASS
			HV	NT	-40000	-6.914434	20	PASS
	Ant2	5785	NV	NT	-40000	-6.914434	20	PASS
			LV	NT	-20000	-3.457217	20	PASS
			HV	NT	-40000	-6.914434	20	PASS
	Ant1	5825	NV	NT	-60000	-10.300429	20	PASS
			LV	NT	-60000	-10.300429	20	PASS
			HV	NT	-40000	-6.866953	20	PASS
	Ant2	5825	NV	NT	-40000	-6.866953	20	PASS
			LV	NT	-40000	-6.866953	20	PASS
			HV	NT	-40000	-6.866953	20	PASS
11AC40MI	Ant1	5190	NV	NT	-40000	-7.707129	20	PASS

MO			LV	NT	-40000	-7.707129	20	PASS
			HV	NT	-40000	-7.707129	20	PASS
Ant2	5190		NV	NT	-40000	-7.707129	20	PASS
			LV	NT	-40000	-7.707129	20	PASS
			HV	NT	-40000	-7.707129	20	PASS
Ant1	5230		NV	NT	-40000	-7.648184	20	PASS
			LV	NT	-40000	-7.648184	20	PASS
			HV	NT	-40000	-7.648184	20	PASS
Ant2	5230		NV	NT	-40000	-7.648184	20	PASS
			LV	NT	-40000	-7.648184	20	PASS
			HV	NT	-40000	-7.648184	20	PASS
Ant1	5270		NV	NT	-40000	-7.590133	20	PASS
			LV	NT	-40000	-7.590133	20	PASS
			HV	NT	-80000	-15.180266	20	PASS
Ant2	5270		NV	NT	0	0	20	PASS
			LV	NT	-40000	-7.590133	20	PASS
			HV	NT	-40000	-7.590133	20	PASS
Ant1	5310		NV	NT	-40000	-7.532957	20	PASS
			LV	NT	-40000	-7.532957	20	PASS
			HV	NT	-40000	-7.532957	20	PASS
Ant2	5310		NV	NT	-40000	-7.532957	20	PASS
			LV	NT	-40000	-7.532957	20	PASS
			HV	NT	-80000	-15.065913	20	PASS
Ant1	5510		NV	NT	0	0	20	PASS
			LV	NT	-40000	-7.259528	20	PASS
			HV	NT	-40000	-7.259528	20	PASS
Ant2	5510		NV	NT	-40000	-7.259528	20	PASS
			LV	NT	-40000	-7.259528	20	PASS
			HV	NT	-40000	-7.259528	20	PASS
Ant1	5550		NV	NT	-40000	-7.207207	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.207207	20	PASS
	5670		NV	NT	-40000	-7.054674	20	PASS
			LV	NT	-40000	-7.054674	20	PASS
			HV	NT	-80000	-14.109347	20	PASS
Ant2	5670		NV	NT	-40000	-7.054674	20	PASS
			LV	NT	-40000	-7.054674	20	PASS
			HV	NT	-80000	-14.109347	20	PASS
Ant1	5755		NV	NT	-40000	-6.950478	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5755		NV	NT	-40000	-6.950478	20	PASS
			LV	NT	-80000	-13.900956	20	PASS
			HV	NT	0	0	20	PASS
Ant1	5795		NV	NT	-40000	-6.902502	20	PASS
			LV	NT	-40000	-6.902502	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5795		NV	NT	-40000	-6.902502	20	PASS
			LV	NT	-80000	-13.805004	20	PASS
			HV	NT	-40000	-6.902502	20	PASS
11AC80MI	Ant1	5210	NV	NT	-80000	-15.355086	20	PASS

MO			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5210		NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant1	5290		NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5290		NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant1	5530		NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5530		NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
Ant1	5610		NV	NT	0	0	20	PASS
			LV	NT	-80000	-14.26025	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5610		NV	NT	0	0	20	PASS
			LV	NT	-80000	-14.26025	20	PASS
			HV	NT	0	0	20	PASS
Ant1	5775		NV	NT	-80000	-13.852814	20	PASS
			LV	NT	-80000	-13.852814	20	PASS
			HV	NT	0	0	20	PASS
Ant2	5775		NV	NT	-80000	-13.852814	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-80000	-13.852814	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-60000	-11.583012	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-60000	-11.583012	20	PASS
	Ant2	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-60000	-11.583012	20	PASS
			NV	-10	-60000	-11.583012	20	PASS
			NV	0	-60000	-11.583012	20	PASS
			NV	10	-60000	-11.583012	20	PASS
			NV	20	-60000	-11.583012	20	PASS
			NV	30	-60000	-11.583012	20	PASS
			NV	40	-40000	-7.722008	20	PASS
	Ant1	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-60000	-11.538462	20	PASS
			NV	0	-60000	-11.538462	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-60000	-11.538462	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
	Ant2	5200	NV	-30	-60000	-11.538462	20	PASS
			NV	-20	-60000	-11.538462	20	PASS
			NV	-10	-60000	-11.538462	20	PASS
			NV	0	-60000	-11.538462	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-60000	-11.538462	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
	Ant1	5240	NV	-30	-60000	-11.450382	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-60000	-11.450382	20	PASS
			NV	0	-60000	-11.450382	20	PASS
			NV	10	-60000	-11.450382	20	PASS
			NV	20	-60000	-11.450382	20	PASS
			NV	30	-60000	-11.450382	20	PASS
			NV	40	-60000	-11.450382	20	PASS
Ant2	5240	NV	-30	-60000	-11.450382	20	PASS	
		NV	-20	-60000	-11.450382	20	PASS	

			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-60000	-11.450382	20	PASS
			NV	10	-60000	-11.450382	20	PASS
			NV	20	-80000	-15.267176	20	PASS
			NV	30	-60000	-11.450382	20	PASS
			NV	40	-60000	-11.450382	20	PASS
			NV	50	-60000	-11.450382	20	PASS
	Ant1	5260	NV	-30	-40000	-7.604563	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-60000	-11.406844	20	PASS
			NV	50	-20000	-3.802281	20	PASS
	Ant2	5260	NV	-30	-60000	-11.406844	20	PASS
			NV	-20	-60000	-11.406844	20	PASS
			NV	-10	-60000	-11.406844	20	PASS
			NV	0	-60000	-11.406844	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-60000	-11.406844	20	PASS
			NV	30	-60000	-11.406844	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-40000	-7.604563	20	PASS
	Ant1	5280	NV	-30	-60000	-11.363636	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-60000	-11.363636	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-60000	-11.363636	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
	Ant2	5280	NV	-30	-60000	-11.363636	20	PASS
			NV	-20	-60000	-11.363636	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-60000	-11.363636	20	PASS
	Ant1	5320	NV	-30	-60000	-11.278195	20	PASS
			NV	-20	-60000	-11.278195	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-60000	-11.278195	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-40000	-7.518797	20	PASS
			NV	40	-60000	-11.278195	20	PASS

			NV	50	-40000	-7.518797	20	PASS
Ant2	5320		NV	-30	-60000	-11.278195	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-60000	-11.278195	20	PASS
			NV	10	-60000	-11.278195	20	PASS
			NV	20	-60000	-11.278195	20	PASS
			NV	30	-40000	-7.518797	20	PASS
			NV	40	-60000	-11.278195	20	PASS
Ant1	5500		NV	50	-60000	-11.278195	20	PASS
			NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-60000	-10.909091	20	PASS
			NV	10	-60000	-10.909091	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-40000	-7.272727	20	PASS
Ant2	5500		NV	40	-40000	-7.272727	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	-30	-60000	-10.909091	20	PASS
			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-60000	-10.909091	20	PASS
			NV	0	-60000	-10.909091	20	PASS
			NV	10	-60000	-10.909091	20	PASS
			NV	20	-60000	-10.909091	20	PASS
Ant1	5580		NV	30	-60000	-10.909091	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-60000	-10.752688	20	PASS
			NV	10	-40000	-7.168459	20	PASS
Ant2	5580		NV	20	-60000	-10.752688	20	PASS
			NV	30	-60000	-10.752688	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-40000	-7.168459	20	PASS
			NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-60000	-10.752688	20	PASS
			NV	-10	-60000	-10.752688	20	PASS
			NV	0	-60000	-10.752688	20	PASS
Ant1	5700		NV	10	-60000	-10.752688	20	PASS
			NV	-30	-60000	-10.526316	20	PASS
			NV	-20	-60000	-10.526316	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-60000	-10.526316	20	PASS
	NV	10	-40000	-7.017544	20	PASS		

			NV	20	-60000	-10.526316	20	PASS		
			NV	30	-60000	-10.526316	20	PASS		
			NV	40	-40000	-7.017544	20	PASS		
			NV	50	-40000	-7.017544	20	PASS		
	Ant2	5700	NV	-30	-40000	-7.017544	20	PASS		
			NV	-20	-60000	-10.526316	20	PASS		
			NV	-10	-60000	-10.526316	20	PASS		
			NV	0	-60000	-10.526316	20	PASS		
			NV	10	-60000	-10.526316	20	PASS		
			NV	20	-60000	-10.526316	20	PASS		
			NV	30	-60000	-10.526316	20	PASS		
			NV	40	-60000	-10.526316	20	PASS		
			NV	50	-60000	-10.526316	20	PASS		
			Ant1	5745	NV	-30	-60000	-10.443864	20	PASS
					NV	-20	-40000	-6.962576	20	PASS
	NV	-10			-40000	-6.962576	20	PASS		
	NV	0			-60000	-10.443864	20	PASS		
	NV	10			-40000	-6.962576	20	PASS		
	NV	20			-40000	-6.962576	20	PASS		
	NV	30			-40000	-6.962576	20	PASS		
	NV	40			-40000	-6.962576	20	PASS		
	Ant2	5745	NV	50	-40000	-6.962576	20	PASS		
			NV	-30	-60000	-10.443864	20	PASS		
			NV	-20	-40000	-6.962576	20	PASS		
			NV	-10	-40000	-6.962576	20	PASS		
			NV	0	-60000	-10.443864	20	PASS		
			NV	10	-60000	-10.443864	20	PASS		
			NV	20	-40000	-6.962576	20	PASS		
			NV	30	-40000	-6.962576	20	PASS		
Ant1	5785	NV	40	-60000	-10.443864	20	PASS			
		NV	50	-60000	-10.443864	20	PASS			
		NV	-30	-40000	-6.914434	20	PASS			
		NV	-20	-40000	-6.914434	20	PASS			
		NV	-10	-40000	-6.914434	20	PASS			
		NV	0	-40000	-6.914434	20	PASS			
		NV	10	-40000	-6.914434	20	PASS			
		NV	20	-40000	-6.914434	20	PASS			
		NV	30	-60000	-10.371651	20	PASS			
Ant2	5785	NV	40	-40000	-6.914434	20	PASS			
		NV	50	-40000	-6.914434	20	PASS			
		NV	-30	-60000	-10.371651	20	PASS			
		NV	-20	-60000	-10.371651	20	PASS			
		NV	-10	-60000	-10.371651	20	PASS			
		NV	0	-40000	-6.914434	20	PASS			
		NV	10	-60000	-10.371651	20	PASS			
		NV	20	-60000	-10.371651	20	PASS			
		NV	30	-60000	-10.371651	20	PASS			
Ant1	5825	NV	40	-60000	-10.371651	20	PASS			
		NV	50	-80000	-13.828868	20	PASS			
		NV	-30	-60000	-10.300429	20	PASS			
		NV	-20	-60000	-10.300429	20	PASS			

	Ant2	5825	NV	-10	-40000	-6.866953	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	-40000	-6.866953	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	-40000	-6.866953	20	PASS
	Ant2	5825	NV	-30	-60000	-10.300429	20	PASS
			NV	-20	-40000	-6.866953	20	PASS
			NV	-10	-60000	-10.300429	20	PASS
			NV	0	-60000	-10.300429	20	PASS
			NV	10	-60000	-10.300429	20	PASS
			NV	20	-60000	-10.300429	20	PASS
			NV	30	-40000	-6.866953	20	PASS
11N20MIM O	Ant1	5240	NV	40	-60000	-10.300429	20	PASS
			NV	50	-60000	-10.300429	20	PASS
			NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-60000	-11.450382	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-60000	-11.450382	20	PASS
			NV	10	-20000	-3.816794	20	PASS
	Ant2	5240	NV	20	-20000	-3.816794	20	PASS
			NV	30	-20000	-3.816794	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-20000	-3.816794	20	PASS
			NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-20000	-3.816794	20	PASS
Ant1	5260	NV	0	-20000	-3.816794	20	PASS	
		NV	10	-40000	-7.633588	20	PASS	
		NV	20	0	0	20	PASS	
		NV	30	-40000	-7.633588	20	PASS	
		NV	-30	-40000	-7.604563	20	PASS	
		NV	-20	-40000	-7.604563	20	PASS	
		NV	-10	-40000	-7.604563	20	PASS	
11N40MIM O	Ant1	5190	NV	0	-40000	-7.604563	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-20000	-3.802281	20	PASS
			NV	-30	-40000	-7.707129	20	PASS
	Ant2	5190	NV	-20	-40000	-7.707129	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	-40000	-7.707129	20	PASS
			NV	10	-40000	-7.707129	20	PASS
			NV	20	-80000	-15.414258	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	-40000	-7.707129	20	PASS
NV	50	-40000	-7.707129	20	PASS			
NV	-30	-40000	-7.707129	20	PASS			

			NV	-20	-80000	-15.414258	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	-40000	-7.707129	20	PASS
			NV	10	-40000	-7.707129	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5230	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-15.296367	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
	Ant2	5230	NV	-30	-40000	-7.648184	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	80000	15.296367	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
	Ant1	5270	NV	-30	-40000	-7.590133	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.180266	20	PASS
			NV	0	-80000	-15.180266	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.590133	20	PASS
	Ant2	5270	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	-40000	-7.590133	20	PASS
			NV	10	-40000	-7.590133	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	-40000	-7.590133	20	PASS
			NV	50	-40000	-7.590133	20	PASS
	Ant1	5310	NV	-30	-40000	-7.532957	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	-80000	-15.065913	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	-40000	-7.532957	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	-40000	-7.532957	20	PASS

Ant2	5310	NV	40	-40000	-7.532957	20	PASS
		NV	50	-40000	-7.532957	20	PASS
		NV	-30	-40000	-7.532957	20	PASS
		NV	-20	-40000	-7.532957	20	PASS
		NV	-10	0	0	20	PASS
		NV	0	-40000	-7.532957	20	PASS
		NV	10	-80000	-15.065913	20	PASS
		NV	20	-40000	-7.532957	20	PASS
		NV	30	-40000	-7.532957	20	PASS
		NV	40	-40000	-7.532957	20	PASS
Ant1	5510	NV	-30	-40000	-7.259528	20	PASS
		NV	-20	-40000	-7.259528	20	PASS
		NV	-10	-40000	-7.259528	20	PASS
		NV	0	-40000	-7.259528	20	PASS
		NV	10	120000	21.778584	20	FAIL
		NV	20	-40000	-7.259528	20	PASS
		NV	30	-40000	-7.259528	20	PASS
		NV	40	-40000	-7.259528	20	PASS
Ant2	5510	NV	50	-40000	-7.259528	20	PASS
		NV	-30	-40000	-7.259528	20	PASS
		NV	-20	-40000	-7.259528	20	PASS
		NV	-10	0	0	20	PASS
		NV	0	-80000	-14.519056	20	PASS
		NV	10	0	0	20	PASS
		NV	20	-80000	-14.519056	20	PASS
		NV	30	-40000	-7.259528	20	PASS
Ant1	5550	NV	40	-40000	-7.259528	20	PASS
		NV	50	-40000	-7.259528	20	PASS
		NV	-30	-40000	-7.207207	20	PASS
		NV	-20	-40000	-7.207207	20	PASS
		NV	-10	-40000	-7.207207	20	PASS
		NV	0	0	0	20	PASS
		NV	10	-40000	-7.207207	20	PASS
		NV	20	-40000	-7.207207	20	PASS
Ant2	5550	NV	30	0	0	20	PASS
		NV	40	-80000	-14.414414	20	PASS
		NV	50	-40000	-7.207207	20	PASS
		NV	-30	-40000	-7.207207	20	PASS
		NV	-20	-40000	-7.207207	20	PASS
		NV	-10	-80000	-14.414414	20	PASS
		NV	0	0	0	20	PASS
		NV	10	-40000	-7.207207	20	PASS
Ant1	5670	NV	20	-40000	-7.207207	20	PASS
		NV	30	-40000	-7.207207	20	PASS
		NV	40	0	0	20	PASS
		NV	50	-40000	-7.207207	20	PASS
Ant1	5670	NV	-30	0	0	20	PASS
		NV	-20	0	0	20	PASS
		NV	-10	0	0	20	PASS
		NV	0	0	0	20	PASS

			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.109347	20	PASS
			NV	10	-40000	-7.054674	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-80000	-14.109347	20	PASS
	Ant1	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-40000	-6.950478	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-80000	-13.900956	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-80000	-13.900956	20	PASS
			NV	40	-40000	-6.950478	20	PASS
	Ant2	5755	NV	-30	0	0	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-40000	-6.950478	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-13.900956	20	PASS
			NV	40	-80000	-13.900956	20	PASS
	Ant1	5795	NV	-30	-40000	-6.902502	20	PASS
			NV	-20	-40000	-6.902502	20	PASS
			NV	-10	-40000	-6.902502	20	PASS
			NV	0	-40000	-6.902502	20	PASS
NV			10	-40000	-6.902502	20	PASS	
NV			20	-40000	-6.902502	20	PASS	
NV			30	-40000	-6.902502	20	PASS	
NV			40	80000	13.805004	20	PASS	
Ant2	5795	NV	-30	-40000	-6.902502	20	PASS	
		NV	-20	-80000	-13.805004	20	PASS	
		NV	-10	-40000	-6.902502	20	PASS	
		NV	0	-40000	-6.902502	20	PASS	
		NV	10	-40000	-6.902502	20	PASS	
		NV	20	-40000	-6.902502	20	PASS	
		NV	30	-40000	-6.902502	20	PASS	
		NV	40	-40000	-6.902502	20	PASS	
11AC80MI	Ant1	5210	NV	-30	-80000	-15.355086	20	PASS


MO			NV	-20	-80000	-15.355086	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.355086	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	-80000	-15.355086	20	PASS
			NV	40	-80000	-15.355086	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5210	NV	-30	-80000	-15.355086	20	PASS
			NV	-20	-80000	-15.355086	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.355086	20	PASS
			NV	10	-80000	-15.355086	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
	Ant1	5290	NV	-30	-160000	-30.245747	20	FAIL
			NV	-20	-80000	-15.122873	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.122873	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.122873	20	PASS
	Ant2	5290	NV	50	-80000	-15.122873	20	PASS
			NV	-30	-80000	-15.122873	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.122873	20	PASS
			NV	10	-80000	-15.122873	20	PASS
			NV	20	-80000	-15.122873	20	PASS
			NV	30	0	0	20	PASS
	Ant1	5530	NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-30	-80000	-14.466546	20	PASS
			NV	-20	-80000	-14.466546	20	PASS
			NV	-10	-80000	-14.466546	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-14.466546	20	PASS
			NV	20	-80000	-14.466546	20	PASS
	Ant2	5530	NV	30	-80000	-14.466546	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-30	-80000	-14.466546	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-14.466546	20	PASS
	Ant1	5530	NV	0	-80000	-14.466546	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	30	0	0	20	PASS

Ant1	5610	NV	40	0	0	20	PASS	
		NV	50	-80000	-14.466546	20	PASS	
		NV	-30	0	0	20	PASS	
		NV	-20	-80000	-14.26025	20	PASS	
		NV	-10	-80000	-14.26025	20	PASS	
		NV	0	-80000	-14.26025	20	PASS	
		NV	10	0	0	20	PASS	
		NV	20	0	0	20	PASS	
		NV	30	-80000	-14.26025	20	PASS	
		NV	40	0	0	20	PASS	
	NV	50	0	0	20	PASS		
	Ant2	5610	NV	-30	-80000	-14.26025	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.26025	20	PASS
	Ant1	5775	NV	-30	0	0	20	PASS
NV			-20	-80000	-13.852814	20	PASS	
NV			-10	-80000	-13.852814	20	PASS	
NV			0	0	0	20	PASS	
NV			10	-80000	-13.852814	20	PASS	
NV			20	-80000	-13.852814	20	PASS	
NV			30	-80000	-13.852814	20	PASS	
NV			40	-80000	-13.852814	20	PASS	
Ant2	5775	NV	50	-80000	-13.852814	20	PASS	
		NV	-30	0	0	20	PASS	
		NV	-20	-80000	-13.852814	20	PASS	
		NV	-10	-80000	-13.852814	20	PASS	
		NV	0	0	0	20	PASS	
		NV	10	-80000	-13.852814	20	PASS	
		NV	20	-80000	-13.852814	20	PASS	
		NV	30	-80000	-13.852814	20	PASS	
NV	40	-80000	-13.852814	20	PASS			
NV	50	-80000	-13.852814	20	PASS			


8. Emissions in restricted frequency bands

8.1. Block diagram of test setup


In 3 m Anechoic Chamber, test setup diagram for 9 kHz - 30 MHz:



In 3 m Anechoic Chamber, test setup diagram for 30 MHz - 1 GHz:



In 3 m Anechoic Chamber, test setup diagram for frequency above 1 GHz:



Note: For harmonic emissions test an appropriate high pass filter was inserted in the input port of AMP.

8.2. Limit

(1) FCC 15.205 Restricted frequency band

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
10.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.1772&4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.2072&4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(²)
13.36-13.41			

¹Until February 1, 1999, this restricted band shall be 0.490-0.510 MHz.

²Above 38.6

(2) FCC 15.209 Limit.

FREQUENCY MHz	DISTANCE Meters	FIELD STRENGTHS LIMIT	
		$\mu\text{V}/\text{m}$	$\text{dB}(\mu\text{V})/\text{m}$
0.009 ~ 0.490	300	2400/F(kHz)	67.6-20log(F)
0.490 ~ 1.705	30	24000/F(kHz)	87.6-20log(F)
1.705 ~ 30.0	30	30	29.54
30 ~ 88	3	100	40.0
88 ~ 216	3	150	43.5
216 ~ 960	3	200	46.0
960 ~ 1000	3	500	54.0
Above 1000	3	74.0 dB(μV)/m (Peak) 54.0 dB(μV)/m (Average)	

Note: (1) The emission limits shown in the above table are based on measurements employing a CISPR QP detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000MHz. Radiated emissions limits in these three bands are based on measurements employing an average detector.

(2) At frequencies below 30MHz, measurement may be performed at a distance closer than that specified, and the limit at closer measurement distance can be extrapolated by below formula:

$$\text{Limit}_{3\text{m}}(\text{dB}\mu\text{V}/\text{m}) = \text{Limit}_{30\text{m}}(\text{dB}\mu\text{V}/\text{m}) + 40\text{Log}(30\text{m}/3\text{m})$$

(3) Limit for this EUT

The emissions appearing within 15.205 restricted frequency bands shall not exceed the limits shown in 15.209, all the other emissions shall be at least 20 dB below the fundamental emissions or comply with 15.209 limits.

8.3. Test Procedure

(1) EUT height should be 0 m for below 1 GHz at a semi - anechoic chamber while EUT height should be 0 m for above 1GHz at full chamber or semi - anechoic chamber ground with absorbers

(2) Setup EUT and assistant system according clause 2.3 and 8.2

(3) Test antenna was located 3m from the EUT on an adjustable mast, and the antenna used as below table.

Test frequency range	Test antenna used	Test distance
9 kHz-30 MHz	Active Loop antenna	3 m
30 MHz-1 GHz	Trilog Broadband Antenna	3 m
1 GHz-18 GHz	Double Ridged Horn Antenna(1GHz-18GHz)	3 m
18 GHz-40 GHz	Horn Antenna(18GHz-40GHz)	1 m

According ANSI C63.10:2013 clause 6.4.4.2 and 6.5.3, for measurements below 30 MHz, the

loop antenna was positioned with its plane vertical from the EUT and rotated about its vertical axis for maximum response at each azimuth position around the EUT. And the loop antenna also be positioned with its plane horizontal at the specified distance from the EUT. The center of the loop is 1 m above the ground. for measurement above 30 MHz, the Trilog Broadband Antenna or Horn Antenna was located 3m from EUT, Measurements were made with the antenna positioned in both the horizontal and vertical planes of Polarization, and the measurement antenna was varied from 1 m to 4 m. in height above the reference ground plane to obtain the maximum signal strength.

(4) Below pre-scan procedure was first performed in order to find prominent frequency spectrum radiated emissions from 9 kHz to 40 GHz:

(a) Scanning the peak frequency spectrum with the antenna specified in step (3), and the EUT was rotated 360 degree, the antenna height was varied from 1 m to 4 m (Except loop antenna, it's fixed 1m above ground.)

(b) Change work frequency or channel of device if practicable.

(c) Change modulation type of device if practicable.

(d) Change power supply range from 85% to 115% of the rated supply voltage

(e) Rotated EUT though three orthogonal axes to determine the attitude of EUT arrangement produces highest emissions.

Spectrum frequency from 9 kHz to 40 GHz (tenth harmonic of fundamental frequency) was investigated, and no any obvious emission were detected from 9 kHz to 30 MHz and 18 GHz to 40 GHz, so below final test was performed with frequency range from 30 MHz to 18 GHz.

(5) For final emissions measurements at each frequency of interest, the EUT was rotated and the antenna height was varied between 1m and 4m in order to maximize the emission. Measurements in both horizontal and vertical polarities were made and the data was recorded. In order to find the maximum emission, the relative positions of equipments and all of the interface cables were changed according to ANSI C63.10:2013 on Radiated Emission test.

(6) The emissions from 9 kHz to 1 GHz were measured based on CISPR QP detector except for the frequency bands 9-90 kHz, 110-490 kHz, for emissions from 9 kHz-90kHz,110kHz-490kHz and above 1GHz were measured based on average detector, for emissions above 1 GHz, peak emissions also be measured and need comply with Peak limit.

(7) The emissions from 9 kHz to 1 GHz, QP or average values were measured with EMI receiver with below RBW

Frequency band	RBW
9 kHz-150 kHz	200 Hz
150 kHz-30 MHz	9 kHz
30 MHz-1 GHz	120 kHz

(8) For emissions above 1 GHz, both Peak and Average level were measured with Spectrum Analyzer, and the RBW is set at 1 MHz, VBW is set at 3MHz for Peak measure, the RBW is

set at 1 MHz, VBW is set at 10 Hz for AV value.

8.4. Test result

Pass. (See below detailed test result)

All the emissions except fundamental emission from 9 kHz to 25 GHz were comply with 15.209 limits.


Note1: According exploratory test no any obvious emission was detected from 9 kHz to 30 MHz and 18 GHz to 40 GHz, so the final test was performed with frequency range from 30 MHz to 18 GHz and recorded in below.

Note2: For emissions below 1 GHz, according exploratory explorer test, when change Tx mode and channel, have no distinct influence on emissions level, so for emissions below 1 GHz, the final test was only performed with EUT working in 802.11n20 mode.

Note3: For below test data, when the limit tabular marked “/” means this frequency point is the fundamental emission and no need comply with this limit.

Radiated Emission test (below 1GHz) TR-4-E-009 Radiated Emission Test Result

Test Site : DDT 3m Chamber 3# Test Date : 2022-02-09 EUT : Multi-Channel Soundbar Power Supply : AC 120V/60Hz Condition : Temp:24.5°C,Humi:55%,Press:100.1kPa Memo :	C:\E3 6.111\2022 Report Data\Q21123008-2E BAR300\FCC BELOW 1G.EM6 Tested By : James Gan Model Number : BAR 300 Test Mode : TX Mode Antenna/Distance : 2021 VLUB 9163 3#/3m/HORIZONTAL
---	---



Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	44.43	9.66	15.04	3.64	28.34	40.00	-11.66	QP	HORIZONTAL
2	95.09	10.03	11.11	3.96	25.10	43.50	-18.40	QP	HORIZONTAL
3	199.99	14.69	11.90	4.45	31.04	43.50	-12.46	QP	HORIZONTAL
4	440.20	8.86	16.09	5.29	30.24	46.00	-15.76	QP	HORIZONTAL
5	629.48	9.29	18.80	5.81	33.90	46.00	-12.10	QP	HORIZONTAL
6	929.01	8.74	22.40	6.53	37.67	46.00	-8.33	QP	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.
 2. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.
 3. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Site : DDT 3m Chamber 3#

C:\E3 6.11\2022 Report Data\Q21123008-2E BAR300\FCC BELOW 1G.EM6

Test Date : 2022-02-09

Tested By : James Gan

EUT : Multi-Channel Soundbar

Model Number : BAR 300


Power Supply : AC 120V/60Hz

Test Mode : TX Mode

Condition : Temp:24.5°C,Humi:55%,Press:100.1kPa

Antenna/Distance : 2021 VLUB 9163 3#/3m/VERTICAL

Memo :



Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	43.97	8.75	14.98	3.64	27.37	40.00	-12.63	QP	VERTICAL
2	87.42	14.69	9.30	3.92	27.91	40.00	-12.09	QP	VERTICAL
3	218.31	11.54	11.26	4.53	27.33	46.00	-18.67	QP	VERTICAL
4	414.72	8.74	15.89	5.20	29.83	46.00	-16.17	QP	VERTICAL
5	691.99	8.69	19.40	5.97	34.06	46.00	-11.94	QP	VERTICAL
6	962.16	9.56	22.10	6.64	38.30	54.00	-15.70	QP	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss.

2. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.

3. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Site : DDT 3m Chamber 3#

C:\E3 6.111\2022 Report Data\Q21123008-2E BAR300\FCC ABOVE 1G 5GWIFI.EM6

Test Date : 2022-03-07

Tested By : Kennys Zhang

EUT : Multi-Channel Soundbar

Model Number : BAR 300

Power Supply : AC 120V 60Hz


Test Mode : Tx Mode

Condition : Temp:24.5°C,Humi:55%,Press:100.1kPa

Antenna/Distance : 2021 BBHA 9120D 3#/3m/VERTICAL

Memo : 11AC40 5190

Data: 1



Item (Mark)	Freq. (MHz)	Read Level (dBμV)	Antenna Factor (dB/m)	PRM Factor (dB)	Cable Loss (dB)	Filter Factor (dB)	Result Level (dBμV/m)	Limit Line (dBμV/m)	Over Limit (dB)	Detector	Polarization
1	1896.00	57.63	26.43	39.24	1.55	0.66	47.03	74.00	-26.97	Peak	VERTICAL
2	2302.00	54.57	27.24	39.55	1.68	0.71	44.65	74.00	-29.35	Peak	VERTICAL
3	3226.00	54.20	29.45	39.97	1.79	0.81	46.28	74.00	-27.72	Peak	VERTICAL
4	4409.00	49.02	31.43	40.28	2.31	0.88	43.36	74.00	-30.64	Peak	VERTICAL
5	6607.00	48.15	35.37	40.01	3.22	1.01	47.74	74.00	-26.26	Peak	VERTICAL
6	7867.00	47.20	36.84	39.79	3.18	1.15	48.58	74.00	-25.42	Peak	VERTICAL

Note: 1. Result Level = Read Level + Antenna Factor + Cable loss + Filter Factor - PRM Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Site : DDT 3m Chamber 3#

C:\E3 6.111\2022 Report Data\Q21123008-2E BAR300\FCC ABOVE 1G 5GWIFI.EM6

Test Date : 2022-03-07

Tested By : Kennys Zhang

EUT : Multi-Channel Soundbar

Model Number : BAR 300

Power Supply : AC 120V 60Hz


Test Mode : Tx Mode

Condition : Temp:24.5°C,Humi:55%,Press:100.1kPa

Antenna/Distance : 2021 BBHA 9120D
3#/3m/HORIZONTAL

Memo : 11AC40 5190

Data: 2



Item (Mark)	Freq. (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	PRM Factor (dB)	Cable Loss (dB)	Filter Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	1588.00	51.38	25.63	38.78	1.42	0.61	40.26	74.00	-33.74	Peak	HORIZONTAL
2	2547.00	50.45	27.78	39.67	1.75	0.74	41.05	74.00	-32.95	Peak	HORIZONTAL
3	3968.00	50.02	30.99	40.19	2.08	0.86	43.76	74.00	-30.24	Peak	HORIZONTAL
4	6145.00	47.49	34.35	40.38	3.10	1.11	45.67	74.00	-28.33	Peak	HORIZONTAL
5	6908.00	48.26	35.85	39.77	3.07	0.95	48.36	74.00	-25.64	Peak	HORIZONTAL
6	7545.00	47.42	36.45	39.75	3.14	1.07	48.33	74.00	-25.67	Peak	HORIZONTAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss + Filter Factor - PRM Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Site : DDT 3m Chamber 3#

C:\E3 6.111\2022 Report Data\Q21123008-2E BAR300\FCC ABOVE 1G 5GWIFI.EM6

Test Date : 2022-03-07

Tested By : Kennys Zhang

EUT : Multi-Channel Soundbar

Model Number : BAR 300

Power Supply : AC 120V 60Hz


Test Mode : Tx Mode

Condition : Temp:24.5°C,Humi:55%,Press:100.1kPa

Antenna/Distance : 2021 BBHA 9120D 3#/3m/VERTICAL

Memo : 11AC40 5230

Data: 5



Item (Mark)	Freq. (MHz)	Read Level (dBuV)	Antenna Factor (dB/m)	PRM Factor (dB)	Cable Loss (dB)	Filter Factor (dB)	Result Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	1896.00	55.17	26.43	39.24	1.55	0.66	44.57	74.00	-29.43	Peak	VERTICAL
2	2393.00	57.58	27.41	39.60	1.71	0.72	47.82	74.00	-26.18	Peak	VERTICAL
3	3233.00	57.58	29.45	39.97	1.79	0.81	49.66	74.00	-24.34	Peak	VERTICAL
4	4612.00	54.00	31.86	40.32	2.40	0.89	48.83	74.00	-25.17	Peak	VERTICAL
5	6929.00	49.23	35.89	39.76	3.06	0.94	49.36	74.00	-24.64	Peak	VERTICAL
6	7846.00	47.89	36.82	39.78	3.17	1.14	49.24	74.00	-24.76	Peak	VERTICAL

- Note: 1. Result Level = Read Level + Antenna Factor + Cable loss + Filter Factor - PRM Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.