

WHAT'S IN THE BOX

















APP





Q JBL HEADPHONES





Get even more control and personalization of your listening experience with this free app



HOW TO WEAR

Mix and match for a perfect fit and audio performance.







S/M/L With/Without wings








FIRST TIME USE








POWER ON & CONNECT







DUAL CONNECT












MULTI-POINT CONNECTION 💆





HP IBL Endurance Race 2 Global OSG PV V4.indd 8

CONTROLS





Tap × 1
 Tap × 2
 Tap × 3
 Hold (2s)

^{*} Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app

VOICEAWARE









POWER OFF





FACTORY RESET





•• Tap × 2 —— Hold (5s)

DO MORE WITH THE APP










CHARGING









WATERPROOF & DUST-PROOF IP68










LED BEHAVIORS







TECH SPEC

FNDURANCE RACE 2 Model: Driver size: 6.8 mm/ 0.27" Dynamic Driver 5V --- 1A Power supply: Farbud: 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) Charging case: 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Earbud battery type: Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) Charging time: 2 hrs from empty Music playtime with BT on and ANC off: Up to 12 hrs

Up to 10 hrs

Up to 7 hrs

Music playtime with BT on and

Talk time with ANC off:

ANC on:

Talk time with ANC on: Up to 6.5 hrs Frequency response: 20 Hz - 20kHz Impedance: 16 ohm Sensitivity: 104 dB SPL@1 kHz Maximum SPL: 94 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.4, AVRCP V1.6.2, HFP V1.8 Bluetooth transmitter frequency range: Bluetooth transmitter power: Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK



Maximum operation temperature: 45°C

FR

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and audio performance With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

to connect * Compatible with Android phones running 6+

DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE

RACE 2 to JBL Headphones ann 🦱 VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF **IP68**

LED BEHAVIORS BT connecting BT connected

RT not connected Charging Fully charged

modulation:

Maximum operation temperature:

TECH SPEC

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance:

Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version:

Bluetooth profile version: Bluetooth transmitter frequency range:

Bluetooth transmitter power: <XX dBm (EIRP) Rluetooth transmitter

45°C

ENDLIRANCE RACE 2

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined)

41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm

kHz 104 dB \$ 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz

GESK. π/4-DOPSK. 8DPSK

DA

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2" o connect.

> droid phones ONNECT

node | Mone MU QINT CO TION Maxin Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru* Bixbv/Siri®/Others

WHAT'S IN THE BOX $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

app 🧑 .

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter

modulation:

temperature:

Maximum operation

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

DE WHAT'S IN THE BOX APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Mix and match for a perfect fit and audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar oid pho ing 6+ DUAL CONNECT Steren mode | N MULTI-POINT CONNECTION Maximum 2 devices Tap \times 1 | Hold (5s) CONTROLS ANC*

Amhient Aware*

Bixbv/Siri®/Others

TalkThru*

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF IP68 nnected

Model: ENDURANCE RACE 2 Driver size: 6.8 mm/ 0.27" Dynamic Driver Power supply: 5V === 1A Earbud: 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs Charging case: Earbud battery type: Lithium-ion battery (70mAh/3.85V) Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) Charging time: 2 hrs from empty Music playtime with BT on and ANC off: Up to 12 hrs Music playtime with BT on and ANC on: Up to 10 hrs Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL:

Bluetooth transmitter power:

Rluetooth transmitter

Maximum operation

modulation:

temperature:

TECH SPEC

Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Bluetooth version: Bluetooth profile version: A2DP V1.4, AVRCP V1.6.2, HFP V1.8 Bluetooth transmitter frequency range: 2 4 GHz - 2 4835 GHz

<XX dBm (FIRP) GESK, π/4-DOPSK, 8DPSK

ot connecte

45°C

EL

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

to connect * Compatible with Android phones

running 6+ DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices

Tap × 1 | Hold (5s) CONTROLS ANC*

Ambient Aware* TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s)

* Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones ann 🦱

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING

WATERPROOF & DUST-PROOF **IP68**

LED BEHAVIORS BT connecting

BT connected RT not connected Charging

Fully charged

TECH SPEC Model:

Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on

and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity:

Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter

frequency range: Bluetooth transmitter power:

Rluetooth transmitter modulation: Maximum operation temperature:

Maximum SPL:

ENDLIRANCE RACE 2

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V)

2 hrs from empty Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm kHz 104 dB \$

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

GESK. π/4-DOPSK. 8DPSK

45°C

ES

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

o connect. droid phones

ONNECT node | Mone MU QINT CO TION Maxin

Tap × 1 | Hold (5s) CONTROLS ANC*

Ambient Aware* TalkThru* Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

app 🧑 . VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter

modulation:

temperature:

Maximum operation

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB

-38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

FI

WHAT'S IN THE BOX APP Get even more control and

personalization of your listening experience with this free app. HOW TO WEAR Mix and match for a perfect fit and

audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar

oid pho ing 6+ DUAL CONNECT Steren mode | N

MULTI-POINT CONNECTION Maximum 2 devices Tap \times 1 | Hold (5s)

CONTROLS ANC* Amhient Aware* TalkThru*

Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE

POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF

IP68 nnected ot connecte TECH SPEC

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-

Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity:

Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range:

Bluetooth transmitter power: Rluetooth transmitter modulation: Maximum operation temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver

5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs

Lithium-ion battery (70mAh/3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

45°C

HU

WHAT'S IN THE BOX APP Get even more control and

personalization of your listening experience with this free app. HOW TO WEAR

Mix and match for a perfect fit and audio performance With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2" to connect

* Compatible with Android phones running 6+

DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE

RACE 2 to JBL Headphones ann 🦱 VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF **IP68**

LED BEHAVIORS BT connecting BT connected RT not connected

Charging Fully charged

> frequency range: Bluetooth transmitter power: Rluetooth transmitter modulation:

Maximum operation temperature:

TECH SPEC ENDLIRANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver

Model: Driver size: Power supply: Earbud:

and ANC off:

and ANC on:

Impedance:

Sensitivity:

Maximum SPL:

Bluetooth version:

Music playtime with BT on

Talk time with ANC off-

Talk time with ANC on:

Microphone sensitivity:

Bluetooth profile version:

Bluetooth transmitter

Frequency response:

6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Charging case: Earbud battery type: Lithium-ion battery (70mAh/ 3.85V) Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) Charging time: 2 hrs from empty Music playtime with BT on

5V === 1A

Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm kHz

104 dB \$ 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

45°C

GESK. π/4-DOPSK. 8DPSK

П

APP Get even more control and

personalization of your listening experience with this free app. HOW TO WEAR

Mix and match for a perfect fit and audio performance. With / Without wings FIRST TIME USE

POWER ON & CONNECT Others

Choose "IRI Endurance Race 2" o connect.

droid phones ONNECT node | Mone MU QINT CO TION

Maxin Tap × 1 | Hold (5s) CONTROLS

ANC* Ambient Aware* TalkThru* Bixbv/Siri®/Others

WHAT'S IN THE BOX $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 .

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter modulation: Maximum operation temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs

Up to 7 hrs

16 ohm

94 dB

Up to 6.5 hrs

20 Hz - 20kHz

-38 dBV/Pa@1 kHz

2 4 GHz - 2 4835 GHz

GESK, π/4-DOPSK, 8DPSK

<XX dBm (FIRP)

anida in italiano ou 104 dB SPL@1 kHz

With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar oid pho ing 6+ DUAL CONNECT Steren mode | N MULTI-POINT CONNECTION A2DP V1.4, AVRCP V1.6.2, HFP V1.8 Maximum 2 devices Tap \times 1 | Hold (5s) CONTROLS

ANC*

TalkThru*

Amhient Aware*

Bixbv/Siri®/Others

NL

APP

WHAT'S IN THE BOX

HOW TO WEAR

audio nerformance

Get even more control and

personalization of your listening

experience with this free app.

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . Mix and match for a perfect fit and VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF IP68 nnected ot connecte

TECH SPEC Model: Driver size: Power supply: Earbud:

Impedance:

Sensitivity:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response:

Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter modulation: Maximum operation temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs Lithium-ion battery (70mAh/3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

> 2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

> GESK, π/4-DOPSK, 8DPSK

45°C

45°C

NO

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Mix and match for a perfect fit and audio performance With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

to connect * Compatible with Android phones running 6+

DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware*

TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by

connecting your JBL ENDURANCE RACE 2 to JBL Headphones ann 🦱

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF

IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging

Fully charged

TECH SPEC

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on

and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL:

Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range:

Bluetooth transmitter power: Rluetooth transmitter modulation:

Maximum operation temperature:

ENDLIRANCE RACE 2

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V)

2 hrs from empty Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm kHz 104 dB \$

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

GESK. π/4-DOPSK. 8DPSK

45°C

PL

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2" o connect.

droid phones ONNECT

node | Mone MU QINT CO TION Maxin

Tap × 1 | Hold (5s) CONTROLS ANC*

Ambient Aware* TalkThru* Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

app 🧑 . VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power:

Rluetooth transmitter

Maximum operation

modulation:

temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

PT-BR

WHAT'S IN THE BOX APP Get even more control and

personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar

oid pho ing 6+ DUAL CONNECT

Steren mode | N MULTI-POINT CONNECTION Maximum 2 devices Tap \times 1 | Hold (5s)

CONTROLS ANC* Amhient Aware* TalkThru*

Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE

POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF IP68

nnected ot connecte TECH SPEC

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-

Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version:

Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power:

Rluetooth transmitter modulation: Maximum operation temperature:

ENDURANCE RACE 2

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs

Lithium-ion battery (70mAh/3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz

16 ohm 104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz

A2DP V1.4, AVRCP V1.6.2, HFP V1.8 2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

45°C

SV

WHAT'S IN THE BOX APP Get even more control and

connecting your JBL ENDURANCE personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and audio performance With / Without wings

FIRST TIME USE POWER ON & CONNECT Others

Choose "IRI Endurance Race 2" to connect * Compatible with Android phones

running 6+ DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru*

Bixby/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by

RACE 2 to JBL Headphones ann 🦱 VOICEAWARE POWER OFF FACTORY RESET

Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF **IP68**

LED BEHAVIORS BT connecting BT connected RT not connected

Charging Fully charged

modulation:

Maximum operation temperature:

TECH SPEC ENDLIRANCE RACE 2

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on

and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL:

Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range:

Bluetooth transmitter power: Rluetooth transmitter

45°C

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined)

41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm

kHz 104 dB \$ 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

GESK. π/4-DOPSK. 8DPSK

TR

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

o connect.

droid phones ONNECT node | Mone

TION

Mix and match for a perfect fit and

MU QINT CO Maxin Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru* Bixbv/Siri®/Others

WHAT'S IN THE BOX

app 🧑 .

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s)

* Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter

modulation:

temperature:

Maximum operation

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm

104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

RU WHAT'S IN THE BOX APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Mix and match for a perfect fit and audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar oid pho ing 6+ DUAL CONNECT Steren mode | N MULTI-POINT CONNECTION Maximum 2 devices Tap \times 1 | Hold (5s) CONTROLS ANC* Amhient Aware*

TalkThru*

Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF IP68

nnected

ot connecte

Earbud: Charging case: Earbud battery type: Charging time: and ANC off: and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version:

Bluetooth transmitter power:

Rluetooth transmitter

Maximum operation

modulation:

temperature:

Model:

TECH SPEC ENDURANCE RACE 2 Driver size: 6.8 mm/ 0.27" Dynamic Driver Power supply: 5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs Lithium-ion battery (70mAh/3.85V) Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Music playtime with BT on Up to 12 hrs Music playtime with BT on Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8 Bluetooth transmitter frequency range:

45°C

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

ZH-CN

WHAT'S IN THE BOX

APP * Enable advance controls by Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Mix and match for a perfect fit and VOICEAWARE audio performance POWER OFF With / Without wings FACTORY RESET FIRST TIME USE Tap × 2 | Hold (5s) POWER ON & CONNECT

Others Choose "IRI Endurance Race 2" to connect

* Compatible with Android phones running 6+

DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices

Tap × 1 | Hold (5s) CONTROLS ANC*

Ambient Aware* TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s)

connecting your JBL ENDURANCE RACE 2 to JBL Headphones ann 🦱

DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF **IP68**

LED BEHAVIORS BT connecting BT connected RT not connected

Charging Fully charged

> Bluetooth transmitter power: Rluetooth transmitter modulation:

Maximum operation temperature:

TECH SPEC ENDLIRANCE RACE 2

Model: Driver size: Power supply: Earbud: Charging case:

Earbud battery type:

Music playtime with BT on

Talk time with ANC off-

Talk time with ANC on:

Microphone sensitivity:

Bluetooth profile version:

Bluetooth transmitter

Frequency response:

Charging time:

and ANC off:

and ANC on:

Impedance:

Sensitivity:

Maximum SPL:

Bluetooth version:

frequency range:

5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Music playtime with BT on

6.8 mm/ 0.27" Dynamic Driver

Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm kHz 104 dB \$

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

GESK. π/4-DOPSK. 8DPSK

45°C

ZH-TW

WHAT'S IN THE BOX APP Get even more control and

personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

o connect. droid phones

ONNECT node | Mone MU QINT CO TION

Maxin Tap × 1 | Hold (5s) CONTROLS

ANC* Ambient Aware* TalkThru* Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s)

* Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

app 🧑 .

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power:

Rluetooth transmitter

Maximum operation

modulation:

temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz

94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

ID WHAT'S IN THE BOX APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Mix and match for a perfect fit and audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT "JBL Engurar oid pho ing 6+ DUAL CONNECT Steren mode | N MULTI-POINT CONNECTION Maximum 2 devices Tap \times 1 | Hold (5s) CONTROLS

ANC*

TalkThru*

Amhient Aware*

Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF

nnected ot connecte

IP68

TECH SPEC

Model: Driver size: Power supply: Earbud: Charging case:

Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity:

Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power:

Rluetooth transmitter modulation: Maximum operation temperature:

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/0.09 lbs Lithium-ion battery (70mAh/3.85V) Lithium-ion battery (600mAh/ 3.85V)

2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

45°C

JP

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Mix and match for a perfect fit and

audio performance With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

to connect * Compatible with Android phones

running 6+ DUAL CONNECT

Stereo mode | Mono mode MIJITI-POINT CONNECTION Maximum 2 devices

Tap × 1 | Hold (5s) CONTROLS ANC*

Ambient Aware* TalkThru* Bixby/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s)

* Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones ann 🦱

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING

IP68

and ANC on: Talk time with ANC off-WATERPROOF & DUST-PROOF Talk time with ANC on: Frequency response: Impedance:

TECH SPEC

Charging case:

Charging time:

and ANC off:

Earbud battery type:

Charging case battery type:

Music playtime with BT on

Music playtime with BT on

LED BEHAVIORS Sensitivity: BT connecting Maximum SPL: BT connected Microphone sensitivity: RT not connected Bluetooth version: Charging Bluetooth profile version:

Fully charged Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter

> modulation: Maximum operation temperature:

ENDLIRANCE RACE 2

Model: Driver size: 6.8 mm/ 0.27" Dynamic Driver Power supply: 5V === 1A Earbud: 6.4 a per pc (12.8 a combined)

> 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty

Up to 12 hrs

Up to 10 hrs Un to 7 hrs Up to 6.5 h 20 Hz - 20 16 ohm kHz

104 dB \$ 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (EIRP)

GESK. π/4-DOPSK. 8DPSK

45°C

КО

WHAT'S IN THE BOX APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Mix and match for a perfect fit and audio performance. With / Without wings FIRST TIME USE POWER ON & CONNECT

Others Choose "IRI Endurance Race 2"

o connect.

droid phones ONNECT node | Mone

TION

MU QINT CO Maxin Tap × 1 | Hold (5s)

CONTROLS ANC* Ambient Aware* TalkThru* Bixbv/Siri®/Others

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

app 🧑 .

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones

VOICEAWARE POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP

CHARGING WATERPROOF & DUST-PROOF IP68 LED BEHAVIORS

BT connecting BT connected RT not connected Charging Fully charged

TECH SPEC Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: Bluetooth transmitter power: Rluetooth transmitter

modulation:

temperature:

Maximum operation

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V) Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Un to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB

-38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

GESK, π/4-DOPSK, 8DPSK

MM

WHAT'S IN THE BOX APP Get even more control and personalization of your listening

experience with this free app. HOW TO WEAR Mix and match for a perfect fit and audio nerformance With / Without wings FIRST TIME LISE POWER ON & CONNECT

> "JBL Engurar oid pho ing 6+

DUAL CONNECT Steren mode | N MULTI-POINT CONNECTION Maximum 2 devices

Tap \times 1 | Hold (5s) CONTROLS ANC*

Amhient Aware* TalkThru* Bixbv/Siri®/Others $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

Hold (2s) * Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑 . VOICEAWARE

POWER OFF FACTORY RESET Tap × 2 | Hold (5s) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF IP68

nnected ot connecte

Model: Driver size: Power supply: Earbud:

Frequency response: Impedance: Sensitivity: Maximum SPL:

frequency range: Bluetooth transmitter power: Rluetooth transmitter

temperature:

modulation: Maximum operation 45°C

TECH SPEC

ENDURANCE RACE 2 6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 g per pc (12.8 g combined) 0.014 lbs per pc (0.028 lbs combined)

41.1 a/0.09 lbs Charging case: Earbud battery type: Lithium-ion battery (70mAh/3.85V) Charging case battery type: Lithium-ion battery (600mAh/ 3.85V) Charging time: 2 hrs from empty Music playtime with BT on and ANC off: Up to 12 hrs

Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on:

Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter

2 4 GHz - 2 4835 GHz <XX dBm (FIRP)

Up to 10 hrs

Un to 7 hrs

16 ohm

94 dB

Up to 6.5 hrs

20 Hz - 20kHz

104 dB SPL@1 kHz

-38 dBV/Pa@1 kHz

GESK, π/4-DOPSK, 8DPSK

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

45°C

AR

WHAT'S IN THE BOX

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR
Mix and match for a perfect fit and
audio performance.
With / Without wings
FIRST TIME USE
POWER ON & CONNECT
Others

Choose "JBL Endurance Race 2" to connect. * Compatible with Android phones

running 6+

DUAL CONNECT

Stereo mode | Mono mode MULTI-POINT CONNECTION Maximum 2 devices Tap × 1 | Hold (5s)

CONTROLS

ANC*
Ambient Aware*
TalkThru*

Bixby/Siri®/Others

"Enable advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 6".

VOLCEAWARE POWER OFF FACTORY RESET Tap > 2 | Hold (SS) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF FACTORY RESET TAP > 2 | Hold (SS) DO MORE WITH THE APP CHARGING WATERPROOF & DUST-PROOF &

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$

CHARGING
WATERPROOF & DUST-PROOF
1968
REHAVIORS
Innected
BT Innected
Charging
July charged

FP

TECH SPEC Model Driver size: Power supply: Earbud: Charging case: Earbud battery type: Charging case battery type: Charging time: Music playtime with BT on and ANC off: Music playtime with BT on and ANC on: Talk time with ANC off-Talk time with ANC on: Frequency response: Impedance: Sensitivity: Maximum SPL: Microphone sensitivity: Bluetooth version: Bluetooth profile version: Bluetooth transmitter frequency range: <XX dBm (EIRP) Bluetooth transmitter power: Rluetooth transmitter

modulation:

temperature:

Maximum operation

6.8 mm/ 0.27" Dynamic Driver 5V === 1A 6.4 a per pc (12.8 a combined) 0.014 lbs per pc (0.028 lbs combined) 41.1 a/ 0.09 lbs Lithium-ion battery (70mAh/ 3.85V Lithium-ion battery (600mAh/ 3.85V) 2 hrs from empty Up to 12 hrs Up to 10 hrs Up to 7 hrs Up to 6.5 hrs 20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz 94 dB -38 dBV/Pa@1 kHz A2DP V1.4, AVRCP V1.6.2, HFP V1.8 2 4 GHz - 2 4835 GHz GESK, π/4-DOPSK, 8DPSK

ENDURANCE RACE 2

HE WHAT'S IN THE BOX APP

audio performance.

Amhient Aware*

Bixby/Siri®/Others

TalkThru*

Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Mix and match for a perfect fit and

With / Without wings FIRST TIME LISE POWER ON & CONNECT Others Choose "IRI Endurance Race 2" to connect

Android phones running 6+ CONNECT Stereo m. Mono mode WITI-PO ONNECTION mum 2 devices

Tap × 1 | Hold (5s) CONTROLS ANC

 $Tap \times 1 | Tap \times 2 | Tap \times 3 |$ Hold (2s

* Fnahle advance controls by connecting your JBL ENDURANCE RACE 2 to JBL Headphones app 🧑

VOICEAWARE Charging time: POWER OFF FACTORY RESET and ANC off Tap × 2 | Hold (5s) DO MORE WITH THE APP and ANC on: CHARGING Talk time with ANC off-RPROOF & Talk time with ANC on: Frequency response: Impedance:

nt connected Bluetooth version: Charging Fully charged Bluetooth transmitter

2 4 GHz - 2 4835 GHz <XX dBm (FIRP) Bluetooth transmitter power:

GESK, π/4-DOPSK, 8DPSK modulation: Maximum operation 45°C temperature:

TECH SPEC

Model Driver size: Power supply: Earbud:

Charging case: Earbud battery type:

Charging case battery type: Music playtime with BT on Music playtime with BT on

20 Hz - 20kHz 16 ohm 104 dB SPL@1 kHz Sensitivity: 94 dB Maximum SPL: -38 dBV/Pa@1 kHz Microphone sensitivity: A2DP V1.4. AVRCP V1.6.2, HFP V1.8 Bluetooth profile version: frequency range: Bluetooth transmitter

45°C

ENDURANCE RACE 2

5V === 1A

41.1 a / 0.09 lbs

2 hrs from empty

Up to 12 hrs

Up to 10 hrs

Up to 7 hrs

Up to 6.5 hrs

6.8 mm/ 0.27" Dynamic Driver

6.4 a per pc (12.8 g combined)

0.014 lbs per pc (0.028 lbs combined)

Lithium-ion battery (70mAh/ 3.85V)

Lithium-ion battery (600mAh/ 3.85V)



To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

- FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.
- DA For at optimere batteriets levetid skal du oplade fuldt ud mindst en gang i kvartalet. Batteriets levetid afhænger af brugsmønstre og omgivelser.
- DE Lade zum Schutz des Akkus diesen mindestens einmal alle 3 Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.
- EL Για να προστατεύσετε τη διάρκεια ζωής της μπαταρίας, φορτίστε την πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωής της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.
- ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.
- FI Akun käyttöiän turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

- HU Az akkumulátor élettartamának védelme érdekében teljesen töltse fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használattól, és a környezeti feltételektől függ.
- IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.
- NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.
 NO For å beskytte batteriets levetid må det lades helt opp minst
- én gang Íver 3. måned. Batteriets levetid vil variere etter bruksmønster og omgivelsesforhold. PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od
- sposóbu jego użycia i warunków otoczenia.

 PT-BR Para garantir a durabilidade da bateria, carregue-a totalmente
 pelo menos uma vez a cada trés meses. A vida útil da bateria
- depende dos padrões de uso e das condições do ambiente.

 SV För att förbättra batteriets livslängd ska det laddas det fullt minst
 en gång var tredje månad. Batteriets livslängd varierar beroende på
- en gang var tredje manad. Batteriets inslangd varierar beroende pa användning och miljöförhållanden. TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişiklik
- gösterebilir. RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружжалицей слеты.

- ZH-CN 为了保护电池寿命,请每至少 3 个月进行一次 满充。电池寿命因使用方式和环境条件而异。
- ZH-TW 為保護電池的使用壽命,請至少每3個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。
- ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.

 JP バッテリー寿命を延ばすために、景低か月に同
- はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。 KO 明日日 수명을 보호하려면 3개월에 한 번 이상
- 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다. MM ဘတ္တရီသက်တမ်းတိုတောင်းရြင်းမှ ကာကွယ်ရန် အနည်းဆုံး
- MM ဘတ္တရသကတဗော့တောငးခြင်းမှ ကာကွယရန အနည်းဆုံး 3 လာစ်ကြိမ် ဘတ္ထရီကို ဆားအပြည့်သွင်းပါ။ ဘတ္ထရီ သက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေ များအပေါ် မှတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။
- AR لحماية عمر البطارية، اشحنها بالكامل مرةً واحدةً على الأقل كل 3 أشهر. ويختلف
 - عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.
 - HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

- FR The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- DA The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

 DE The power delivered by the charger must be between min 2.5 Watts
- required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

 EL The power delivered by the common be between min 2.5 Watts
- required by the radio equation, assential as a Watts in order to achieve the maximum of the speed.

 ES The power delivered by the states a use to ween mind watts required by the radio as ment, and make the week mind watts of the states of t
- achieve the maximum courging speed.

 FI The power delivered by the charger must be between min 2.5 required by the radio equipment, and max 5.0 Watts in order achieve the maximum charging sneed.

- HU The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- IT The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- NL The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
 NO The power delivered by the charger must be between min 2.5 Watts
- required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.

 PL The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to
- achieve the maximum charging speed.

 SV The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to achieve the maximum charging speed.
- TR The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5.0 Watts in order to allow the maximum charging speed.



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

Google, Android and Google Play are trademarks of Google LLC.

The product contains non-replaceable batteries.

Battery type:1254PF4D, nominal voltage: 3.85V.

FCC/ISED RF Exposure Information and Statement

This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA)/ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the head.

Renseignements et énoncé sur l'exposition aux RF d'FCC/ISDE

L'appareil est conforme aux limites d'exposition aux rayonnements FCC / ISDE spécifiées pour les environnements non contrôlés. Les utilisateurs finaux doivent suivre des instructions d'utilisation spécifiques pour répondre aux exigences de conformité en matière d'exposition aux radiofréquences. Cet émetteur ne doit pas coexister ou fonctionner conjointement avec toute autre antenne ou émetteur.

Les appareils portables sont conçus pour répondre aux exigences d'exposition aux ondes radio établies par la Federal Communications Commission / ISDE des États - Unis. Ces exigences établissent une limite SAR de 1,6 W / kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée rapportée conformément à cette norme lorsqu'elle est correctement portée sur la tête lors de la certification du norduit.

FCC ID: APIFNDRACE2

IC: 6132A-JBLENDRACE2

⚠WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE |
DISPOSE OR REFOYL F USED BATTERIES ACCORDING TO THE INSTRUCTIONS

해당무선설비는전파혼신가능성이있으므로인명안전과관련된서비스는할수없음.









IS 13252(PART 1):2010/ IEC 60950-1 : 2005



R-41129739 www.bis.gov.in







Points de collecte sur www.quefairedemesdechets.fr

Product specifications and app screens are subject to change without notice.

HP_JBL_Endurance Race 2_Global_QSG_PV_V4