




Maximum Conduct Output Power_11AC80_5775_Ant1




Maximum Conduct Output Power_11AC80_5775_Ant2




Maximum Conduct Output Power_11N20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant2




Maximum Conduct Output Power_11N20_5785_Ant2




Maximum Conduct Output Power_11AC40_5795_Ant1




Maximum Conduct Output Power_11N40_5795_Ant1




Maximum Conduct Output Power_11AC40_5795_Ant2




Maximum Conduct Output Power_11N40_5795_Ant2




Maximum Conduct Output Power_11N20_5825_Ant1




Maximum Conduct Output Power_11AC20_5825_Ant1



Maximum Conduct Output Power_11N20_5825_Ant2



Maximum Conduct Output Power_11AC20_5825_Ant2



3. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	10log(1/x) Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	3.64	0.33	3.97	<11.00	PASS
11A	5180	Ant2	2.92	0.33	3.25	<11.00	PASS
11A	5220	Ant1	4.30	0.34	4.64	<11.00	PASS
11A	5220	Ant2	3.10	0.34	3.44	<11.00	PASS
11A	5240	Ant1	4.10	0.33	4.43	<11.00	PASS
11A	5240	Ant2	3.57	0.34	3.91	<11.00	PASS
11A	5260	Ant1	4.79	0.34	5.13	<11.00	PASS
11A	5260	Ant2	3.66	0.34	4.00	<11.00	PASS
11A	5300	Ant1	4.19	0.33	4.52	<11.00	PASS
11A	5300	Ant2	3.99	0.34	4.33	<11.00	PASS
11A	5320	Ant1	4.04	0.35	4.39	<11.00	PASS
11A	5320	Ant2	3.51	0.33	3.84	<11.00	PASS
11A	5500	Ant1	3.84	0.33	4.17	<11.00	PASS
11A	5500	Ant2	2.56	0.33	2.89	<11.00	PASS
11A	5580	Ant1	3.28	0.33	3.61	<11.00	PASS
11A	5580	Ant2	3.28	0.33	3.61	<11.00	PASS
11A	5600	Ant1	3.38	0.33	3.71	<11.00	PASS
11A	5600	Ant2	3.4	0.34	3.74	<11.00	PASS
11A	5700	Ant1	4.46	0.33	4.79	<11.00	PASS
11A	5700	Ant2	4.37	0.34	4.71	<11.00	PASS
11AC20	5180	Ant1	2.41	0.36	2.77	<11.00	PASS
11N20	5180	Ant1	2.41	0.37	2.78	<11.00	PASS
11N20	5180	Ant2	1.77	0.37	2.14	<11.00	PASS
11AC20	5180	Ant2	2.60	0.35	2.95	<11.00	PASS
11AC40	5190	Ant1	-1.10	0.68	-0.42	<11.00	PASS
11N40	5190	Ant1	-1.07	0.68	-0.39	<11.00	PASS
11N40	5190	Ant2	-1.53	0.69	-0.84	<11.00	PASS
11AC40	5190	Ant2	-1.70	0.68	-1.02	<11.00	PASS
11AC80	5210	Ant1	-6.07	1.24	-4.83	<11.00	PASS
11AC80	5210	Ant2	-6.96	1.24	-5.72	<11.00	PASS
11N20	5220	Ant1	2.79	0.37	3.16	<11.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904

Page: 459 of 599

11AC20	5220	Ant1	3.03	0.35	3.38	<11.00	PASS
11N20	5220	Ant2	2.60	0.37	2.97	<11.00	PASS
11AC20	5220	Ant2	2.43	0.35	2.78	<11.00	PASS
11AC40	5230	Ant1	-0.74	0.68	-0.06	<11.00	PASS
11N40	5230	Ant1	-0.58	0.68	0.1	<11.00	PASS
11AC40	5230	Ant2	-0.85	0.71	-0.14	<11.00	PASS
11N40	5230	Ant2	-0.60	0.69	0.09	<11.00	PASS
11AC20	5240	Ant1	3.37	0.36	3.73	<11.00	PASS
11N20	5240	Ant1	2.84	0.37	3.21	<11.00	PASS
11AC20	5240	Ant2	3.32	0.35	3.67	<11.00	PASS
11N20	5240	Ant2	2.99	0.37	3.36	<11.00	PASS
11N20	5260	Ant1	3.19	0.37	3.56	<11.00	PASS
11AC20	5260	Ant1	3.23	0.37	3.6	<11.00	PASS
11N20	5260	Ant2	3.43	0.37	3.8	<11.00	PASS
11AC20	5260	Ant2	3.46	0.36	3.82	<11.00	PASS
11AC40	5270	Ant1	-1.03	0.68	-0.35	<11.00	PASS
11N40	5270	Ant1	-0.32	0.68	0.36	<11.00	PASS
11AC40	5270	Ant2	-0.21	0.68	0.47	<11.00	PASS
11N40	5270	Ant2	-0.08	0.72	0.64	<11.00	PASS
11AC80	5290	Ant1	-5.66	1.24	-4.42	<11.00	PASS
11AC80	5290	Ant2	-5.95	1.22	-4.73	<11.00	PASS
11AC20	5300	Ant1	3.14	0.35	3.49	<11.00	PASS
11N20	5300	Ant1	3.06	0.37	3.43	<11.00	PASS
11N20	5300	Ant2	3.26	0.37	3.63	<11.00	PASS
11AC20	5300	Ant2	3.31	0.36	3.67	<11.00	PASS
11N40	5310	Ant1	-0.55	0.72	0.17	<11.00	PASS
11AC40	5310	Ant1	-1.28	0.68	-0.6	<11.00	PASS
11N40	5310	Ant2	-0.64	0.72	0.08	<11.00	PASS
11AC40	5310	Ant2	-0.88	0.71	-0.17	<11.00	PASS
11N20	5320	Ant1	3.36	0.35	3.71	<11.00	PASS
11AC20	5320	Ant1	3.12	0.36	3.48	<11.00	PASS
11N20	5320	Ant2	2.86	0.35	3.21	<11.00	PASS
11AC20	5320	Ant2	3.09	0.35	3.44	<11.00	PASS
11AC20	5500	Ant1	2.01	0.36	2.37	<11.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904

Page: 460 of 599

11N20	5500	Ant1	1.71	0.35	2.06	<11.00	PASS
11AC20	5500	Ant2	1.53	0.35	1.88	<11.00	PASS
11N20	5500	Ant2	2.49	0.35	2.84	<11.00	PASS
11AC40	5510	Ant1	-1.57	0.68	-0.89	<11.00	PASS
11N40	5510	Ant1	-1.74	0.69	-1.05	<11.00	PASS
11AC40	5510	Ant2	-2.11	0.71	-1.4	<11.00	PASS
11N40	5510	Ant2	-1.89	0.68	-1.21	<11.00	PASS
11AC80	5530	Ant1	-7.26	1.24	-6.02	<11.00	PASS
11AC80	5530	Ant2	-6.35	1.24	-5.11	<11.00	PASS
11AC40	5550	Ant1	-1.75	0.68	-1.07	<11.00	PASS
11N40	5550	Ant1	-1.72	0.72	-1.00	<11.00	PASS
11AC40	5550	Ant2	-1.8	0.68	-1.12	<11.00	PASS
11N40	5550	Ant2	-1.73	0.69	-1.04	<11.00	PASS
11N20	5580	Ant1	1.88	0.37	2.25	<11.00	PASS
11AC20	5580	Ant1	2.4	0.36	2.76	<11.00	PASS
11AC20	5580	Ant2	2.46	0.35	2.81	<11.00	PASS
11N20	5580	Ant2	2.68	0.35	3.03	<11.00	PASS
11N40	5590	Ant1	-1.49	0.72	-0.77	<11.00	PASS
11AC40	5590	Ant1	-1.33	0.71	-0.62	<11.00	PASS
11AC40	5590	Ant2	-1.27	0.71	-0.56	<11.00	PASS
11N40	5590	Ant2	-0.95	0.72	-0.23	<11.00	PASS
11AC20	5600	Ant1	2.5	0.35	2.85	<11.00	PASS
11N20	5600	Ant1	2.22	0.35	2.57	<11.00	PASS
11N20	5600	Ant2	3.29	0.37	3.66	<11.00	PASS
11AC20	5600	Ant2	2.47	0.35	2.82	<11.00	PASS
11AC80	5610	Ant1	-6.65	1.22	-5.43	<11.00	PASS
11AC80	5610	Ant2	-7.22	1.24	-5.98	<11.00	PASS
11N40	5670	Ant1	-0.13	0.68	0.55	<11.00	PASS
11AC40	5670	Ant1	-0.07	0.68	0.61	<11.00	PASS
11N40	5670	Ant2	-0.6	0.68	0.08	<11.00	PASS
11AC40	5670	Ant2	-0.59	0.71	0.12	<11.00	PASS
11N20	5700	Ant1	3.33	0.37	3.7	<11.00	PASS
11AC20	5700	Ant1	3.79	0.35	4.14	<11.00	PASS
11AC20	5700	Ant2	3.58	0.35	3.93	<11.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904

Page: 461 of 599

Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor [dB]	10log(500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11N20	5700	Ant2	3.38	0.37	3.75	<11.00	PASS	
11A	5745	Ant 1	2.58	0.35	0	2.93	<17.00	PASS
11A	5745	Ant 2	2.03	0.33	0	2.36	<17.00	PASS
11A	5785	Ant 1	2.14	0.33	0	2.47	<17.00	PASS
11A	5785	Ant 2	1.81	0.34	0	2.15	<17.00	PASS
11A	5825	Ant 1	1.88	0.33	0	2.21	<17.00	PASS
11A	5825	Ant 2	1.61	0.33	0	1.94	<17.00	PASS
11AC20	5745	Ant 1	1.14	0.35	0	1.49	<17.00	PASS
11N20	5745	Ant 1	1.74	0.35	0	2.09	<17.00	PASS
11AC20	5745	Ant 2	0.96	0.36	0	1.32	<17.00	PASS
11N20	5745	Ant 2	1.41	0.35	0	1.76	<17.00	PASS
11AC40	5755	Ant 1	-2.54	0.68	0	-1.86	<17.00	PASS
11N40	5755	Ant 1	-1.89	0.69	0	-1.2	<17.00	PASS
11N40	5755	Ant 2	-2.47	0.72	0	-1.75	<17.00	PASS
11AC40	5755	Ant 2	-3.06	0.71	0	-2.35	<17.00	PASS
11AC80	5775	Ant 1	-8.32	1.27	0	-7.05	<17.00	PASS
11AC80	5775	Ant 2	-8.68	1.24	0	-7.44	<17.00	PASS
11N20	5785	Ant 1	1.54	0.35	0	1.89	<17.00	PASS
11AC20	5785	Ant 1	0.79	0.35	0	1.14	<17.00	PASS
11AC20	5785	Ant 2	0.35	0.37	0	0.72	<17.00	PASS







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904


Page: 462 of 599

11N20	5785	Ant 2	1.08	0.35	0	1.43	<17.00	PASS
11AC4 0	5795	Ant 1	-2.92	0.68	0	-2.24	<17.00	PASS
11N40	5795	Ant 1	-2.13	0.68	0	-1.45	<17.00	PASS
11AC4 0	5795	Ant 2	-3.64	0.71	0	-2.93	<17.00	PASS
11N40	5795	Ant 2	-2.79	0.72	0	-2.07	<17.00	PASS
11N20	5825	Ant 1	1.14	0.35	0	1.49	<17.00	PASS
11AC2 0	5825	Ant 1	0.49	0.36	0	0.85	<17.00	PASS
11N20	5825	Ant 2	0.57	0.37	0	0.94	<17.00	PASS
11AC2 0	5825	Ant 2	-0.12	0.35	0	0.23	<17.00	PASS







Maximum Power Spectral Density_TNVN_11A_5240_Ant1




Maximum Power Spectral Density_TNVN_11A_5240_Ant2




Maximum Power Spectral Density_TNVN_11A_5260_Ant1




Maximum Power Spectral Density_TNVN_11A_5260_Ant2







Maximum Power Spectral Density_TNVN_11A_5300_Ant1




Maximum Power Spectral Density_TNVN_11A_5300_Ant2










Maximum Power Spectral Density_TNVN_11A_5580_Ant1




Maximum Power Spectral Density_TNVN_11A_5580_Ant2







Maximum Power Spectral Density_TNVN_11A_5700_Ant1




Maximum Power Spectral Density_TNVN_11A_5700_Ant2







Maximum Power Spectral Density_TNVN_11A_5745_Ant1







Maximum Power Spectral Density_TNVN_11A_5745_Ant2









































































Maximum Power Spectral Density_TNVN_11AC20_5500_Ant2





Maximum Power Spectral Density_TNVN_11N20_5500_Ant2













Maximum Power Spectral Density_TNVN_11AC20_5580_Ant2




Maximum Power Spectral Density_TNVN_11N20_5580_Ant2










Maximum Power Spectral Density_TNVN_11AC40_5590_Ant2







Maximum Power Spectral Density_TNVN_11N40_5590_Ant2

















Maximum Power Spectral Density_TNVN_11AC20_5745_Ant1







Maximum Power Spectral Density_TNVN_11N20_5745_Ant1


















Maximum Power Spectral Density_TNVN_11AC40_5795_Ant1




Maximum Power Spectral Density_TNVN_11N40_5795_Ant1







Maximum Power Spectral Density_TNVN_11AC40_5795_Ant2



Maximum Power Spectral Density_TNVN_11N40_5795_Ant2









4.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	92.69	0.33
11A	5180	Ant2	92.69	0.33
11A	5220	Ant1	92.38	0.34
11A	5220	Ant2	92.38	0.34
11A	5240	Ant1	92.69	0.33
11A	5240	Ant2	92.38	0.34
11A	5260	Ant1	92.38	0.34
11A	5260	Ant2	92.38	0.34
11A	5300	Ant1	92.69	0.33
11A	5300	Ant2	92.38	0.34
11A	5320	Ant1	92.36	0.35
11A	5320	Ant2	92.69	0.33
11A	5500	Ant1	92.69	0.33
11A	5500	Ant2	92.69	0.33
11A	5580	Ant1	92.69	0.33
11A	5580	Ant2	92.69	0.33
11A	5600	Ant1	92.69	0.33
11A	5600	Ant2	92.38	0.34
11A	5700	Ant1	92.69	0.33
11A	5700	Ant2	92.38	0.34
11A	5745	Ant1	92.36	0.35
11A	5745	Ant2	92.69	0.33
11A	5785	Ant1	92.69	0.33
11A	5785	Ant2	92.38	0.34
11A	5825	Ant1	92.69	0.33
11A	5825	Ant2	92.69	0.33
11AC20	5180	Ant1	91.96	0.36
11N20	5180	Ant1	91.9	0.37
11N20	5180	Ant2	91.9	0.37
11AC20	5180	Ant2	92.28	0.35
11AC40	5190	Ant1	85.53	0.68



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904
Page: 528 of 599

11N40	5190	Ant1	85.43	0.68
11N40	5190	Ant2	85.33	0.69
11AC40	5190	Ant2	85.53	0.68
11AC80	5210	Ant1	75.12	1.24
11AC80	5210	Ant2	75.12	1.24
11N20	5220	Ant1	91.9	0.37
11AC20	5220	Ant1	92.28	0.35
11N20	5220	Ant2	91.9	0.37
11AC20	5220	Ant2	92.28	0.35
11AC40	5230	Ant1	85.53	0.68
11N40	5230	Ant1	85.43	0.68
11AC40	5230	Ant2	84.97	0.71
11N40	5230	Ant2	85.33	0.69
11AC20	5240	Ant1	91.96	0.36
11N20	5240	Ant1	91.9	0.37
11AC20	5240	Ant2	92.28	0.35
11N20	5240	Ant2	91.9	0.37
11N20	5260	Ant1	91.9	0.37
11AC20	5260	Ant1	91.93	0.37
11N20	5260	Ant2	91.9	0.37
11AC20	5260	Ant2	91.96	0.36
11AC40	5270	Ant1	85.53	0.68
11N40	5270	Ant1	85.43	0.68
11AC40	5270	Ant2	85.53	0.68
11N40	5270	Ant2	84.77	0.72
11AC80	5290	Ant1	75.23	1.24
11AC80	5290	Ant2	75.59	1.22
11AC20	5300	Ant1	92.28	0.35
11N20	5300	Ant1	91.9	0.37
11N20	5300	Ant2	91.9	0.37
11AC20	5300	Ant2	91.96	0.36
11N40	5310	Ant1	84.77	0.72
11AC40	5310	Ant1	85.53	0.68
11N40	5310	Ant2	84.77	0.72



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180200147904

Page: 529 of 599

11AC40	5310	Ant2	84.97	0.71
11N20	5320	Ant1	92.25	0.35
11AC20	5320	Ant1	91.96	0.36
11N20	5320	Ant2	92.25	0.35
11AC20	5320	Ant2	92.28	0.35
11AC20	5500	Ant1	91.96	0.36
11N20	5500	Ant1	92.25	0.35
11AC20	5500	Ant2	92.28	0.35
11N20	5500	Ant2	92.23	0.35
11AC40	5510	Ant1	85.53	0.68
11N40	5510	Ant1	85.33	0.69
11AC40	5510	Ant2	84.97	0.71
11N40	5510	Ant2	85.43	0.68
11AC80	5530	Ant1	75.12	1.24
11AC80	5530	Ant2	75.12	1.24
11AC40	5550	Ant1	85.53	0.68
11N40	5550	Ant1	84.77	0.72
11AC40	5550	Ant2	85.53	0.68
11N40	5550	Ant2	85.33	0.69
11N20	5580	Ant1	91.9	0.37
11AC20	5580	Ant1	91.96	0.36
11AC20	5580	Ant2	92.28	0.35
11N20	5580	Ant2	92.25	0.35
11N40	5590	Ant1	84.77	0.72
11AC40	5590	Ant1	84.87	0.71
11AC40	5590	Ant2	84.97	0.71
11N40	5590	Ant2	84.77	0.72
11AC20	5600	Ant1	92.28	0.35
11N20	5600	Ant1	92.23	0.35
11N20	5600	Ant2	91.9	0.37
11AC20	5600	Ant2	92.28	0.35
11AC80	5610	Ant1	75.59	1.22
11AC80	5610	Ant2	75.12	1.24
11N40	5670	Ant1	85.43	0.68







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch



Report No.: SZEM180200147904



Page: 530 of 599

11AC40	5670	Ant1	85.53	0.68
11N40	5670	Ant2	85.43	0.68
11AC40	5670	Ant2	84.97	0.71
11N20	5700	Ant1	91.9	0.37
11AC20	5700	Ant1	92.28	0.35
11AC20	5700	Ant2	92.28	0.35
11N20	5700	Ant2	91.9	0.37
11AC20	5745	Ant1	92.28	0.35
11N20	5745	Ant1	92.25	0.35
11AC20	5745	Ant2	91.96	0.36
11N20	5745	Ant2	92.23	0.35
11AC40	5755	Ant1	85.53	0.68
11N40	5755	Ant1	85.33	0.69
11N40	5755	Ant2	84.77	0.72
11AC40	5755	Ant2	84.97	0.71
11AC80	5775	Ant1	74.65	1.27
11AC80	5775	Ant2	75.12	1.24
11N20	5785	Ant1	92.23	0.35
11AC20	5785	Ant1	92.28	0.35
11AC20	5785	Ant2	91.93	0.37
11N20	5785	Ant2	92.23	0.35
11AC40	5795	Ant1	85.53	0.68
11N40	5795	Ant1	85.43	0.68
11AC40	5795	Ant2	84.97	0.71
11N40	5795	Ant2	84.77	0.72
11N20	5825	Ant1	92.23	0.35
11AC20	5825	Ant1	91.96	0.36
11N20	5825	Ant2	91.9	0.37
11AC20	5825	Ant2	92.28	0.35















Duty Cycle_11A_5300_Ant1







Duty Cycle_11A_5300_Ant2


























Duty Cycle_11A_5825_Ant1




Duty Cycle_11A_5825_Ant2







Duty Cycle_11AC20_5180_Ant1





Duty Cycle_11N20_5180_Ant1















Duty Cycle_11AC80_5210_Ant1




Duty Cycle_11AC80_5210_Ant2












Duty Cycle_11AC40_5230_Ant1







Duty Cycle_11N40_5230_Ant1

















Duty Cycle_11N20_5260_Ant2







Duty Cycle_11AC20_5260_Ant2



































Duty Cycle_11AC20_5500_Ant1




Duty Cycle_11N20_5500_Ant1










Duty Cycle_11AC40_5510_Ant2







Duty Cycle_11N40_5510_Ant2


























Duty Cycle_11AC20_5600_Ant1




Duty Cycle_11N20_5600_Ant1







Duty Cycle_11N20_5600_Ant2




Duty Cycle_11AC20_5600_Ant2












Duty Cycle_11N40_5670_Ant2




Duty Cycle_11AC40_5670_Ant2












Duty Cycle_11AC20_5745_Ant1




Duty Cycle_11N20_5745_Ant1












Duty Cycle_11N40_5755_Ant2




Duty Cycle_11AC40_5755_Ant2










Duty Cycle_11AC20_5785_Ant2




Duty Cycle_11N20_5785_Ant2








Duty Cycle_11N20_5825_Ant1



Duty Cycle_11AC20_5825_Ant1








5. (DFS: Non-occupancy period; DFS: Channel Move Time; DFS: Channel Closing Transmission Time)
Test plots as follows:

Remark: Only the data of Ant.2 is recorded.

Radar Waveform Calibration Result
Radar Type 0 (80MHz / 5290MHz)






Test Data: Antenna 2:

BW/Channel	Test Item	Test data	Limit	Results
80MHz/5290MHz	Non-occupancy period	Refer to test point	>30 min	pass
	Channel Move Time	0.0s	<10 s	Pass
	Channel Closing Transmission Time	5.0ms	<60ms	Pass
80MHz/5530MHz	Non-occupancy period	Refer to test point	>30 min	pass
	Channel Move Time	0.0s	<10 s	Pass
	Channel Closing Transmission Time	5.0ms	<60ms	Pass

Test plots as follows:



80MHz/5290MHz








80MHz/5530MHz





- End of the Report -