




11AC80MIMO Ant1 5290




11AC80MIMO Ant2 5290




11AC80MIMO Ant1 5530




11AC80MIMO\_Ant2\_5530




11AC80MIMO\_Ant1\_5610




11AC80MIMO\_Ant2\_5610




11AC80MIMO Ant1 5690 UNII-2C




11AC80MIMO Ant2 5690 UNII-2C




11AC80MIMO Ant1 5690 UNII-3




11AC80MIMO Ant2 5690 UNII-3



11AC80MIMO Ant1 5775



11AC80MIMO Ant2 5775



## 10. Frequency Stability Measurement

### 10.1. Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.


### 10.2. Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

### 10.3. Test procedures

- (1) To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
- (2) The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10 dB lower than the measured peak value.
- (3) The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

### 10.4. Test setup





10.5. Test result

Test Mode	Antenna	Frequency [MHz]	Voltage					Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)		
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS	
			LV	NT	-20000.00	-3.861004	20	PASS	
			HV	NT	-20000.00	-3.861004	20	PASS	
	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS	
			LV	NT	-20000.00	-3.861004	20	PASS	
			HV	NT	-20000.00	-3.861004	20	PASS	
	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS	
			LV	NT	-20000.00	-3.846154	20	PASS	
			HV	NT	-20000.00	-3.846154	20	PASS	
	Ant2	5200	NV	NT	-40000.00	-7.692308	20	PASS	
			LV	NT	-20000.00	-3.846154	20	PASS	
			HV	NT	-20000.00	-3.846154	20	PASS	
	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS	
			LV	NT	-40000.00	-7.633588	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5240	NV	NT	-20000.00	-3.816794	20	PASS	
			LV	NT	-20000.00	-3.816794	20	PASS	
			HV	NT	-20000.00	-3.816794	20	PASS	
	Ant1	5260	NV	NT	-40000.00	-7.604563	20	PASS	
			LV	NT	-20000.00	-3.802281	20	PASS	
			HV	NT	-40000.00	-7.604563	20	PASS	
	Ant2	5260	NV	NT	-20000.00	-3.802281	20	PASS	
			LV	NT	-20000.00	-3.802281	20	PASS	
			HV	NT	-20000.00	-3.802281	20	PASS	
	Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS	
			LV	NT	-40000.00	-7.575758	20	PASS	
			HV	NT	-20000.00	-3.787879	20	PASS	
	Ant2	5280	NV	NT	-20000.00	-3.787879	20	PASS	
			LV	NT	-20000.00	-3.787879	20	PASS	
			HV	NT	-20000.00	-3.787879	20	PASS	
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS	
			LV	NT	-40000.00	-7.518797	20	PASS	
			HV	NT	-40000.00	-7.518797	20	PASS	
	Ant2	5320	NV	NT	-20000.00	-3.759398	20	PASS	
			LV	NT	-20000.00	-3.759398	20	PASS	
			HV	NT	-20000.00	-3.759398	20	PASS	
	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS	
			LV	NT	-20000.00	-3.636364	20	PASS	
			HV	NT	-20000.00	-3.636364	20	PASS	
	Ant2	5500	NV	NT	-20000.00	-3.636364	20	PASS	
			LV	NT	-40000.00	-7.272727	20	PASS	
			HV	NT	-20000.00	-3.636364	20	PASS	
	Ant1	5580	NV	NT	-20000.00	-3.584229	20	PASS	
			LV	NT	-20000.00	-3.584229	20	PASS	
			HV	NT	-20000.00	-3.584229	20	PASS	
	Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS	
			LV	NT	-20000.00	-3.584229	20	PASS	
			HV	NT	-20000.00	-3.584229	20	PASS	
Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS		
		LV	NT	-20000.00	-3.508772	20	PASS		
		HV	NT	-40000.00	-7.017544	20	PASS		
Ant2	5700	NV	NT	-40000.00	-7.017544	20	PASS		
		LV	NT	-20000.00	-3.508772	20	PASS		
		HV	NT	-40000.00	-7.017544	20	PASS		
Ant1	5720	NV	NT	-40000.00	-6.993007	20	PASS		
		LV	NT	-20000.00	-3.496503	20	PASS		
		HV	NT	-20000.00	-3.496503	20	PASS		
Ant2	5720	NV	NT	-40000.00	-6.993007	20	PASS		
		LV	NT	-20000.00	-3.496503	20	PASS		

	Ant1	5745	HV	NT	-20000.00	-3.496503	20	PASS	
			NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-20000.00	-3.481288	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS	
			LV	NT	-40000.00	-6.962576	20	PASS	
			HV	NT	-20000.00	-3.481288	20	PASS	
	Ant1	5785	NV	NT	-20000.00	-3.457217	20	PASS	
			LV	NT	-40000.00	-6.914434	20	PASS	
			HV	NT	-20000.00	-3.457217	20	PASS	
	Ant2	5785	NV	NT	-20000.00	-3.457217	20	PASS	
			LV	NT	-20000.00	-3.457217	20	PASS	
			HV	NT	-20000.00	-3.457217	20	PASS	
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.433476	20	PASS	
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS	
			LV	NT	-20000.00	-3.433476	20	PASS	
			HV	NT	-40000.00	-6.866953	20	PASS	
	11N20MIMO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
				LV	NT	0.00	0.000000	20	PASS
				HV	NT	0.00	0.000000	20	PASS
		Ant2	5180	NV	NT	20000.00	3.861004	20	PASS
				LV	NT	0.00	0.000000	20	PASS
HV				NT	0.00	0.000000	20	PASS	
Ant1		5200	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5200	NV	NT	20000.00	3.846154	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5240	NV	NT	20000.00	3.816794	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5240	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5260	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5260	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	20000.00	3.802281	20	PASS	
Ant1		5280	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	20000.00	3.787879	20	PASS	
Ant2		5280	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5320	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	20000.00	3.759398	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5320	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant1		5500	NV	NT	20000.00	3.636364	20	PASS	
			LV	NT	20000.00	3.636364	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5500	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	20000.00	3.636364	20	PASS	
			HV	NT	20000.00	3.636364	20	PASS	
Ant1		5580	NV	NT	20000.00	3.584229	20	PASS	
			LV	NT	20000.00	3.584229	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	



11N40MIMO	Ant2	5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.584229	20	PASS
	Ant1	5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
	Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
	Ant1	5720	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.496503	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5720	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.496503	20	PASS
	Ant1	5745	NV	NT	20000.00	3.481288	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
	Ant2	5745	NV	NT	20000.00	3.481288	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
	Ant1	5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant2	5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
Ant2	5825	NV	NT	20000.00	3.433476	20	PASS	
		LV	NT	20000.00	3.433476	20	PASS	
		HV	NT	20000.00	3.433476	20	PASS	
Ant1	5190	NV	NT	40000.00	7.707129	20	PASS	
		LV	NT	40000.00	7.707129	20	PASS	
		HV	NT	40000.00	7.707129	20	PASS	
Ant2	5190	NV	NT	40000.00	7.707129	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	40000.00	7.707129	20	PASS	
Ant1	5230	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	40000.00	7.648184	20	PASS	
Ant2	5230	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	40000.00	7.648184	20	PASS	
Ant1	5270	NV	NT	40000.00	7.590133	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	40000.00	7.590133	20	PASS	
Ant2	5270	NV	NT	40000.00	7.590133	20	PASS	
		LV	NT	40000.00	7.590133	20	PASS	
		HV	NT	40000.00	7.590133	20	PASS	
Ant1	5310	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	40000.00	7.532957	20	PASS	
		HV	NT	0.00	0.000000	20	PASS	
Ant2	5310	NV	NT	40000.00	7.532957	20	PASS	
		LV	NT	40000.00	7.532957	20	PASS	
		HV	NT	0.00	0.000000	20	PASS	
Ant1	5510	NV	NT	40000.00	7.259528	20	PASS	
		LV	NT	40000.00	7.259528	20	PASS	
		HV	NT	40000.00	7.259528	20	PASS	
Ant2	5510	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	40000.00	7.259528	20	PASS	
		HV	NT	40000.00	7.259528	20	PASS	
Ant1	5550	NV	NT	40000.00	7.207207	20	PASS	

11AC20MIMO	Ant2	5550	LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
			NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant1	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant1	5710	NV	NT	-40000.00	-7.005254	20	PASS
			LV	NT	-40000.00	-7.005254	20	PASS
			HV	NT	-40000.00	-7.005254	20	PASS
	Ant2	5710	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	40000.00	7.722008	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant1	5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant2	5200	NV	NT	40000.00	7.692308	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
HV			NT	40000.00	7.692308	20	PASS	
Ant1	5240	NV	NT	40000.00	7.633588	20	PASS	
		LV	NT	20000.00	3.816794	20	PASS	
		HV	NT	20000.00	3.816794	20	PASS	
Ant2	5240	NV	NT	20000.00	3.816794	20	PASS	
		LV	NT	20000.00	3.816794	20	PASS	
		HV	NT	20000.00	3.816794	20	PASS	
Ant1	5260	NV	NT	20000.00	3.802281	20	PASS	
		LV	NT	20000.00	3.802281	20	PASS	
		HV	NT	20000.00	3.802281	20	PASS	
Ant2	5260	NV	NT	40000.00	7.604563	20	PASS	
		LV	NT	20000.00	3.802281	20	PASS	
		HV	NT	40000.00	7.604563	20	PASS	
Ant1	5280	NV	NT	20000.00	3.787879	20	PASS	
		LV	NT	20000.00	3.787879	20	PASS	
		HV	NT	20000.00	3.787879	20	PASS	
Ant2	5280	NV	NT	40000.00	7.575758	20	PASS	
		LV	NT	40000.00	7.575758	20	PASS	
		HV	NT	40000.00	7.575758	20	PASS	
Ant1	5320	NV	NT	20000.00	3.759398	20	PASS	
		LV	NT	20000.00	3.759398	20	PASS	
		HV	NT	40000.00	7.518797	20	PASS	

11AC40MIMO	Ant2	5320	NV	NT	40000.00	7.518797	20	PASS
			LV	NT	20000.00	3.759398	20	PASS
			HV	NT	40000.00	7.518797	20	PASS
	Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	20000.00	3.636364	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant2	5500	NV	NT	40000.00	7.272727	20	PASS
			LV	NT	40000.00	7.272727	20	PASS
			HV	NT	40000.00	7.272727	20	PASS
	Ant1	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	40000.00	7.168459	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant2	5580	NV	NT	40000.00	7.168459	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	40000.00	7.168459	20	PASS
	Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5720	NV	NT	20000.00	3.496503	20	PASS
			LV	NT	40000.00	6.993007	20	PASS
			HV	NT	40000.00	6.993007	20	PASS
	Ant2	5720	NV	NT	40000.00	6.993007	20	PASS
			LV	NT	40000.00	6.993007	20	PASS
			HV	NT	40000.00	6.993007	20	PASS
	Ant1	5745	NV	NT	60000.00	10.443864	20	PASS
			LV	NT	40000.00	6.962576	20	PASS
			HV	NT	40000.00	6.962576	20	PASS
Ant2	5745	NV	NT	40000.00	6.962576	20	PASS	
		LV	NT	40000.00	6.962576	20	PASS	
		HV	NT	40000.00	6.962576	20	PASS	
Ant1	5785	NV	NT	20000.00	3.457217	20	PASS	
		LV	NT	40000.00	6.914434	20	PASS	
		HV	NT	40000.00	6.914434	20	PASS	
Ant2	5785	NV	NT	60000.00	10.371651	20	PASS	
		LV	NT	60000.00	10.371651	20	PASS	
		HV	NT	40000.00	6.914434	20	PASS	
Ant1	5825	NV	NT	40000.00	6.866953	20	PASS	
		LV	NT	40000.00	6.866953	20	PASS	
		HV	NT	40000.00	6.866953	20	PASS	
Ant2	5825	NV	NT	40000.00	6.866953	20	PASS	
		LV	NT	40000.00	6.866953	20	PASS	
		HV	NT	40000.00	6.866953	20	PASS	
Ant1	5190	NV	NT	40000.00	7.707129	20	PASS	
		LV	NT	40000.00	7.707129	20	PASS	
		HV	NT	40000.00	7.707129	20	PASS	
Ant2	5190	NV	NT	40000.00	7.707129	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	40000.00	7.707129	20	PASS	
Ant1	5230	NV	NT	40000.00	7.648184	20	PASS	
		LV	NT	40000.00	7.648184	20	PASS	
		HV	NT	40000.00	7.648184	20	PASS	
Ant2	5230	NV	NT	40000.00	7.648184	20	PASS	
		LV	NT	40000.00	7.648184	20	PASS	
		HV	NT	40000.00	7.648184	20	PASS	
Ant1	5270	NV	NT	40000.00	7.590133	20	PASS	
		LV	NT	40000.00	7.590133	20	PASS	
		HV	NT	40000.00	7.590133	20	PASS	
Ant2	5270	NV	NT	40000.00	7.590133	20	PASS	
		LV	NT	40000.00	7.590133	20	PASS	

11AC80MIMO	Ant1	5310	HV	NT	40000.00	7.590133	20	PASS
			NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
	Ant2	5310	HV	NT	40000.00	7.532957	20	PASS
			NV	NT	40000.00	7.532957	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
	Ant1	5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
	Ant2	5510	NV	NT	80000.00	14.519056	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	40000.00	7.259528	20	PASS
	Ant1	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant2	5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	40000.00	7.207207	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
	Ant1	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant1	5710	NV	NT	40000.00	7.005254	20	PASS
			LV	NT	40000.00	7.005254	20	PASS
			HV	NT	40000.00	7.005254	20	PASS
	Ant2	5710	NV	NT	40000.00	7.005254	20	PASS
			LV	NT	80000.00	14.010508	20	PASS
			HV	NT	40000.00	7.005254	20	PASS
	Ant1	5755	NV	NT	80000.00	13.900956	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant2	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	40000.00	6.950478	20	PASS
	Ant1	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant2	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	40000.00	6.902502	20	PASS
	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant2	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	0.00	0.000000	20	PASS
Ant1	5290	NV	NT	80000.00	15.122873	20	PASS	
		LV	NT	80000.00	15.122873	20	PASS	
		HV	NT	0.00	0.000000	20	PASS	
Ant2	5290	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	80000.00	15.122873	20	PASS	
		HV	NT	80000.00	15.122873	20	PASS	
Ant1	5530	NV	NT	0.00	0.000000	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	
		HV	NT	0.00	0.000000	20	PASS	
Ant2	5530	NV	NT	80000.00	14.466546	20	PASS	
		LV	NT	80000.00	14.466546	20	PASS	
		HV	NT	0.00	0.000000	20	PASS	
Ant1	5610	NV	NT	80000.00	14.260250	20	PASS	



	Ant2	5610	LV	NT	80000.00	14.260250	20	PASS
			HV	NT	80000.00	14.260250	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	80000.00	14.260250	20	PASS
	Ant1	5690	HV	NT	80000.00	14.260250	20	PASS
			NV	NT	80000.00	14.059754	20	PASS
			LV	NT	80000.00	14.059754	20	PASS
	Ant2	5690	HV	NT	0.00	0.000000	20	PASS
			NV	NT	80000.00	14.059754	20	PASS
			LV	NT	80000.00	14.059754	20	PASS
	Ant1	5775	HV	NT	80000.00	14.059754	20	PASS
			NV	NT	0.00	0.000000	20	PASS
LV			NT	0.00	0.000000	20	PASS	
Ant2	5775	HV	NT	80000.00	13.852814	20	PASS	
		NV	NT	0.00	0.000000	20	PASS	
		LV	NT	0.00	0.000000	20	PASS	

Temperature									
Test Mode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict	
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS	
			NV	-20	-20000.00	-3.861004	20	PASS	
			NV	-10	-20000.00	-3.861004	20	PASS	
			NV	0	-20000.00	-3.861004	20	PASS	
			NV	10	-20000.00	-3.861004	20	PASS	
			NV	20	-20000.00	-3.861004	20	PASS	
			NV	30	-20000.00	-3.861004	20	PASS	
			NV	40	-20000.00	-3.861004	20	PASS	
	Ant2	5180	NV	50	-60000.00	-11.583012	20	PASS	
			NV	-30	-20000.00	-3.861004	20	PASS	
			NV	-20	-20000.00	-3.861004	20	PASS	
			NV	-10	-20000.00	-3.861004	20	PASS	
			NV	0	-20000.00	-3.861004	20	PASS	
			NV	10	-20000.00	-3.861004	20	PASS	
			NV	20	-20000.00	-3.861004	20	PASS	
			NV	30	-20000.00	-3.861004	20	PASS	
	Ant1	5200	NV	40	-20000.00	-3.861004	20	PASS	
			NV	50	-20000.00	-3.861004	20	PASS	
			NV	-30	0.00	0.000000	20	PASS	
			NV	-20	-40000.00	-7.692308	20	PASS	
			NV	-10	-20000.00	-3.846154	20	PASS	
			NV	0	-20000.00	-3.846154	20	PASS	
			NV	10	-20000.00	-3.846154	20	PASS	
			NV	20	-20000.00	-3.846154	20	PASS	
	Ant2	5200	NV	30	-20000.00	-3.846154	20	PASS	
			NV	40	0.00	0.000000	20	PASS	
			NV	50	-20000.00	-3.846154	20	PASS	
			NV	-30	-20000.00	-3.846154	20	PASS	
			NV	-20	0.00	0.000000	20	PASS	
			NV	-10	-20000.00	-3.846154	20	PASS	
			NV	0	-20000.00	-3.846154	20	PASS	
			NV	10	-20000.00	-3.846154	20	PASS	
	Ant1	5240	NV	20	0.00	0.000000	20	PASS	
			NV	30	-20000.00	-3.846154	20	PASS	
			NV	40	-20000.00	-3.846154	20	PASS	
			NV	50	0.00	0.000000	20	PASS	
			NV	-30	-20000.00	-3.816794	20	PASS	
			NV	-20	-20000.00	-3.816794	20	PASS	
			NV	-10	-20000.00	-3.816794	20	PASS	
			NV	0	-20000.00	-3.816794	20	PASS	
				NV	10	-20000.00	-3.816794	20	PASS
				NV	20	-20000.00	-3.816794	20	PASS
				NV	30	-40000.00	-7.633588	20	PASS
				NV	30	-40000.00	-7.633588	20	PASS



Ant2	5240	NV	40	-20000.00	-3.816794	20	PASS
		NV	50	-20000.00	-3.816794	20	PASS
		NV	-30	-20000.00	-3.816794	20	PASS
		NV	-20	-20000.00	-3.816794	20	PASS
		NV	-10	-20000.00	-3.816794	20	PASS
		NV	0	-20000.00	-3.816794	20	PASS
		NV	10	-40000.00	-7.633588	20	PASS
		NV	20	-20000.00	-3.816794	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
		NV	40	-20000.00	-3.816794	20	PASS
Ant1	5260	NV	50	-20000.00	-3.816794	20	PASS
		NV	-30	-20000.00	-3.802281	20	PASS
		NV	-20	-20000.00	-3.802281	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-40000.00	-7.604563	20	PASS
		NV	10	-20000.00	-3.802281	20	PASS
		NV	20	-40000.00	-7.604563	20	PASS
		NV	30	-40000.00	-7.604563	20	PASS
Ant2	5260	NV	40	-20000.00	-3.802281	20	PASS
		NV	50	-20000.00	-3.802281	20	PASS
		NV	-30	-20000.00	-3.802281	20	PASS
		NV	-20	-20000.00	-3.802281	20	PASS
		NV	-10	-20000.00	-3.802281	20	PASS
		NV	0	-20000.00	-3.802281	20	PASS
		NV	10	-20000.00	-3.802281	20	PASS
		NV	20	-20000.00	-3.802281	20	PASS
Ant1	5280	NV	30	-20000.00	-3.802281	20	PASS
		NV	40	-20000.00	-3.802281	20	PASS
		NV	50	-20000.00	-3.802281	20	PASS
		NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	-20000.00	-3.787879	20	PASS
		NV	10	-20000.00	-3.787879	20	PASS
Ant2	5280	NV	20	-20000.00	-3.787879	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
		NV	50	-20000.00	-3.787879	20	PASS
		NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	0.00	0.000000	20	PASS
Ant1	5320	NV	10	-20000.00	-3.787879	20	PASS
		NV	20	-40000.00	-7.575758	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	-30	-40000.00	-7.518797	20	PASS
		NV	-20	-20000.00	-3.759398	20	PASS
		NV	-10	-20000.00	-3.759398	20	PASS
Ant2	5320	NV	0	-20000.00	-3.759398	20	PASS
		NV	10	-20000.00	-3.759398	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-20000.00	-3.759398	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS
		NV	-30	-20000.00	-3.759398	20	PASS
		NV	-20	-20000.00	-3.759398	20	PASS
Ant1	5320	NV	-10	-20000.00	-3.759398	20	PASS
		NV	0	-20000.00	-3.759398	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-20000.00	-3.759398	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS
		NV	-30	-20000.00	-3.759398	20	PASS
Ant2	5320	NV	-20	-20000.00	-3.759398	20	PASS
		NV	-10	-20000.00	-3.759398	20	PASS
		NV	0	-20000.00	-3.759398	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	-20000.00	-3.759398	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
		NV	50	-20000.00	-3.759398	20	PASS

Ant1	5500	NV	50	-20000.00	-3.759398	20	PASS
		NV	-30	-20000.00	-3.636364	20	PASS
		NV	-20	-40000.00	-7.272727	20	PASS
		NV	-10	-20000.00	-3.636364	20	PASS
		NV	0	-40000.00	-7.272727	20	PASS
		NV	10	-40000.00	-7.272727	20	PASS
		NV	20	-40000.00	-7.272727	20	PASS
		NV	30	-20000.00	-3.636364	20	PASS
		NV	40	-20000.00	-3.636364	20	PASS
Ant2	5500	NV	50	-20000.00	-3.636364	20	PASS
		NV	-30	-20000.00	-3.636364	20	PASS
		NV	-20	-20000.00	-3.636364	20	PASS
		NV	-10	-20000.00	-3.636364	20	PASS
		NV	0	-20000.00	-3.636364	20	PASS
		NV	10	-20000.00	-3.636364	20	PASS
		NV	20	-20000.00	-3.636364	20	PASS
		NV	30	-20000.00	-3.636364	20	PASS
		NV	40	-20000.00	-3.636364	20	PASS
Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
		NV	-30	-40000.00	-7.168459	20	PASS
		NV	-20	-20000.00	-3.584229	20	PASS
		NV	-10	-40000.00	-7.168459	20	PASS
		NV	0	-20000.00	-3.584229	20	PASS
		NV	10	-20000.00	-3.584229	20	PASS
		NV	20	-20000.00	-3.584229	20	PASS
		NV	30	-20000.00	-3.584229	20	PASS
		NV	40	-20000.00	-3.584229	20	PASS
Ant2	5580	NV	50	-20000.00	-3.584229	20	PASS
		NV	-30	-20000.00	-3.584229	20	PASS
		NV	-20	-20000.00	-3.584229	20	PASS
		NV	-10	-20000.00	-3.584229	20	PASS
		NV	0	-40000.00	-7.168459	20	PASS
		NV	10	-40000.00	-7.168459	20	PASS
		NV	20	-20000.00	-3.584229	20	PASS
		NV	30	-20000.00	-3.584229	20	PASS
		NV	40	-20000.00	-3.584229	20	PASS
Ant1	5700	NV	50	-20000.00	-3.508772	20	PASS
		NV	-30	-20000.00	-3.508772	20	PASS
		NV	-20	-20000.00	-3.508772	20	PASS
		NV	-10	-20000.00	-3.508772	20	PASS
		NV	0	-40000.00	-7.017544	20	PASS
		NV	10	-40000.00	-7.017544	20	PASS
		NV	20	-20000.00	-3.508772	20	PASS
		NV	30	-20000.00	-3.508772	20	PASS
		NV	40	-20000.00	-3.508772	20	PASS
Ant2	5700	NV	50	-20000.00	-3.508772	20	PASS
		NV	-30	-20000.00	-3.508772	20	PASS
		NV	-20	-40000.00	-7.017544	20	PASS
		NV	-10	-20000.00	-3.508772	20	PASS
		NV	0	-20000.00	-3.508772	20	PASS
		NV	10	-40000.00	-7.017544	20	PASS
		NV	20	-40000.00	-7.017544	20	PASS
		NV	30	-60000.00	-10.526316	20	PASS
		NV	40	-20000.00	-3.508772	20	PASS
Ant1	5720	NV	50	-40000.00	-7.017544	20	PASS
		NV	-30	-20000.00	-3.496503	20	PASS
		NV	-20	-20000.00	-3.496503	20	PASS
		NV	-10	-20000.00	-3.496503	20	PASS
		NV	0	-20000.00	-3.496503	20	PASS
		NV	10	-20000.00	-3.496503	20	PASS

			NV	20	-20000.00	-3.496503	20	PASS		
			NV	30	-20000.00	-3.496503	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-20000.00	-3.496503	20	PASS		
	Ant2	5720	NV	-30	-20000.00	-3.496503	20	PASS		
			NV	-20	-40000.00	-6.993007	20	PASS		
			NV	-10	-20000.00	-3.496503	20	PASS		
			NV	0	-20000.00	-3.496503	20	PASS		
			NV	10	-20000.00	-3.496503	20	PASS		
			NV	20	-20000.00	-3.496503	20	PASS		
			NV	30	-20000.00	-3.496503	20	PASS		
			NV	40	-40000.00	-6.993007	20	PASS		
			NV	50	-40000.00	-6.993007	20	PASS		
			Ant1	5745	NV	-30	-40000.00	-6.962576	20	PASS
					NV	-20	-20000.00	-3.481288	20	PASS
					NV	-10	-20000.00	-3.481288	20	PASS
	NV	0			-20000.00	-3.481288	20	PASS		
	NV	10			-20000.00	-3.481288	20	PASS		
	NV	20			-20000.00	-3.481288	20	PASS		
	NV	30			-20000.00	-3.481288	20	PASS		
	NV	40			-20000.00	-3.481288	20	PASS		
	Ant2	5745	NV	50	-40000.00	-6.962576	20	PASS		
			NV	-30	-20000.00	-3.481288	20	PASS		
			NV	-20	-40000.00	-6.962576	20	PASS		
			NV	-10	-20000.00	-3.481288	20	PASS		
			NV	0	-20000.00	-3.481288	20	PASS		
			NV	10	-40000.00	-6.962576	20	PASS		
			NV	20	-20000.00	-3.481288	20	PASS		
			NV	30	-20000.00	-3.481288	20	PASS		
	Ant1	5785	NV	40	-20000.00	-3.481288	20	PASS		
			NV	50	-20000.00	-3.481288	20	PASS		
			NV	-30	-40000.00	-6.914434	20	PASS		
			NV	-20	-20000.00	-3.457217	20	PASS		
			NV	-10	-20000.00	-3.457217	20	PASS		
			NV	0	-20000.00	-3.457217	20	PASS		
			NV	10	-20000.00	-3.457217	20	PASS		
			NV	20	-20000.00	-3.457217	20	PASS		
	Ant2	5785	NV	30	-20000.00	-3.457217	20	PASS		
			NV	40	-20000.00	-3.457217	20	PASS		
			NV	50	-20000.00	-3.457217	20	PASS		
			NV	-30	-20000.00	-3.457217	20	PASS		
			NV	-20	-20000.00	-3.457217	20	PASS		
			NV	-10	-20000.00	-3.457217	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	-20000.00	-3.457217	20	PASS		
	Ant1	5825	NV	20	-20000.00	-3.457217	20	PASS		
			NV	30	-20000.00	-3.457217	20	PASS		
			NV	40	-20000.00	-3.457217	20	PASS		
			NV	50	-20000.00	-3.457217	20	PASS		
			NV	-30	-40000.00	-6.866953	20	PASS		
			NV	-20	-20000.00	-3.433476	20	PASS		
			NV	-10	-40000.00	-6.866953	20	PASS		
			NV	0	-20000.00	-3.433476	20	PASS		
	Ant2	5825	NV	10	-20000.00	-3.433476	20	PASS		
			NV	20	-20000.00	-3.433476	20	PASS		
			NV	30	-20000.00	-3.433476	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-20000.00	-3.433476	20	PASS		
			NV	-30	-20000.00	-3.433476	20	PASS		
			NV	-20	-20000.00	-3.433476	20	PASS		
			NV	-10	-20000.00	-3.433476	20	PASS		
			NV	0	-20000.00	-3.433476	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.433476	20	PASS		

11N20MIMO			NV	30	-20000.00	-3.433476	20	PASS		
			NV	40	-20000.00	-3.433476	20	PASS		
			NV	50	-20000.00	-3.433476	20	PASS		
	Ant1	5180	NV	-30	0.00	0.000000	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			Ant2	5180	NV	-30	0.00	0.000000	20	PASS
					NV	-20	20000.00	3.861004	20	PASS
					NV	-10	20000.00	3.861004	20	PASS
	NV	0			0.00	0.000000	20	PASS		
	NV	10			20000.00	3.861004	20	PASS		
	NV	20			0.00	0.000000	20	PASS		
	NV	30			0.00	0.000000	20	PASS		
	NV	40			0.00	0.000000	20	PASS		
	Ant1	5200	NV	50	20000.00	3.861004	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
	Ant2	5200	NV	40	0.00	0.000000	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	20000.00	3.846154	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
	Ant1	5240	NV	30	20000.00	3.846154	20	PASS		
			NV	40	20000.00	3.846154	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
NV			-20	0.00	0.000000	20	PASS			
NV			-10	0.00	0.000000	20	PASS			
NV			0	0.00	0.000000	20	PASS			
NV			10	0.00	0.000000	20	PASS			
Ant2	5240	NV	20	0.00	0.000000	20	PASS			
		NV	30	0.00	0.000000	20	PASS			
		NV	40	0.00	0.000000	20	PASS			
		NV	50	0.00	0.000000	20	PASS			
		NV	-30	0.00	0.000000	20	PASS			
		NV	-20	0.00	0.000000	20	PASS			
		NV	-10	20000.00	3.816794	20	PASS			
		NV	0	20000.00	3.816794	20	PASS			
Ant1	5260	NV	10	0.00	0.000000	20	PASS			
		NV	20	0.00	0.000000	20	PASS			
		NV	30	0.00	0.000000	20	PASS			
		NV	-30	0.00	0.000000	20	PASS			
		NV	-20	-20000.00	-3.802281	20	PASS			
		NV	-10	20000.00	3.802281	20	PASS			



			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5260	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.802281	20	PASS
			NV	-10	20000.00	3.802281	20	PASS
			NV	0	20000.00	3.802281	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			Ant1	5280	NV	-30	0.00	0.000000
	NV	-20			0.00	0.000000	20	PASS
	NV	-10			20000.00	3.787879	20	PASS
	NV	0			0.00	0.000000	20	PASS
	NV	10			0.00	0.000000	20	PASS
	NV	20			0.00	0.000000	20	PASS
	NV	30			0.00	0.000000	20	PASS
	NV	40			0.00	0.000000	20	PASS
	NV	50			0.00	0.000000	20	PASS
	Ant2	5280			NV	-30	0.00	0.000000
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.787879	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant1	5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.759398	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.759398	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.759398	20	PASS
	Ant2	5320	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.759398	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant1	5500	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.636364	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.272727	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	20000.00	3.636364	20	PASS
			NV	40	40000.00	7.272727	20	PASS
	Ant2	5500	NV	50	20000.00	3.636364	20	PASS
			NV	-30	20000.00	3.636364	20	PASS
			NV	-20	20000.00	3.636364	20	PASS
			NV	-10	20000.00	3.636364	20	PASS
			NV	0	20000.00	3.636364	20	PASS
			NV	10	20000.00	3.636364	20	PASS
			NV	20	20000.00	3.636364	20	PASS
			NV	30	20000.00	3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS



Ant1	5580	NV	50	20000.00	3.636364	20	PASS
		NV	-30	20000.00	3.584229	20	PASS
		NV	-20	20000.00	3.584229	20	PASS
		NV	-10	20000.00	3.584229	20	PASS
		NV	0	20000.00	3.584229	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	20000.00	3.584229	20	PASS
		NV	30	20000.00	3.584229	20	PASS
		NV	40	20000.00	3.584229	20	PASS
Ant2	5580	NV	-30	0.00	0.000000	20	PASS
		NV	-20	20000.00	3.584229	20	PASS
		NV	-10	20000.00	3.584229	20	PASS
		NV	0	20000.00	3.584229	20	PASS
		NV	10	20000.00	3.584229	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	20000.00	3.584229	20	PASS
		NV	40	20000.00	3.584229	20	PASS
		NV	50	0.00	0.000000	20	PASS
Ant1	5700	NV	-30	-40000.00	-7.017544	20	PASS
		NV	-20	-40000.00	-7.017544	20	PASS
		NV	-10	-40000.00	-7.017544	20	PASS
		NV	0	-20000.00	-3.508772	20	PASS
		NV	10	-40000.00	-7.017544	20	PASS
		NV	20	-60000.00	-10.526316	20	PASS
		NV	30	-40000.00	-7.017544	20	PASS
		NV	40	-20000.00	-3.508772	20	PASS
		NV	50	-40000.00	-7.017544	20	PASS
Ant2	5700	NV	-30	-20000.00	-3.508772	20	PASS
		NV	-20	-40000.00	-7.017544	20	PASS
		NV	-10	-40000.00	-7.017544	20	PASS
		NV	0	-40000.00	-7.017544	20	PASS
		NV	10	-20000.00	-3.508772	20	PASS
		NV	20	-40000.00	-7.017544	20	PASS
		NV	30	-40000.00	-7.017544	20	PASS
		NV	40	-20000.00	-3.508772	20	PASS
		NV	50	-40000.00	-7.017544	20	PASS
Ant1	5720	NV	-30	0.00	0.000000	20	PASS
		NV	-20	20000.00	3.496503	20	PASS
		NV	-10	20000.00	3.496503	20	PASS
		NV	0	20000.00	3.496503	20	PASS
		NV	10	20000.00	3.496503	20	PASS
		NV	20	20000.00	3.496503	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
Ant2	5720	NV	-30	20000.00	3.496503	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	40000.00	6.993007	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	20000.00	3.496503	20	PASS
		NV	20	20000.00	3.496503	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	20000.00	3.496503	20	PASS
		NV	50	20000.00	3.496503	20	PASS
Ant1	5745	NV	-30	0.00	0.000000	20	PASS
		NV	-20	20000.00	3.481288	20	PASS
		NV	-10	20000.00	3.481288	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	20000.00	3.481288	20	PASS

11N40MIMO	Ant2	5745	NV	20	20000.00	3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.481288	20	PASS
			NV	-30	0.00	0.000000	20	PASS
		NV	-20	20000.00	3.481288	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-20000.00	-3.481288	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	40000.00	6.962576	20	PASS	
		NV	30	-20000.00	-3.481288	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	20000.00	3.481288	20	PASS	
		NV	-30	20000.00	3.457217	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	0.00	0.000000	20	PASS		
	NV	10	20000.00	3.457217	20	PASS		
	NV	20	20000.00	3.457217	20	PASS		
	NV	30	20000.00	3.457217	20	PASS		
	NV	40	20000.00	3.457217	20	PASS		
	NV	50	20000.00	3.457217	20	PASS		
	NV	-30	20000.00	3.457217	20	PASS		
	NV	-20	20000.00	3.457217	20	PASS		
	NV	-10	20000.00	3.457217	20	PASS		
	NV	0	40000.00	6.914434	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
	NV	20	60000.00	10.371651	20	PASS		
	NV	30	20000.00	3.457217	20	PASS		
	NV	40	20000.00	3.457217	20	PASS		
	NV	50	0.00	0.000000	20	PASS		
	NV	-30	20000.00	3.433476	20	PASS		
	NV	-20	20000.00	3.433476	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	20000.00	3.433476	20	PASS		
	NV	10	20000.00	3.433476	20	PASS		
	NV	20	20000.00	3.433476	20	PASS		
	NV	30	0.00	0.000000	20	PASS		
	NV	40	0.00	0.000000	20	PASS		
	NV	50	20000.00	3.433476	20	PASS		
	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	20000.00	3.433476	20	PASS		
	NV	-10	20000.00	3.433476	20	PASS		
	NV	0	20000.00	3.433476	20	PASS		
	NV	10	20000.00	3.433476	20	PASS		
	NV	20	20000.00	3.433476	20	PASS		
	NV	30	20000.00	3.433476	20	PASS		
	NV	40	20000.00	3.433476	20	PASS		
	NV	50	20000.00	3.433476	20	PASS		
	NV	-30	40000.00	7.707129	20	PASS		
	NV	-20	40000.00	7.707129	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	40000.00	7.707129	20	PASS		
	NV	10	40000.00	7.707129	20	PASS		
	NV	20	40000.00	7.707129	20	PASS		
	NV	30	0.00	0.000000	20	PASS		
	NV	40	0.00	0.000000	20	PASS		
	NV	50	40000.00	7.707129	20	PASS		
	NV	-30	0.00	0.000000	20	PASS		
	NV	-20	40000.00	7.707129	20	PASS		
	NV	-10	40000.00	7.707129	20	PASS		
	NV	0	40000.00	7.707129	20	PASS		
	NV	10	40000.00	7.707129	20	PASS		
	NV	20	0.00	0.000000	20	PASS		

			NV	30	0.00	0.000000	20	PASS		
			NV	40	40000.00	7.707129	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
	Ant1	5230	NV	-30	40000.00	7.648184	20	PASS		
			NV	-20	40000.00	7.648184	20	PASS		
			NV	-10	40000.00	7.648184	20	PASS		
			NV	0	40000.00	7.648184	20	PASS		
			NV	10	40000.00	7.648184	20	PASS		
			NV	20	40000.00	7.648184	20	PASS		
			NV	30	40000.00	7.648184	20	PASS		
			NV	40	40000.00	7.648184	20	PASS		
			NV	50	40000.00	7.648184	20	PASS		
			Ant2	5230	NV	-30	40000.00	7.648184	20	PASS
					NV	-20	0.00	0.000000	20	PASS
					NV	-10	40000.00	7.648184	20	PASS
	NV	0			40000.00	7.648184	20	PASS		
	NV	10			40000.00	7.648184	20	PASS		
	NV	20			0.00	0.000000	20	PASS		
	NV	30			40000.00	7.648184	20	PASS		
	NV	40			0.00	0.000000	20	PASS		
	Ant1	5270	NV	50	40000.00	7.648184	20	PASS		
			NV	-30	40000.00	7.590133	20	PASS		
			NV	-20	40000.00	7.590133	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	40000.00	7.590133	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
	Ant2	5270	NV	40	40000.00	7.590133	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	40000.00	7.590133	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	40000.00	7.590133	20	PASS		
			NV	20	40000.00	7.590133	20	PASS		
	Ant1	5310	NV	30	0.00	0.000000	20	PASS		
			NV	40	40000.00	7.590133	20	PASS		
			NV	50	40000.00	7.590133	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	40000.00	7.532957	20	PASS		
			NV	-10	40000.00	7.532957	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	40000.00	7.532957	20	PASS		
	Ant2	5310	NV	20	40000.00	7.532957	20	PASS		
			NV	30	40000.00	7.532957	20	PASS		
			NV	40	40000.00	7.532957	20	PASS		
			NV	50	40000.00	7.532957	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	40000.00	7.532957	20	PASS		
			NV	-10	40000.00	7.532957	20	PASS		
			NV	0	40000.00	7.532957	20	PASS		
	Ant1	5510	NV	10	40000.00	7.532957	20	PASS		
			NV	20	40000.00	7.532957	20	PASS		
			NV	30	40000.00	7.532957	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	0.00	0.000000	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
	Ant1	5510	NV	-20	40000.00	7.259528	20	PASS		
			NV	-10	40000.00	7.259528	20	PASS		
			NV	0	40000.00	7.259528	20	PASS		
			NV	10	40000.00	7.259528	20	PASS		
			NV	20	40000.00	7.259528	20	PASS		
			NV	30	40000.00	7.259528	20	PASS		

			NV	40	40000.00	7.259528	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5510	NV	-30	40000.00	7.259528	20	PASS
			NV	-20	40000.00	7.259528	20	PASS
			NV	-10	40000.00	7.259528	20	PASS
			NV	0	40000.00	7.259528	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	40	40000.00	7.259528	20	PASS
			NV	50	40000.00	7.259528	20	PASS
			Ant1	5550	NV	-30	40000.00	7.207207
	NV	-20			40000.00	7.207207	20	PASS
	NV	-10			40000.00	7.207207	20	PASS
	NV	0			40000.00	7.207207	20	PASS
	NV	10			40000.00	7.207207	20	PASS
	NV	20			40000.00	7.207207	20	PASS
	NV	30			40000.00	7.207207	20	PASS
	NV	40			0.00	0.000000	20	PASS
	NV	50			40000.00	7.207207	20	PASS
	Ant2	5550			NV	-30	40000.00	7.207207
			NV	-20	40000.00	7.207207	20	PASS
			NV	-10	40000.00	7.207207	20	PASS
			NV	0	40000.00	7.207207	20	PASS
			NV	10	40000.00	7.207207	20	PASS
			NV	20	40000.00	7.207207	20	PASS
			NV	30	40000.00	7.207207	20	PASS
			NV	40	40000.00	7.207207	20	PASS
	Ant1	5670	NV	-30	-40000.00	-7.054674	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant2	5670	NV	50	-40000.00	-7.054674	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.054674	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	-40000.00	-7.054674	20	PASS
			NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	-40000.00	-7.054674	20	PASS
			NV	40	-40000.00	-7.054674	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
	Ant1	5710	NV	-30	-40000.00	-7.005254	20	PASS
			NV	-20	-40000.00	-7.005254	20	PASS
			NV	-10	-40000.00	-7.005254	20	PASS
			NV	0	-40000.00	-7.005254	20	PASS
			NV	10	-40000.00	-7.005254	20	PASS
			NV	20	-40000.00	-7.005254	20	PASS
			NV	30	-40000.00	-7.005254	20	PASS
			NV	40	-40000.00	-7.005254	20	PASS
	Ant2	5710	NV	50	-40000.00	-7.005254	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.005254	20	PASS
			NV	-10	0.00	0.000000	20	PASS



11AC20MIMO	Ant1	5755	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.005254	20	PASS
			NV	30	-40000.00	-7.005254	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.005254	20	PASS
	Ant2	5755	NV	-30	-40000.00	-6.950478	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	30	40000.00	6.950478	20	PASS
			NV	40	40000.00	6.950478	20	PASS
			NV	50	40000.00	6.950478	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
	Ant2	5795	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
	Ant2	5180	NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	6.902502	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	6.902502	20	PASS
			NV	-10	40000.00	6.902502	20	PASS
	Ant1	5200	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	40000.00	6.902502	20	PASS
NV			40	0.00	0.000000	20	PASS	
NV			50	20000.00	3.861004	20	PASS	
Ant2	5200	NV	-30	20000.00	3.861004	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	20000.00	3.861004	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	40000.00	7.722008	20	PASS	
Ant1	5200	NV	30	20000.00	3.861004	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	20000.00	3.861004	20	PASS	
		NV	-30	20000.00	3.846154	20	PASS	
Ant1	5200	NV	-20	20000.00	3.846154	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
Ant1	5200	NV	0	20000.00	3.846154	20	PASS	
		NV	0	20000.00	3.846154	20	PASS	



			NV	10	20000.00	3.846154	20	PASS
			NV	20	20000.00	3.846154	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	40	20000.00	3.846154	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5200	NV	-30	40000.00	7.692308	20	PASS
			NV	-20	40000.00	7.692308	20	PASS
			NV	-10	20000.00	3.846154	20	PASS
			NV	0	20000.00	3.846154	20	PASS
			NV	10	40000.00	7.692308	20	PASS
			NV	20	20000.00	3.846154	20	PASS
			NV	30	40000.00	7.692308	20	PASS
			NV	40	20000.00	3.846154	20	PASS
			NV	50	20000.00	3.846154	20	PASS
			Ant1	5240	NV	-30	40000.00	7.633588
	NV	-20			0.00	0.000000	20	PASS
	NV	-10			20000.00	3.816794	20	PASS
	NV	0			20000.00	3.816794	20	PASS
	NV	10			40000.00	7.633588	20	PASS
	NV	20			20000.00	3.816794	20	PASS
	NV	30			40000.00	7.633588	20	PASS
	NV	40			40000.00	7.633588	20	PASS
	NV	50			20000.00	3.816794	20	PASS
	Ant2	5240			NV	-30	40000.00	7.633588
			NV	-20	20000.00	3.816794	20	PASS
			NV	-10	40000.00	7.633588	20	PASS
			NV	0	20000.00	3.816794	20	PASS
			NV	10	40000.00	7.633588	20	PASS
			NV	20	40000.00	7.633588	20	PASS
			NV	30	40000.00	7.633588	20	PASS
			NV	40	40000.00	7.633588	20	PASS
			NV	50	20000.00	3.816794	20	PASS
			Ant1	5260	NV	-30	40000.00	7.604563
	NV	-20			60000.00	11.406844	20	PASS
	NV	-10			20000.00	3.802281	20	PASS
	NV	0			40000.00	7.604563	20	PASS
	NV	10			20000.00	3.802281	20	PASS
	NV	20			40000.00	7.604563	20	PASS
	NV	30			20000.00	3.802281	20	PASS
	NV	40			40000.00	7.604563	20	PASS
	NV	50			40000.00	7.604563	20	PASS
	Ant2	5260			NV	-30	20000.00	3.802281
			NV	-20	20000.00	3.802281	20	PASS
			NV	-10	40000.00	7.604563	20	PASS
			NV	0	40000.00	7.604563	20	PASS
			NV	10	40000.00	7.604563	20	PASS
			NV	20	20000.00	3.802281	20	PASS
			NV	30	40000.00	7.604563	20	PASS
			NV	40	60000.00	11.406844	20	PASS
			NV	50	40000.00	7.604563	20	PASS
			Ant1	5280	NV	-30	40000.00	7.575758
	NV	-20			20000.00	3.787879	20	PASS
	NV	-10			40000.00	7.575758	20	PASS
	NV	0			40000.00	7.575758	20	PASS
	NV	10			40000.00	7.575758	20	PASS
	NV	20			20000.00	3.787879	20	PASS
	NV	30			20000.00	3.787879	20	PASS
	NV	40			20000.00	3.787879	20	PASS
	NV	50			20000.00	3.787879	20	PASS
	Ant2	5280			NV	-30	40000.00	7.575758
			NV	-20	20000.00	3.787879	20	PASS
			NV	-10	40000.00	7.575758	20	PASS
			NV	0	20000.00	3.787879	20	PASS
			NV	10	40000.00	7.575758	20	PASS

			NV	20	40000.00	7.575758	20	PASS		
			NV	30	40000.00	7.575758	20	PASS		
			NV	40	40000.00	7.575758	20	PASS		
			NV	50	40000.00	7.575758	20	PASS		
	Ant1	5320	NV	-30	40000.00	7.518797	20	PASS		
			NV	-20	40000.00	7.518797	20	PASS		
			NV	-10	20000.00	3.759398	20	PASS		
			NV	0	20000.00	3.759398	20	PASS		
			NV	10	40000.00	7.518797	20	PASS		
			NV	20	40000.00	7.518797	20	PASS		
			NV	30	40000.00	7.518797	20	PASS		
			NV	40	20000.00	3.759398	20	PASS		
			NV	50	40000.00	7.518797	20	PASS		
			Ant2	5320	NV	-30	40000.00	7.518797	20	PASS
					NV	-20	40000.00	7.518797	20	PASS
					NV	-10	40000.00	7.518797	20	PASS
	NV	0			20000.00	3.759398	20	PASS		
	NV	10			20000.00	3.759398	20	PASS		
	NV	20			40000.00	7.518797	20	PASS		
	NV	30			20000.00	3.759398	20	PASS		
	NV	40			40000.00	7.518797	20	PASS		
	Ant1	5500	NV	50	20000.00	3.759398	20	PASS		
			NV	-30	40000.00	7.272727	20	PASS		
			NV	-20	60000.00	10.909091	20	PASS		
			NV	-10	40000.00	7.272727	20	PASS		
			NV	0	20000.00	3.636364	20	PASS		
			NV	10	40000.00	7.272727	20	PASS		
			NV	20	40000.00	7.272727	20	PASS		
			NV	30	40000.00	7.272727	20	PASS		
	Ant2	5500	NV	40	60000.00	10.909091	20	PASS		
			NV	50	60000.00	10.909091	20	PASS		
			NV	-30	60000.00	10.909091	20	PASS		
			NV	-20	40000.00	7.272727	20	PASS		
			NV	-10	20000.00	3.636364	20	PASS		
			NV	0	40000.00	7.272727	20	PASS		
			NV	10	40000.00	7.272727	20	PASS		
			NV	20	60000.00	10.909091	20	PASS		
	Ant1	5580	NV	30	40000.00	7.272727	20	PASS		
			NV	40	40000.00	7.272727	20	PASS		
			NV	50	40000.00	7.272727	20	PASS		
			NV	-30	40000.00	7.168459	20	PASS		
			NV	-20	40000.00	7.168459	20	PASS		
			NV	-10	40000.00	7.168459	20	PASS		
			NV	0	20000.00	3.584229	20	PASS		
			NV	10	40000.00	7.168459	20	PASS		
	Ant2	5580	NV	20	40000.00	7.168459	20	PASS		
			NV	30	40000.00	7.168459	20	PASS		
			NV	40	40000.00	7.168459	20	PASS		
			NV	50	40000.00	7.168459	20	PASS		
			NV	-30	40000.00	7.168459	20	PASS		
			NV	-20	40000.00	7.168459	20	PASS		
			NV	-10	40000.00	7.168459	20	PASS		
			NV	0	40000.00	7.168459	20	PASS		
	Ant1	5700	NV	10	40000.00	7.168459	20	PASS		
			NV	-30	-20000.00	-3.508772	20	PASS		
			NV	-20	0.00	0.000000	20	PASS		
			NV	-10	-20000.00	-3.508772	20	PASS		
			NV	0	-40000.00	-7.017544	20	PASS		
			NV	10	0.00	0.000000	20	PASS		

Ant2	5700	NV	20	-20000.00	-3.508772	20	PASS
		NV	30	20000.00	3.508772	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
	5720	NV	-30	-20000.00	-3.508772	20	PASS
		NV	-20	-20000.00	-3.508772	20	PASS
		NV	-10	-20000.00	-3.508772	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-40000.00	-7.017544	20	PASS
		NV	20	-20000.00	-3.508772	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	20000.00	3.508772	20	PASS
Ant1	5720	NV	-30	60000.00	10.489510	20	PASS
		NV	-20	60000.00	10.489510	20	PASS
		NV	-10	40000.00	6.993007	20	PASS
		NV	0	40000.00	6.993007	20	PASS
		NV	10	40000.00	6.993007	20	PASS
		NV	20	40000.00	6.993007	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	60000.00	10.489510	20	PASS
Ant2	5720	NV	50	40000.00	6.993007	20	PASS
		NV	-30	40000.00	6.993007	20	PASS
		NV	-20	40000.00	6.993007	20	PASS
		NV	-10	40000.00	6.993007	20	PASS
		NV	0	40000.00	6.993007	20	PASS
		NV	10	40000.00	6.993007	20	PASS
		NV	20	40000.00	6.993007	20	PASS
		NV	30	20000.00	3.496503	20	PASS
Ant1	5745	NV	40	40000.00	6.993007	20	PASS
		NV	50	40000.00	6.993007	20	PASS
		NV	-30	40000.00	6.962576	20	PASS
		NV	-20	60000.00	10.443864	20	PASS
		NV	-10	40000.00	6.962576	20	PASS
		NV	0	40000.00	6.962576	20	PASS
		NV	10	40000.00	6.962576	20	PASS
		NV	20	40000.00	6.962576	20	PASS
Ant2	5745	NV	30	40000.00	6.962576	20	PASS
		NV	40	40000.00	6.962576	20	PASS
		NV	50	40000.00	6.962576	20	PASS
		NV	-30	40000.00	6.962576	20	PASS
		NV	-20	60000.00	10.443864	20	PASS
		NV	-10	20000.00	3.481288	20	PASS
		NV	0	40000.00	6.962576	20	PASS
		NV	10	40000.00	6.962576	20	PASS
Ant1	5785	NV	20	40000.00	6.962576	20	PASS
		NV	30	20000.00	3.481288	20	PASS
		NV	40	20000.00	3.481288	20	PASS
		NV	50	60000.00	10.443864	20	PASS
		NV	-30	60000.00	10.371651	20	PASS
		NV	-20	60000.00	10.371651	20	PASS
		NV	-10	40000.00	6.914434	20	PASS
		NV	0	60000.00	10.371651	20	PASS
Ant2	5785	NV	10	40000.00	6.914434	20	PASS
		NV	20	40000.00	6.914434	20	PASS
		NV	30	40000.00	6.914434	20	PASS
Ant2	5785	NV	40	40000.00	6.914434	20	PASS
		NV	50	40000.00	6.914434	20	PASS
		NV	-30	40000.00	6.914434	20	PASS
Ant2	5785	NV	-20	40000.00	6.914434	20	PASS
		NV	-10	40000.00	6.914434	20	PASS

11AC40MIMO	Ant1	5825	NV	0	40000.00	6.914434	20	PASS
			NV	10	40000.00	6.914434	20	PASS
			NV	20	40000.00	6.914434	20	PASS
			NV	30	60000.00	10.371651	20	PASS
			NV	40	20000.00	3.457217	20	PASS
			NV	50	60000.00	10.371651	20	PASS
	Ant2	5825	NV	-30	40000.00	6.866953	20	PASS
			NV	-20	40000.00	6.866953	20	PASS
			NV	-10	40000.00	6.866953	20	PASS
			NV	0	20000.00	3.433476	20	PASS
			NV	10	40000.00	6.866953	20	PASS
			NV	20	40000.00	6.866953	20	PASS
	Ant1	5190	NV	30	40000.00	6.866953	20	PASS
			NV	40	20000.00	3.433476	20	PASS
			NV	50	40000.00	6.866953	20	PASS
			NV	-30	40000.00	6.866953	20	PASS
			NV	-20	40000.00	6.866953	20	PASS
			NV	-10	40000.00	6.866953	20	PASS
	Ant2	5190	NV	0	40000.00	6.866953	20	PASS
			NV	10	60000.00	10.300429	20	PASS
			NV	20	40000.00	6.866953	20	PASS
			NV	30	40000.00	6.866953	20	PASS
			NV	40	40000.00	6.866953	20	PASS
			NV	50	60000.00	10.300429	20	PASS
	Ant1	5230	NV	-30	40000.00	7.707129	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	40000.00	7.707129	20	PASS
			NV	0	40000.00	7.707129	20	PASS
			NV	10	40000.00	7.707129	20	PASS
			NV	20	80000.00	15.414258	20	PASS
	Ant2	5230	NV	30	40000.00	7.707129	20	PASS
			NV	40	40000.00	7.707129	20	PASS
			NV	50	40000.00	7.707129	20	PASS
			NV	-30	40000.00	7.707129	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	40000.00	7.707129	20	PASS
Ant1	5270	NV	0	40000.00	7.707129	20	PASS	
		NV	10	40000.00	7.707129	20	PASS	
		NV	20	40000.00	7.707129	20	PASS	
		NV	30	40000.00	7.707129	20	PASS	
		NV	40	40000.00	7.707129	20	PASS	
		NV	50	40000.00	7.707129	20	PASS	
Ant2	5230	NV	-30	40000.00	7.648184	20	PASS	
		NV	-20	40000.00	7.648184	20	PASS	
		NV	-10	40000.00	7.648184	20	PASS	
		NV	0	40000.00	7.648184	20	PASS	
		NV	10	40000.00	7.648184	20	PASS	
		NV	20	40000.00	7.648184	20	PASS	
Ant1	5230	NV	30	40000.00	7.648184	20	PASS	
		NV	40	40000.00	7.648184	20	PASS	
		NV	50	40000.00	7.648184	20	PASS	
		NV	-30	40000.00	7.648184	20	PASS	
		NV	-20	40000.00	7.648184	20	PASS	
		NV	-10	40000.00	7.648184	20	PASS	
Ant2	5230	NV	0	80000.00	15.296367	20	PASS	
		NV	10	40000.00	7.648184	20	PASS	
		NV	20	40000.00	7.648184	20	PASS	
		NV	30	40000.00	7.648184	20	PASS	
		NV	40	40000.00	7.648184	20	PASS	
		NV	50	40000.00	7.648184	20	PASS	
Ant1	5270	NV	-30	40000.00	7.590133	20	PASS	
		NV	-20	40000.00	7.590133	20	PASS	
		NV	-10	40000.00	7.590133	20	PASS	
		NV	0	40000.00	7.590133	20	PASS	



			NV	10	40000.00	7.590133	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	40000.00	7.590133	20	PASS
			NV	40	40000.00	7.590133	20	PASS
			NV	50	40000.00	7.590133	20	PASS
	Ant2	5270	NV	-30	40000.00	7.590133	20	PASS
			NV	-20	40000.00	7.590133	20	PASS
			NV	-10	40000.00	7.590133	20	PASS
			NV	0	40000.00	7.590133	20	PASS
			NV	10	40000.00	7.590133	20	PASS
			NV	20	40000.00	7.590133	20	PASS
			NV	30	40000.00	7.590133	20	PASS
			NV	40	40000.00	7.590133	20	PASS
			NV	50	40000.00	7.590133	20	PASS
	Ant1	5310	NV	-30	40000.00	7.532957	20	PASS
			NV	-20	40000.00	7.532957	20	PASS
			NV	-10	40000.00	7.532957	20	PASS
			NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	40	40000.00	7.532957	20	PASS
			NV	50	40000.00	7.532957	20	PASS
	Ant2	5310	NV	-30	40000.00	7.532957	20	PASS
			NV	-20	40000.00	7.532957	20	PASS
			NV	-10	40000.00	7.532957	20	PASS
			NV	0	40000.00	7.532957	20	PASS
			NV	10	40000.00	7.532957	20	PASS
			NV	20	40000.00	7.532957	20	PASS
			NV	30	40000.00	7.532957	20	PASS
			NV	40	40000.00	7.532957	20	PASS
			NV	50	40000.00	7.532957	20	PASS
	Ant1	5510	NV	-30	40000.00	7.259528	20	PASS
			NV	-20	40000.00	7.259528	20	PASS
			NV	-10	40000.00	7.259528	20	PASS
			NV	0	40000.00	7.259528	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	40	40000.00	7.259528	20	PASS
			NV	50	40000.00	7.259528	20	PASS
	Ant2	5510	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.259528	20	PASS
			NV	-10	40000.00	7.259528	20	PASS
			NV	0	40000.00	7.259528	20	PASS
			NV	10	40000.00	7.259528	20	PASS
			NV	20	40000.00	7.259528	20	PASS
			NV	30	40000.00	7.259528	20	PASS
			NV	40	40000.00	7.259528	20	PASS
			NV	50	80000.00	14.519056	20	PASS
	Ant1	5550	NV	-30	40000.00	7.207207	20	PASS
			NV	-20	40000.00	7.207207	20	PASS
			NV	-10	40000.00	7.207207	20	PASS
			NV	0	40000.00	7.207207	20	PASS
			NV	10	40000.00	7.207207	20	PASS
			NV	20	80000.00	14.414414	20	PASS
			NV	30	40000.00	7.207207	20	PASS
			NV	40	40000.00	7.207207	20	PASS
			NV	50	40000.00	7.207207	20	PASS
	Ant2	5550	NV	-30	40000.00	7.207207	20	PASS
			NV	-20	40000.00	7.207207	20	PASS
			NV	-10	40000.00	7.207207	20	PASS
			NV	0	40000.00	7.207207	20	PASS
			NV	10	40000.00	7.207207	20	PASS



Ant1	5670	NV	20	40000.00	7.207207	20	PASS	
		NV	30	40000.00	7.207207	20	PASS	
		NV	40	40000.00	7.207207	20	PASS	
		NV	50	40000.00	7.207207	20	PASS	
		NV	-30	-40000.00	-7.054674	20	PASS	
		NV	-20	-40000.00	-7.054674	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-40000.00	-7.054674	20	PASS	
	Ant2	5670	NV	10	-40000.00	-7.054674	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.054674	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
Ant1	5710	NV	0	-40000.00	-7.054674	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	-40000.00	-7.054674	20	PASS	
		NV	30	-40000.00	-7.054674	20	PASS	
		NV	40	-40000.00	-7.054674	20	PASS	
		NV	50	-40000.00	-7.054674	20	PASS	
		NV	-30	40000.00	7.005254	20	PASS	
		NV	-20	40000.00	7.005254	20	PASS	
Ant2	5710	NV	-10	40000.00	7.005254	20	PASS	
		NV	0	40000.00	7.005254	20	PASS	
		NV	10	40000.00	7.005254	20	PASS	
		NV	20	40000.00	7.005254	20	PASS	
		NV	30	40000.00	7.005254	20	PASS	
		NV	40	40000.00	7.005254	20	PASS	
		NV	50	40000.00	7.005254	20	PASS	
		NV	-30	40000.00	7.005254	20	PASS	
Ant1	5755	NV	-20	40000.00	7.005254	20	PASS	
		NV	-10	40000.00	7.005254	20	PASS	
		NV	0	40000.00	7.005254	20	PASS	
		NV	10	40000.00	7.005254	20	PASS	
		NV	20	40000.00	7.005254	20	PASS	
		NV	30	80000.00	13.900956	20	PASS	
		NV	40	40000.00	6.950478	20	PASS	
		NV	50	40000.00	6.950478	20	PASS	
Ant2	5755	NV	-30	40000.00	6.950478	20	PASS	
		NV	-20	40000.00	6.950478	20	PASS	
		NV	-10	40000.00	6.950478	20	PASS	
		NV	0	40000.00	6.950478	20	PASS	
		NV	10	40000.00	6.950478	20	PASS	
		NV	20	40000.00	6.950478	20	PASS	
		NV	30	40000.00	6.950478	20	PASS	
		NV	40	40000.00	6.950478	20	PASS	
Ant1	5795	NV	50	40000.00	6.950478	20	PASS	
		NV	-30	40000.00	6.902502	20	PASS	
		NV	-20	40000.00	6.902502	20	PASS	