




11N40MIMO\_Ant2\_5230






11N40MIMO\_Ant1\_5270







11N40MIMO\_Ant2\_5270




11N40MIMO\_Ant1\_5310











11N40MIMO\_Ant2\_5670






11N40MIMO\_Ant1\_5755









11N40MIMO\_Ant2\_5755



























































11AC40MIMO\_Ant1\_5550




11AC40MIMO\_Ant2\_5550




11AC40MIMO\_Ant1\_5670






11AC40MIMO\_Ant2\_5670









11AC40MIMO\_Ant1\_5755






11AC40MIMO\_Ant2\_5755















## 7. Duty Cycle

### 7.1. Block diagram of test setup



### 7.2. Limit

Just for Report.

### 7.3. Test procedure

(1) Connected the EUT's antenna port to the Spectrum Analyzer by suitable attenuator, The cable loss and attenuator loss have been put into spectrum analyzer as amplitude offset.

set the Spectrum Analyzer as below:

Centre Frequency: The centre frequency of the middle hopping channel.

Resolution BW: 10 MHz.

Video BW: 10 MHz.

Span: Zero span.

Detector: Peak.

Trace Mode: Clear Write.

Sweep: Video Trigger

(2) When the trace is complete, measure the sending time of 1 burst and the duty cycle of 1 burst cycle.

(3) Calculate dwell time follow below formula:

Duty cycle= Pulse's on time / Burst cycle

## 7.4. Test result

Test Mode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	2.07	2.09	99.04
	Ant2	5180	2.07	2.09	99.04
	Ant1	5200	2.07	2.09	99.04
	Ant2	5200	2.07	2.09	99.04
	Ant1	5240	2.07	2.09	99.04
	Ant2	5240	2.07	2.09	99.04
	Ant1	5260	2.07	2.09	99.04
	Ant2	5260	2.06	2.08	99.04
	Ant1	5280	2.07	2.09	99.04
	Ant2	5280	2.07	2.09	99.04
	Ant1	5320	2.07	2.09	99.04
	Ant2	5320	2.07	2.09	99.04
	Ant1	5500	2.07	2.08	99.52
	Ant2	5500	2.06	2.08	99.04
	Ant1	5580	2.06	2.08	99.04
	Ant2	5580	2.07	2.09	99.04
	Ant1	5700	2.07	2.09	99.04
	Ant2	5700	2.06	2.08	99.04
	Ant1	5745	2.07	2.09	99.04
	Ant2	5745	2.07	2.08	99.52
Ant1	5785	2.06	2.08	99.04	
Ant2	5785	2.07	2.09	99.04	
Ant1	5825	2.07	2.09	99.04	
Ant2	5825	2.07	2.09	99.04	
11N20MIMO	Ant1	5180	1.92	1.94	98.97
	Ant2	5180	1.92	1.94	98.97
	Ant1	5200	1.92	1.94	98.97
	Ant2	5200	1.92	1.94	98.97
	Ant1	5240	1.92	1.94	98.97
	Ant2	5240	1.92	1.94	98.97
	Ant1	5260	1.92	1.94	98.97
	Ant2	5260	1.92	1.94	98.97
	Ant1	5280	1.92	1.94	98.97
	Ant2	5280	1.92	1.94	98.97
	Ant1	5320	1.92	1.94	98.97
	Ant2	5320	1.92	1.94	98.97
	Ant1	5500	1.92	1.94	98.97
	Ant2	5500	1.92	1.94	98.97
	Ant1	5580	1.93	1.94	99.48
	Ant2	5580	1.92	1.94	98.97
	Ant1	5700	1.93	1.95	98.97
	Ant2	5700	1.92	1.94	98.97
	Ant1	5745	1.92	1.94	98.97
	Ant2	5745	1.92	1.94	98.97
Ant1	5785	1.92	1.94	98.97	
Ant2	5785	1.92	1.94	98.97	
Ant1	5825	1.92	1.94	98.97	
Ant2	5825	1.93	1.94	99.48	
11N40MIMO	Ant1	5190	0.79	0.81	97.53
	Ant2	5190	0.79	0.81	97.53
	Ant1	5230	0.79	0.81	97.53
	Ant2	5230	0.79	0.81	97.53
	Ant1	5270	0.79	0.81	97.53
	Ant2	5270	0.79	0.81	97.53
	Ant1	5310	0.79	0.81	97.53
	Ant2	5310	0.79	0.81	97.53
	Ant1	5510	0.79	0.81	97.53
	Ant2	5510	0.79	0.81	97.53
Ant1	5550	0.79	0.81	97.53	

	Ant2	5550	0.79	0.81	97.53	
	Ant1	5670	0.79	0.81	97.53	
	Ant2	5670	0.79	0.81	97.53	
	Ant1	5755	0.79	0.81	97.53	
	Ant2	5755	0.79	0.81	97.53	
	Ant1	5795	0.79	0.81	97.53	
11AC20MIMO	Ant2	5795	0.79	0.81	97.53	
	Ant1	5180	1.93	1.95	98.97	
	Ant2	5180	1.94	1.96	98.98	
	Ant1	5200	1.93	1.95	98.97	
	Ant2	5200	1.93	1.95	98.97	
	Ant1	5240	1.93	1.95	98.97	
	Ant2	5240	1.93	1.95	98.97	
	Ant1	5260	1.94	1.96	98.98	
	Ant2	5260	1.94	1.96	98.98	
	Ant1	5280	1.93	1.95	98.97	
	Ant2	5280	1.94	1.96	98.98	
	Ant1	5320	1.93	1.95	98.97	
	Ant2	5320	1.93	1.95	98.97	
	Ant1	5500	1.94	1.96	98.98	
	Ant2	5500	1.93	1.95	98.97	
	Ant1	5580	1.93	1.95	98.97	
	Ant2	5580	1.94	1.96	98.98	
	Ant1	5700	1.93	1.95	98.97	
	Ant2	5700	1.93	1.95	98.97	
	Ant1	5745	1.94	1.96	98.98	
	Ant2	5745	1.94	1.96	98.98	
	Ant1	5785	1.93	1.95	98.97	
	Ant2	5785	1.94	1.96	98.98	
	Ant1	5825	1.93	1.95	98.97	
	Ant2	5825	1.94	1.96	98.98	
	11AC40MIMO	Ant1	5190	1.55	1.56	99.36
		Ant2	5190	1.54	1.56	98.72
		Ant1	5230	1.55	1.57	98.73
Ant2		5230	1.54	1.56	98.72	
Ant1		5270	1.55	1.56	99.36	
Ant2		5270	1.55	1.57	98.73	
Ant1		5310	1.55	1.57	98.73	
Ant2		5310	1.54	1.56	98.72	
Ant1		5510	1.55	1.56	99.36	
Ant2		5510	1.54	1.56	98.72	
Ant1		5550	1.55	1.57	98.73	
Ant2		5550	1.55	1.56	99.36	
Ant1		5670	1.54	1.56	98.72	
Ant2		5670	1.55	1.56	99.36	
Ant1		5755	1.54	1.56	98.72	
Ant2		5755	1.54	1.56	98.72	
Ant1		5795	1.55	1.57	98.73	
Ant2		5795	1.54	1.56	98.72	
11AC80MIMO	Ant1	5210	2.24	2.26	99.12	
	Ant2	5210	2.24	2.26	99.12	
	Ant1	5290	2.24	2.26	99.12	
	Ant2	5290	2.24	2.26	99.12	
	Ant1	5530	2.25	2.27	99.12	
	Ant2	5530	2.24	2.26	99.12	
	Ant1	5610	2.24	2.26	99.12	
	Ant2	5610	2.24	2.26	99.12	
	Ant1	5775	2.24	2.26	99.12	
	Ant2	5775	2.24	2.26	99.12	

7.5. Test graphs

