

WHAT'S IN THE BOX





















JBL HEADPHONES


GET EVEN MORE CONTROL AND PERSONALIZATION OF YOUR LISTENING EXPERIENCE WITH THIS FREE APP.





HOW TO WEAR

1 TRY DIFFERENT SIZES FOR PERFECT SEALING AND AUDIO PERFORMANCE.




















* SOUND TUNING THROUGH THE APP

FIRST TIME USE





POWER ON & CONNECT









OTHERS

Settings Bluetooth

Bluetooth

DEVICES
JBL TUNE FLEX

Now Discoverable

Connected ①

CHOOSE "JBL TUNE FLEX" TO CONNECT

ANDROID™ 6.0+

Seast Pair • now
JBL TUNE FLEX
Tap to pair. Device will be tied to
Your Google Account



DUAL CONNECT + SYNC











CONTROLS





- * ENABLE ADVANCE CONTROLS BY CONNECTING YOUR JBL TUNE FLEX TO JBL HEADPHONES APP 🐯
- 🐃 ENABLE YOUR VOICE ASSISTANT THROUGH JBL HEADPHONES APP AND ASSIGN IT TO YOUR PREFERRED EARBUD (L/R).

VOICEAWARE









POWER OFF







MANUAL SETUP







DO MORE WITH THE APP












CHARGING







LED BEHAVIORS









TECH SPEC

Model: Driver size: Power supply: Earbud:

Charging case: Earbud battery type:

Charging case battery type: Charging time:

Talk time: Music playtime with BT on

and ANC off:

Music playtime with BT on and ANC on:

Frequency response:

TUNE FLEX

12 mm/ 0.472" Dynamic Driver
5V === 1A
4.8 g per pc (9.6 g combined)/
0.011 lbs per pc (0.021 lbs combined)

48.2 g/ 0.106 lbs Lithium-ion polymer (54 mAh/ 3.85 V)

Lithium-ion polymer (570 mAh/ 3.85 V) < 2 hrs from empty

up to 8 hrs

4.5 hrs

up to 6 hrs 20 Hz — 20 kHz Impedance:

Sensitivity: Maximum SPL:

Microphone sensitivity:
Bluetooth version:

Bluetooth profile version:

frequency range:
Bluetooth transmitter
power:

Bluetooth transmitter modulation:

Maximum operation

temperature:

32 ohm

110 dB SPL@1 kHz 95 dB

-38 dBV/Pa@1 kHz

5.2 A2DP V1.3. AVRCP V1.6. HFP V1.7

2.4 GHz - 2.4835 GHz

<11 dB

GFSK, π/4-DQPSK, 8DPSK

45 °C

FR

WHAT'S IN THE ROX

APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME LISE POWER ON & CONNECT

Others Android™ 6.0+

Choose "IBI TUNF FLFX" to connect DIJAT CONNECT + SYNC Stereo mode

Mono mode CONTROLS Tap | Hold ANC* Ambient Aware*

Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

VOICEAWARE POWER OFF MANUAL SETUP

Connect to a new bluetooth device Factory reset

DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting

BT connected BT not connected Factory reset Low battery Charging

Fully charged

TECH SPEC

Model: THINE FLEX

Driver size: 12 mm/0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/

0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V)

Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty

45 hrs

up to 8 hrs

up to 6 hrs

32 nhm

20 Hz - 20 kHz

-38 dBV/Pa@1 kHz

A2DP V1.3. AVRCP V1.6. HFP V1.7

Talk time:

Music playtime with BT on and ANC off-Music playtime with BT on

range:

and ANC on: Frequency response: Impedance:

Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB

Microphone sensitivity: Rluetooth version:

Bluetooth profile version: Bluetooth transmitter frequency

2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: <11 dRm Bluetooth transmitter modulation: GFSK, π/4-DOPSK. 8DPSK

Maximum operation temperature: 45 °C

DA WHAT'S IN THE ROX

ΛPP Get even more control and personalization of your listening

experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME HISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect

DIJAT CONNECT + SYNC Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning*

Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNE FIFX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app

and assign it to your preferred earbud (I/R). VOICEAWARE POWER OFF

Factory reset

MANUAL SETUP Connect to a new bluetooth device DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected

Factory reset Low battery Charging Fully charged

DE WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ Choose "IBI TUNF FI FX" to connect DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery (harging

Fully charged

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK Maximum operation temperature: 45 °C

EL

WHAT'S IN THE ROX

APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME LISE POWER ON & CONNECT Others

Android™ 6.0+ Choose "IBI TUNF FLFX" to connect DIJAT CONNECT + SYNC

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP

LED BEHAVIORS RT connecting BT connected BT not connected Factory reset

VOICEAWARE

CHARGING

Low battery Charging Fully charged TECH SPEC

Model: THINE FLEX Driver size:

12 mm/0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/

0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V)

Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty

45 hrs

up to 8 hrs

up to 6 hrs

32 nhm

20 Hz - 20 kHz

-38 dBV/Pa@1 kHz

Talk time:

Music playtime with BT on and ANC off-Music playtime with BT on

and ANC on: Frequency response: Impedance:

Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB

Microphone sensitivity: Rluetooth version: Bluetooth profile version:

A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency range:

2.4 GHz - 2.4835 GHz <11 dRm

Bluetooth transmitter power: Bluetooth transmitter modulation: GFSK, π/4-DOPSK. 8DPSK

Maximum operation temperature: 45 °C

ES

WHAT'S IN THE ROX ΛPP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME HISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect

DIJAT CONNECT + SYNC Stereo mode Mono mode CONTROLS Tap | Hold

ANC* Ambient Aware* Talkthru* Sound tuning*

Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNE FIFX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app and assign it to your preferred

earbud (I/R). VOICEAWARE POWER OFF MANUAL SETUP

> Connect to a new bluetooth device Factory reset DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery

Charging

Fully charged

FI WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ Choose "IBI TUNF FI FX" to connect DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery (harging Fully charged

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK Maximum operation temperature: 45 °C



WHAT'S IN THE BOX

APP
Get even more control and personalization of your listening experience with this free app.
HOW TO WEAR

Try different sizes for perfect sealing and audio performance.

* Sound tuning through the app

FIRST TIME USE POWER ON & CONNECT Others

Android™ 6.0+ Choose "JBL TUNE FLEX" to connect

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware*
Talkthru*
Sound tuning*
Bixby / Siri® / Others
Voice Assistants**

* Enable advance controls by connecting your JBL TUNE FLEX to JBL Headphones app ?

** Enable your voice assistant through JBL Headphones app and assign it to your preferred earhuld (JB)

VOICEAWARE POWER OFF MANUAL SETUP

MANUAL SETUP
Connect to a new bluetooth device
Factory reset

DO MÓRE WITH THE APP CHARGING LED BEHAVIORS BT connecting BT connected

BT not connected Factory reset Low battery Charging Fully charged TECH SPEC

 Model:
 TUNE FLEX

 Driver size:
 12 mm/ 0.472" Dynamic Driver

 Power supply:
 5V === 1A

Power supply: 5V === 1A

Earbud: 4.8 g per pc (9.6 g combined)/
0.011 lbs per pc (0.021 lbs combined)

Charqing case: 48.2 g/ 0.106 lbs

45 hrs

up to 8 hrs

up to 6 hrs

32 nhm

95 dB

20 Hz - 20 kHz

110 dB SPL@1 kHz

-38 dBV/Pa@1 kHz

A2DP V1.3. AVRCP V1.6. HFP V1.7

Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V)
Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V)
Charging time: < 2 hrs from empty

Talk time: Music playtime with BT on

and ANC off:
Music playtime with BT on

and ANC on: Frequency response: Impedance:

Sensitivity: Maximum SPL: Microphone sensitivity:

Bluetooth version: Bluetooth profile version:

Bluetooth transmitter frequency range: 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: $$<\!11\,dBm$ Bluetooth transmitter modulation: GFSK, $\pi/4\text{-}DQPSK$, 8DPSK

Maximum operation temperature: 45 °C

IT

WHAT'S IN THE BOX

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR
Try different sizes for perfect sealing and audio performance.

* Sound tuning through the app.

FIRST TIME USE

Others
Android™ 6.0+
Choose "IBL TUNF FLEX" to connect

DUAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Biyby / Siri* / Other

Sound tuning* Bixby / Siri* / Others Voice Assistants** * Enable advance controls by connecting your JBL TUNE FLEX to JBL Headphones app ...
** Enable your voice assistant through JBL Headphones app and assign it to your preferred

earbud (L/R).
VOICEAWARE
POWER OFF
MANUAL SETUP

DO MORE WITH THE APP

Connect to a new bluetooth device Factory reset

CHARGING LED BEHAVIORS BT connecting BT connected BT not connected Factory reset

Low battery

Fully charged

Charging

NL WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ Choose "IBI TUNF FI FX" to connect DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery (harging

Fully charged

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK

Maximum operation temperature: 45 °C

NO

WHAT'S IN THE BOX

APP
Get even more control and personalization of your listening experience with this free app.
HOW TO WEAR

Try different sizes for perfect sealing and audio performance.

* Sound tuning through the app

FIRST TIME USE POWER ON & CONNECT Others

Android™ 6.0+ Choose "JBL TUNE FLEX" to connect

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware*
Talkthru*
Sound tuning*
Bixby / Siri® / Others
Voice Assistants**

* Enable advance controls by connecting your JBL TUNE FLEX to JBL Headphones app @____.

** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R).

VOICEAWARE
POWER OFF
MANUAL SETUP

Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED REHAVIORS

BT connecting BT connected BT not connected Factory reset Low battery Charning

Fully charged

TECH SPEC

 Model:
 TUNE FLEX

 Driver size:
 12 mm/0.472" Dynamic Driver

 Power supply:
 5V === 1A

 Earbud:
 4.8 g per pc (9.6 g combined)/ 0.011 lbs per pc (0.021 lbs combined)

 Charging case:
 48.2 g / 0.106 lbs

 Earbud battery type:
 Lithium-ion polymer (54 mAh/ 3.85 V)

up to 8 hrs

up to 6 hrs

32 nhm

20 Hz - 20 kHz

Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V)
Charging time: < 2 hrs from empty
Talk time: 4 5 hrs

Talk time: Music playtime with BT on

and ANC off: Music playtime with BT on and ANC on:

Frequency response: Impedance:

 Sensitivity:
 110 dB SPL@1 kHz

 Maximum SPL:
 95 dB

 Microphone sensitivity:
 -38 dBV/Pa@1 kHz

Bluetooth version:

Bluetooth profile version: A2DP V1.3, AVRCP V1.6, HFP V1.7 Bluetooth transmitter frequency

range: 2.4 GHz - 2.4835 GHz
Bluetooth transmitter power: <11 dBm

Bluetooth transmitter modulation: GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature: 45 °C

PL

WHAT'S IN THE BOX APP Get even more control and

personalization of your listening experience with this free app. **HOW TO WEAR**Try different sizes for perfect sealing and audio performance.

* Sound funing through the app.

FIRST TIME USE POWER ON & CONNECT

Others
Android™ 6.0+
Choose "JBL TUNE FLEX" to connect

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

> Ambient Aware* Talkthru* Sound tuning* Bixby / Siri* / Others Voice Assistants**

* Enable advance controls by connecting your JBL TUNE FLEX to JBL Headphones app ...
** Enable your voice assistant through JBL Headphones app

and assign it to your preferred
g earbud (L/R).
VOICEAWARE
POWER OFF

MANUAL SETUP
Connect to a new bluetooth device
Factory reset
DO MORE WITH THE APP

CHARGING LED BEHAVIORS BT connecting BT connected BT not connected Factory reset Low battery Charging

Fully charged

PT-BR WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ Choose "IBI TUNF FI FX" to connect DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery (harging Fully charged

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V --- 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm

Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK

Maximum operation temperature: 45 °C

SV

WHAT'S IN THE ROX

APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

Try different sizes for perfect sealing and audio performance. * Sound tuning through the app FIRST TIME LISE

POWER ON & CONNECT Others

Android™ 6.0+ Choose "IBI TUNF FLFX" to connect DIJAT CONNECT + SYNC

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

VOICEAWARE POWER OFF MANUAL SETUP

Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS

RT connecting BT connected BT not connected Factory reset Low battery Charging Fully charged

TECH SPEC

Model: THINE FLEX Driver size: 12 mm/0.472" Dynamic Driver

5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined)

45 hrs

up to 8 hrs

up to 6 hrs

32 nhm

95 dB

20 Hz - 20 kHz

110 dB SPL@1 kHz

-38 dBV/Pa@1 kHz

A2DP V1.3. AVRCP V1.6. HFP V1.7

Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V)

Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty

Talk time: Music playtime with BT on

and ANC off-Music playtime with BT on

and ANC on: Frequency response: Impedance:

Sensitivity: Maximum SPL: Microphone sensitivity:

range:

Rluetooth version: Bluetooth profile version:

Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: <11 dRm Bluetooth transmitter modulation: GFSK, π/4-DOPSK. 8DPSK

Maximum operation temperature: 45 °C

TR

WHAT'S IN THE ROX ΛPP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME HISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect

DIJAT CONNECT + SYNC Stereo mode

Mono mode CONTROLS Tap | Hold ANC* Ambient Aware*

Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNE FIFX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

POWER OFF MANUAL SETUP

Connect to a new bluetooth device Factory reset DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery

Charging

Fully charged

VOICEAWARE

RU WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening HOW TO WEAR and audio performance. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

experience with this free app. Try different sizes for perfect sealing * Sound tuning through the app. Choose "IBI TUNF FI FX" to connect

JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset

Low battery

Fully charged

(harging

* Enable advance controls by

connecting your JBI TUNF FI FX to

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V --- 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm

Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK

Maximum operation temperature: 45 °C

ZH-CN

WHAT'S IN THE ROX

APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME LISE POWER ON & CONNECT Others

Android™ 6.0+ Choose "IBI TUNF FLFX" to connect DIJAT CONNECT + SYNC

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

VOICEAWARE POWER OFF MANUAL SETUP

Connect to a new bluetooth device Factory reset DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected

Factory reset Low battery Charging Fully charged TECH SPEC

Model: THINE FLEX Driver size:

12 mm/0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/

Lithium-ion polymer (570 mAh/ 3.85 V)

< 2 hrs from empty

45 hrs

up to 8 hrs

up to 6 hrs

20 Hz - 20 kHz

-38 dBV/Pa@1 kHz

0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V)

Charging case battery type: Charging time: Talk time:

Music playtime with BT on and ANC off-

Music playtime with BT on and ANC on: Frequency response:

Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB

Microphone sensitivity: Rluetooth version: Bluetooth profile version:

A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz

range: Bluetooth transmitter power: <11 dRm

Bluetooth transmitter modulation: GFSK, π/4-DOPSK. 8DPSK Maximum operation temperature: 45 °C

ZH-TW

WHAT'S IN THE ROX ΛPP Get even more control and

personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance.

* Sound tuning through the app FIRST TIME HISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect

DIJAT CONNECT + SYNC Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNE FIFX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

POWER OFF MANUAL SETUP Connect to a new bluetooth device DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery Charging

Fully charged

VOICEAWARE

Factory reset

ID WHAT'S IN THE ROX ΛPP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app. FIRST TIME USE POWER ON & CONNECT Others Android™ 6.0+ Choose "IBI TUNF FI FX" to connect DIJAL CONNECT + SYNC Stereo mode Mono mode CONTROLS Tan | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset

Low battery

Fully charged

(harging

* Enable advance controls by

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm

Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK

Maximum operation temperature: 45 °C



WHAT'S IN THE ROX

APP Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME LISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect DIJAT CONNECT + SYNC

Stereo mode Mono mode CONTROLS Tap | Hold ANC*

Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant through JBL Headphones app and assign it to your preferred earbud (I/R).

VOICEAWARE POWER OFF MANUAL SETUP

Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS

RT connecting BT connected BT not connected Factory reset Low battery Charging

Fully charged

TECH SPEC

Model: THINE FLEX Driver size:

12 mm/0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/

0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V)

Charging time: < 2 hrs from empty Talk time: 45 hrs

Music playtime with BT on and ANC off-

Music playtime with BT on and ANC on: Frequency response:

range:

Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB

Microphone sensitivity: Rluetooth version:

Bluetooth profile version: Bluetooth transmitter frequency

2.4 GHz - 2.4835 GHz <11 dRm

-38 dBV/Pa@1 kHz

A2DP V1.3. AVRCP V1.6. HFP V1.7

up to 8 hrs

up to 6 hrs

20 Hz - 20 kHz

Bluetooth transmitter power: Bluetooth transmitter modulation: GFSK, π/4-DOPSK. 8DPSK Maximum operation temperature: 45 °C

КО

WHAT'S IN THE ROX ΛPP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR Try different sizes for perfect sealing and audio performance. * Sound tuning through the app

FIRST TIME HISE POWER ON & CONNECT

Others Android™ 6.0+ Choose "IBI TUNF FLFX" to connect

DIJAT CONNECT + SYNC Stereo mode Mono mode CONTROLS Tap | Hold

ANC* Ambient Aware* Talkthru* Sound tuning*

Bixby / Siri® / Others Voice Assistants**

* Enable advance controls by connecting your JBI TUNE FIFX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app

and assign it to your preferred earbud (I/R). VOICEAWARE POWER OFF

MANUAL SETUP Connect to a new bluetooth device DO MORE WITH THE APP

CHARGING LED BEHAVIORS RT connecting BT connected BT not connected

Factory reset

Factory reset Low battery Charging Fully charged



* Enable advance controls by connecting your JBI TUNF FI FX to JBL Headphones app 🧖. ** Enable your voice assistant Try different sizes for perfect sealing Choose "IBI TUNF FI FX" to connect (harging Fully charged

through JBL Headphones app and assign it to your preferred earbud (L/R) VOICEAWARE POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS RT connecting BT connected BT not connected Factory reset Low battery

TECH SPEC Model: TIINE ELEX Driver size: 12 mm/ 0.472" Dynamic Driver 5V === 1A Power supply: Earbud: 4.8 a per pc (9.6 a combined)/ 0.011 lbs per pc (0.021 lbs combined) Charging case: 48.2 a/ 0.106 lbs Earbud battery type: Lithium-ion polymer (54 mAh/ 3.85 V) Charging case battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging time: < 2 hrs from empty Talk time: 4.5 hrs Music playtime with BT on and ANC offup to 8 hrs Music playtime with BT on and ANC on: up to 6 hrs Frequency response: 20 Hz - 20 kHz Impedance: 32 nhm Sensitivity: 110 dB SPL@1 kHz Maximum SPL: 95 dB Microphone sensitivity: -38 dBV/Pa@1 kHz Rluetooth version: Bluetooth profile version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: Bluetooth transmitter power: <11 dRm

Bluetooth transmitter modulation: GFSK, π/4-DOPSK, 8DPSK

Maximum operation temperature: 45 °C

POWER OFF MANUAL SETUP Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING

LED BEHAVIORS BT connecting BT connected

BT not connected Factory reset Low battery Charging Fully charged

AR WHAT'S IN THE BOX

Get even more control and personalization of your listening experience with this free app. HOW TO WEAR

and audio performance. * Sound tuning through the app FIRST TIME USE POWER ON & CONNECT Others

Android™ 6.0+ Choose "JBL TUNE FLEX" to connect DUAL CONNECT + SYNC

Stereo mode Mono mode CONTROLS Tap | Hold ANC* Ambient Aware* Talkthru* Sound tuning* Bixby / Siri® / Others

Voice Assistants**

TECH SPEC HE THINE ELEX Model: WHAT'S IN THE ROX APP 12 mm/ 0.472" Dynamic Driver Driver size: 5V --- 1A Get even more control and Power supply: personalization of your listening 4.8 a per pc (9.6 a combined)/ Earbud: experience with this free app. 0.011 lbs per pc (0.021 lbs combined) HOW TO WEAR 48.2 a/ 0.106 lbs Charging case: Try different sizes for perfect sealing Lithium-ion polymer (54 mAh/ 3.85 V) Earbud battery type: and audio performance. Lithium-ion polymer (570 mAh/ 3.85 V) Charging case battery type: * Sound tuning through the app < 2 hrs from empty Charging time: FIRST TIME USE 4.5 hrs Talk time: POWER ON & CONNECT Music playtime with BT on Others Android™ 6.0+ up to 8 hrs and ANC off: Music playtime with BT on Choose "IBI TUNF FLFX" to connect up to 6 hrs and ANC on: DUAL CONNECT + SYNC Stereo mode 20 Hz - 20 kHz Frequency response: Mono mode 32 ohm Impedance: CONTROLS 110 dB SPL@1 kHz Sensitivity: Tap | Hold 95 dB Maximum SPL: ANC* -38 dBV/Pa@1 kHz Microphone sensitivity: Ambient Aware* 5.2 Rluetooth version: Talkthru* A2DP V1.3, AVRCP V1.6, HFP V1.7 Bluetooth profile version: Sound tuning* Bluetooth transmitter frequency Bixby / Siri® / Others 2.4 GHz - 2.4835 GHz range Voice Assistants** <11 dRm Bluetooth transmitter power: GFSK, π/4-DOPSK, 8DPSK Bluetooth transmitter modulation:

45 °C Maximum operation temperature:

* Enable advance controls by connecting your JBL TUNE FLEX to JBL Headphones app 🧖. ** Fnable your voice assistant through JBL Headphones app and assign it to your preferred earbud (L/R). VOICEAWARE POWER OFF MANUAL SETUR Connect to a new bluetooth device Factory reset DO MORE WITH THE APP CHARGING LED BEHAVIORS BT connecting BT connected BT not connected Factory reset Low battery Charging Fully charged

TECH SPEC TIINE ELEX Model: 12 mm/ 0.472" Dynamic Driver Driver size: 5V --- 1A Power supply: 4.8 a per pc (9.6 a combined)/ Earbud: 0.011 lbs per pc (0.021 lbs combined) 48.2 a/ 0.106 lbs Charging case: Lithium-ion polymer (54 mAh/ 3.85 V) Earbud battery type: Lithium-ion polymer (570 mAh/ 3.85 V) Charging case battery type: < 2 hrs from empty Charging time: 4.5 hrs Talk time: Music playtime with BT on up to 8 hrs and ANC off: Music playtime with BT on up to 6 hrs and ANC on: 20 Hz - 20 kHz Frequency response: 32 ohm Impedance: 110 dB SPL@1 kHz Sensitivity: 95 dB Maximum SPL: -38 dBV/Pa@1 kHz Microphone sensitivity: Rluetooth version: A2DP V1.3. AVRCP V1.6. HFP V1.7 Bluetooth profile version: Bluetooth transmitter frequency 2.4 GHz - 2.4835 GHz range: <11 dRm Bluetooth transmitter power: GFSK, π/4-DOPSK, 8DPSK Bluetooth transmitter modulation:

45 °C Maximum operation temperature:



TO PROLONG BATTERY LIFESPAN, FULLY CHARGE AT LEAST ONCE EVERY 3 MONTHS. BATTERY LIFE VARIES BY USE AND SETTINGS.

- FR POUR PROLONGER LA VIE DE LA BATTERIE, CHARGEZ-LA COMPLÈTEMENT AU MOINS UNE FOIS TOUS LES 3 MOIS. LA DURÉE DE VIE DE LA BATTERIE VARIE EN FONCTION DE l'UTIL ISATION ET DES RÉGLAGES.
- DA FOR AT FORLÆNGE BATTERIETS LEVETID SKAL DU OPLADE DET HELT MINDST ÉN GANG HVER 3. MÅNED. BATTERIETS LEVETID VARIERER AFHÆNGIG AF BRUG OG INDSTILLINGER.
- DE ZUM VERLÄNGERN DER AKKULEBENSDAUER MINDESTENS EINMAL ALLE 3 MONATE VOLLSTÄNDIG AUFLADEN. DIE AKKULEBENSDAUER VARIIERT JE NACH ANWENDLING LIND FINSTELLLINGEN.
- EL ΓΙΑ ΝΑ ΠΑΡΑΤΕΙΝΕΤΕ ΤΗ ΔΙΑΡΚΕΙΑ ΖΟΗΣ ΤΗΣ ΜΠΑΤΑΡΙΑΣ, ΦΟΡΤΙΣΤΕ ΤΗΝ ΠΛΗΡΩΣ ΤΟΥΛΑΧΙΣΤΟΝ ΜΙΑ ΦΟΡΑ ΚΑΘΕ 3 ΜΗΝΕΣ. Η ΔΙΑΡΚΕΙΑ ΖΟΗΣ ΤΗΣ ΜΠΑΤΑΡΙΑΣ ΠΟΙΚΙΛΑΓΙ ΑΝΑΛΟΓΑ ΜΕ ΤΗ ΧΡΗΣΉ ΚΑΙ ΤΙΣ ΡΥΘΜΙΣΕΙΣ.
- ES PARA PROLONGAR LA DURACIÓN DE LA BATERÍA, CÁRGALA
 COMPLETAMENTE POR LO MENOS UNA VEZ CADA 3 MESES. LA DURACIÓN
 DE LA RATERÍA DEPENDE DEL USO Y DE LOS A JUSTES.
- FI PIDENNÄ AKUN KÄYTTÖIKÄÄ LATAAMALLA SETÄYTEEN VÄHINTÄÄN KERRAN 3 KUUKAUDESSA. AKUN KÄYTTÖIKÄ VAIHTELEE KÄYTÖN JA ASETUSTEN MIIKAISFSTI

- HU AZ AKKUMULÁTOR ÉLETTARTAMÁNAK NÖVELÉSE ÉRDEKÉBEN 3 HAVONTA LEGALÁBB EGYSZER TÖLTSE FEL. AZ AKUMULÁTOR ÉLETTARTAMA A HAZZNÁI ATTÓL ÁS A BFÁLI ÍTÁSOKTÓI FÜGGŐFN VÁLTOZIK
- IT PER PROLUNGARE LA VITA UTILE DELLA BATTERIA, RICARICARE
 COMPLETAMENTE ALMENO UNA VOLTA OGNI 3 MESI. LA VITA UTILE DELLA
 BATTERIA VARIA A SECONDA DELL'USO E DELLE IMPOSTAZIONI.
 NI OM DE I FUFNISDIJIR VAN DE RATTERIJ TF OPTIMALISFERN. 1 KFFR PER
- 3 MAANDEN VOLLEDIG OPLADEN. DE LEVENSDUUR VAN DE BATTERIJ IS AFHANKELIJK VAN GEBRUIK EN INSTELLINGEN. NO FORI FING BATTERIETS. I EVETID VED Å I ADE DET HEIT OPP MINST HVER
- MÅNED. BATTERIETS LEVETID VARIERER AVHENGIG AV BRUK OG INNSTILLINGER.

 PI ABY PRZEDŁUŻYĆ ŻYWOTNOŚĆ RATERII. NAŁADULI JA W PEŁNI CO NA IMNIE!
- RAZ CO 3 MIESIĄCE. ŻYWOTOŚĆ BATERII JEST ŻALEŻNA OD SPOSOBU UŻYTKOWANIA I USTAWIEŃ. PT-BR PARA PROLONGAR A VIDA ÚTIL DA BATERIA, CARREGUE-A ATÉ A CARGA MÁZIMA PFIO MENOS IUMA VEZ A CADA TRÉS MESES. A DIJRARII IDADE DA
- BATERIA DEPENDE DE COMO E ONDE ELA É USADA.

 SV. LADDA BATTERIET MINIST EN GÂNG VAR TREDJE MÂNAD FÖR ATT FÖRLÄNGA
 DESS. LIVSLÄNGD. BATTERIETS LIVSLÄNGD VARIERAR BEROENDE PÅ
 ANNÄNDINING OCH INSTÄL INNINGAR.
- TR PİL ÖMRÜNÜ UZATMAK İÇİN HER 3 AYDA EN AZ BİR DEFA TAM ŞARI EDİNİZ. PİL ÖMRÜ, KULLANIM ŞEKLİNE VE AYARLARA GÖRE DEĞİŞKENLİK GÖSTERMEKTENİR
- RU ЧТОБЫ ПРОДЛИТЬ СРОК ЭКСПЛУАТАЦИИ АКУМУЛЯТОРА, ВЫПОЛНЯЙТЕ ПОЛНУЮ ЗАРЯДКУ ХОТЯ БЫ РАЗ В 3 МЕСЯЦА. СРОК ЭКСПЛУАТАЦИИ АККУМУЛЯТОРА ЗАВИСИТ ОТ ИСПОЛЬЗОВАНИЯ И НАСТРОБК

- ZH-CH 要延长电池寿命,请至少每三个月完全充电一次。电 池寿命因不同使用方式和设置而导。
- ZH-TW 為延長電池壽命,每 3 個月至少要充滿電一次。電 池壽命視使用和設定而異。
- ID AGAR MASA PAKAI BATERAI LEBIH LAMA, ISI DAYA HINGGA PENUH SETIDAKNYA 3 BULAN SEKALI. MASA PAKAI BATERAI BERBEDA-BEDA TERGANTIING PEMAKAIAN DAN PENGATURAN.
- JP バッテリーをより長く使用するために、約3か月毎に満充電してください。バッテリーの寿命は使用方法および設定等により異なります。
 MO 배터리 수명을 늘리려면 3개월에 한 번 이상 배터리를
- 완전히 충전하십시오. 배터리 수명은 사용법 및 설정에 따라다릅니다.
- MM ဘတ္ထရီသက်တစ်းကို ကြာရှည်စေရန်အဘွက် အနည်းဆုံး ၃ လတစ် ကြိစ် အားအပြည့်ဖြည့်ပေးပါ။ ဘတ္ထရီအသုံးပြုနိုင်သည့်ကာလသည် အသုံးပြုမှုနှင့် ဆက်တင်များအစေပါ မူတည်ပြီး ပြောင်းလဲနိုင်ပါသည်။ အသုံးပြုမှုနှင့် ဆက်တင်များအစေပါ မူတည်ပြီး ပြောင်းလဲနိုင်ပါသည်။ Mily MR သုံးဆုံး ကြေးဆုံး ကြေးဆုံးသို့
 - וושלונה בחדי ולנחשבו או פולשגובוה.

 HE בדי להאריך את חיי הסוללה, יש לטעון אותה במלואה
 מדי שלושה חודשים לכל הפחות. משך חיי הסוללה ישתנה
 הרמאת לשימוש ולהגדרות

WARNING

DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

Пользовательские наушники

Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стэмфорд, Атлантик Стрит 400, офис 1500 Спедано в Китае

Импортер: 000 "ХАРМАН РУС СиАйЭс", Россия, 127018, г.Москва, ул. Двинцев, д.12, к. 1

Гарантийный период: 1 год

Срок службы: 2 года

Информация о сервисных центрах: www.harman.com/ru

Техническая поддержка: 8 (800) 700 0467

Организация, уполномоченная на принятие претензий потребителей: 000 "ХАРМАН РУС СиАйЭс"

Товар сертифицирован

Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «». Кодировка соответствует порядку букв латикского алфавита, начиная с января 2010 года: 000000-МY0000000, где «М» - месяц производства (А - январь, В - февраль, С - март и г.д.) и "> г. тод производства (А - 2010 В - 2011, С - 2012 и г.д.).







Este produto está homologado pela Anatel, de acordo com os procedimentos regulamentados para avaliação da conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da Anatel — www.anatel.gov.br

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados

 $Google, And roid \ and \ Google \ Play \ are \ trademarks \ of \ Google \ LLC.$



The Bluetooth* word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

