

Report No.: DDT-R19110814-1E8

■Issued Date: Dec. 29, 2019

RF EXPOSURE REPORT

FOR

Applicant	:	Harman International Industries, Inc.	
Address	•••	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES	
Equipment under Test	••	Portable Bluetooth Speaker	
Model No. ONG D		TUNER XL STING	
Trade Mark	••	JBL	
FCC ID	••	APIJBLTUNREXL	
Manufacturer	-	Harman International Industries, Inc.	
Address	• •	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES	

Issued By: Dongguan Dongdian Testing Service Co., Ltd.

Add: No. 17, Zongbu Road 2, Songshan Lake Sci&Tech, Industry Park, Dongguan City, Guangdong Province, China, 523808

Tel: +86-0769-38826678, E-Mail: ddt@dgddt.com, http://www.dgddt.com



TABLE OF CONTENTS

	Test report declares	3
1.	General information	5
1.1.	Description of Equipment	5
1.2.	Assess laboratory	5
2.	RF Exposure evaluation for FCC	5

TEST REPORT DECLARE

Applicant	:	Harman International Industries, Inc.	
Address		8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES	
Equipment under Test	:	Portable Bluetooth Speaker	
Model No.	:	TUNER XL	
Trade mark	:	JBL	
Manufacturer	:	Harman International Industries, Inc.	
Address	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES	

Standard Used: KDB447498 D01 General RF Exposure Guidance v06

We Declare:

The equipment described above is assessed by Dongguan Dongdian Testing Service Co., Ltd and in the configuration assessed the equipment complied with the standards specified above. The assessed results are contained in this report and Dongguan Dongdian Testing Service Co., Ltd is assumed of full responsibility for the accuracy and completeness of these assess.

After evaluation, our opinion is that the equipment In Accordance with above standard.

Report No:	DDT-R19110814-1E8		
Date of Receipt:	Dec. 11, 2019	Date of Test:	Dec. 11, 2019 ~ Dec. 29, 2019

Prepared By:

Ella Gong

Note: This report applies to above tested sample only. This report shall not be reproduced in parts without written approval of Dongguan Dongdian Testing Service Co., Ltd.

Damon Hu/EMC Manager

Revision history

Rev.	Revisions	Issue Date	Revised By
	Initial issue	Dec. 29, 2019	

1. General information

1.1. Description of Equipment

EUT* Name	:	Portable Bluetooth Speaker	
Model Number		TUNER XL	
EUT function description		Please reference user manual of this device	
Power supply		DC 5V from external AC Adapter DC 3.6V Polymer Li-ion built-in battery	
Radio Specification		Bluetooth V4.2	
Operation frequency	:	2402MHz-2480MHz	
Modulation	:	GFSK, π/4-DQPSK, 8DPSK	
Data rate	:	1 Mbps, 2 Mbps, 3 Mbps	
Antenna Type	:	Integral PCB antenna, maximum PK gain: 0.57 dBi	
Sample Type	:	Series production	

1.2. Assess laboratory

Dongguan Dongdian Testing Service Co., Ltd.

Add: No. 17, Zongbu Road 2, Songshan Lake Sci&Tech, Industry Park, Dongguan City, Guangdong Province, China, 523808

Tel: +86-0769-38826678, http://www.dgddt.com, E-Mail: ddt@dgddt.com

2. RF Exposure evaluation for FCC

According to 447498 D01 General RF Exposure Guidance v06

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where:

f(GHz) is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation

The result is rounded to one decimal place for comparison

Manufacturing Tolerance

GFSK (Peak)						
Channel	Channel 0	Channel 39	Channel 78			
Target (dBm)	4	4	4			
Tolerance ±(dB)	1	1	1			
π/4DQPSK (Peak)						
Channel	Channel 0	Channel 39	Channel 78			
Target (dBm)	4	4	4			
Tolerance ±(dB)	1	1	1			
8DPSK (Peak)						

Channel	Channel 0	Channel 39	Channel 78
Target (dBm)	4	4	4
Tolerance ±(dB)	1	1	1

Estimation Result

Worse case is as below: [2480MHz, 5 dBm, 3.16 mW) output power]

 $(3.16/5)\cdot[\sqrt{2.402(GHz)}] = 0.979 < 3.0 \text{ for } 1-g \text{ SAR}$

Then SAR evaluation is not required

END OF REPORT