

FCC/ISED Test Report

FOR: CalAmp

Model Number: TTU2900MB

Product Description:Solar-based telematics gateway

FCC ID: APV-2900MB **IC ID**: 5843C-2900MB

Per:

47 CFR: Part 22, Part 24, Part 27, Part 90 RSS-130 Issue 2; RSS-132 Issue 3; RSS-133 Issue 6; RSS-139 Issue 3

REPORT #: EMC_CALAM-118-21001_FCC_22_24_27_90_ISED

DATE: 2021-02-19



A2LA Accredited

IC recognized # 3462B-1 CABID: US0187

CETECOM Inc.

411 Dixon Landing Road • Milpitas, CA 95035 • U.S.A.

Phone: +1 (408) 586 6200 • Fax: +1 (408) 586 6299 • E-mail: info@cetecom.com • http://www.cetecom.com CETECOM Inc. is a Delaware Corporation with Corporation number: 2905571

V4.0 2012-07-25 © Copyright by CETECOM

Date of Report 2021-02-19






TABLE OF CONTENTS

Page 2 of 68

1		ASSESSMENT	3
2		ADMINISTRATIVE DATA	2
	2.1 2.2 2.3	IDENTIFICATION OF THE TESTING LABORATORY ISSUING THE EMC TEST REPORT	Z
3		EQUIPMENT UNDER TEST (EUT)	5
	3.1 3.2 3.3 3.4 3.5 3.6	EUT SAMPLE DETAILS	6 6 7
4		SUBJECT OF INVESTIGATION	8
	4.1 4.2 4.3	MEASUREMENT UNCERTAINTY	8
5	ı	MEASUREMENT PROCEDURES	9
	5.1 5.2		
6	ı	MEASUREMENT RESULTS SUMMARY	12
	6.1 6.2 6.3	FCC 24, RSS-133:	13
7		TEST RESULT DATA	16
	7.1 7.2	RADIATED SPURIOUS EMISSIONS	17
8		TEST SETUP PHOTO	
9		TEST EQUIPMENT AND ANCILLARIES USED FOR TESTING	
10		REVISION HISTORY	68

Test Report #:

EMC_CALAM-118-21001_FCC_22_24_27_90_ISED

FCC ID: APV-2900MB



Date of Report

2021-02-19

Page 3 of 68

IC ID: 5843C-2900MB

1 Assessment

The following device as further described in section 3 of this report was evaluated for radiated spurious emissions in simultaneous transmission of cellular and unlicensed radios according to criteria specified in the Code of Federal Regulations Title 47 parts 22, 24, 27, 90 and Industry Canada Radio Standard Specifications RSS: 130 Issue 2, 132 Issue 3, 133 Issue 6 and 139 Issue 3.

Company	Description	Model #	
CalAmp	Solar-based telematics gateway	TTU2900MB	

No deficiencies were ascertained.

Responsible for Testing Laboratory:

			Cindy Li	
20)21-02-19	Compliance	(Lab Manager)	
	Date	Section	Name	Signature

Responsible for the Report:

		Yuchan Lu	
2021-02-19	Compliance	(Test Engineer)	
Date	Section	Name	Signature

The test results of this test report relate exclusively to the test item specified in Section3.

CETECOM Inc. USA does not assume responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CETECOM Inc. USA.

FCC ID: APV-2900MB IC ID: 5843C-2900MB



Date of Report 2021-02-19

2

Page 4 of 68

Administrative Data

Identification of the Testing Laboratory Issuing the EMC Test Report 2.1

Company Name:	CETECOM Inc.
Department:	Compliance
Street Address:	411 Dixon Landing Road
City/Zip Code	Milpitas, CA 95035
Country	USA
Telephone:	+1 (408) 586 6200
Fax:	+1 (408) 586 6299
Lab Manager:	Cindy Li
Responsible Project Leader:	Cathy Palacios

Identification of the Client 2.2

Client's Name:	CalAmp
Street Address:	2200 Faraday Avenue, Suite 220
City/Zip Code	Carlsbad, CA 92008
Country	USA

Identification of the Manufacturer 2.3

Manufacturer's Name:	
Manufacturers Address:	Same as Client
City/Zip Code	Same as Cheff
Country	

Page 5 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



3 Equipment Under Test (EUT)

Date of Report 2021-02-19

3.1 EUT Specifications

Hardware Version Identification Number (HVIN):	TTU2900MB		
Product Marketing Name (PMN):	TTU2900MB		
Antenna Information as declared:	Antenna model Electronics Antenna P/N: 1004795 Antenna gains: • LTE Band 2, 25: 3.1 dBi • LTE Band 4: 3.1 dBi • LTE Band 5, 26: 1.6 dBi • LTE Band 12: 1.6 dBi • LTE Band 13: 1.6 dBi		
Other Radios included in the device:	 BLE Manufacture: Texas Instruments Module name/number: CC2640 		
Power Supply/ Rated Operating Voltage Range: Vmin: 8 VDC/ Vnom: 12 VDC / Vmax: 32 VDC			
Operating Temperature Range:	Low -30°C, Nominal 25°C, High 70°C		
Sample Revision	□Prototype Unit; □Production Unit; ■Pre-Production		
EUT Dimensions(mm):	414 x 128 x 50		
Weight(grams): 1188			
EUT Diameter	■ < 60 cm □ Other		

2021-02-19

Page 6 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Module Information	
Module Name:	Quectel BG96
Model Number:	BG96
FCC ID:	XMR201707BG96
IC ID:	10224A-201709BG96

3.2 EUT Sample details

Date of Report

EUT#	Serial Number	HW Version	SW Version	Notes/Comments
1	6002001035	REV A	8.5	Radiated Measurement

3.3 Accessory Equipment details

AE#	Туре	Model	Manufacturer	Serial Number
1	Charging and communication cable	-	-	-

3.4 Support Equipment

SE#	Description
1	Laptop, Dell Latitude 7490

3.5 Test Sample Configuration

EUT Set-up #	Combination of AE used for test set up	Comments
1	EUT# 1 +AE# 1	Worst Case

Page 7 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



3.6 Mode of Operation details

2021-02-19

Date of Report

Mode of Operation	Description of Operating modes	Additional Information				
Op. 1	Cellular Transmission	Cellular was tested on Low, Mid, High Channels at the maximum power, and co-transmitting with BLE mid channel.				
		For radiated measurements, the internal antenna was connected.				

3.7 Justification for Worst Case Mode of Operation

During the testing process the EUT was tested with transmitter sets on low, mid and high channels and co-transmitting with BLE mid channel at the maximum power transmission.

For radiated measurements, all data in this report shows the worst case between horizontal and vertical antenna polarizations and for all orientations of the EUT.

2021-02-19 Page 8 of 68 IC ID: 5843C-2900MB



4 Subject of Investigation

Date of Report

The objective of the evaluation conducted by CETECOM Inc. is to support a request for new equipment authorization under **FCC ID**: APV-2900MB / **IC ID**: 5843C-2900MB.

FCC ID: APV-2900MB

The pre-certified module to be integrated (Quectel BG96) as described in Section 3, Radiated Spurious Emissions test was performed. Results have been checked to meet limits per Code of Federal Regulations Title 47 parts 22, 24, 27, 90 and Industry Canada Radio Standard Specifications RSS: 130 Issue 2, 132 Issue 3, 133 Issue 6 and 139 Issue 3.

LTE Band 2 and 5 are covered by Band 25 and 26. (B2 is a subset of B25, and B5 is a subset of B26. Both bands share the same hardware and have the same radio performance. Separate measurement in B2 and B5 are not required) Cat M1 LTE Band 4, 5, 12, 13, 25 and 26 are tested for radiated spurious emissions based on client's declaration.

The conducted module test data that can be obtained under the **FCC Filing ID**: XMR201707BG96 is applicable for the host described in section 3.

4.1 Dates of Testing:

01/18/2021 - 01/20/2021

4.2 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus, with 95% confidence interval (in dB delta to result), based on a coverage factor k=1.

Radiated measurement

9 kHz to 30MHz ±2.5 dB (Magnetic Loop Antenna) 30 MHz to 1000 MHz ±2.0 dB (Biconilog Antenna) 1 GHz to 40 GHz ±2.3 dB (Horn Antenna)

4.3 Environmental Conditions during Testing:

The following environmental conditions were maintained during the course of testing:

- Ambient Temperature: 20-25°C
- Relative humidity: 40-60%

Deviating test conditions are indicated at individual test description where applicable.

Date of Report 2021-02-19 Page 9 of 68 IC ID: 5843C-2900MB




5 Measurement Procedures

Testing is performed according to the guidelines provided in FCC publication (KDB) 971168 D01 v03 – "Measurement Guidance for Certification of Licensed Digital Transmitters" and according to ANSI C63.26 as detailed below.

5.1 Radiated Measurement


- The exploratory measurement is accomplished by running a matrix of 16 sweeps over the required frequency range with R&S Test-SW EMC32 for 4 positions of the turntable, two orthogonal positions of the EUT and both antenna polarizations. This procedure exceeds the requirement of the above standards to cover the 3 orthogonal axis of the EUT. A max peak detector is utilized during the exploratory measurement. The Test-SW creates an overall maximum trace for all 12 sweeps and saves the settings for each point of this trace. The maximum trace is part of the test report.
- The 10 highest emissions are selected with an automatic algorithm of EMC32 searching for peaks in the noise floor and ensuring that broadband signals are not selected multiple times.
- The maxima are then put through the final measurement and again maximized in a 90deg range of the turntable, fine search in frequency domain and height scan between 1m and 4m.
- The above procedure is repeated for all possible ways of power supply to EUT and for all supported modulations.
- In case there are no emissions above noise floor level only the maximum trace is reported as described above.
- The results are split up into up to 4 frequency ranges due to antenna bandwidth restrictions. A magnetic loop is used from 9 kHz to 30 MHz, a Biconilog antenna is used from 30 MHz to 1 GHz, and two different horn antennas are used to cover frequencies up to 40 GHz.



FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 10 of 68 IC ID: 5843C-2900MB





2021-02-19 Page 11 of 68 IC ID: 5843C-2900MB



5.2 Sample Calculations for Field Strength Measurements

Field Strength is calculated from the Spectrum Analyzer/ Receiver readings, taking into account the following parameters:

FCC ID: APV-2900MB

- Measured reading in dBµV
- Cable Loss between the receiving antenna and SA in dB and
- Antenna Factor in dB/m

Date of Report

All radiated measurement plots in this report are taken from a test SW that calculates the Field Strength based on the following equation:

FS (dB μ V/m) = Measured Value on SA (dB μ V) + Cable Loss (dB) + Antenna Factor (dB/m)

Example:

Frequency (MHz)			Antenna Factor Correction (dB)	Field Strength Result (dBµV/m)
1000	80.5	3.5	14	98.0

FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 12 of 68 IC ID: 5843C-2900MB



Measurement Results Summary 6

FCC 22, RSS-132: 6.1

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §22.913 (a)	RF Output Power	Nominal	-				•	Note 1 Note 2
§2.1055; §22.355	Frequency Stability	Nominal	-				•	Note 1 Note 2
§2.1049; §22.917	Occupied Bandwidth	Nominal	-					Note 1 Note 2
§2.1051; §22.917	Band Edge Compliance	Nominal	-					Note 1 Note 2
§2.1051; §22.917	Conducted Spurious Emissions	Nominal	-				•	Note 1 Note 2
§2.1053; §22.917(a); RSS-132 Issue 3-5.5;	Radiated Spurious Emissions	Nominal	Op.1	•				Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The conducted measurements results from module certification FCC ID: XMR201707BG96 were evaluated for compliance against the applicable rules.

FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 13 of 68 IC ID: 5843C-2900MB

6.2 FCC 24, RSS-133:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §24.232 (a)	RF Output Power	Nominal	-					Note 1 Note 2
§2.1055; §24.235	Frequency Stability	Nominal	-					Note 1 Note 2
§2.1049; §24.238	Occupied Bandwidth	Nominal	-					Note 1 Note 2
§2.1051; §24.238	Band Edge Compliance	Nominal	-					Note 1 Note 2
§2.1051; §24.238	Conducted Spurious Emissions	Nominal	-					Note 1 Note 2
§2.1053; §24.238(a); RSS-133 Issue 6-6.5.1;	Radiated Spurious Emissions	Nominal	Op.1					Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The conducted measurements results from module certification FCC ID: XMR201707BG96 were evaluated for compliance against the applicable rules.

FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 14 of 68 IC ID: 5843C-2900MB



6.3 FCC 27, RSS-130, RSS-139:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §27.50 (d)	RF Output Power	Nominal	-					Note 1 Note 2
§2.1055; §27.54	Frequency Stability	Nominal	-					Note 1 Note 2
§2.1049; §27.53	Occupied Bandwidth	Nominal	-					Note 1 Note 2
§2.1051; §27.53	Band Edge Compliance	Nominal	-					Note 1 Note 2
§2.1051; §27.53	Conducted Spurious Emissions	Nominal	-					Note 1 Note 2
§2.1053; §27.53(g); §27.53(h); RSS-130 Issue 2-4.6; RSS-139 Issue 3-6.6;	Radiated Spurious Emissions	Nominal	Op.1	•				Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The conducted measurements results from module certification FCC ID: XMR201707BG96 were evaluated for compliance against the applicable rules.

EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

FCC ID: APV-2900MB



Date of Report 2021-02-19 Page 15 of 68 IC ID: 5843C-2900MB

6.1 FCC 90, RSS-132:

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	Fail	NA	NP	Result
§2.1046; §90.635 (b)	RF Output Power	Nominal	-					Note 1 Note 2
§2.1055; §90.213	Frequency Stability	Nominal	-					Note 1 Note 2
§2.1049; §90.209	Occupied Bandwidth	Nominal	-					Note 1 Note 2
§2.1051; §90.691	Band Edge Compliance	Nominal	-					Note 1 Note 2
§2.1051; §90.691	Conducted Spurious Emissions	Nominal	-					Note 1 Note 2
§2.1053; §90.691; RSS-132 Issue 3-5.5;	Radiated Spurious Emissions	Nominal	Op.1					Complies

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The conducted measurements results from module certification FCC ID: XMR201707BG96 were evaluated for compliance against the applicable rules.

FCC ID: APV-2900MB





7 Test Result Data

7.1 E(I)RP

Band	Frequency Range (MHz)	Power conducted (W)	Emission Designator	Antenna Gain (dBi)	gain linear	EIRP¹ (W)	ERP 1 (W)	Frequency deviation (ppm)	Limit ERP (W)
GSM 850	824.2 – 848.8	1.702	246KGXW	1.6	1.445	2.460	1.500	0.03950	7
GSM 850	824.2 – 848.8	0.476	249KG7W	1.6	1.445	0.688	0.420	0.03170	7
GSM 1900	1850.2 – 1909.8	0.946	246KGXW	3.1	2.042	1.931	-	0.01850	2
GSM 1900	1850.2 – 1909.8	0.404	248KG7W	3.1	2.042	0.825	-	0.01930	2
LTE Band 2	1850.7 – 1909.3	0.247	1M90W7D	3.1	2.042	0.504	-	0.00639	2
LTE Band 2	1850.7 – 1909.3	0.240	1M25G7D	3.1	2.042	0.490	-	0.00230	2
LTE Band 4	1710.7 – 1754.3	0.175	1M21G7D	3.1	2.042	0.357	-	0.00330	1
LTE Band 4	1710.7 – 1754.3	0.173	1M11W7D	3.1	2.042	0.353	-	0.01527	1
LTE Band 5	824.7 – 848.3	0.242	1M05W7D	1.6	1.445	0.350	0.213	0.01753	7
LTE Band 5	824.7 – 848.3	0.222	1M20G7D	1.6	1.445	0.321	0.196	0.00430	7
LTE Band 12	699.7 – 715.3	0.233	1M08W7D	1.6	1.445	0.337	0.205	0.00582	3
LTE Band 12	699.7 – 715.3	0.219	1M21G7D	1.6	1.445	0.317	0.193	0.00365	3
LTE Band 13	779.5 – 784.5	0.246	1M05W7D	1.6	1.445	0.356	0.217	0.03445	3
LTE Band 13	779.5 – 784.5	0.219	1M19G7D	1.6	1.445	0.317	0.193	0.00276	3
LTE Band 25	1850.7 – 1914.3	0.284	1M11W7D	3.1	2.042	0.580	0.354	0.00750	2
LTE Band 25	1850.7 – 1914.4	0.257	1M21G7D	3.1	2.042	0.525	0.320	0.00928	2
LTE Band 26	824.7 – 848.3	0.239	1M06W7D	1.6	1.445	0.345	0.211	0.04157	7
LTE Band 26	824.7 – 848.3	0.206	1M21G7D	1.6	1.445	0.298	0.182	0.00237	7
LTE Band 26	814.7 – 823.3	0.229	1M26W7D	1.6	1.445	0.331	0.202	0.03463	7
LTE Band 26	814.7 – 823.3	0.201	1M20G7D	1.6	1.445	0.291	0.177	0.00161	7
NB-IOT Band 2	1850.1 – 1909.9	0.199	199KG7D	3.1	2.042	0.406	-	0.00245	2
NB-IOT Band 4	1710.2 – 1754.8	0.222	187KG7D	3.1	2.042	0.453	-	0.00941	1
NB-IOT Band 5	824.7 – 848.3	0.187	195KG7D	1.6	1.445	0.270	0.165	0.00662	7
NB-IOT Band 12	699.1 – 715.9	0.239	198KG7D	1.6	1.445	0.345	0.211	0.00734	3
NB-IOT Band 13	777.1 – 786.9	0.206	195KG7D	1.6	1.445	0.298	0.182	0.00334	3
NB-IOT Band 25	1850.1 – 1914.9	0.264	133KG7D	3.1	2.042	0.539	-	0.03484	2
NB-IOT Band 26	824.2 – 848.8	0.205	184KG7D	1.6	1.445	0.296	0.181	0.00956	7
NB-IOT Band 26	814.2 – 823.8	0.206	184KG7D	1.6	1.445	0.298	0.182	0.00939	7

Note 1: E(I)RP are calculated from maximum power in grant of cellular module Quectel BG96 adding the maximum gain of the utilized cellular antenna per operational description.

Note 2: Cat M1 LTE Band 4, 5, 12, 13, 25 and 26 are tested for radiated spurious emissions based on client's declaration.

Date of Report 2021-02-19 Page 17 of 68 IC ID: 5843C-2900MB



7.2 Radiated Spurious Emissions

7.2.1 Measurement according to FCC: CFR 47 Part 2.1053; CFR Part 22.917; CFR Part 24.238 and Part 27.53 utilizing KDB 971168 D01 Power Meas License Digital Systems v03, and according to ANSI C63.26 2017

Spectrum Analyzer Settings for FCC 22

Frequency Range	30 MHz – 1 GHz	1 – 1.58 GHz	1.58 – 9 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto

Spectrum Analyzer Settings for FCC 24 and 27

Frequency Range	30MHz – 1 GHz	1 – 2.7 GHz	2.7 – 18 GHz	18 – 19.1 GHz
Resolution Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Video Bandwidth	100 kHz	1 MHz	1 MHz	1 MHz
Detector	Peak	Peak	Peak	Peak
Trace Mode	Max Hold	Max Hold	Max Hold	Max Hold
Sweep Time	Auto	Auto	Auto	Auto

7.2.2 Limits:

- FCC Part 22.917(a), Part 24.238(a), Part 27.53 (g) and Part 27.53 (h)
- RSS-130 Issue 2-4.6, RSS-132 Issue 3 5.5, RSS-133 Issue 6 6.5.1, RSS-139 Issue 3 6.6


The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB = (-13dBm)

7.2.3 Test conditions and setup:

Ambient Temperature (C)	EUT operating mode	Power Input		
22	Op. 1	12 VDC		

Date of Report 2021-02-19


Page 18 of 68





7.2.4 Measurement Plots:


LTE Band 4



EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #: FCC ID: APV-2900MB

> 2021-02-19 Page 19 of 68 IC ID: 5843C-2900MB





EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #: FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 20 of 68 IC ID: 5843C-2900MB




Plot # 3 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low

Final_Result

Frequency	RMS	Limit	Margin	Meas. Time	Bandwidth	Height	Pol	Azimuth	Corr.	Comment
(MHz)	(dBm)	(dBm)	(dB)	(ms)	(kHz)	(cm)		(deg)	(dB)	
3092.500	-58.43	-13.00	45.44	500.0	1000.000	228.0	٧	220.0	-104.2	
3422.000	-57.04	-13.00	44.04	500.0	1000.000	140.0	Н	217.0	-103.3	
4803.500	-53.01	-13.00	40.01	500.0	1000.000	140.0	Н	70.0	-100.0	
6235.000	-62.27	-13.00	49.27	500.0	1000.000	164.0	V	28.0	-96.0	
7206.500	-52.19	-13.00	39.19	500.0	1000.000	140.0	٧	287.0	-95.8	
7337.500	-61.74	-13.00	48.74	500.0	1000.000	140.0	٧	135.0	-95.7	



Preview Result 1-PK+ FCC Licensed -13dBm

Final_Result RMS

Date of Report 2021-02-19

Page 21 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB




Plot # 4 Radiated Emissions: 9 kHz - 30 MHz Channel: Mid -5--10 FCC Licensed -13dBm -15 -20 -30 Level in dBm -35 -40 -45 -50 -55 -60 -65 -70 -75 20 30 100k 200 300 500 2M 3M 5M 10M 20 30M 9k 50 Frequency in Hz Critical_Freqs PK+ FCC Licensed -13dBm Final_Result RM Preview Result 1-PK+

EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 22 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB





Date of Report 2021-02-19

Page 23 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 6 Radiated Emissions: 1 GHz - 3 GHz Channel: Mid 30_T 1.732 GHz 25-LTE B4 Mid Ch 23.199 dBm 20-15-2.402 GHz 10-√5.372 dBm BLE Low Ch 5 0-Level in dBm -5--10 FCC Licensed -13dBm -15 2.132 GHz -20 ∑21.899 dBm -25 -30--35 -40 -45 1G 2G 3G Frequency in Hz Preview Result 1-PK+ Critical_Freqs PK+ FCC Licensed -13dBm Final_Result RM Test Report #: EMC_CALAM-118-21001_FCC_22_24_27_90_ISED FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 24 of 68 IC ID: 5843C-2900MB




Plot # 7 Radiated Emissions: 3 GHz - 18GHz

Channel: Mid

Final_Result

Frequency	RMS	Limit	Margin	Meas. Time	Bandwidth	Height	Pol	Azimuth	Corr.	Comment
(MHz)	(dBm)	(dBm)	(dB)	(ms)	(kHz)	(cm)		(deg)	(dB)	
3071.000	-55.54	-13.00	42.54	500.0	1000.000	262.0	V	221.0	-104.3	
3465.500	-60.41	-13.00	47.41	500.0	1000.000	140.0		159.0	-103.1	
4804.500	-53.90	-13.00	40.90	500.0	1000.000	174.0	-	37.0	-100.0	
5671.500	-64.86	-13.00	51.86	500.0	1000.000	162.0	٧	66.0	-99.3	
6301.500	-60.49	-13.00	47.49	500.0	1000.000	164.0	-	215.0	-95.9	
7207.000	-55.75	-13.00	42.75	500.0	1000.000	140.0	٧	287.0	-95.8	




EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

FCC ID: APV-2900MB




Date of Report 2021-02-19 Page 25 of 68 IC ID: 5843C-2900MB



Test Report #: EMC_CALAM-118-21001_FCC_22_24_27_90_ISED FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 26 of 68 IC ID: 5843C-2900MB





Test Report #: EMC_CALAM-118-21001_FCC_22_24_27_90_ISED FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 27 of 68 IC ID: 5843C-2900MB




Plot # 10 Radiated Emissions: 3 GHz - 18 GHz

Channel: High

Final_Result

Frequency	RMS	Limit	Margin	Meas. Time	Bandwidth	Height	Pol	Azimuth	Corr.	Comment
(MHz)	(dBm)	(dBm)	(dB)	(ms)	(kHz)	(cm)		(deg)	(dB)	
3048.500	-55.15	-13.00	42.15	500.0	1000.000	275.0	٧	221.0	-104.3	
3508.500	-62.78	-13.00	49.78	500.0	1000.000	152.0	V	330.0	-102.9	
4803.500	-52.75	-13.00	39.75	500.0	1000.000	196.0	V	35.0	-100.0	
6360.500	-62.64	-13.00	49.64	500.0	1000.000	186.0	V	121.0	-95.8	
7205.500	-52.23	-13.00	39.23	500.0	1000.000	140.0	-	287.0	-95.8	
9199.500	-63.10	-13.00	50.10	500.0	1000.000	162.0	V	121.0	-93.8	



Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Date of Report 2021-02-19


FCC ID: APV-2900MB

IC ID: 5843C-2900MB



LTE Band 12

Page 28 of 68



-25

-30

-40

-45

1G

Preview Result 1-PK+

Page 29 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB

2G

FCC Licensed -13dBm

Frequency in Hz

Critical_Freqs PK+



3G


Final_Result RM

Date of Report 2021-02-19 Plot # 12 Radiated Emissions: 1 GHz - 3 GHz Channel: Low 107 2.402 GHz ▼ 4.709 dBm 5 LTE B12 Low Ch -10 FCC Licensed -13dBm Level in dBm -15 -20



FCC ID: APV-2900MB

 Date of Report
 2021-02-19
 Page 30 of 68
 IC ID: 5843C-2900MB



Date of Report 2021-02-19

Page 31 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 14 Radiated Emissions: 9 kHz - 30 MHz Channel: Mid FCC Licensed -13dBm -15 -20 -25 -30-Level in dBm -35 -45 -50 -55 -60 -65 -70 9k 20 30 50 100k 200 300 500 2M 3M 5M 10M 20 30M Frequency in Hz Critical_Freqs PK+ Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RM

Date of Report 2021-02-19

Page 32 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB




Plot # 15 Radiated Emissions: 30 MHz - 1GHz Channel: Mid 30_T 20-707.900667 MHz 6.700 dBm 10-LTE Band 12 Mid Ch 0. -10 FCC Licensed -13dBm Level in dBm -20 -30 -40 -50 -60 -70 100M 30M 50 80 200 300 400 500 800 1G Frequency in Hz Critical_Freqs PK+ -FCC Licensed -13dBm Preview Result 1-PK+ Final_Result RM

FCC ID: APV-2900MB




Date of Report 2021-02-19 Page 33 of 68 IC ID: 5843C-2900MB



Date of Report 2021-02-19 Page 34 of 68 IC ID: 5843C-2900MB



FCC ID: APV-2900MB




EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 35 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB





Preview Result 1-PK+ FCC Licensed -13dBm

Page 36 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB

Final_Result RMS




2021-02-19 Date of Report Plot # 19 Radiated Emissions: 1 GHz - 3 GHz Channel: High Final_Result Frequency (MHz) RMS (dBm) Limit (dBm) Bandwidth (kHz) Meas. Time Azimuth Margin Height Corr. Comment (dB) (ms) (deg) (dB) (cm) 1000.000 1431.000 -46.07 -13.00 33.07 500.0 140.0 H -64.0 10-2.402 GHz 5 5.056 dBm BLE Low Ch -5--10 FCC Licensed -13dBm -15 Level in dBm -20 -25 -30 -40 -45 3G 1G 2G Frequency in Hz

EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 37 of 68 IC ID: 5843C-2900MB





Date of Report 2021-02-19


FCC ID: APV-2900MB

IC ID: 5843C-2900MB



LTE Band 13


Page 38 of 68



EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 39 of 68 IC ID: 5843C-2900MB








FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 40 of 68 IC ID: 5843C-2900MB



Date of Report 2021-02-19 Page 41 of 68 IC ID: 5843C-2900MB




Plot # 24 Radiated Emissions: 3 GHz - 9 GHz

Channel: Mid

Final_Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
4804.500	-53.85	-13.00	40.85	500.0	1000.000	140.0	Н	319.0	-100.0	
7205.500	-52.33	-13.00	39.33	500.0	1000.000	152.0	٧	104.0	-95.8	




Date of Report 2021-02-19

Page 42 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



LTE Band 25



Date of Report 2021-02-19 Page 43 of 68 IC ID: 5843C-2900MB




Plot # 26 Radiated Emissions: 1 GHz - 3 GHz

Channel: Low

Final_Result

	Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
Γ	1828.000	-47.48	-13.00	34.48	500.0	1000.000	184.0	Н	83.0	-61.4	
Γ	1842.250	-46.90	-13.00	33.90	500.0	1000.000	163.0	Н	341.0	-61.3	
	1845.750	-46.69	-13.00	33.69	500.0	1000.000	152.0	٧	329.0	-61.3	



Page 44 of 68 IC ID: 5843C-2900MB




Plot # 27 Radiated Emissions: 3 GHz - 18 GHz

Channel: Low

Final_Result

Date of Report 2021-02-19


Frequency	RMS	Limit	Margin	Meas. Time	Bandwidth	Height	Pol	Azimuth	Corr.	Comment
(MHz)	(dBm)	(dBm)	(dB)	(ms)	(kHz)	(cm)		(deg)	(dB)	
3702.500	-47.28	-13.00	34.28	500.0	1000.000	174.0	٧	212.0	-101.7	
5553.500	-55.65	-13.00	42.65	500.0	1000.000	152.0	٧	217.0	-99.7	
7403.500	-51.89	-13.00	38.89	500.0	1000.000	152.0	٧	135.0	-95.5	
9254.000	-59.00	-13.00	46.00	500.0	1000.000	151.0	Н	209.0	-93.8	



Preview Result 1-PK+ FCC Licensed -13dBm Final_Result RMS

Date of Report 2021-02-19 Page 45 of 68 IC ID: 5843C-2900MB






EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 46 of 68 IC ID: 5843C-2900MB





Date of Report 2021-02-19

Page 47 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 30 Radiated Emissions: 1 GHz - 3 GHz Channel: Mid 30-LTE B25 Mid Ch 1.883 GHz 20-27.733 dBm 10-2.402 GHz 5.419 dBm BLE Low Ch 0 -10 FCC Licensed -13dBm 1.963 GHz Level in dBm 23.666 dBm -20 ___ Downlink -30 -40 -50 -60 -70 1G 3G Frequency in Hz Preview Result 1-PK+ Critical_Freqs PK+ FCC Licensed -13dBm Final_Result RM

Date of Report 2021-02-19 Page 48 of 68 IC ID: 5843C-2900MB




Plot # 31 Radiated Emissions: 3 GHz – 18 GHz

Channel: Mid

Final_Result

Frequency	RMS	Limit	Margin	Meas. Time	Bandwidth	Height	Pol	Azimuth	Corr.	Comment
(MHz)	(dBm)	(dBm)	(dB)	(ms)	(kHz)	(cm)		(deg)	(dB)	
3765.000	-48.29	-13.00	35.29	500.0	1000.000	219.0	٧	210.0	-101.8	
6444.000	-59.26	-13.00	46.26	500.0	1000.000	209.0	Н	173.0	-95.8	
7532.000	-51.48	-13.00	38.48	500.0	1000.000	153.0	Н	325.0	-95.2	
9412.500	-56.19	-13.00	43.19	500.0	1000.000	194.0	Н	55.0	-93.4	




Date of Report 2021-02-19

Page 49 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 32 Radiated Emissions: 18 GHz - 26.5 GHz



Date of Report 2021-02-19 Page 50 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 33 Radiated Emissions: 30 MHz - 1 GHz Channel: High 107 0--10 FCC Licensed -13dBm -20 -30 Level in dBm -40 -50 -60 -70--80 200 30M 50 60 80 100M 300 400 500 800 1G Frequency in Hz Critical_Freqs PK+ -FCC Licensed -13dBm Preview Result 1-PK+ Final_Result RM

2021-02-19 Page 51 of 68 IC ID: 5843C-2900MB




Plot # 34 Radiated Emissions: 1 GHz - 3 GHz

Channel: High

Final_Result

Date of Report

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
1101.250	-49.88	-13.00	36.88	500.0	1000.000	217.0	Н	78.0	-64.4	
1917.500	-37.28	-13.00	24.28	500.0	1000.000	268.0	Н	34.0	-61.0	
1920.250	-44.19	-13.00	31.19	500.0	1000.000	152.0	Н	336.0	-61.0	



Date of Report 2021-02-19 Page 52 of 68 IC ID: 5843C-2900MB




Plot # 35 Radiated Emissions: 3 GHz - 18 GHz

Channel: High

Final Result

Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
3829.500	-43.50	-13.00	30.50	500.0	1000.000	231.0	٧	211.0	-101.7	
6575.500	-60.17	-13.00	47.17	500.0	1000.000	175.0	Н	172.0	-95.7	
7657.000	-51.58	-13.00	38.58	500.0	1000.000	282.0	٧	254.0	-95.7	
9571.000	-54.39	-13.00	41.39	500.0	1000.000	140.0	٧	121.0	-93.5	
11489.000	-60.56	-13.00	47.56	500.0	1000.000	140.0	٧	148.0	-93.8	



Date of Report 2021-02-19


FCC ID: APV-2900MB

IC ID: 5843C-2900MB




LTE Band 26

Page 53 of 68



> Page 54 of 68 IC ID: 5843C-2900MB





FCC ID: APV-2900MB

C cefecow


Date of Report 2021-02-19 Page 55 of 68 IC ID: 5843C-2900MB

Plot # 38 Radiated Emissions: 3 GHz - 9 GHz

Channel: Low

Final_Result

 quency MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
4804.500	-54.25	-13.00	41.25	500.0	1000.000	173.0	٧	36.0	-100.0	
7207.000	-55.94	-13.00	42.94	500.0	1000.000	140.0	٧	286.0	-95.8	



EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

Date of Report 2021-02-19

-70 -75

9k

20 30

Preview Result 1-PK+

50

100k

Page 56 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB

5M

10M

20 30M

Final_Result RM

2M 3M

FCC Licensed -13dBm



Plot # 39 Radiated Emissions: 9 kHz - 30 MHz Channel: Mid FCC Licensed -13dBm -15 -20 -25--30 Level in dBm -35--40 -45 -50 -55 -60 -65

200 300 500

Critical_Freqs PK+ -

Frequency in Hz

Date of Report 2021-02-19 Page 57 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB




Plot # 40 Radiated Emissions: 30 MHz - 1GHz Channel: Mid 30_T 837.04 MHz 10.187 dBm 20 LTE B5 Mid Ch 10-0--10 FCC Licensed -13dBm Level in dBm -20 881.18 MHz -30--37.546 dBm Downlink -40 -50 -60 -70 -80 30M 50 60 80 100M 200 300 400 500 800 1G Frequency in Hz Critical_Freqs PK+ -FCC Licensed -13dBm Preview Result 1-PK+ Final_Result RM

EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 58 of 68 IC ID: 5843C-2900MB





Date of Report 2021-02-19 Page 59 of 68 IC ID: 5843C-2900MB




Plot # 42 Radiated Emissions: 3 GHz – 9 GHz

Channel: Mid

Final_Result


	Frequency (MHz)	RMS (dBm)	Limit (dBm)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)	Comment
Ī	4803.500	-53.08	-13.00	40.08	500.0	1000.000	140.0	Н	70.0	-100.0	
[7206.000	-53.86	-13.00	40.86	500.0	1000.000	140.0	٧	285.0	-95.8	



EMC_CALAM-118-21001_FCC_22_24_27_90_ISED Test Report #:

> Page 60 of 68 IC ID: 5843C-2900MB








FCC ID: APV-2900MB


Date of Report 2021-02-19 Page 61 of 68 IC ID: 5843C-2900MB





FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 62 of 68 IC ID: 5843C-2900MB




FCC ID: APV-2900MB

Date of Report 2021-02-19 Page 63 of 68 IC ID: 5843C-2900MB



FCC 90 LTE Band 26



Date of Report 2021-02-19

Page 64 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 47 Radiated Emissions: 30 MHz – 1GHz Channel: Mid 30_T 20-821.261333 MHz 5.469 dBm 10-LTE Band 26 0. -10 Level in dBm -20 -30 -40 -50 -60 -70 100M 30M 50 80 200 300 400 500 800 1G Frequency in Hz Critical_Freqs PK+ FCC Licensed -13dBm Preview Result 1-PK+ Final_Result RM

Date of Report 2021-02-19

Page 65 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 48 Radiated Emissions: 1 GHz - 3 GHz Channel: Mid 107 2.402 GHz 5.027 dBm 5 BLE Low Ch -10 FCC Licensed -13dBm Level in dBm -15 -20 A State of the sta -25 -40 -45 1G 2G 3G Frequency in Hz Preview Result 1-PK+ Critical_Freqs PK+ FCC Licensed -13dBm Final_Result RM

Date of Report 2021-02-19

Page 66 of 68 IC ID: 5843C-2900MB

FCC ID: APV-2900MB



Plot # 49 Radiated Emissions: 3 GHz - 9 GHz Channel: Mid -5 -10 FCC Licensed -13dBm -15 -20 -25 -30 Level in dBm -35 -40 -45 -50 -55 -65 -70 -75 3G 5G 6 9G Frequency in Hz Critical_Freqs PK+ FCC Licensed -13dBm Preview Result 1-PK+ Final_Result RM

ED FCC ID: APV-2900MB



Date of Report 2021-02-19 Page 67 of 68 IC ID: 5843C-2900MB

8 Test setup photo

Setup photos are included in supporting file name: "EMC_CALAM-118-21001_Setup_Photos.pdf"

9 Test Equipment And Ancillaries Used For Testing

Equipment Type	Manufacturer	Model	Serial #	Calibration Cycle	Last Calibration Date
ACTIVE LOOP ANTENNA	ETS LINDGREN	6507	00161344	3 YEARS	10/30/2020
BILOG ANTENNA	A.H.Systems	3049	569	3 YEARS	09/24/2020
HORN ANTENNA	ETS.LINDGREN	3115	00035111	3 YEARS	04/17/2019
HORN ANTENNA	ETS LINDGREN	3117	00169547	3 YEARS	09/01/2020
HORN ANTENNA	ETS LINDGREN	3116	00070497	3 YEARS	11/23/2020
WIDEBAND RADIO COMMUNICATION	R&S	CMW500	109825	3 YEARS	02/12/2018
SIGNAL ANALYZER	R&S	FSV 40	101022	3 YEARS	07/15/2019
COMPACT DIGITAL BAROMETER	CONTROL COMPANY	10510-922	200236891	3 YEARS	04/13/2020
DIGITAL THRMOMETER	CONTROL COMPANY	36934-164	191871994	3 YEARS	01/10/2019

Note: Equipment used meets the measurement uncertainty requirements as required per applicable standards for 95% confidence levels.

Calibration due dates, unless defined specifically, falls on the last day of the month. Items indicated "N/A" for cal status either do not specifically require calibration or is internally characterized before use.

Date of Report 2021-02-19 Page 68 of 68 IC ID: 5843C-2900MB



10 Revision History

Date	Report Name	Changes to report	Report prepared by	
2021-02-19	EMC_CALAM-118-21001_FCC_22_24_27_90_ISED	Initial version	Yuchan Lu	

<<The End>>