



REVISIONS


REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	68469	PRODUCTION RELEASE	See Omnify	E. MOORE
B	68591	UPDATING FCC ID, IC ID	See Omnify	D. TRAN

NOTES: UNLESS OTHERWISE SPECIFIED

- APPLICABLE STANDARDS / SPECIFICATIONS;
MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
- FONT (TYPICAL) : CALIBRI (VARIOUS SIZES),
ARIAL (VARIOUS SIZES).
IF REQUIRED, BARCODE FORMAT : CODE 128 OR DATA MATRIX ECC200, BLACK INK
- IF REQUIRED, DATE CODE SHALL BE DEFINED AS : WWYY
WW – TWO DIGIT WORK WEEK
YY – TWO DIGIT YEAR
- IF REQUIRED, CURRENT DATE SHALL BE DEFINED AS : MM/DD/YYYY
MM – MONTH
DD – DAY
YYYY – YEAR
- MATERIAL MUST BE LEAD (Pb) FREE PER THE EUROPEAN UNION'S RESTRICTION OF HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.
- COUNTRY OF ORIGIN (COO) IN THE LABEL IMAGE WILL BE REPLACED BY THE COUNTRY LISTED PER THE TABLE BELOW ON ACTUAL PRINTED LABEL. OTHERWISE, THE LABEL IMAGE ON THIS DOCUMENT WILL SHOW "Assembled in USA".



1	1	79-00326	LABEL BLANK, 1.5" X 1.0", 1.0" SPOOL SIZE	
ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION	
6		USED ON		
Assembled in China		LMU3035LABL-KZ03-G1000		
Assembled in Taiwan				
Assembled in Malaysia		DRAWN: E. MOORE 11/01/2018		
Assembled in Mexico		CHECKED: SEE OMNIFY		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/32 .XX ±.01 ±0°30' .XXX ± .005		ISSUED: SEE OMNIFY	TITLE LABEL MARKING, UNIT, LMU3035, AT&T, LTE CAT1, BLE, 180MAH BATT, BUZZER, 3 LED, GEN-HW	
		MKTG:		
		LABEL FILE: 135762-G1000_B_LMU3035LABL-KZ03-G1000_G_DB.btw		
DO NOT SCALE DRAWING		Elec. File: 135762-G1000_B.docx	SCALE	SHEET 1 OF 1



Label Location within the
outlined borders



HHSL


WESTCOTT
Since 1872®

REVISIONS

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	68469	PRODUCTION RELEASE	11/9/18	E. MOORE
B	68951	UPDATING FCC ID, IC ID	See Omnify	D. Tran

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT (TYPICAL) : CALIBRI (VARIOUS SIZES),
ARIAL (VARIOUS SIZES).
IF REQUIRED, BARCODE FORMAT : CODE 128 OR DATA MATRIX ECC200, BLACK INK
3. IF REQUIRED, DATE CODE SHALL BE DEFINED AS : WWYY
WW – TWO DIGIT WORK WEEK
YY – TWO DIGIT YEAR
4. IF REQUIRED, CURRENT DATE SHALL BE DEFINED AS : MM/DD/YYYY
MM – MONTH
DD – DAY
YYYY – YEAR
5. MATERIAL MUST BE LEAD (Pb) FREE PER THE EUROPEAN UNION'S RESTRICTION OF HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.
6. COUNTRY OF ORIGIN (COO) IN THE LABEL IMAGE WILL BE REPLACED BY THE COUNTRY LISTED PER THE TABLE BELOW ON ACTUAL PRINTED LABEL. OTHERWISE, THE LABEL IMAGE ON THIS DOCUMENT WILL SHOW "Assembled in USA".



ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION								
1	1	79-00326	LABEL BLANK, 1.5" X 1.0", 1.0" SPOOL SIZE								
USED ON											
LMU3030LABL-KZ03-G1000											
COO Label Information		<div style="font-size: 2em; font-weight: bold; margin-bottom: 10px;">Cal/Amp®</div> <p>TITLE LABEL MARKING, UNIT, LMU3030, AT&T, LTE CAT1, BLE, 180MAH BATT, BUZZER, 3 LED, GEN-HW</p>									
Assembled in China											
Assembled in Taiwan											
Assembled in Malaysia											
Assembled in Mexico											
<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:</small> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">FRACTIONS</td> <td style="width: 33%;">DECIMALS</td> <td style="width: 33%;">ANGLES</td> </tr> <tr> <td>±1/32</td> <td>.XX ±.01</td> <td>±0°30'</td> </tr> <tr> <td></td> <td>.XXX ± .005</td> <td></td> </tr> </table>		FRACTIONS	DECIMALS	ANGLES	±1/32	.XX ±.01	±0°30'		.XXX ± .005		DRAWN: E. MOORE 12/20/2018
		FRACTIONS	DECIMALS	ANGLES							
		±1/32	.XX ±.01	±0°30'							
	.XXX ± .005										
CHECKED: SEE OMNIFY											
ISSUED: SEE OMNIFY		MKTG:									
LABEL FILE: 135760-G1000_B_LMU3030LABL-KZ03-G1000_G_DB.btw		SIZE A	CAGE CODE 6T925								
DO NOT SCALE DRAWING		DWG NO. 135760-G1000	REV B								
Elec. File: 135760-G1000_B.docx		<small>SCALE</small>	SHEET 1 OF 1								