

## PART 27 MEASUREMENT REPORT

**Applicant Name:**

Telit Communications S.p.A  
Viale Stazione di Prosecco 5/b  
34010, Trieste, Italy

**Date of Testing:**

5/12- 6/1/2021

**Test Site/Location:**

PCTEST Lab. Columbia, MD, USA

**Test Report Serial No.:**

1M2106040065-06.R17

<b>FCC ID:</b>	<b>RI7LE910CXWWX</b>
<b>APPLICANT:</b>	<b>Telit Communications S.p.A</b>

**Application Type:**

Certification

**Model:**

LE910C4-WWX

**Additional Model (s):**

LE910C1-WWX

**EUT Type:**

Data Terminal Module

**FCC Classification:**

PCS Licensed Transmitter (PCB)

**FCC Rule Part:**


27

**Test Procedure(s):**

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01


This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.




Randy Ortanez  
President




<b>FCC ID:</b> RI7LE910CXWWX	 <b>PART 27 MEASUREMENT REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2106040065-06.R17	<b>Test Dates:</b> 5/12- 6/1/2021	<b>EUT Type:</b> Data Terminal Module
		Page 1 of 111

# TABLE OF CONTENTS


1.0	INTRODUCTION .....	4
1.1	Scope .....	4
1.2	PCTEST Test Location.....	4
1.3	Test Facility / Accreditations.....	4
2.0	PRODUCT INFORMATION.....	5
2.1	Equipment Description .....	5
2.2	Device Capabilities.....	5
2.3	Test Configuration .....	5
2.4	Software and Firmware .....	5
2.5	EMI Suppression Device(s)/Modifications .....	5
3.0	DESCRIPTION OF TESTS .....	6
3.1	Evaluation Procedure .....	6
3.2	Radiated Power and Radiated Spurious Emissions .....	6
4.0	MEASUREMENT UNCERTAINTY .....	7
5.0	TEST EQUIPMENT CALIBRATION DATA .....	8
6.0	SAMPLE CALCULATIONS .....	9
7.0	TEST RESULTS .....	10
7.1	Summary .....	10
7.2	Transmitter Conducted Output Power/ Effective Radiated Power .....	11
7.3	Occupied Bandwidth .....	15
7.4	Spurious and Harmonic Emissions at Antenna Terminal .....	31
7.5	Band Edge Emissions at Antenna Terminal .....	52
7.6	Peak-Average Ratio .....	78
7.7	Radiated Spurious Emissions Measurements .....	94
7.8	Frequency Stability / Temperature Variation .....	105
8.0	CONCLUSION.....	111

<b>FCC ID:</b> RI7LE910CXWWX	 Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2106040065-06.RI7	<b>Test Dates:</b> 5/12- 6/1/2021	<b>EUT Type:</b> Data Terminal Module	Page 2 of 111



# MEASUREMENT REPORT

## FCC Part 27




Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	ERP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 8	3 MHz	QPSK	899	0.139	21.44	2M73G7D
		16QAM	899	0.117	20.70	2M73W7D
	1.4 MHz	QPSK	898.2 - 899.8	0.143	21.55	1M11G7D
		16QAM	898.2 - 899.8	0.112	20.50	1M11W7D
LTE Band 12	10 MHz	QPSK	704.0 - 711.0	0.157	21.97	9M04G7D
		16QAM	704.0 - 711.0	0.124	20.92	9M04W7D
	5 MHz	QPSK	701.5 - 713.5	0.152	21.82	4M57G7D
		16QAM	701.5 - 713.5	0.116	20.64	4M53W7D
	3 MHz	QPSK	700.5 - 714.5	0.150	21.75	2M72G7D
		16QAM	700.5 - 714.5	0.122	20.85	2M72W7D
	1.4 MHz	QPSK	699.7 - 715.3	0.154	21.88	1M11G7D
		16QAM	699.7 - 715.3	0.123	20.91	1M11W7D
LTE Band 13	10 MHz	QPSK	782.0	0.167	22.23	9M01G7D
		16QAM	782.0	0.131	21.17	9M04W7D
	5 MHz	QPSK	779.5 - 784.5	0.166	22.21	4M55G7D
		16QAM	779.5 - 784.5	0.133	21.25	4M54W7D

Overview Table (<1GHz Bands)

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
WCDMA1700	-	Spread Spectrum	1712.4 - 1752.6	0.412	26.15	4M14F9W

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 4	20 MHz	QPSK	1720.0 - 1745.0	0.372	25.71	17M9G7D
		16QAM	1720.0 - 1745.0	0.306	24.85	17M9W7D
	15 MHz	QPSK	1717.5 - 1747.5	0.387	25.88	13M4G7D
		16QAM	1717.5 - 1747.5	0.308	24.89	13M5W7D
	10 MHz	QPSK	1715.0 - 1750.0	0.370	25.68	9M01G7D
		16QAM	1715.0 - 1750.0	0.293	24.66	9M01W7D
	5 MHz	QPSK	1712.5 - 1752.5	0.348	25.41	4M58G7D
		16QAM	1712.5 - 1752.5	0.282	24.50	4M53W7D
	3 MHz	QPSK	1711.5 - 1753.5	0.367	25.65	2M72G7D
		16QAM	1711.5 - 1753.5	0.293	24.67	2M72W7D
	1.4 MHz	QPSK	1710.7 - 1754.3	0.361	25.58	1M11G7D
		16QAM	1710.7 - 1754.3	0.288	24.59	1M11W7D

Overview Table (>1GHz Bands)

FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 3 of 111

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.


### 1.2 PCTEST Test Location

These measurement tests were conducted at the PCTEST facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

### 1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: RI7LE910CXWWX	 PCTEST <sup>®</sup> Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module		Page 4 of 111

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Telit Communications S.p.A Data Terminal Module** **FCC ID: R17LE910CXWWX**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

This FCC and IC ID covers operations for two different versions of this module. The LE910C4-WWX is the Cat. 4 LTE version module and the LE910C1-WWX is the Cat. 1 LTE version of this module. Cat. 1 and Cat. 4 LTE only differ in the speed/throughput and have not been noted to have any impact on the RF itself. Both modules were investigated and the LE910C4-WWX was tested fully to represent both versions of the module.

**Test Device Serial No.:** 96014, 95001

### 2.2 Device Capabilities

This device contains the following capabilities:

GSM/GPRS/EDGE, WCDMA/HSPA, LTE

### 2.3 Test Configuration


The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

### 2.4 Software and Firmware

The test was conducted with firmware version M0F.503003 for LE910C4-WWX and M0F.103003 for LE910C1-WWX installed on the EUT.

### 2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

<b>FCC ID:</b> R17LE910CXWWX	 <b>PART 27 MEASUREMENT REPORT</b>	<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2106040065-06.R17	<b>Test Dates:</b> 5/12- 6/1/2021	<b>EUT Type:</b> Data Terminal Module
		Page 5 of 111

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the document titled “Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards” (ANSI/TIA-603-E-2016) and “Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems” (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

### 3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a wooden turntable 80cm above the ground plane and 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer “Channel Power” function with the integration band set to the emissions’ occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.


Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]}$$

Where,  $P_d$  is the dipole equivalent power,  $P_g$  is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to  $P_g \text{ [dBm]} - \text{cable loss [dB]}$ .

For fundamental radiated power measurements, the guidance of KDB 971168 D01 v03r01 is used to record the EUT power level that is subsequently matched via the aforementioned substitution method given in ANSI/TIA-603-E-2016.


All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01.

FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 6 of 111

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ( $\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: RI7LE910CXWWX	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module
		Page 7 of 111

## 5.0 TEST EQUIPMENT CALIBRATION DATA


Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AP1	EMC Cable and Switch System	3/9/2021	Annual	3/9/2022	AP1
-	ETS	EMC Cable and Switch System	3/4/2021	Annual	3/4/2022	ETS
-	LTx4	Licensed Transmitter Cable Set	3/12/2021	Annual	3/12/2022	LTx4
-	LTx5	Licensed Transmitter Cable Set	3/3/2021	Annual	3/3/2022	LTx5
Agilent	E5515C	Wireless Communications Test Set	N/A			GB45360985
Anritsu	MT8820C	Radio Communication Analyzer	N/A			6201300731
Anritsu	MT8821C	Radio Communication Analyzer	N/A			6201381794
Emco	3115	Horn Antenna (1-18GHz)	6/18/2020	Biennial	6/18/2022	9704-5182
Emco	3116	Horn Antenna (18 - 40GHz)	8/7/2018	Triennial	8/7/2021	9203-2178
ETS Lindgren	3164-08	Quad Ridge Horn Antenna	3/12/2020	Biennial	3/12/2022	128337
Keysight Technologies	N9020A	MXA Signal Analyzer	9/22/2020	Annual	9/22/2021	MY54500644
Keysight Technologies	N9030A	PXA Signal Analyzer	10/16/2020	Annual	10/16/2021	MY54490576
Mini-Circuits	SSG-4000HP	Synthesized Signal Generator	N/A			11403100002
Rohde & Schwarz	CMU200	Base Station Simulator	N/A			836536/0005
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	7/15/2020	Annual	7/15/2021	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	9/9/2020	Annual	9/9/2021	100348
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	1/21/2021	Annual	1/21/2022	101716
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	7/27/2020	Biennial	7/27/2022	A051107

**Table 5-1. Summary of Test Results**

### Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 8 of 111



## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### QPSK Modulation

**Emission Designator = 8M62G7D**

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

#### QAM Modulation

**Emission Designator = 8M45W7D**

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated


7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

### Spurious Radiated Emission – LTE Band

#### **Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)**

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was  $-81.0$  dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of  $-81.0$  dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of  $-30.9$  dBm yielding  $-24.80$  dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm  $- (-24.80)$ .

FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 9 of 111

## 7.0 TEST RESULTS

### 7.1 Summary


Company Name: Telit Communications S.p.A  
 FCC ID: RI7LE910CXWWX  
 FCC Classification: PCS Licensed Transmitter (PCB)  
 Mode(s): WCDMA/LTE

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Transmitter Conducted Output Power/ Effective Radiated Power (LTE Band 8)	2.1046, 27.1507(a)(4)	< 3 Watts max. ERP	PASS	Section 7.2
	Transmitter Conducted Output Power/ Effective Radiated Power (LTE Band 12)	2.1046, 27.50(c)(10)		PASS	Section 7.2
	Transmitter Conducted Output Power/ Effective Radiated Power (LTE Band 13)	2.1046, 27.50(b)(10)		PASS	Section 7.2
	Transmitter Conducted Output Power/ Equivalent Isotropic Radiated Power (WCDMA / Band 4)	2.1046, 27.50(d)(4)	< 1 Watts max. EIRP	PASS	Section 7.2
	Occupied Bandwidth	2.1049	N/A	PASS	Section 7.3
	Conducted Band Edge / Spurious Emissions	2.1051, 27.1509(a), 27.53	> 43 + 10log <sub>10</sub> (P[Watts]) at Band Edge and for all out-of-band emissions	PASS	Sections 7.4, 7.5
	Peak-Average Ratio	27.1507(d), 27.50(d)(5)	< 13 dB	PASS	Section 7.6
	Frequency Stability	2.1055, 27.54	Occupied bandwidth remains within authorized frequency block range	PASS	Section 7.8
RADIATED	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(f)	For all emissions in the band 1559 - 1610 MHz: < -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW)	PASS	Section 7.7
	Radiated Spurious Emissions	2.1053, 27.1509(a), 27.53	> 43 + 10 log <sub>10</sub> (P[Watts]) for all out-of-band emissions	PASS	Section 7.7

**Table 7-1. Summary of Test Results**

#### Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST EMC Software Tool V1.1.

FCC ID: RI7LE910CXWWX	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module
		Page 10 of 111

## 7.2 Transmitter Conducted Output Power/ Effective Radiated Power

### Test Overview

The transmitter conducted output power is a measure of the total average power contained within an allocated channel bandwidth. All modes of operation were investigated and the worst case configuration results are reported in this section.

### Test Procedure Used

ANSI C63.26-2015 – Section 5.2.4.2

### Test Settings

All conducted powers were measured using the R&S CMW500's Channel Measurement function.

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-1. Test Instrument & Measurement Setup**


### Test Notes

The Maximum Effective Isotropic Radiated Power (EIRP) is calculated by adding the declared maximum antenna gain(dBi)

$$\text{EIRP} = \text{Conducted Power(dBm)} + \text{Antenna Gain(dBi)}$$

The Maximum Equivalent Radiated Power (ERP) is calculated from the Maximum Effective Isotropic Radiated Power (EIRP) by subtracting 2.15dB

$$\text{ERP} = \text{EIRP} - 2.15\text{dB}$$


FCC ID: RI7LE910CXWWX	 <b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 11 of 111

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]	Ant Gain [dBi]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
20 MHz	QPSK	20050	1720.0	1 / 50	23.45	2.26	25.71	0.372	30.00	-4.29
		20175	1732.5	1 / 50	23.25	2.26	25.51	0.355	30.00	-4.49
		20300	1745.0	1 / 50	23.34	2.26	25.59	0.363	30.00	-4.41
	16-QAM	20050	1720.0	1 / 50	22.59	2.26	24.85	0.306	30.00	-5.15
		20175	1732.5	1 / 50	22.24	2.26	24.49	0.282	30.00	-5.51
		20300	1745.0	1 / 50	22.33	2.26	24.59	0.288	30.00	-5.41
15 MHz	QPSK	20025	1717.5	1 / 37	23.23	2.26	25.49	0.354	30.00	-4.51
		20175	1732.5	1 / 37	23.62	2.26	25.88	0.387	30.00	-4.12
		20325	1747.5	1 / 37	23.08	2.26	25.33	0.341	30.00	-4.67
	16-QAM	20025	1717.5	1 / 37	22.20	2.26	24.46	0.279	30.00	-5.54
		20175	1732.5	1 / 37	22.63	2.26	24.89	0.308	30.00	-5.11
		20325	1747.5	1 / 37	22.19	2.26	24.45	0.278	30.00	-5.55
10 MHz	QPSK	20000	1715.0	1 / 25	23.12	2.26	25.38	0.345	30.00	-4.62
		20175	1732.5	1 / 25	23.42	2.26	25.68	0.370	30.00	-4.32
		20350	1750.0	1 / 25	23.08	2.26	25.34	0.342	30.00	-4.66
	16-QAM	20000	1715.0	1 / 25	22.24	2.26	24.50	0.282	30.00	-5.50
		20175	1732.5	1 / 25	22.41	2.26	24.66	0.293	30.00	-5.34
		20350	1750.0	1 / 25	22.04	2.26	24.30	0.269	30.00	-5.70
5 MHz	QPSK	19975	1712.5	1 / 12	23.10	2.26	25.36	0.343	30.00	-4.64
		20175	1732.5	1 / 12	23.15	2.26	25.41	0.348	30.00	-4.59
		20375	1752.5	1 / 12	23.00	2.26	25.26	0.335	30.00	-4.74
	16-QAM	19975	1712.5	1 / 12	22.23	2.26	24.49	0.281	30.00	-5.51
		20175	1732.5	1 / 12	22.24	2.26	24.50	0.282	30.00	-5.50
		20375	1752.5	1 / 12	21.99	2.26	24.25	0.266	30.00	-5.75
3 MHz	QPSK	19965	1711.5	1 / 0	23.29	2.26	25.54	0.358	30.00	-4.46
		20175	1732.5	1 / 7	23.39	2.26	25.65	0.367	30.00	-4.35
		20385	1753.5	1 / 7	23.24	2.26	25.50	0.355	30.00	-4.50
	16-QAM	19965	1711.5	1 / 0	22.16	2.26	24.42	0.277	30.00	-5.58
		20175	1732.5	1 / 14	22.42	2.26	24.67	0.293	30.00	-5.33
		20385	1753.5	1 / 7	22.16	2.26	24.42	0.277	30.00	-5.58
1.4 MHz	QPSK	19957	1710.7	1 / 0	23.09	2.26	25.35	0.343	30.00	-4.65
		20175	1732.5	1 / 0	23.32	2.26	25.58	0.361	30.00	-4.42
		20393	1754.3	1 / 3	22.99	2.26	25.25	0.335	30.00	-4.75
	16-QAM	19957	1710.7	1 / 0	22.15	2.26	24.41	0.276	30.00	-5.59
		20175	1732.5	1 / 5	22.33	2.26	24.59	0.288	30.00	-5.41
		20393	1754.3	1 / 5	21.95	2.26	24.21	0.264	30.00	-5.79

Table 7-2. EIRP Data (LTE Band 4)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]	Ant Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]
3 MHz	QPSK	21640	899.0	1 / 8	23.52	0.07	21.44	0.139	34.77	-13.33
	16-QAM	21640	899.0	1 / 8	22.78	0.07	20.70	0.117	34.77	-14.07
1.4 MHz	QPSK	21632	898.2	1 / 0	23.63	0.07	21.55	0.143	34.77	-13.22
		21640	899.0	1 / 3	23.62	0.07	21.54	0.143	34.77	-13.23
		21648	899.8	1 / 0	23.39	0.07	21.31	0.135	34.77	-13.46
	16-QAM	21632	898.2	1 / 0	22.54	0.07	20.46	0.111	34.77	-14.31
		21640	899.0	1 / 3	22.56	0.07	20.48	0.112	34.77	-14.29
		21648	899.8	1 / 0	22.58	0.07	20.50	0.112	34.77	-14.27

Table 7-3. ERP Data (LTE Band 8)


FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module		Page 12 of 111

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]	Ant Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]
10 MHz	QPSK	23060	704.0	1 / 25	23.46	0.41	21.72	0.149	34.77	-13.05
		23095	707.5	1 / 25	23.71	0.41	21.97	0.157	34.77	-12.80
		23130	711.0	1 / 25	23.37	0.41	21.63	0.146	34.77	-13.14
	16-QAM	23060	704.0	1 / 25	22.34	0.41	20.61	0.115	34.77	-14.17
		23095	707.5	1 / 25	22.65	0.41	20.92	0.124	34.77	-13.85
		23130	711.0	1 / 25	22.30	0.41	20.56	0.114	34.77	-14.21
5 MHz	QPSK	23035	701.5	1 / 12	23.18	0.41	21.44	0.139	34.77	-13.33
		23095	707.5	1 / 12	23.56	0.41	21.82	0.152	34.77	-12.95
		23155	713.5	1 / 12	23.18	0.41	21.44	0.139	34.77	-13.33
	16-QAM	23035	701.5	1 / 12	22.31	0.41	20.57	0.114	34.77	-14.20
		23095	707.5	1 / 12	22.37	0.41	20.63	0.116	34.77	-14.14
		23155	713.5	1 / 12	22.38	0.41	20.64	0.116	34.77	-14.13
3 MHz	QPSK	23025	700.5	1 / 7	23.43	0.41	21.69	0.148	34.77	-13.08
		23095	707.5	1 / 7	23.49	0.41	21.75	0.150	34.77	-13.02
		23165	714.5	1 / 7	23.25	0.41	21.52	0.142	34.77	-13.25
	16-QAM	23025	700.5	1 / 7	22.40	0.41	20.66	0.116	34.77	-14.11
		23095	707.5	1 / 7	22.59	0.41	20.85	0.122	34.77	-13.92
		23165	714.5	1 / 7	22.34	0.41	20.60	0.115	34.77	-14.17
1.4 MHz	QPSK	23017	699.7	1 / 3	23.62	0.41	21.88	0.154	34.77	-12.89
		23095	707.5	1 / 0	23.30	0.41	21.56	0.143	34.77	-13.21
		23173	715.3	1 / 3	23.25	0.41	21.51	0.142	34.77	-13.26
	16-QAM	23017	699.7	1 / 3	22.65	0.41	20.91	0.123	34.77	-13.86
		23095	707.5	1 / 0	22.21	0.41	20.47	0.111	34.77	-14.30
		23173	715.3	1 / 3	22.42	0.41	20.68	0.117	34.77	-14.09

Table 7-4. ERP Data (LTE Band 12)


Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]	Ant Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]
10 MHz	QPSK	23230	782.0	1 / 25	23.52	0.86	22.23	0.167	34.77	-12.54
	16-QAM	23230	782.0	1 / 25	22.46	0.86	21.17	0.131	34.77	-13.60
5 MHz	QPSK	23205	779.5	1 / 12	23.49	0.86	22.21	0.166	34.77	-12.56
		23230	782.0	1 / 12	23.49	0.86	22.20	0.166	34.77	-12.57
		23255	784.5	1 / 12	23.17	0.86	21.89	0.154	34.77	-12.88
	16-QAM	23205	779.5	1 / 12	22.54	0.86	21.25	0.133	34.77	-13.52
		23230	782.0	1 / 12	22.51	0.86	21.22	0.132	34.77	-13.55
		23255	784.5	1 / 12	22.29	0.86	21.00	0.126	34.77	-13.77

Table 7-5. ERP Data (LTE Band 13)

FCC ID: RI7LE910CXWWX	 PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 13 of 111

Mode	Channel	Frequency [MHz]	Conducted Power [dBm]	Ant Gain [dBi]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
WCDMA (RMC)	1312	1712.4	23.50	2.26	25.76	0.377	30.00	-4.24
	1413	1732.6	23.43	2.26	25.69	0.371	30.00	-4.31
	1513	1752.6	23.54	2.26	25.80	0.380	30.00	-4.20
WCDMA (AMR)	1312	1712.4	23.62	2.26	25.88	0.387	30.00	-4.12
	1413	1732.6	23.67	2.26	25.93	0.392	30.00	-4.07
	1513	1752.6	23.89	2.26	26.15	0.412	30.00	-3.85
HSDPA (Subtest1)	1312	1712.4	22.81	2.26	25.07	0.321	30.00	-4.93
	1413	1732.6	22.70	2.26	24.96	0.313	30.00	-5.04
	1513	1752.6	22.72	2.26	24.98	0.315	30.00	-5.02
HSDPA (Subtest2)	1312	1712.4	22.79	2.26	25.05	0.320	30.00	-4.95
	1413	1732.6	22.69	2.26	24.95	0.312	30.00	-5.05
	1513	1752.6	22.68	2.26	24.94	0.312	30.00	-5.06
HSDPA (Subtest3)	1312	1712.4	22.20	2.26	24.46	0.279	30.00	-5.54
	1413	1732.6	22.18	2.26	24.44	0.278	30.00	-5.56
	1513	1752.6	22.08	2.26	24.34	0.272	30.00	-5.66
HSDPA (Subtest4)	1312	1712.4	22.14	2.26	24.40	0.275	30.00	-5.60
	1413	1732.6	22.08	2.26	24.34	0.272	30.00	-5.66
	1513	1752.6	21.97	2.26	24.23	0.265	30.00	-5.77
HSUPA (Subtest1)	1312	1712.4	22.43	2.26	24.69	0.294	30.00	-5.31
	1413	1732.6	22.58	2.26	24.84	0.305	30.00	-5.16
	1513	1752.6	22.68	2.26	24.94	0.312	30.00	-5.06
HSUPA (Subtest2)	1312	1712.4	21.82	2.26	24.08	0.256	30.00	-5.92
	1413	1732.6	21.79	2.26	24.05	0.254	30.00	-5.95
	1513	1752.6	21.85	2.26	24.11	0.258	30.00	-5.89
HSUPA (Subtest3)	1312	1712.4	21.81	2.26	24.07	0.255	30.00	-5.93
	1413	1732.6	21.76	2.26	24.02	0.252	30.00	-5.98
	1513	1752.6	21.48	2.26	23.74	0.236	30.00	-6.26
HSUPA (Subtest4)	1312	1712.4	21.97	2.26	24.23	0.265	30.00	-5.77
	1413	1732.6	22.21	2.26	24.47	0.280	30.00	-5.53
	1513	1752.6	22.24	2.26	24.50	0.282	30.00	-5.50
HSUPA (Subtest5)	1312	1712.4	22.92	2.26	25.18	0.329	30.00	-4.82
	1413	1732.6	22.91	2.26	25.17	0.329	30.00	-4.83
	1513	1752.6	22.78	2.26	25.04	0.319	30.00	-4.96

Table 7-6. EIRP Data (WCDMA AWS)

FCC ID: RI7LE910CXWWX	 PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module
		Page 14 of 111

## 7.3 Occupied Bandwidth

### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 4.2

### Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW  $\geq$  3 x RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-2. Test Instrument & Measurement Setup**

### Test Notes


None.

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 15 of 111

## LTE Band 4




Plot 7-1. Occupied Bandwidth Plot (LTE Band 4 - 20MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 4 - 20MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 16 of 111






Plot 7-3. Occupied Bandwidth Plot (LTE Band 4 - 15MHz QPSK - Full RB)



Plot 7-4. Occupied Bandwidth Plot (LTE Band 4 - 15MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 17 of 111




Plot 7-5. Occupied Bandwidth Plot (LTE Band 4 - 10MHz QPSK - Full RB)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 4 - 10MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 18 of 111




Plot 7-7. Occupied Bandwidth Plot (LTE Band 4 - 5MHz QPSK - Full RB)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 4 - 5MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 19 of 111




Plot 7-9. Occupied Bandwidth Plot (LTE Band 4 - 3MHz QPSK - Full RB)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 4 - 3MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 20 of 111




Plot 7-11. Occupied Bandwidth Plot (LTE Band 4 - 1.4MHz QPSK - Full RB)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 4 - 1.4MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 21 of 111

## LTE Band 8




Plot 7-13. Occupied Bandwidth Plot (LTE Band 8 - 3MHz QPSK - Full RB)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 8 - 3MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 22 of 111




Plot 7-15. Occupied Bandwidth Plot (LTE Band 8 - 1.4MHz QPSK - Full RB)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 8 - 1.4MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 23 of 111

## LTE Band 12




Plot 7-17. Occupied Bandwidth Plot (LTE Band 12 - 10MHz QPSK - Full RB)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 12 - 10MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 24 of 111






Plot 7-19. Occupied Bandwidth Plot (LTE Band 12 - 5MHz QPSK - Full RB)




Plot 7-20. Occupied Bandwidth Plot (LTE Band 12 - 5MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 25 of 111




Plot 7-21. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB)




Plot 7-22. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 26 of 111




Plot 7-23. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz QPSK - Full RB)




Plot 7-24. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 27 of 111

### LTE Band 13




Plot 7-25. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB)




Plot 7-26. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 28 of 111



Plot 7-27. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB)



Plot 7-28. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 29 of 111

**WCDMA AWS**



Plot 7-29. Occupied Bandwidth Plot (WCDMA, Ch. 1413)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 30 of 111

## 7.4 Spurious and Harmonic Emissions at Antenna Terminal

### Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

**The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.**

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW  $\geq$  100kHz
3. VBW  $\geq$  3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-3. Test Instrument & Measurement Setup**

### Test Notes


Per Part 27 and RSS-139, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 31 of 111

### LTE Band 4




Plot 7-30. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Low Channel)




Plot 7-31. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Low Channel)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 32 of 111






Plot 7-32. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Low Channel)




Plot 7-33. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 33 of 111




Plot 7-34. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Mid Channel)




Plot 7-35. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 34 of 111




Plot 7-36. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - High Channel)





Plot 7-37. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - High Channel)


FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 35 of 111




Plot 7-38. Conducted Spurious Plot (LTE Band 4 - 20MHz QPSK - 1 RB - High Channel)

FCC ID: RI7LE910CXWWX	 <b>PCTEST</b> Proud to be part of 	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 36 of 111

# LTE BAND 8




Plot 7-39. Conducted Spurious Plot (LTE BAND 8 – 1.4MHz QPSK - 1 RB - Low Channel)




Plot 7-40. Conducted Spurious Plot (LTE BAND 8 – 1.4MHz QPSK - 1 RB - Low Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 37 of 111




Plot 7-41. Conducted Spurious Plot (LTE BAND 8 - 3MHz QPSK - 1 RB - Mid Channel)




Plot 7-42. Conducted Spurious Plot (LTE BAND 8 - 3MHz QPSK - 1 RB - Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 38 of 111




Plot 7-43. Conducted Spurious Plot (LTE BAND 8 – 1.4MHz QPSK - 1 RB - High Channel)




Plot 7-44. Conducted Spurious Plot (LTE BAND 8 – 1.4MHz QPSK - 1 RB - High Channel)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 39 of 111

## LTE Band 12




Plot 7-45. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Low Channel)




Plot 7-46. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Low Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 40 of 111






Plot 7-47. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Low Channel)




Plot 7-48. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 41 of 111




Plot 7-49. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel)




Plot 7-50. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 42 of 111




Plot 7-51. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel)





Plot 7-52. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel)


FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 43 of 111




Plot 7-53. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel)

FCC ID: RI7LE910CXWWX	 <b>PCTEST</b> Proud to be part of 	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 44 of 111

## LTE Band 13




Plot 7-54. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)





Plot 7-55. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)


FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 45 of 111




Plot 7-56. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: RI7LE910CXWWX	 <b>PCTEST</b> Proud to be part of 	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 46 of 111

**WCDMA AWS**




Plot 7-57. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)



Plot 7-58. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 47 of 111




Plot 7-59. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)




Plot 7-60. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 48 of 111






Plot 7-61. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)




Plot 7-62. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 49 of 111




Plot 7-63. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)





Plot 7-64. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 50 of 111



Plot 7-65. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)

FCC ID: RI7LE910CXWWX	 <b>PCTEST</b> Proud to be part of 	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 51 of 111

## 7.5 Band Edge Emissions at Antenna Terminal

### Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

**The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{[Watts]})$ , where  $P$  is the transmitter power in Watts.**

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 6.0

### Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW  $\geq$  1% of the emission bandwidth
4. VBW  $\geq$  3 x RBW
5. Detector = RMS
6. Number of sweep points  $\geq$  2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-4. Test Instrument & Measurement Setup**

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 52 of 111


### Test Notes

Per 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


Per 27.53(g) for operations in the 663 - 698 MHz and 698 – 746MHz bands, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

Per 27.53(c)(5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.


For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c)(4) is  $65 + 10 \log_{10}(P) = -35\text{dBm}$  in a 6.25kHz bandwidth.

FCC ID: RI7LE910CXWWX	 <b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 53 of 111

### LTE Band 4



Plot 7-66. Lower Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)



Plot 7-67. Lower Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 54 of 111




Plot 7-68. Upper Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)




Plot 7-69. Upper Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 55 of 111



Plot 7-70. Lower Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)



Plot 7-71. Lower Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 56 of 111






Plot 7-72. Upper Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)




Plot 7-73. Upper Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 57 of 111



Plot 7-74. Lower Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)




Plot 7-75. Lower Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 58 of 111




Plot 7-76. Upper Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)




Plot 7-77. Upper Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 59 of 111




Plot 7-78. Lower Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)




Plot 7-79. Lower Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 60 of 111




Plot 7-80. Upper Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)




Plot 7-81. Upper Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 61 of 111



Plot 7-82. Lower Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-83. Lower Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 62 of 111




Plot 7-84. Upper Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-85. Upper Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 63 of 111




Plot 7-86. Lower Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)




Plot 7-87. Lower Extended Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 64 of 111






Plot 7-88. Upper Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)



Plot 7-89. Upper Extended Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 65 of 111

## LTE Band 8




Plot 7-90. Lower Band Edge Plot (LTE BAND 8 - 3MHz QPSK – Full RB)



Plot 7-91. Upper Band Edge Plot (LTE BAND 8 - 3MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 66 of 111




Plot 7-92. Lower Band Edge Plot (LTE BAND 8 – 1.4MHz QPSK – Full RB)



Plot 7-93. Upper Band Edge Plot (LTE BAND 8 – 1.4MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 67 of 111

## LTE Band 12




Plot 7-94. Lower Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB)



Plot 7-95. Upper Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 68 of 111




Plot 7-96. Lower Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB)




Plot 7-97. Upper Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 69 of 111




Plot 7-98. Lower Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)



Plot 7-99. Upper Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 70 of 111




Plot 7-100. Lower Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)




Plot 7-101. Upper Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 71 of 111

## LTE Band 13



Plot 7-102. Lower Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)



Plot 7-103. Lower Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 72 of 111






Plot 7-104. Upper Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)




Plot 7-105. Upper Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 73 of 111



Plot 7-106. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)



Plot 7-107. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 74 of 111




Plot 7-108. Upper Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)




Plot 7-109. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 75 of 111

**WCDMA AWS**




Plot 7-110. Lower Band Edge Plot (WCDMA AWS – Ch. 1312)




Plot 7-111. Lower Extended Band Edge Plot (WCDMA AWS – Ch. 1312)

FCC ID: RI7LE910CXWWX	PCTEST Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 76 of 111



Plot 7-112. Upper Band Edge Plot (WCDMA AWS – Ch. 1513)



Plot 7-113. Upper Extended Band Edge Plot (WCDMA AWS – Ch. 1513)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	PART 27 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 77 of 111

## 7.6 Peak-Average Ratio

### Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

### Test Procedure Used


KDB 971168 D01 v03r01 – Section 5.7.1

### Test Settings

1. The signal analyzer’s CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW  $\geq$  OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal “RF Burst” trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the “on time” of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-5. Test Instrument & Measurement Setup**

### Test Notes


None.

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.RI7	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 78 of 111

## LTE Band 4




Plot 7-114. PAR Plot (LTE Band 4 - 20MHz QPSK - Full RB)




Plot 7-115. PAR Plot (LTE Band 4 - 20MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 79 of 111




Plot 7-116. PAR Plot (LTE Band 4 - 15MHz QPSK - Full RB)




Plot 7-117. PAR Plot (LTE Band 4 - 15MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 80 of 111







Plot 7-118. PAR Plot (LTE Band 4 - 10MHz QPSK - Full RB)




Plot 7-119. PAR Plot (LTE Band 4 - 10MHz 16-QAM - Full RB)


FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 81 of 111



FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 82 of 111




Plot 7-122. PAR Plot (LTE Band 4 - 3MHz QPSK - Full RB)




Plot 7-123. PAR Plot (LTE Band 4 - 3MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 83 of 111




Plot 7-124. PAR Plot (LTE Band 4 - 1.4MHz QPSK - Full RB)




Plot 7-125. PAR Plot (LTE Band 4 - 1.4MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 84 of 111

### LTE Band 8




Plot 7-126. PAR Plot (LTE BAND 8 - 3MHz QPSK - Full RB)




Plot 7-127. PAR Plot (LTE BAND 8 - 3MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 85 of 111



Plot 7-128. PAR Plot (LTE BAND 8 - 1.4MHz QPSK - Full RB)



Plot 7-129. PAR Plot (LTE BAND 8 - 1.4MHz 16-QAM - Full RB)

FCC ID: RI7LE910CXWWX	<b>PCTEST</b> Proud to be part of element	<b>PART 27 MEASUREMENT REPORT</b>	Approved by: Technical Manager
Test Report S/N: 1M2106040065-06.R17	Test Dates: 5/12- 6/1/2021	EUT Type: Data Terminal Module	Page 86 of 111