FCC ID APV-55BTW

IC: 5843C-55BTW

Location of Label

REVISIONS

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	65575	PRODUCTION RELEASE	09/09/2014	E. RAMOS

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
   MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
   ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT : BARCODE FORMAT 39, BLACK INK
3. MATERIAL MUST BE LEAD (Pb) FREE PER
   THE EUROPEAN UNION'S RESTRICTION OF
   HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.

CalAmp®

Vanguard LTE Cellular Router - Mobile

Serial Number
nnnnnnnnnn

M/N: VG5530

FCC ID: APV-55BTW
IC: 5843C-55BTW

IMEI:
nnnnnnnnnnnnnnn

VG5530-LAT-M-GEN
Made in China

This device contains:
FCC ID: QIPALS3-US
IC: 7830A-ALS3US

MEID:
nnnnnnnnnnnnnnn

RoHS COMPLIANT 2002/95/EC

ITE for use in Hazardous Locations 46A3
Class I Div 2, Groups A, B, C & D
TEMP: -30°C to +70°C, T4
SUP: 10 to 30Vdc, 460mA @ 20V, Class 2

MAC Address:
nnnnnnnnnnnnnnn

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION
1	1	4591154042	2.5 X 1.5 B483 POLYESTER LABEL

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
±1/32	.XX ±.01	±0°30'
	.XXX ± .005	

USED ON	
VG3000-PXS-M-GEN	

CalAmp

MATERIAL

FINISH

DRAWN: E. RAMOS 09/02/2014
CHECKED: A. HARGITAI MM/DD/YYYY
ISSUED: A. ANGELES MM/DD/YYYY
MKTG:

TITLE
LABEL, UNIT MARKING, VANGUARD 3000, PXS8 MULTI, CELLULAR ROUTER, MOBILE, GENERIC

SIZE	CAGE CODE	DWG NO.	REV
A	6T925	134664-GVPM0	A

DO NOT SCALE DRAWING	Elec. File: 134664-GVPM0_A.doc	SCALE		SHEET 1 OF 1

REVISIONS

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	65575	PRODUCTION RELEASE	09/09/2014	E. RAMOS

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
   MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
   ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT : BARCODE FORMAT 39, BLACK INK
3. MATERIAL MUST BE LEAD (Pb) FREE PER
   THE EUROPEAN UNION'S RESTRICTION OF
   HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.

CalAmp®

Vanguard Multi Cellular Router - Mobile

Serial Number
nnnnnnnnnn

M/N: VG3000

FCC ID: APV-55BTW
IC: 5843C-55BTW

IMEI:
nnnnnnnnnnnnnnn

VG3000-PXS-M-GEN
Made in China

This device contains:
FCC ID: QIPPXS8
IC: 7830A-PXS8

MEID:
nnnnnnnnnnnnnnn

RoHS COMPLIANT 2002/95/EC

ITE for use in Hazardous Locations 46A3
Class I Div 2, Groups A, B, C & D
TEMP: -30°C to +70°C, T4
SUP: 10 to 30Vdc, 460mA @ 20V, Class 2

MAC Address:
nnnnnnnnnnnnnnn

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION
1	1	4591154042	2.5 X 1.5 B483 POLYESTER LABEL

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
±1/32	.XX ±.01	±0°30'
	.XXX ± .005	

USED ON	
VG3000-PXS-M-GEN	

CalAmp

MATERIAL

FINISH

DRAWN: E. RAMOS 09/02/2014
CHECKED: A. HARGITAI MM/DD/YYYY
ISSUED: A. ANGELES MM/DD/YYYY
MKTG:

TITLE
LABEL, UNIT MARKING, VANGUARD 3000, PXS8 MULTI, CELLULAR ROUTER, MOBILE, GENERIC

SIZE	CAGE CODE	DWG NO.	REV
A	6T925	134664-GVPM0	A

DO NOT SCALE DRAWING	Elec. File: 134664-GVPM0_A.doc	SCALE		SHEET 1 OF 1

REVISIONS

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	65573	PRODUCTION RELEASE	10/02/2014	E. RAMOS

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
   MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
   ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT : BARCODE FORMAT 39, BLACK INK
3. MATERIAL MUST BE LEAD (Pb) FREE PER
   THE EUROPEAN UNION'S RESTRICTION OF
   HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.



ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION
1	1	79969-2	LABEL BLANK, COATED MATTE, 2.75 X 1.56, 1" SPL

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
±1/32	.XX ±.01	±0°30'
	.XXX ± .005	

USED ON	
LMU5530L-BWR-G1000	

CalAmp

MATERIAL

FINISH

DRAWN: E. RAMOS 10/02/2014
CHECKED: A. HARGITAI MM/DD/YYYY
ISSUED: A. ANGELES MM/DD/YYYY
MKTG:

TITLE
LABEL, UNIT MARKING, LMU5530, ALS3 LTE, CELLULAR ROUTER, GEN-HW

SIZE	CAGE CODE	DWG NO.	REV
A	6T925	134689-G1000	A

DO NOT SCALE DRAWING | Elec. File: 134689-G1000_A.doc | SCALE | SHEET 1 OF 1

REVISIONS

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	65574	PRODUCTION RELEASE	10/01/2014	E. RAMOS

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
   MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
   ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT : BARCODE FORMAT 39, BLACK INK
3. MATERIAL MUST BE LEAD (Pb) FREE PER
   THE EUROPEAN UNION'S RESTRICTION OF
   HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.



ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION
1	1	79969-2	LABEL BLANK, COATED MATTE, 2.75 X 1.56, 1" SPL

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:

FRACTIONS	DECIMALS	ANGLES
±1/32	.XX ±.01	±0°30'
	.XXX ± .005	

USED ON	
LMU5530H-BWR-G1000	

CalAmp

MATERIAL

FINISH

DRAWN: E. RAMOS 10/01/2014
CHECKED: A. HARGITAI MM/DD/YYYY
ISSUED: A. ANGELES MM/DD/YYYY
MKTG:

TITLE
LABEL, UNIT MARKING, LMU5530, PCIe, HSPA, CELLULAR ROUTER, GEN-HW

SIZE	CAGE CODE	DWG NO.	REV
A	6T925	134687-G1000	A

DO NOT SCALE DRAWING | Elec. File: 134687-G1000_A.doc | SCALE | SHEET 1 OF 1