



JQA Application No. : KL80050310
Model No. : GX40
FCC ID : APYHRO00042

Regulation : CFR 47 FCC Rules Part 24
Issue Date : September 12, 2005

Attachment A
Occupied Bandwidth Measurement
PCS1900

Test Date: September 6, 2005
Temp.: 24 °C ; Humi.: 70 %


| CH No. | Transmitting Frequency(MHz) | 26dB Bandwidth | 99% Bandwidth | Data Page |
|--------|-----------------------------|----------------|---------------|-----------|
| 512 | 1850.200 | 306.0 kHz | 255.3 kHz | Page 2 |
| 661 | 1880.000 | 305.0 kHz | 254.6 kHz | Page 3 |
| 810 | 1909.800 | 305.3 kHz | 242.9 kHz | Page 4 |

Note) The point shown on " _____ " is the Maximum Margin Point.

Tester : Shigeru Kinoshita


Occupied Bandwidth Measurement

Transmitting Frequency : 1850.200MHz (512 ch)




Occupied Bandwidth Measurement

Transmitting Frequency : 1880.000MHz (661 ch)



Occupied Bandwidth Measurement

Transmitting Frequency : 1909.800MHz (810 ch)



Band-Edge Emission Measurement PCS1900

Test Date: September 6, 2005

Temp.: 24 °C ; Humi.: 70 %

1) Low Band-Edge Measurement

| CH | Transmitting Frequency(MHz) | Band-Edge Frequency(MHz) | Band-Edge Level[dBc] | Data Page |
|-----|--------------------------------|-----------------------------|-------------------------|--------------|
| 512 | 1850.200 | 1850.000 | -41.4 | Page 6 |

2) High Band-Edge Measurement


| CH | Transmitting Frequency(MHz) | Band-Edge Frequency(MHz) | Band-Edge Level[dBc] | Data Page |
|-----|--------------------------------|-----------------------------|-------------------------|--------------|
| 810 | 1909.800 | 1910.000 | -38.2 | Page 7 |

Note) The point shown on " _____ " is the Maximum Point.

Tester : Shigeru Kinoshita

Band-Edge Emission Measurement

Transmitting Frequency : 1850.200MHz (512 ch)
 Band-Edge Frequency : 1850.000 MHz



Band-Edge Emission Measurement

Transmitting Frequency : 1909.800MHz (810 ch)

Band-Edge Frequency : 1910.000 MHz

