

Page 65 of 153

## 9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

# 9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(h), Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(q)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明,近報告路术性對例或之樣而具實,同時起樣而性殊留別だ。本报告本歷本之可書面評明,不可能放展者。
This document is issueed by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page 66 of 153

## FCC §27.53(m) (4)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488





9.2. Test SET-UP



#### 9.3. Measurement Procedure

#### **Conducted Emission**

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

### **Band Edge**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 68 of 153

## 9.4. Measurement Equipment Used

| Conducted Emission (measured at antenna port) Test Site |                           |                   |            |            |            |  |
|---|---------------------------|-------------------|------------|------------|------------|--|
| EQUIPMENT   | MFR                       | MODEL             | SERIAL     | LAST       | CAL DUE.   |  |
| TYPE  |                           | NUMBER            | NUMBER     | CAL.       |            |  |
| Power Meter   | Anritsu                   | ML2495A           | 1005007    | 12/15/2016 | 12/14/2017 |  |
| Power Sensor  | Anritsu                   | MA2411B           | 917032     | 12/15/2016 | 12/14/2017 |  |
| EXA Spectrum Analyz-<br>er                              | Agilent                   | N9030A            | MY53120760 | 03/21/2017 | 03/20/2018 |  |
| DC Block  | Mini-Circuits             | cuits BLK-18-S+ 1 |            | 01/05/2017 | 01/04/2018 |  |
| Coaxial Cable   | HU-<br>BER+SUHNER         | SUCOFLEX<br>102   | 23670/2    | 01/05/2017 | 01/04/2018 |  |
| Attenuator  | Mini-Circuit              | BW-S10W2+         | 2          | 01/05/2017 | 01/04/2018 |  |
| Splitter  | Agilent                   | 11636B            | N/A        | 01/05/2017 | 01/04/2018 |  |
| DC Power Supply   | Agilent                   | E3640A            | MY52410006 | 11/21/2016 | 11/20/2017 |  |
| Temperature Chamber                                     | emperature Chamber TERCHY |                   | 911009     | 05/19/2017 | 05/18/2018 |  |
| Radio Communication<br>Analyzer                         | I RXS                     |                   | 102189     | 02/11/2017 | 02/10/2018 |  |
| Radio Communication<br>Analyer Anritsu                  |                           | MT8820C           | 6201465317 | 01/03/2017 | 01/02/2018 |  |

#### 9.5. Measurement Result:


Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






30MHz~3GHz\_GSM\_850MHz\_LowCH128-824.2


## 3GHz~10GHz\_GSM\_850MHz\_MidCH190-836.6






## 3GHz~10GHz\_GSM\_850MHz\_LowCH128-824.2


30MHz~3GHz\_GSM\_850MHz\_HighCH251-848.8



30MHz~3GHz\_GSM\_850MHz\_MidCH190-836.6



3GHz~10GHz\_GSM\_850MHz\_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No. 134, WuKungRoad, NewTaipeilIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2017/80084 Page 70 of 153

30MHz~3GHz\_GPRS\_850MHz\_LowCH128-824.2


## 3GHz~10GHz\_GPRS\_850MHz\_MidCH190-836.6






3GHz~10GHz\_GPRS\_850MHz\_LowCH128-824.2


30MHz~3GHz\_GPRS\_850MHz\_HighCH251-848.8






30MHz~3GHz GPRS 850MHz MidCH190-836.6

# 3GHz~10GHz\_GPRS\_850MHz\_HighCH251-848.8





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sqs.com




Page 71 of 153


# 30MHz~3GHz\_GSM\_1900MHz\_LowCH512-1850.2



### 3GHz~10GHz\_GSM\_1900MHz\_MidCH661-1880




3GHz~10GHz\_GSM\_1900MHz\_LowCH512-1850.2



30MHz~3GHz\_GSM\_1900MHz\_HighCH810-1909.8



30MHz~3GHz GSM 1900MHz MidCH661-1880



3GHz~10GHz GSM 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.




Page 72 of 153


### 30MHz~3GHz\_GPRS\_1900MHz\_LowCH512-1850.2




3GHz~10GHz\_GPRS\_1900MHz\_MidCH661-1880




3GHz~10GHz\_GPRS\_1900MHz\_LowCH512-1850.2




30MHz~3GHz\_GPRS\_1900MHz\_HighCH810-1909.8



30MHz~3GHz GPRS\_1900MHz\_MidCH661-1880



3GHz~10GHz\_GPRS\_1900MHz\_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488

www.tw.sqs.com




Page 73 of 153


#### 30MHz~3GHz WCDMA B5 LowCH4132-826.4



### 3GHz~10GHz\_WCDMA\_B5\_MidCH4183-836.6



3GHz~10GHz\_WCDMA\_B5\_LowCH4132-826.4




30MHz~3GHz\_WCDMA\_B5\_HighCH4233-846.6



30MHz~3GHz WCDMA B5 MidCH4183-836.6



3GHz~10GHz WCDMA B5 HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488




Page 74 of 153


## 30MHz~3GHz\_Band5 1.4MHz\_QPSK 1 0\_LowCH20407-824.7



#### 3GHz~10GHz \_Band5 3MHz\_QPSK 1 0\_MidCH20525-836.5



### 3GHz~10GHz\_Band5 1.4MHz\_QPSK 1 0\_LowCH20407-824.7




30MHz~3GHz\_Band5 1.4MHz\_QPSK 1 0\_HighCH20643-848.3



30MHz~3GHz\_Band5 1.4MHz\_QPSK 1 0\_MidCH20525-836.5



3GHz~10GHz\_Band5 1.4MHz \_QPSK 1 0\_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 75 of 153


#### 30MHz~3GHz\_Band5 3MHz\_QPSK 1 0\_LowCH20415-825.5




3GHz~10GHz\_Band5 3MHz\_QPSK 1 0\_MidCH20525-836.5




3GHz~10GHz\_Band5 3MHz\_QPSK 1 0\_ LowCH20415-825.5




30MHz~3GHz\_Band5 3MHz\_QPSK 1 0\_HighCH20635-847.5



30MHz~3GHz\_Band5 3MHz\_QPSK 1 0\_MidCH20525-836.5



3GHz~10GHz\_Band5 3MHz\_QPSK 1 0\_HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.




Page 76 of 153


#### 30MHz~3GHz\_Band5 5MHz\_QPSK 1 0\_LowCH20425-826.5



3GHz~10GHz\_Band5 5MHz\_QPSK 1 0\_MidCH20525-836.5




3GHz~10GHz\_Band5 5MHz\_QPSK 1 0\_LowCH20425-826.5




30MHz~3GHz\_Band5 5MHz\_QPSK 1 0\_HighCH20625-846.5



30MHz~3GHz\_Band5 5MHz\_QPSK 1 0\_MidCH20525-836.5



3GHz~10GHz\_Band5 5MHz\_QPSK 1 0\_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488




Page 77 of 153


## 30MHz~3GHz\_Band5 10MHz\_QPSK 1 0\_LowCH20450-829



#### 3GHz~10GHz\_Band5 10MHz\_QPSK 1 0\_MidCH20525-836.5




### 3GHz~10GHz\_Band5 10MHz\_QPSK 1 0\_ LowCH20450-829




### 30MHz~3GHz\_Band5 10MHz\_QPSK 1 0\_HighCH20600-844



### 30MHz~3GHz\_Band5 10MHz\_QPSK 1 0\_MidCH20525-836.5



3GHz~10GHz\_Band5 10MHz\_QPSK 1 0\_ HighCH20600-8444



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 78 of 153


30MHz~3GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_LowCH23017-699.7




3GHz~10GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_MidCH23095-707.5




3GHz~10GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_LowCH23017-699.7




30MHz~3GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_HighCH23173-715.3



30MHz~3GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_1\_4MHz\_QPSK\_1\_0\_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 79 of 153


30MHz~3GHz\_Band12\_3MHz\_QPSK\_1\_0\_LowCH23025-700.5




3GHz~10GHz\_Band12\_3MHz\_QPSK\_1\_0\_MidCH23095-707.5




3GHz~10GHz\_Band12\_3MHz\_QPSK\_1\_0\_LowCH23025-700.5




30MHz~3GHz\_Band12\_3MHz\_QPSK\_1\_0\_HighCH23165-714.5



30MHz~3GHz\_Band12\_3MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_3MHz\_QPSK\_1\_0\_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com




Page 80 of 153


30MHz~3GHz\_Band12\_5MHz\_QPSK\_1\_0\_LowCH23035-701.5



3GHz~10GHz\_Band12\_5MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_5MHz\_QPSK\_1\_0\_LowCH23035-701.5




30MHz~3GHz\_Band12\_5MHz\_QPSK\_1\_0\_HighCH23155-713.5



30MHz~3GHz\_Band12\_5MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_5MHz\_QPSK\_1\_0\_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 81 of 153


30MHz~3GHz\_Band12\_10MHz\_QPSK\_1\_0\_LowCH23060-704




3GHz~10GHz\_Band12\_10MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_10MHz\_QPSK\_1\_0\_LowCH23060-704




30MHz~3GHz\_Band12\_10MHz\_QPSK\_1\_0\_HighCH23130-711



30MHz~3GHz\_Band12\_10MHz\_QPSK\_1\_0\_MidCH23095-707.5



3GHz~10GHz\_Band12\_10MHz\_QPSK\_1\_0\_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 82 of 153


#### 30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_LowCH23755-706.5



3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_MidCH23790-710




3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_LowCH23755-706.5




30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_HighCH23825-713.5



30MHz~3GHz\_Band17\_5MHz\_QPSK\_1\_0\_MidCH23790-710



3GHz~10GHz\_Band17\_5MHz\_QPSK\_1\_0\_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page 83 of 153


#### 30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_LowCH23780-709



3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_MidCH23790-710




3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_LowCH23780-709




30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_HighCH23800-711



30MHz~3GHz\_Band17\_10MHz\_QPSK\_1\_0\_MidCH23790-710



3GHz~10GHz\_Band17\_10MHz\_QPSK\_1\_0\_HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Pk 并另有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Band Edge\_GSM\_850MHz\_LowCH128-824.2








Band Edge\_GSM\_850MHz\_HighCH251-848.8



Band Edge\_GPRS\_850MHz\_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piet (s) tested and such as a retained for 90 days only. 

Rep 37 就明,此報告結果僅對測試之樣品負責,同時止樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sedfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforced may be presented to the fullest cutent of the force. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 85 of 153

### Band Edge GSM 1900MHz LowCH512-1850.2




### Band Edge\_GPRS\_1900MHz\_LowCH512-1850.2



# Band Edge\_GSM\_1900MHz\_HighCH810-1909.8




Band Edge\_GPRS\_1900MHz\_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Band Edge\_WCDMA\_B5\_LowCH4132-826.4



Band Edge\_WCDMA\_B5\_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated tire results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 中 sample(s) tested and such sample(s) are retained for 90 days only. Fex 月 有 sample(s) tested and such sample(s) are retained for 90 days only. Fex Park 19 and and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

www.tw.sqs.com



Page 87 of 153

## Band Edge\_Band5 1.4MHz\_QPSK 1 0\_LowCH20407-824.7



### Band Edge\_Band5 1.4MHz\_QPSK 6 0\_HighCH20643-848.3



Band Edge\_Band5 1.4MHz\_QPSK 1 5\_HighCH20643-848.3




Band Edge\_Band5 3MHz\_QPSK 1 0\_LowCH20415-825.5



Band Edge\_Band5 1.4MHz\_QPSK 6 0\_LowCH20407-824.7



Band Edge\_Band5 3MHz\_QPSK 1 14\_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Page 88 of 153

## Band Edge\_Band5 3MHz\_QPSK 15 0\_LowCH20415-825.5



#### Band Edge Band5 5MHz QPSK 1 24 HighCH20625-846.5



### Band Edge\_Band5 3MHz\_QPSK 15 0\_HighCH20635-847.5




### Band Edge\_Band5 5MHz\_QPSK 25 0\_LowCH20425-826.5



## Band Edge\_Band5 5MHz\_QPSK 1 0\_LowCH20425-826.5



Band Edge\_Band5 5MHz\_QPSK 25 0\_HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: ER/2017/80084 Page 89 of 153




Band Edge\_Band5 10MHz\_QPSK 1 0\_LowCH20450-829



Band Edge\_Band5 10MHz\_QPSK 50 0\_LowCH20450-829



Band Edge\_Band5 10MHz\_QPSK 1 49\_HighCH20600-844




Band Edge\_Band5 10MHz\_QPSK 50 0\_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.





Band Edge\_Band12\_1\_4MHz\_QPSK\_1\_0\_LowCH23017-699.7



Band Edge\_Band12\_1\_4MHz\_QPSK\_6\_0\_HighCH23173-715.3



### Band Edge\_Band12\_1\_4MHz\_QPSK\_1\_5\_HighCH23173-715.3



## Band Edge Band12 3MHz QPSK 1 0 LowCH23025-700.5



Band Edge\_Band12\_1\_4MHz\_QPSK\_6\_0\_LowCH23017-699.7



Band Edge\_Band12\_3MHz\_QPSK\_1\_14\_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告題未往背測域之様态具質・同時記様态性体質別式。各東資本整本公司書面計引・不可能対義と。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document on the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the


SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號





Band Edge\_Band12\_3MHz\_QPSK\_15\_0\_LowCH23025-700.5



# Band Edge\_Band12\_5MHz\_QPSK\_1\_24\_HighCH23155-713.5



# Band Edge\_Band12\_3MHz\_QPSK\_15\_0\_HighCH23165-714.5



Band Edge Band12 5MHz QPSK 25 0 LowCH23035-701.5



Band Edge\_Band12\_5MHz\_QPSK\_1\_0\_LowCH23035-701.5



Band Edge\_Band12\_5MHz\_QPSK\_25\_0\_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告題未往背測域之様态具質・同時記様态性体質別式。各東資本整本公司書面計引・不可能対義と。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document on the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

f (886-2) 2298-0488

SGS Taiwan Ltd.



Band Edge\_Band12\_10MHz\_QPSK\_1\_0\_LowCH23060-704



Band Edge\_Band12\_10MHz\_QPSK\_50\_0\_HighCH23130-711



Band Edge\_Band12\_10MHz\_QPSK\_1\_49\_HighCH23130-711



### Band Edge\_Band12\_10MHz\_QPSK\_50\_0\_LowCH23060-704




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outerwise stated tire results shown in this test report teer only to the sample(s) tested and such a retained to 30 days only. 
Re非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面好可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Format document in the Imitiation of liability, indemnification and jurisdiction is such electronic format documents and conditions for Electronic Format documen

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號




SGS

Band Edge\_Band17\_5MHz\_QPSK\_1\_0\_LowCH23755-706.5



Band Edge\_Band17\_5MHz\_QPSK\_25\_0\_HighCH23825-713.5



Band Edge\_Band17\_5MHz\_QPSK\_1\_24\_HighCH23825-713.5



Band Edge\_Band17\_10MHz\_QPSK\_1\_0\_LowCH23780-709



Band Edge\_Band17\_5MHz\_QPSK\_25\_0\_LowCH23755-706.5



Band Edge\_Band17\_10MHz\_QPSK\_1\_49\_HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 現明・近報告話未佳質測点之核品員實・同時記樣品佳保留別式。本報告未整本公司書面計引・不可能対義。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.





Band Edge\_Band17\_10MHz\_QPSK\_50\_0\_LowCH23780-709



Band Edge\_Band17\_10MHz\_QPSK\_50\_0\_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outerwise stated tire results shown in this test report teer only to the sample(s) tested and such a retained to 30 days only. 
Re非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面好可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Format document in the Imitiation of liability, indemnification and jurisdiction is such electronic format documents and conditions for Electronic Format documen

f (886-2) 2298-0488

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipeiln dustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 95 of 153

## 10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

## 10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page 96 of 153

# FCC §27.53(m) (4)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment** 

| Frequency (MHz) | Attenuation (dB)                     |
|-----------------|--------------------------------------|
| <2200           | $43 + 10 \log_{10}(p)$               |
| 2200 - 2288     | $70 + 10 \log_{10}(p)$               |
| 2288 - 2292     | $67 + 10 \log_{10}(p)$               |
| 2292 - 2296     | $61 + 10 \log_{10}(p)$               |
| 2296 - 2300     | $55 + 10 \log_{10}(p)$               |
| 2300 - 2305     | $43 + 10 \log_{10}(p)$               |
| 2305 - 2320     | $43 + 10 \log_{10}(p)^{\text{Note}}$ |
| 2320 - 2324     | $55 + 10 \log_{10}(p)$               |
| 2324 - 2328     | $61 + 10 \log_{10}(p)$               |
| 2328 - 2337     | $67 + 10 \log_{10}(p)$               |
| 2337 - 2341     | $61 + 10 \log_{10}(p)$               |
| 2341 - 2345     | $55 + 10 \log_{10}(p)$               |
| 2345 - 2360     | $43 + 10 \log_{10}(p)^{\text{Note}}$ |
| 2360 - 2365     | $43 + 10 \log_{10}(p)$               |
| 2365 - 2395     | $70 + 10 \log_{10}(p)$               |
| >2395           | $43 + 10 \log_{10}(p)$               |

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

# 10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s) teste document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 98 of 153

## Radiated Emission Test Set-UP Frequency Over 1 GHz



#### 10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report relearning to the sample(s) tested and such sample(s) are retained for 90 days only. Fex page 18 for the sample(s) tested and such sample(s) are retained for 90 days only. Fex page 18 for page 18 document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 99 of 153

# 10.4. Measurement Equipment Used:

| ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber |                                     |              |            |            |            |  |  |
|--|-------------------------------------|--------------|------------|------------|------------|--|--|
| EQUIPMENT TYPE                                   | MFR MODEL                           |              | SERIAL     | LAST CAL.  | CAL DUE.   |  |  |
|  |                                     | NUMBER       | NUMBER     |            |            |  |  |
| EMI Test Receiver                                | R&S                                 | ESCI7        | 100760     | 05/11/2017 | 05/10/2018 |  |  |
| Spectrum Analyzer                                | Agilent                             | E4446A       | MY51100003 | 04/25/2017 | 04/24/2018 |  |  |
| Loop Antenna                                     | ETS-Lindgren                        | 6502         | 148045     | 09/20/2016 | 09/19/2017 |  |  |
| Bilog Antenna                                    | SCHWAZBECK                          | VULB9168     | 378        | 12/19/2016 | 12/18/2017 |  |  |
| Horn Antenna                                     | Schwarzbeck                         | BBHA9120D    | 1441       | 08/04/2017 | 08/03/2018 |  |  |
| Pre-Amplifier                                    | Agilent                             | 8447D        | 2944A07676 | 01/03/2017 | 01/02/2018 |  |  |
| Pre-Amplifier                                    | EMC Instruments Corp.               | EMC0126530   | 980038     | 01/03/2017 | 01/02/2018 |  |  |
| Turn Table                                       | HD                                  | DT420        | N/A        | N.C.R      | N.C.R      |  |  |
| Antenna Tower                                    | ChamPro                             | AM-BS-4500-B | 060776-ABS | N.C.R      | N.C.R      |  |  |
| Controller                                       | ChamPro                             | EM1000       | 60776      | N.C.R      | N.C.R      |  |  |
| Low Loss Cable                                   | Huber Suhner                        | 966_RX       | 9          | 01/05/2017 | 01/04/2018 |  |  |
| 3m Site NSA                                      | SGS                                 | 966 chamber  | N/A        | 07/01/2017 | 06/30/2018 |  |  |
| Low Loss Cable                                   | Huber Suhner                        | 966 TX       | 1          | 01/05/2017 | 01/04/2018 |  |  |
| Horn Antenna                                     | Schwarzbeck                         | BBHA9170     | 184        | 12/12/2016 | 12/11/2017 |  |  |
| Pre-Amplifier                                    | Pre-Amplifier EMC Instruments Corp. |              | 980135     | 01/05/2017 | 01/04/2018 |  |  |
| Radio Communication<br>Analyzer                  | R&S                                 | CMU200       | 102189     | 02/11/2017 | 02/10/2018 |  |  |
| Radio Communication Anritsu Analyer              |                                     | MT8820C      | 6201465317 | 01/03/2017 | 01/02/2018 |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






10.5. Measurement Result:

# Radiated Spurious Emission Measurement Result: GPPRS 850 Mode

:GPRS 850 :24 deg\_C / 61 RH **Operation Band** Temp./Humi.

**Fundamental Frequency** :824.2 MHz Engineer **Operation Mode** :Tx CH LOW

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG<br>Output Level | Antenna<br>Gain | Cable<br>Loss | Limit  | Margin |
|---------|---------|--------|--------------------|-----------------|---------------|--------|--------|
| MHz     | F/H/E/S | dBm    | dBm                | dBd             | dB            | dBm    | dB     |
|         |         |        |                    |                 |               |        |        |
| 30.00   | S       | -56.72 | -40.98             | -14.78          | -0.96         | -13.00 | -43.72 |
| 180.35  | S       | -67.14 | -66.53             | 0.95            | -1.56         | -13.00 | -54.14 |
| 245.34  | S       | -69.84 | -71.46             | 3.37            | -1.75         | -13.00 | -56.84 |
| 415.09  | S       | -69.60 | -71.00             | 3.77            | -2.37         | -13.00 | -56.60 |
| 526.64  | S       | -65.40 | -66.65             | 3.71            | -2.46         | -13.00 | -52.40 |
| 636.25  | S       | -63.47 | -64.18             | 3.17            | -2.45         | -13.00 | -50.47 |
| 1648.40 | Н       | -39.85 | -42.73             | 7.11            | -4.22         | -13.00 | -26.85 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司






EUT Pol.

:GPRS 850 :824.2 MHz :Tx CH LOW :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| -       |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 95.96   | S       | -68.40 | -66.01       | -1.16   | -1.23 | -13.00 | -55.40 |
| 220.12  | S       | -68.14 | -69.76       | 3.33    | -1.70 | -13.00 | -55.14 |
| 288.99  | S       | -69.25 | -70.76       | 3.43    | -1.92 | -13.00 | -56.25 |
| 410.24  | S       | -69.56 | -70.95       | 3.78    | -2.40 | -13.00 | -56.56 |
| 536.34  | S       | -65.78 | -66.87       | 3.66    | -2.56 | -13.00 | -52.78 |
| 628.49  | S       | -62.83 | -63.54       | 3.18    | -2.47 | -13.00 | -49.83 |
| 1648.40 | Н       | -33.02 | -35.91       | 7.11    | -4.22 | -13.00 | -20.02 |
| 2472.60 | Н       | -45.38 | -48.88       | 8.73    | -5.22 | -13.00 | -32.38 |






EUT Pol.

:GPRS 850 :836.6 MHz :Tx CH MID :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| -       |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 30.00   | S       | -57.42 | -41.69       | -14.78  | -0.96 | -13.00 | -44.42 |
| 180.35  | S       | -69.69 | -69.08       | 0.95    | -1.56 | -13.00 | -56.69 |
| 277.35  | S       | -69.77 | -71.35       | 3.45    | -1.86 | -13.00 | -56.77 |
| 410.24  | S       | -69.41 | -70.79       | 3.78    | -2.40 | -13.00 | -56.41 |
| 515.00  | S       | -66.18 | -67.59       | 3.77    | -2.36 | -13.00 | -53.18 |
| 689.60  | S       | -63.17 | -63.47       | 3.09    | -2.79 | -13.00 | -50.17 |
| 1673.20 | Н       | -37.44 | -40.35       | 7.20    | -4.29 | -13.00 | -24.44 |
| 2509.80 | Н       | -57.29 | -60.79       | 8.76    | -5.26 | -13.00 | -44.29 |






EUT Pol.

:GPRS 850 :836.6 MHz :Tx CH MID :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 97.90   | S       | -70.29 | -67.67       | -1.38   | -1.24 | -13.00 | -57.29 |
| 172.59  | S       | -68.41 | -66.44       | -0.44   | -1.53 | -13.00 | -55.41 |
| 249.22  | S       | -69.70 | -71.38       | 3.43    | -1.76 | -13.00 | -56.70 |
| 411.21  | S       | -68.93 | -70.32       | 3.78    | -2.39 | -13.00 | -55.93 |
| 517.91  | S       | -65.88 | -67.27       | 3.76    | -2.37 | -13.00 | -52.88 |
| 692.51  | S       | -63.91 | -64.16       | 3.09    | -2.84 | -13.00 | -50.91 |
| 1673.20 | Н       | -41.82 | -44.73       | 7.20    | -4.29 | -13.00 | -28.82 |
| 2509.80 | Н       | -54.65 | -58.15       | 8.76    | -5.26 | -13.00 | -41.65 |






EUT Pol.

:GPRS 850 :848.8 MHz :Tx CH HIGH :H Plane

Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
|         |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -57.52 | -41.78       | -14.78  | -0.96 | -13.00 | -44.52 |
| 173.56  | S       | -69.40 | -67.61       | -0.26   | -1.53 | -13.00 | -56.40 |
| 279.29  | S       | -69.19 | -70.75       | 3.43    | -1.87 | -13.00 | -56.19 |
| 356.89  | S       | -69.58 | -71.33       | 3.86    | -2.10 | -13.00 | -56.58 |
| 536.34  | S       | -66.51 | -67.61       | 3.66    | -2.56 | -13.00 | -53.51 |
| 624.61  | S       | -63.72 | -64.41       | 3.19    | -2.51 | -13.00 | -50.72 |
| 1697.60 | Н       | -39.08 | -42.05       | 7.28    | -4.31 | -13.00 | -26.08 |
| 2546.40 | Н       | -54.10 | -57.58       | 8.81    | -5.33 | -13.00 | -41.10 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號






:GPRS 850 :848.8 MHz :Tx CH HIGH :H Plane

Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



|   | Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---|---------|---------|--------|--------------|---------|-------|--------|--------|
|   |         |         |        | Output Level | Gain    | Loss  |        |        |
| _ | MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|   |         |         |        |              |         |       |        |        |
|   | 30.00   | S       | -69.10 | -53.36       | -14.78  | -0.96 | -13.00 | -56.10 |
|   | 219.15  | S       | -68.06 | -69.70       | 3.34    | -1.70 | -13.00 | -55.06 |
|   | 265.71  | S       | -68.64 | -70.42       | 3.58    | -1.80 | -13.00 | -55.64 |
|   | 361.74  | S       | -69.75 | -71.46       | 3.85    | -2.14 | -13.00 | -56.75 |
|   | 539.25  | S       | -66.43 | -67.48       | 3.64    | -2.59 | -13.00 | -53.43 |
|   | 626.55  | S       | -63.34 | -64.03       | 3.19    | -2.49 | -13.00 | -50.34 |
|   | 1697.60 | Н       | -39.72 | -42.69       | 7.28    | -4.31 | -13.00 | -26.72 |
|   | 2546.40 | Н       | -53.33 | -56.81       | 8.81    | -5.33 | -13.00 | -40.33 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





**Operation Mode** 


#### Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

:Tx CH LOW

**Operation Band** :GPRS 1900 Temp./Humi. :22 deg\_C / 62 RH

Fundamental Frequency :1850.2 MHz Engineer :Tin

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.




| Freq.   | Note    | EIRP   | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | •      |
| MHz     | F/H/E/S | dBm    | dBm          | dBi     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -62.89 | 8.78         | -12.63  | -0.96 | -13.00 | -49.89 |
| 168.71  | S       | -68.59 | 2.88         | 1.15    | -1.51 | -13.00 | -55.59 |
| 298.69  | S       | -67.42 | -0.73        | 5.75    | -1.95 | -13.00 | -54.42 |
| 419.94  | S       | -67.32 | 0.21         | 5.90    | -2.33 | -13.00 | -54.32 |
| 531.49  | S       | -63.43 | 3.46         | 5.84    | -2.51 | -13.00 | -50.43 |
| 639.16  | S       | -60.85 | 5.79         | 5.31    | -2.44 | -13.00 | -47.85 |
| 3700.40 | Н       | -43.97 | 6.77         | 12.44   | -6.58 | -13.00 | -30.97 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com





**Operation Mode** EUT Pol.

:GPRS 1900 :1850.2 MHz :Tx CH LOW


:H Plane

Temp./Humi.


:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | EIRP   | SG<br>Output Level | Antenna<br>Gain | Cable<br>Loss | Limit  | Margin |
|---------|---------|--------|--------------------|-----------------|---------------|--------|--------|
| MHz     | F/H/E/S | dBm    | dBm                | dBi             | dB            | dBm    | dB     |
|         |         |        |                    |                 |               |        |        |
| 94.99   | S       | -68.89 | 1.56               | 1.11            | -1.23         | -13.00 | -55.89 |
| 167.74  | S       | -67.88 | 3.43               | 1.08            | -1.51         | -13.00 | -54.88 |
| 243.40  | S       | -67.68 | -0.01              | 5.49            | -1.75         | -13.00 | -54.68 |
| 400.54  | S       | -65.23 | -0.57              | 5.97            | -2.38         | -13.00 | -52.23 |
| 547.01  | S       | -63.90 | 3.49               | 5.75            | -2.67         | -13.00 | -50.90 |
| 684.75  | S       | -60.85 | 6.74               | 5.25            | -2.70         | -13.00 | -47.85 |
| 3700.40 | Н       | -44.61 | 6.96               | 12.44           | -6.58         | -13.00 | -31.61 |






EUT Pol.

:GPRS 1900 :1880 MHz :Tx CH MID :H Plane


Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | EIRP   | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| ·       |         |        | Output Level | Gain    | Loss  |        | •      |
| MHz     | F/H/E/S | dBm    | dBm          | dBi     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -63.60 | 8.78         | -12.63  | -0.96 | -13.00 | -50.60 |
| 165.80  | S       | -68.39 | 3.61         | 0.94    | -1.50 | -13.00 | -55.39 |
| 294.81  | S       | -55.96 | -0.59        | 5.67    | -1.94 | -13.00 | -42.96 |
| 413.15  | S       | -67.02 | 0.04         | 5.92    | -2.38 | -13.00 | -54.02 |
| 544.10  | S       | -63.26 | 3.49         | 5.77    | -2.64 | -13.00 | -50.26 |
| 684.75  | S       | -61.32 | 6.74         | 5.25    | -2.70 | -13.00 | -48.32 |
| 3760.00 | Н       | -49.40 | 6.77         | 12.45   | -6.60 | -13.00 | -36.40 |





**Operation Mode** EUT Pol.


:GPRS 1900 :1880 MHz :Tx CH MID

:H Plane


Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | EIRP   | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | •      |
| MHz     | F/H/E/S | dBm    | dBm          | dBi     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 95.96   | S       | -69.68 | 1.83         | 0.99    | -1.23 | -13.00 | -56.68 |
| 180.35  | S       | -68.98 | 1.08         | 3.10    | -1.56 | -13.00 | -55.98 |
| 239.52  | S       | -67.94 | 0.24         | 5.43    | -1.74 | -13.00 | -54.94 |
| 372.41  | S       | -67.44 | -0.45        | 5.99    | -2.21 | -13.00 | -54.44 |
| 519.85  | S       | -63.92 | 2.94         | 5.90    | -2.39 | -13.00 | -50.92 |
| 628.49  | S       | -60.95 | 6.15         | 5.33    | -2.47 | -13.00 | -47.95 |
| 3760.00 | Н       | -47.63 | 7.06         | 12.45   | -6.60 | -13.00 | -34.63 |





**Operation Mode** EUT Pol.

:GPRS 1900 :1909.8 MHz :Tx CH HIGH


:H Plane

Temp./Humi.


:22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | EIRP   | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBi     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 37.76   | S       | -66.80 | 9.04         | -11.17  | -0.98 | -13.00 | -53.80 |
| 162.89  | S       | -68.95 | 3.10         | 0.73    | -1.49 | -13.00 | -55.95 |
| 287.05  | S       | -67.73 | -0.55        | 5.58    | -1.91 | -13.00 | -54.73 |
| 415.09  | S       | -67.02 | 0.07         | 5.92    | -2.37 | -13.00 | -54.02 |
| 544.10  | S       | -62.70 | 3.49         | 5.77    | -2.64 | -13.00 | -49.70 |
| 628.49  | S       | -61.56 | 6.15         | 5.33    | -2.47 | -13.00 | -48.56 |
| 3819.60 | Н       | -53.80 | 7.19         | 12.47   | -6.65 | -13.00 | -40.80 |






EUT Pol.

:GPRS 1900 :1909.8 MHz :Tx CH HIGH :H Plane

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.




| Freq.   | Note    | EIRP   | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
|         |         |        | Output Level | Gain    | Loss  |        | _      |
| MHz     | F/H/E/S | dBm    | dBm          | dBi     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 95.96   | S       | -70.17 | 1.83         | 0.99    | -1.23 | -13.00 | -57.17 |
| 219.15  | S       | -68.06 | -1.63        | 5.49    | -1.70 | -13.00 | -55.06 |
| 246.31  | S       | -68.62 | -0.33        | 5.53    | -1.75 | -13.00 | -55.62 |
| 347.19  | S       | -63.95 | -0.74        | 6.00    | -2.02 | -13.00 | -50.95 |
| 512.09  | S       | -63.37 | 2.29         | 5.94    | -2.35 | -13.00 | -50.37 |
| 624.61  | S       | -61.68 | 6.14         | 5.34    | -2.51 | -13.00 | -48.68 |
| 3819.60 | Н       | -53.44 | 7.51         | 12.47   | -6.65 | -13.00 | -40.44 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

**Operation Band** Temp./Humi. :WCDMA B5 :24 deg\_C / 61 RH

Fundamental Frequency :826.4 MHz Engineer :Tin :Tx CH LOW **Operation Mode** 

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| ·       |         |        | Output Level | Gain    | Loss  |        | •      |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 37.76   | S       | -66.97 | -52.67       | -13.32  | -0.98 | -13.00 | -53.97 |
| 165.80  | S       | -69.17 | -66.45       | -1.21   | -1.50 | -13.00 | -56.17 |
| 239.52  | S       | -69.56 | -71.10       | 3.28    | -1.74 | -13.00 | -56.56 |
| 357.86  | S       | -68.97 | -70.72       | 3.85    | -2.11 | -13.00 | -55.97 |
| 547.01  | S       | -65.40 | -66.34       | 3.60    | -2.67 | -13.00 | -52.40 |
| 641.10  | S       | -63.13 | -63.85       | 3.16    | -2.43 | -13.00 | -50.13 |
| 1652.80 | Н       | -59.38 | -62.27       | 7.12    | -4.24 | -13.00 | -46.38 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






:WCDMA B5 :826.4 MHz :Tx CH LOW :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |   |
|---------|---------|--------|--------------|---------|-------|--------|--------|---|
| •       |         |        | Output Level | Gain    | Loss  |        | J      |   |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |   |
|         |         |        |              |         |       |        |        | • |
| 97.90   | S       | -69.15 | -66.53       | -1.38   | -1.24 | -13.00 | -56.15 |   |
| 173.56  | S       | -67.86 | -66.06       | -0.26   | -1.53 | -13.00 | -54.86 |   |
| 272.50  | S       | -69.04 | -70.69       | 3.49    | -1.84 | -13.00 | -56.04 |   |
| 400.54  | S       | -68.78 | -70.22       | 3.82    | -2.38 | -13.00 | -55.78 |   |
| 534.40  | S       | -65.83 | -66.95       | 3.67    | -2.54 | -13.00 | -52.83 |   |
| 694.45  | S       | -63.13 | -63.34       | 3.09    | -2.88 | -13.00 | -50.13 |   |
| 1652.80 | Н       | -62.37 | -65.26       | 7.12    | -4.24 | -13.00 | -49.37 |   |






:WCDMA B5 :836.6 MHz :Tx CH MID :H Plane

Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |  |
|---------|---------|--------|--------------|---------|-------|--------|--------|--|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |  |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |  |
|         |         |        |              |         |       |        |        |  |
| 30.00   | S       | -53.88 | -38.15       | -14.78  | -0.96 | -13.00 | -40.88 |  |
| 159.01  | S       | -68.24 | -65.09       | -1.68   | -1.47 | -13.00 | -55.24 |  |
| 241.46  | S       | -69.95 | -71.52       | 3.31    | -1.74 | -13.00 | -56.95 |  |
| 419.94  | S       | -69.01 | -70.42       | 3.75    | -2.33 | -13.00 | -56.01 |  |
| 547.01  | S       | -65.62 | -66.55       | 3.60    | -2.67 | -13.00 | -52.62 |  |
| 694.45  | S       | -63.53 | -63.74       | 3.09    | -2.88 | -13.00 | -50.53 |  |
| 1673.20 | Н       | -56.99 | -59.90       | 7.20    | -4.29 | -13.00 | -43.99 |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com






:WCDMA B5 :836.6 MHz :Tx CH MID :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |   |
|---------|---------|--------|--------------|---------|-------|--------|--------|---|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |   |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |   |
|         |         |        |              |         |       |        |        | - |
| 95.96   | S       | -69.50 | -67.11       | -1.16   | -1.23 | -13.00 | -56.50 |   |
| 175.50  | S       | -67.10 | -65.65       | 0.09    | -1.54 | -13.00 | -54.10 |   |
| 240.49  | S       | -67.95 | -69.50       | 3.29    | -1.74 | -13.00 | -54.95 |   |
| 418.00  | S       | -68.67 | -70.08       | 3.76    | -2.35 | -13.00 | -55.67 |   |
| 524.70  | S       | -64.76 | -66.04       | 3.72    | -2.44 | -13.00 | -51.76 |   |
| 629.46  | S       | -63.14 | -63.86       | 3.18    | -2.47 | -13.00 | -50.14 |   |
| 1673.20 | Н       | -60.56 | -63.46       | 7.20    | -4.29 | -13.00 | -47.56 |   |






:WCDMA B5 :846.6 MHz :Tx CH HIGH :H Plane


Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |   |
|---------|---------|--------|--------------|---------|-------|--------|--------|---|
| •       |         |        | Output Level | Gain    | Loss  |        | J      |   |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |   |
|         |         |        |              |         |       |        |        | - |
| 30.00   | S       | -56.41 | -40.67       | -14.78  | -0.96 | -13.00 | -43.41 |   |
| 178.41  | S       | -68.83 | -67.88       | 0.61    | -1.55 | -13.00 | -55.83 |   |
| 246.31  | S       | -68.46 | -70.09       | 3.38    | -1.75 | -13.00 | -55.46 |   |
| 379.20  | S       | -69.23 | -70.81       | 3.84    | -2.26 | -13.00 | -56.23 |   |
| 539.25  | S       | -66.17 | -67.22       | 3.64    | -2.59 | -13.00 | -53.17 |   |
| 689.60  | S       | -62.66 | -62.96       | 3.09    | -2.79 | -13.00 | -49.66 |   |
| 1693.20 | Н       | -54.84 | -57.80       | 7.27    | -4.30 | -13.00 | -41.84 |   |






:WCDMA B5 :846.6 MHz :Tx CH HIGH :H Plane

Temp./Humi. :24 deg\_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 95.96   | S       | -69.14 | -66.75       | -1.16   | -1.23 | -13.00 | -56.14 |
| 173.56  | S       | -66.07 | -64.28       | -0.26   | -1.53 | -13.00 | -53.07 |
| 285.11  | S       | -68.63 | -70.15       | 3.43    | -1.90 | -13.00 | -55.63 |
| 419.94  | S       | -68.73 | -70.14       | 3.75    | -2.33 | -13.00 | -55.73 |
| 529.55  | S       | -65.56 | -66.77       | 3.70    | -2.49 | -13.00 | -52.56 |
| 633.34  | S       | -63.20 | -63.91       | 3.17    | -2.46 | -13.00 | -50.20 |
| 1693.20 | Н       | -58.39 | -61.35       | 7.27    | -4.30 | -13.00 | -45.39 |



Report No.: ER/2017/80084


Page 118 of 153

# Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)


**Operation Band** Temp./Humi. :LTE B5 :22 deg C / 62 RH

Fundamental Frequency :825.5 MHz Engineer :Tin **Operation Mode** :Tx CH LOW

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 57.16   | S       | -65.88 | -55.36       | -9.44   | -1.07 | -13.00 | -52.88 |
| 158.04  | S       | -70.60 | -67.41       | -1.73   | -1.47 | -13.00 | -57.60 |
| 279.29  | S       | -70.28 | -71.84       | 3.43    | -1.87 | -13.00 | -57.28 |
| 361.74  | S       | -69.57 | -71.28       | 3.85    | -2.14 | -13.00 | -56.57 |
| 546.04  | S       | -65.60 | -66.55       | 3.61    | -2.66 | -13.00 | -52.60 |
| 689.60  | S       | -62.46 | -62.76       | 3.09    | -2.79 | -13.00 | -49.46 |
| 1651.00 | Н       | -45.41 | -50.45       | 9.27    | -4.23 | -13.00 | -32.41 |






**Operation Mode** EUT Pol.

:LTE B5 :825.5 MHz :Tx CH LOW :H Plane


Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -58.27 | -42.53       | -14.78  | -0.96 | -13.00 | -45.27 |
| 159.98  | S       | -72.91 | -69.80       | -1.64   | -1.48 | -13.00 | -59.91 |
| 274.44  | S       | -74.63 | -76.25       | 3.47    | -1.85 | -13.00 | -61.63 |
| 408.30  | S       | -68.60 | -69.97       | 3.79    | -2.41 | -13.00 | -55.60 |
| 519.85  | S       | -67.52 | -68.88       | 3.75    | -2.39 | -13.00 | -54.52 |
| 691.54  | S       | -65.40 | -65.66       | 3.09    | -2.83 | -13.00 | -52.40 |
| 1651.00 | Н       | -49.30 | -54.34       | 9.27    | -4.23 | -13.00 | -36.30 |






:836.5 MHz **Operation Mode** :Tx CH MID EUT Pol. :H Plane

:LTE B5

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 39.70   | S       | -65.18 | -51.08       | -13.11  | -0.99 | -13.00 | -52.18 |
| 172.59  | S       | -70.60 | -68.63       | -0.44   | -1.53 | -13.00 | -57.60 |
| 243.40  | S       | -69.84 | -71.44       | 3.34    | -1.75 | -13.00 | -56.84 |
| 379.20  | S       | -69.96 | -71.54       | 3.84    | -2.26 | -13.00 | -56.96 |
| 527.61  | S       | -65.53 | -66.76       | 3.71    | -2.47 | -13.00 | -52.53 |
| 687.66  | S       | -63.97 | -64.30       | 3.10    | -2.76 | -13.00 | -50.97 |
| 1673.00 | Н       | -45.31 | -50.37       | 9.35    | -4.29 | -13.00 | -32.31 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





**Operation Mode** EUT Pol.


:LTE B5 :836.5 MHz :Tx CH MID :H Plane

Temp./Humi.

:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -58.97 | -43.23       | -14.78  | -0.96 | -13.00 | -45.97 |
| 144.46  | S       | -72.98 | -69.15       | -2.43   | -1.41 | -13.00 | -59.98 |
| 269.59  | S       | -74.61 | -76.30       | 3.51    | -1.82 | -13.00 | -61.61 |
| 367.56  | S       | -68.39 | -70.05       | 3.85    | -2.18 | -13.00 | -55.39 |
| 519.85  | S       | -67.65 | -69.01       | 3.75    | -2.39 | -13.00 | -54.65 |
| 691.54  | S       | -66.57 | -66.84       | 3.09    | -2.83 | -13.00 | -53.57 |
| 1673.00 | Н       | -50.17 | -55.23       | 9.35    | -4.29 | -13.00 | -37.17 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com






EUT Pol.

:LTE B5 :848.3 MHz :Tx CH HIGH :H Plane

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 59.10   | S       | -65.02 | -54.97       | -8.97   | -1.08 | -13.00 | -52.02 |
| 173.56  | S       | -69.98 | -68.18       | -0.26   | -1.53 | -13.00 | -56.98 |
| 293.84  | S       | -70.04 | -71.61       | 3.50    | -1.94 | -13.00 | -57.04 |
| 367.56  | S       | -68.93 | -70.59       | 3.85    | -2.18 | -13.00 | -55.93 |
| 529.55  | S       | -66.22 | -67.42       | 3.70    | -2.49 | -13.00 | -53.22 |
| 687.66  | S       | -63.21 | -63.55       | 3.10    | -2.76 | -13.00 | -50.21 |
| 1696.60 | Н       | -46.86 | -49.83       | 7.28    | -4.31 | -13.00 | -33.86 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






EUT Pol.

:LTE B5 :848.3 MHz :Tx CH HIGH :H Plane

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -58.96 | -43.22       | -14.78  | -0.96 | -13.00 | -45.96 |
| 165.80  | S       | -73.79 | -71.08       | -1.21   | -1.50 | -13.00 | -60.79 |
| 280.26  | S       | -74.59 | -76.14       | 3.42    | -1.88 | -13.00 | -61.59 |
| 413.15  | S       | -69.48 | -70.88       | 3.77    | -2.38 | -13.00 | -56.48 |
| 521.79  | S       | -67.92 | -69.25       | 3.74    | -2.41 | -13.00 | -54.92 |
| 700.27  | S       | -66.34 | -66.45       | 3.08    | -2.98 | -13.00 | -53.34 |
| 1696.60 | Н       | -50.78 | -53.76       | 7.28    | -4.31 | -13.00 | -37.78 |



Report No.: ER/2017/80084


Page 124 of 153

# Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)


**Operation Band** Temp./Humi. :LTE B12 :22 deg C / 62 RH

Fundamental Frequency :699.7 MHz Engineer :Tin :Tx CH LOW **Operation Mode** 

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 37.76   | S       | -65.47 | -51.17       | -13.32  | -0.98 | -13.00 | -52.47 |
| 167.74  | S       | -70.70 | -68.12       | -1.07   | -1.51 | -13.00 | -57.70 |
| 239.52  | S       | -69.66 | -71.19       | 3.28    | -1.74 | -13.00 | -56.66 |
| 405.39  | S       | -69.82 | -71.21       | 3.80    | -2.41 | -13.00 | -56.82 |
| 526.64  | S       | -65.64 | -66.89       | 3.71    | -2.46 | -13.00 | -52.64 |
| 621.70  | S       | -62.48 | -63.14       | 3.20    | -2.53 | -13.00 | -49.48 |
| 1399.40 | Н       | -46.82 | -51.20       | 8.27    | -3.89 | -13.00 | -33.82 |






EUT Pol.

:LTE B12 :699.7 MHz :Tx CH LOW :H Plane

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |  |
|---------|---------|--------|--------------|---------|-------|--------|--------|--|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |  |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |  |
|         |         |        |              |         |       |        |        |  |
| 30.00   | S       | -58.94 | -43.21       | -14.78  | -0.96 | -13.00 | -45.94 |  |
| 172.59  | S       | -73.34 | -71.37       | -0.44   | -1.53 | -13.00 | -60.34 |  |
| 251.16  | S       | -73.89 | -75.60       | 3.47    | -1.76 | -13.00 | -60.89 |  |
| 371.44  | S       | -69.45 | -71.08       | 3.84    | -2.21 | -13.00 | -56.45 |  |
| 531.49  | S       | -68.19 | -69.36       | 3.69    | -2.51 | -13.00 | -55.19 |  |
| 689.60  | S       | -64.28 | -64.58       | 3.09    | -2.79 | -13.00 | -51.28 |  |
| 1399.40 | Н       | -50.09 | -54.46       | 8.27    | -3.89 | -13.00 | -37.09 |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






:707.5 MHz **Operation Mode** :Tx CH MID EUT Pol. :H Plane

:LTE B12

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 56.19   | S       | -65.67 | -54.92       | -9.69   | -1.07 | -13.00 | -52.67 |
| 173.56  | S       | -70.41 | -68.61       | -0.26   | -1.53 | -13.00 | -57.41 |
| 251.16  | S       | -69.58 | -71.29       | 3.47    | -1.76 | -13.00 | -56.58 |
| 385.99  | S       | -68.58 | -70.12       | 3.83    | -2.30 | -13.00 | -55.58 |
| 522.76  | S       | -65.45 | -66.76       | 3.73    | -2.42 | -13.00 | -52.45 |
| 689.60  | S       | -63.71 | -64.01       | 3.09    | -2.79 | -13.00 | -50.71 |
| 1415.00 | Н       | -42.84 | -47.26       | 8.34    | -3.91 | -13.00 | -29.84 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





**Operation Mode** EUT Pol.

:LTE B12 :707.5 MHz :Tx CH MID


:H Plane

Temp./Humi.


:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -59.13 | -43.39       | -14.78  | -0.96 | -13.00 | -46.13 |
| 167.74  | S       | -72.75 | -70.17       | -1.07   | -1.51 | -13.00 | -59.75 |
| 294.81  | S       | -74.03 | -75.61       | 3.52    | -1.94 | -13.00 | -61.03 |
| 413.15  | S       | -69.82 | -71.21       | 3.77    | -2.38 | -13.00 | -56.82 |
| 527.61  | S       | -68.32 | -69.56       | 3.71    | -2.47 | -13.00 | -55.32 |
| 689.60  | S       | -64.82 | -65.13       | 3.09    | -2.79 | -13.00 | -51.82 |
| 1415.00 | Н       | -43.64 | -48.06       | 8.34    | -3.91 | -13.00 | -30.64 |





**Operation Mode** EUT Pol.

:LTE B12 :715.3 MHz :Tx CH HIGH


:H Plane

Temp./Humi.

:22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.




| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | •      |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 90.14   | S       | -70.32 | -68.66       | -0.45   | -1.21 | -13.00 | -57.32 |
| 158.04  | S       | -71.05 | -67.86       | -1.73   | -1.47 | -13.00 | -58.05 |
| 243.40  | S       | -70.39 | -71.98       | 3.34    | -1.75 | -13.00 | -57.39 |
| 366.59  | S       | -69.48 | -71.15       | 3.85    | -2.17 | -13.00 | -56.48 |
| 532.46  | S       | -66.52 | -67.68       | 3.68    | -2.52 | -13.00 | -53.52 |
| 687.66  | S       | -63.47 | -63.81       | 3.10    | -2.76 | -13.00 | -50.47 |
| 1430.60 | Н       | -38.71 | -43.18       | 8.41    | -3.94 | -13.00 | -25.71 |
| 2145.90 | Н       | -50.60 | -56.34       | 10.56   | -4.82 | -13.00 | -37.60 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488





**Operation Mode** EUT Pol.

:LTE B12 :715.3 MHz :Tx CH HIGH


:H Plane

Temp./Humi.

:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -59.07 | -43.34       | -14.78  | -0.96 | -13.00 | -46.07 |
| 162.89  | S       | -74.08 | -71.17       | -1.42   | -1.49 | -13.00 | -61.08 |
| 298.69  | S       | -74.37 | -76.02       | 3.60    | -1.95 | -13.00 | -61.37 |
| 406.36  | S       | -69.55 | -70.93       | 3.80    | -2.42 | -13.00 | -56.55 |
| 522.76  | S       | -68.40 | -69.72       | 3.73    | -2.42 | -13.00 | -55.40 |
| 686.69  | S       | -67.54 | -67.90       | 3.10    | -2.74 | -13.00 | -54.54 |
| 1430.60 | Н       | -40.88 | -45.35       | 8.41    | -3.94 | -13.00 | -27.88 |
| 2145.90 | Н       | -54.85 | -60.58       | 10.56   | -4.82 | -13.00 | -41.85 |



Report No.: ER/2017/80084


Page 130 of 153

# Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)


**Operation Band** :LTE B17 Temp./Humi. :22 deg C / 62 RH

Fundamental Frequency :709.0 MHz Engineer :Tin **Operation Mode** :Tx CH LOW

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -69.37 | -53.63       | -14.78  | -0.96 | -13.00 | -56.37 |
| 165.80  | S       | -70.15 | -67.44       | -1.21   | -1.50 | -13.00 | -57.15 |
| 240.49  | S       | -69.80 | -71.35       | 3.29    | -1.74 | -13.00 | -56.80 |
| 410.24  | S       | -69.26 | -70.65       | 3.78    | -2.40 | -13.00 | -56.26 |
| 531.49  | S       | -65.83 | -67.00       | 3.69    | -2.51 | -13.00 | -52.83 |
| 697.36  | S       | -63.80 | -63.96       | 3.08    | -2.93 | -13.00 | -50.80 |
| 1418.00 | Н       | -42.29 | -46.73       | 8.35    | -3.92 | -13.00 | -29.29 |





**Operation Mode** EUT Pol.

:LTE B17 :709.0 MHz :Tx CH LOW


:H Plane

Temp./Humi.


:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |  |
|---------|---------|--------|--------------|---------|-------|--------|--------|--|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |  |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |  |
|         |         |        |              |         |       |        |        |  |
| 30.00   | S       | -59.20 | -43.47       | -14.78  | -0.96 | -13.00 | -46.20 |  |
| 153.19  | S       | -74.00 | -70.60       | -1.95   | -1.44 | -13.00 | -61.00 |  |
| 277.35  | S       | -74.20 | -75.78       | 3.45    | -1.86 | -13.00 | -61.20 |  |
| 405.39  | S       | -70.04 | -71.43       | 3.80    | -2.41 | -13.00 | -57.04 |  |
| 519.85  | S       | -68.41 | -69.77       | 3.75    | -2.39 | -13.00 | -55.41 |  |
| 697.36  | S       | -65.35 | -65.50       | 3.08    | -2.93 | -13.00 | -52.35 |  |
| 1418.00 | Н       | -45.61 | -50.05       | 8.35    | -3.92 | -13.00 | -32.61 |  |





**Operation Mode** EUT Pol.

:LTE B17 :710.0 MHz :Tx CH MID


:H Plane

Temp./Humi.


:22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        | · ·    |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 59.10   | S       | -68.78 | -58.73       | -8.97   | -1.08 | -13.00 | -55.78 |
| 154.16  | S       | -70.76 | -67.41       | -1.90   | -1.45 | -13.00 | -57.76 |
| 250.19  | S       | -70.03 | -71.72       | 3.44    | -1.76 | -13.00 | -57.03 |
| 419.94  | S       | -68.51 | -69.93       | 3.75    | -2.33 | -13.00 | -55.51 |
| 527.61  | S       | -65.50 | -66.74       | 3.71    | -2.47 | -13.00 | -52.50 |
| 633.34  | S       | -62.82 | -63.54       | 3.17    | -2.46 | -13.00 | -49.82 |
| 1420.00 | Н       | -39.89 | -44.33       | 8.36    | -3.92 | -13.00 | -26.89 |
| 2130.00 | Н       | -49.16 | -54.89       | 10.54   | -4.81 | -13.00 | -36.16 |



:22 deg\_C / 62 RH



**Operation Band** Fundamental Frequency


**Operation Mode** EUT Pol.

:LTE B17 :710.0 MHz :Tx CH MID :H Plane


Temp./Humi.

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -58.99 | -43.25       | -14.78  | -0.96 | -13.00 | -45.99 |
| 167.74  | S       | -73.11 | -70.53       | -1.07   | -1.51 | -13.00 | -60.11 |
| 288.99  | S       | -74.59 | -76.10       | 3.43    | -1.92 | -13.00 | -61.59 |
| 410.24  | S       | -69.09 | -70.48       | 3.78    | -2.40 | -13.00 | -56.09 |
| 526.64  | S       | -67.96 | -69.21       | 3.71    | -2.46 | -13.00 | -54.96 |
| 689.60  | S       | -66.55 | -66.85       | 3.09    | -2.79 | -13.00 | -53.55 |
| 1420.00 | Н       | -39.33 | -43.77       | 8.36    | -3.92 | -13.00 | -26.33 |
| 2130.00 | Н       | -54.28 | -60.01       | 10.54   | -4.81 | -13.00 | -41.28 |






**Operation Mode** EUT Pol.

:LTE B17 :711.0 MHz :Tx CH HIGH :H Plane

Temp./Humi. :22 deg\_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
|         |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        |        |
| 57.16   | S       | -67.88 | -57.36       | -9.44   | -1.07 | -13.00 | -54.88 |
| 180.35  | S       | -70.85 | -70.23       | 0.95    | -1.56 | -13.00 | -57.85 |
| 274.44  | S       | -70.22 | -71.84       | 3.47    | -1.85 | -13.00 | -57.22 |
| 410.24  | S       | -69.64 | -71.02       | 3.78    | -2.40 | -13.00 | -56.64 |
| 546.04  | S       | -66.39 | -67.33       | 3.61    | -2.66 | -13.00 | -53.39 |
| 682.81  | S       | -64.37 | -64.80       | 3.10    | -2.67 | -13.00 | -51.37 |
| 1422.00 | Н       | -37.61 | -42.06       | 8.37    | -3.93 | -13.00 | -24.61 |
| 2133.00 | Н       | -51.63 | -57.36       | 10.54   | -4.81 | -13.00 | -38.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





**Operation Mode** EUT Pol.

:LTE B17 :711.0 MHz :Tx CH HIGH


:H Plane

Temp./Humi.

:22 deg\_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



| Freq.   | Note    | ERP    | SG           | Antenna | Cable | Limit  | Margin |
|---------|---------|--------|--------------|---------|-------|--------|--------|
| •       |         |        | Output Level | Gain    | Loss  |        |        |
| MHz     | F/H/E/S | dBm    | dBm          | dBd     | dB    | dBm    | dB     |
|         |         |        |              |         |       |        | _      |
| 30.00   | S       | -59.34 | -43.61       | -14.78  | -0.96 | -13.00 | -46.34 |
| 138.64  | S       | -73.25 | -69.17       | -2.69   | -1.39 | -13.00 | -60.25 |
| 279.29  | S       | -74.86 | -76.41       | 3.43    | -1.87 | -13.00 | -61.86 |
| 408.30  | S       | -69.34 | -70.72       | 3.79    | -2.41 | -13.00 | -56.34 |
| 488.81  | S       | -68.33 | -69.88       | 3.81    | -2.27 | -13.00 | -55.33 |
| 694.45  | S       | -66.60 | -66.81       | 3.09    | -2.88 | -13.00 | -53.60 |
| 1422.00 | Н       | -39.82 | -44.26       | 8.37    | -3.93 | -13.00 | -26.82 |
| 2133.00 | Н       | -53.93 | -59.66       | 10.54   | -4.81 | -13.00 | -40.93 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488






11. FREQUENCY STABILITY MEASUREMENT

# 11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

#### 11.2. Test Set-up:





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

#### 11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sos.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 137 of 153

# 11.4. Measurement Equipment Used:

| Conducted Emission (measured at antenna port) Test Site |                   |                 |               |            |            |  |
|---|-------------------|-----------------|---------------|------------|------------|--|
| Conduc  | ted Emission (m   | neasured at a   | antenna port) | Test Site  |            |  |
| EQUIPMENT   | MFR               | MODEL           | SERIAL        | LAST       | CAL DUE.   |  |
| TYPE  |                   | NUMBER          | NUMBER        | CAL.       |            |  |
| Power Meter   | Anritsu           | ML2495A         | 1005007       | 12/15/2016 | 12/14/2017 |  |
| Power Sensor  | Anritsu           | MA2411B         | 917032        | 12/15/2016 | 12/14/2017 |  |
| EXA Spectrum Analyz-<br>er                              | Agilent           | N9030A          | MY53120760    | 03/21/2017 | 03/20/2018 |  |
| DC Block  | Mini-Circuits     | BLK-18-S+       | 1             | 01/05/2017 | 01/04/2018 |  |
| Coaxial Cable   | HU-<br>BER+SUHNER | SUCOFLEX<br>102 | 23670/2       | 01/05/2017 | 01/04/2018 |  |
| Attenuator  | Mini-Circuit      | BW-S10W2+       | 2             | 01/05/2017 | 01/04/2018 |  |
| Splitter  | Agilent           | 11636B          | N/A           | 01/05/2017 | 01/04/2018 |  |
| DC Power Supply   | Agilent           | E3640A          | MY52410006    | 11/21/2016 | 11/20/2017 |  |
| Temperature Chamber                                     | TERCHY            | MHG-120LF       | 911009        | 05/19/2017 | 05/18/2018 |  |
| Radio Communication<br>Analyzer                         | R&S               | CMU200          | 102189        | 02/11/2017 | 02/10/2018 |  |
| Radio Communication Analyer                             | Anritsu           | MT8820C         | 6201465317    | 01/03/2017 | 01/02/2018 |  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





11.5. Measurement Result:

#### FREQUENCY ERROR vs. VOLTAGE

| Ref                | Reference Frequency: GPRS 850 Mid Channel 836.6 MHz |            |            |            |  |  |  |
|--------------------|---|------------|------------|------------|--|--|--|
|                    | Limit: +/- 2.5 ppm                                  |            |            |            |  |  |  |
| Power Supply       | Supply Environment Frequency                        |            |            |            |  |  |  |
| Vdc                | Temperature   |            | Delta (Hz) | Limit (Hz) |  |  |  |
| vac                | ( )   | (MHz)      |            |            |  |  |  |
| 4.42               | 20  | 836.600017 | 6          | 2091       |  |  |  |
| 3.85               | 20  | 836.600011 | 0          | 2091       |  |  |  |
| 3.27               | 20  | 836.600002 | -9         | 2091       |  |  |  |
| 2.8<br>(End point) | 20  | 836.600026 | 15         | 2091       |  |  |  |

## FREQUENCY ERROR vs. TEMPERATURE

| Reference Frequency: GPRS 850 Mid Channel 836.6 MHz |                       |            |            |            |  |  |  |
|---|-----------------------|------------|------------|------------|--|--|--|
|   | Limit: +/- 2.5 ppm    |            |            |            |  |  |  |
| Power Supply  | Environment Frequency |            |            |            |  |  |  |
| Vdc   | Temperature<br>( )    | (MHz)      | Delta (Hz) | Limit (Hz) |  |  |  |
| 3.85  | 50                    | 836.600014 | 3          | 2091       |  |  |  |
| 3.85  | 40                    | 836.600006 | -5         | 2091       |  |  |  |
| 3.85  | 30                    | 836.600007 | -4         | 2091       |  |  |  |
| 3.85  | 20                    | 836.00011  | 0          | 2091       |  |  |  |
| 3.85  | 10                    | 836.600003 | -8         | 2091       |  |  |  |
| 3.85  | 0                     | 836.600016 | 5          | 2091       |  |  |  |
| 3.85  | -10                   | 836.600014 | 3          | 2091       |  |  |  |
| 3.85  | -20                   | 836.600015 | 4          | 2091       |  |  |  |
| 3.85  | -30                   | 836.600006 | -5         | 2091       |  |  |  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





FREQUENCY ERROR vs. VOLTAGE

| Ref                | Reference Frequency: GPRS 1900 Mid Channel 1880 MHz |             |            |            |  |  |
|--------------------|---|-------------|------------|------------|--|--|
|                    | Limit: +/- 2.5 ppm                                  |             |            |            |  |  |
| Power Supply       | Environment Frequency                               |             |            |            |  |  |
| Vdc                | Temperature<br>( )                                  | (MHz)       | Delta (Hz) | Limit (Hz) |  |  |
| 4.42               | 20  | 1879.999995 | 1          | 4700       |  |  |
| 3.85               | 20  | 1879.999994 | 0          | 4700       |  |  |
| 3.27               | 20  | 1880.000005 | 11         | 4700       |  |  |
| 2.8<br>(End point) | 20  | 1880.000003 | 9          | 4700       |  |  |

## FREQUENCY ERROR vs. TEMPERATURE

|                 | EQUENOT ENTON VS. TEIM ENATURE                      |                       |                      |            |  |  |
|-----------------|---|-----------------------|----------------------|------------|--|--|
| R               | Reference Frequency: GPRS 1900 Mid Channel 1880 MHz |                       |                      |            |  |  |
|                 | L   | imit: +/- 2.5 ppm = H | z                    |            |  |  |
| Power<br>Supply | Environment   | Frequency             | Dolto (Uz)           | Limit (Uz) |  |  |
| Vdc             | Temperature ( )                                     | (MHz)                 | Delta (Hz) Limit (Hz |            |  |  |
| 3.85            | 50  | 1880.000006           | 12                   | 4700       |  |  |
| 3.85            | 40  | 1879.999998           | 4                    | 4700       |  |  |
| 3.85            | 30  | 1880.000006           | 12                   | 4700       |  |  |
| 3.85            | 20  | 1879.999994           | 0                    | 4700       |  |  |
| 3.85            | 10  | 1879.999989           | -5                   | 4700       |  |  |
| 3.85            | 0   | 1880.000015           | 21                   | 4700       |  |  |
| 3.85            | -10   | 1880.000022           | 28                   | 4700       |  |  |
| 3.85            | -20   | 1880.000014           | 20                   | 4700       |  |  |
| 3.85            | -30   | 1880.000006           | 12                   | 4700       |  |  |

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488





FREQUENCY ERROR vs. VOLTAGE

| · ···              | FREQUENCY ERROR VS. VOLIAGE                        |              |            |            |  |  |
|--------------------|--|--------------|------------|------------|--|--|
|                    | Reference Frequency: WCDMA V Mid Channel 836.6 MHz |              |            |            |  |  |
|                    |  | Limit: +/- 2 | .5 ppm     |            |  |  |
| Power<br>Supply    | Environment  | Frequency    |            |            |  |  |
| Vdc                | Temperature ( )                                    | (MHz)        | Delta (Hz) | Limit (Hz) |  |  |
| 4.42               | 20   | 836.59999    | -2         | 2091       |  |  |
| 3.85               | 20   | 836.599992   | 0          | 2091       |  |  |
| 3.27               | 20   | 836.600006   | 14         | 2091       |  |  |
| 2.8<br>(End Point) | 20   | 836.600003   | 11         | 2091       |  |  |

## FREQUENCY ERROR vs. TEMPERATURE

|                 | Reference Frequency: WCDMA V Mid Channel 836.6 MHz |            |            |             |  |  |  |
|-----------------|--|------------|------------|-------------|--|--|--|
|                 | Limit: +/- 2.5 ppm                                 |            |            |             |  |  |  |
| Power<br>Supply | Environment  | Frequency  | D 1/ // /  | Limit (Lla) |  |  |  |
| Vdc             | Temperature ( )                                    | (MHz)      | Delta (Hz) | Limit (Hz)  |  |  |  |
| 3.85            | 50   | 836.600006 | 14         | 2091        |  |  |  |
| 3.85            | 40   | 836.600005 | 13         | 2091        |  |  |  |
| 3.85            | 30   | 836.600004 | 12         | 2091        |  |  |  |
| 3.85            | 20   | 836.599992 | 0          | 2091        |  |  |  |
| 3.85            | 10   | 836.600002 | 10         | 2091        |  |  |  |
| 3.85            | 0  | 836.600006 | 14         | 2091        |  |  |  |
| 3.85            | -10  | 836.600005 | 13         | 2091        |  |  |  |
| 3.85            | -20  | 836.600008 | 16         | 2091        |  |  |  |
| 3.85            | -30  | 836.600003 | 11         | 2091        |  |  |  |

t (886-2) 2299-3279

f (886-2) 2298-0488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 141 of 153

## FREQUENCY ERROR vs. VOLTAGE

| Reference Frequency: |                    | LTE B5 Mid<br>Channel | 836.5      | MHz 10M QPSK CH<br>20525 |  |  |  |
|----------------------|--------------------|-----------------------|------------|--------------------------|--|--|--|
|                      | Limit: +/- 2.5 ppm |                       |            |                          |  |  |  |
| Power<br>Supply      | Environment        | Frequency             |            |                          |  |  |  |
| Vdc                  | Temperature ( )    | (MHz)                 | Delta (Hz) | Limit (Hz)               |  |  |  |
| 4.42                 | 25                 | 836.4999877           | -14.63     | 2091                     |  |  |  |
| 3.85                 | 25                 | 836.5000023           | 0          | 2091                     |  |  |  |
| 3.27                 | 25                 | 836.5000046           | 2.26       | 2091                     |  |  |  |
| 2.8<br>(End Point)   | 25                 | 836.500004            | 1.67       | 2091                     |  |  |  |

# FREQUENCY ERROR vs. TEMPERATURE

| Reference Frequency: |                    | LTE B5 Mid Channel | 836.5      | MHz 10M QPSK CH<br>20525 |  |  |  |
|----------------------|--------------------|--------------------|------------|--------------------------|--|--|--|
|                      | Limit: +/- 2.5 ppm |                    |            |                          |  |  |  |
| Power<br>Supply      | Environment        | Frequency          | Dolto (Uz) | Limit (∐→)               |  |  |  |
| Vdc                  | Temperature ( )    | (MHz)              | Delta (Hz) | Limit (Hz)               |  |  |  |
| 3.85                 | -30                | 836.5000102        | 22         | 2091                     |  |  |  |
| 3.85                 | -20                | 836.5000112        | 23         | 2091                     |  |  |  |
| 3.85                 | -10                | 836.4999907        | 2.47       | 2091                     |  |  |  |
| 3.85                 | 0                  | 836.4999928        | 4.6        | 2091                     |  |  |  |
| 3.85                 | 10                 | 836.499991         | 2.8        | 2091                     |  |  |  |
| 3.85                 | 20                 | 836.4999882        | 0          | 2091                     |  |  |  |
| 3.85                 | 30                 | 836.4999926        | 4.37       | 2091                     |  |  |  |
| 3.85                 | 40                 | 836.4999789        | -9.3       | 2091                     |  |  |  |
| 3.85                 | 50                 | 836.4999927        | 4.47       | 2091                     |  |  |  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 142 of 153

## FREQUENCY ERROR vs. VOLTAGE

| Reference Frequency: |                    | LTE B12 Mid<br>Channel | 2535.0     | MHz 10M QPSK CH<br>23095 |  |  |  |
|----------------------|--------------------|------------------------|------------|--------------------------|--|--|--|
|                      | Limit: +/- 2.5 ppm |                        |            |                          |  |  |  |
| Power<br>Supply      | Environment        | Frequency              |            |                          |  |  |  |
| Vdc                  | Temperature ( )    | (MHz)                  | Delta (Hz) | Limit (Hz)               |  |  |  |
| 4.42                 | 25                 | 707.5000063            | -7.87      | 1769                     |  |  |  |
| 3.85                 | 25                 | 707.5000142            | 0          | 1769                     |  |  |  |
| 3.27                 | 25                 | 707.5000059            | -8.3       | 1769                     |  |  |  |
| 2.8<br>(End Point)   | 25                 | 707.4999877            | -26.5      | 1769                     |  |  |  |

#### FREQUENCY ERROR vs. TEMPERATURE

| Reference       | ce Frequency:      | LTE B12 Mid<br>Channel | 2535.0     | MHz 10M QPSK CH<br>23095 |  |  |  |
|-----------------|--------------------|------------------------|------------|--------------------------|--|--|--|
|                 | Limit: +/- 2.5 ppm |                        |            |                          |  |  |  |
| Power<br>Supply | Environment        | Frequency              | Dolto (Hz) | Limit (Uz)               |  |  |  |
| Vdc             | Temperature ( )    | (MHz)                  | Delta (Hz) | Limit (Hz)               |  |  |  |
| 3.85            | -30                | 707.4999881            | -14.7      | 1769                     |  |  |  |
| 3.85            | -20                | 707.5000038            | 1          | 1769                     |  |  |  |
| 3.85            | -10                | 707.4999924            | -10.4      | 1769                     |  |  |  |
| 3.85            | 0                  | 707.4999933            | -9.5       | 1769                     |  |  |  |
| 3.85            | 10                 | 707.5000035            | 0.7        | 1769                     |  |  |  |
| 3.85            | 20                 | 707.5000028            | 0          | 1769                     |  |  |  |
| 3.85            | 30                 | 707.5000037            | 0.9        | 1769                     |  |  |  |
| 3.85            | 40                 | 707.4999909            | -11.9      | 1769                     |  |  |  |
| 3.85            | 50                 | 707.4999897            | -13.1      | 1769                     |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 143 of 153

## FREQUENCY ERROR vs. VOLTAGE

| Reference Frequency: |                    | LTE B17 Mid<br>Channel | 2595.0     | MHz 10M QPSK CH<br>38000 |  |  |  |
|----------------------|--------------------|------------------------|------------|--------------------------|--|--|--|
|                      | Limit: +/- 2.5 ppm |                        |            |                          |  |  |  |
| Power<br>Supply      | Environment        | Frequency              |            |                          |  |  |  |
| Vdc                  | Temperature ( )    | (MHz)                  | Delta (Hz) | Limit (Hz)               |  |  |  |
| 4.42                 | 25                 | 710.00001              | 29         | 1775                     |  |  |  |
| 3.85                 | 25                 | 709.99998              | 0          | 1775                     |  |  |  |
| 3.27                 | 25                 | 710.00001              | 35         | 1775                     |  |  |  |
| 2.8<br>(End Point)   | 25                 | 709.99999              | 11.1       | 1775                     |  |  |  |

# FREQUENCY ERROR vs. TEMPERATURE


| Reference       | ce Frequency:      | LTE B17 Mid Channel | 2595.0     | MHz 10M QPSK CH<br>38000 |  |  |  |  |  |  |
|-----------------|--------------------|---------------------|------------|--------------------------|--|--|--|--|--|--|
|                 | Limit: +/- 2.5 ppm |                     |            |                          |  |  |  |  |  |  |
| Power<br>Supply | Environment        | Frequency           | Dolto (Uz) | l :: (     )             |  |  |  |  |  |  |
| Vdc             | Temperature ( )    | (MHz)               | Delta (Hz) | Limit (Hz)               |  |  |  |  |  |  |
| 3.85            | -30                | 709.99998           | -24.9      | 1775                     |  |  |  |  |  |  |
| 3.85            | -20                | 709.99999           | -18.5      | 1775                     |  |  |  |  |  |  |
| 3.85            | -10                | 710.00001           | 2.4        | 1775                     |  |  |  |  |  |  |
| 3.85            | 0                  | 709.99998           | -27.3      | 1775                     |  |  |  |  |  |  |
| 3.85            | 10                 | 709.99998           | -30.3      | 1775                     |  |  |  |  |  |  |
| 3.85            | 20                 | 710.00001           | 0          | 1775                     |  |  |  |  |  |  |
| 3.85            | 30                 | 710                 | -4.4       | 1775                     |  |  |  |  |  |  |
| 3.85            | 40                 | 709.99999           | -18.2      | 1775                     |  |  |  |  |  |  |
| 3.85            | 50                 | 709.99998           | -27.9      | 1775                     |  |  |  |  |  |  |

Note: The battery is rated 3.85V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






## 12. PEAK TO AVERAGE RATIO

# 12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

#### 12.2. Test SET-UP



#### 12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writer approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 145 of 153

# 12.4. Measurement Equipment Used

| Conduc                          | Conducted Emission (measured at antenna port) Test Site |                 |                  |              |            |  |  |  |  |  |
|---------------------------------|---|-----------------|------------------|--------------|------------|--|--|--|--|--|
| EQUIPMENT<br>TYPE               | MFR   | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST<br>CAL. | CAL DUE.   |  |  |  |  |  |
| Power Meter                     | Anritsu   | ML2495A         | 1005007          | 12/15/2016   | 12/14/2017 |  |  |  |  |  |
| Power Sensor                    | Anritsu   | MA2411B         | 917032           | 12/15/2016   | 12/14/2017 |  |  |  |  |  |
| EXA Spectrum Analyz-<br>er      | Agilent   | N9030A          | MY53120760       | 03/21/2017   | 03/20/2018 |  |  |  |  |  |
| DC Block                        | Mini-Circuits   | BLK-18-S+       | 1                | 01/05/2017   | 01/04/2018 |  |  |  |  |  |
| Coaxial Cable                   | HU-<br>BER+SUHNER                                       | SUCOFLEX<br>102 | 23670/2          | 01/05/2017   | 01/04/2018 |  |  |  |  |  |
| Attenuator                      | Mini-Circuit  | BW-S10W2+       | 2                | 01/05/2017   | 01/04/2018 |  |  |  |  |  |
| Splitter                        | Agilent   | 11636B          | N/A              | 01/05/2017   | 01/04/2018 |  |  |  |  |  |
| DC Power Supply                 | Agilent   | E3640A          | MY52410006       | 11/21/2016   | 11/20/2017 |  |  |  |  |  |
| Temperature Chamber             | TERCHY  | MHG-120LF       | 911009           | 05/19/2017   | 05/18/2018 |  |  |  |  |  |
| Radio Communication<br>Analyzer | R&S   | CMU200          | 102189           | 02/11/2017   | 02/10/2018 |  |  |  |  |  |
| Radio Communication Analyer     | Anritsu   | MT8820C         | 6201465317       | 01/03/2017   | 01/02/2018 |  |  |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



#### 12.5. Measurement Result

## **Tabular Results:**

| Freq.<br>(MHz) | СН   | Peak-to-Average<br>Ratio (dB) |              |  |  |  |
|----------------|------|-------------------------------|--------------|--|--|--|
|                |      | GSM<br>1900                   | GPRS<br>1900 |  |  |  |
| 1850.2         | 9296 | 9.38                          | 9.46         |  |  |  |
| 1880.0         | 9400 | 10.02                         | 9.97         |  |  |  |
| 1909.8         | 9538 | 9.55                          | 10.00        |  |  |  |

| LTE BAND 5 |             |                               |       |                         |       |       |                 |  |  |
|------------|-------------|-------------------------------|-------|-------------------------|-------|-------|-----------------|--|--|
| Ch         | nannel band | width: 1.4M                   | Hz    | Channel bandwidth: 3MHz |       |       |                 |  |  |
| Freq.      | СН          | Peak-to-Average<br>Ratio (dB) |       | Freq.                   | СН    |       | Average<br>(dB) |  |  |
| (MHz)      |             | 16QAM                         | LIMIT | (MHz)                   |       | 16QAM | LIMIT           |  |  |
| 824.7      | 20407       | 5.94                          | 13    | 825.5                   | 20415 | 6.06  | 13              |  |  |
| 836.5      | 20525       | 5.86                          | 13    | 836.5                   | 20525 | 5.96  | 13              |  |  |
| 848.3      | 20643       | 5.57                          | 13    | 847.5                   | 20635 | 5.77  | 13              |  |  |

| LTE BAND 5 |            |                               |       |                          |       |       |                 |  |  |
|------------|------------|-------------------------------|-------|--------------------------|-------|-------|-----------------|--|--|
| С          | hannel ban | dwidth: 5MF                   | ŀΙΖ   | Channel bandwidth: 10MHz |       |       |                 |  |  |
| Freq.      | СН         | Peak-to-Average<br>Ratio (dB) |       | Freq.                    | СН    |       | Average<br>(dB) |  |  |
| (MHz)      |            | 16QAM                         | LIMIT | (MHz)                    |       | 16QAM | LIMIT           |  |  |
| 826.5      | 20425      | 5.95                          | 13    | 829.0                    | 20450 | 5.98  | 13              |  |  |
| 836.5      | 20525      | 5.91                          | 13    | 836.5                    | 20525 | 5.91  | 13              |  |  |
| 846.5      | 20625      | 5.74                          | 13    | 844.0                    | 20600 | 5.81  | 13              |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





| LTE BAND 12 |             |                               |       |                         |       |                   |                 |  |  |
|-------------|-------------|-------------------------------|-------|-------------------------|-------|-------------------|-----------------|--|--|
| Ch          | nannel band | width: 1.4M                   | Hz    | Channel bandwidth: 3MHz |       |                   |                 |  |  |
| Freq.       | СН          | Peak-to-Average<br>Ratio (dB) |       | Freq.                   | СН    | Peak-to-<br>Ratio | Average<br>(dB) |  |  |
| (MHz)       |             | 16QAM                         | LIMIT | (MHz)                   |       | 16QAM             | LIMIT           |  |  |
| 699.7       | 23017       | 5.99                          | 13    | 700.5                   | 23025 | 6.14              | 13              |  |  |
| 707.5       | 23095       | 5.57                          | 13    | 707.5                   | 23095 | 5.83              | 13              |  |  |
| 715.3       | 23173       | 5.57                          | 13    | 714.5                   | 23165 | 5.91              | 13              |  |  |

| LTE BAND 12 |             |                               |       |       |             |                   |       |  |  |
|-------------|-------------|-------------------------------|-------|-------|-------------|-------------------|-------|--|--|
| С           | hannel band | dwidth: 5MF                   | łz    | Cł    | nannel band | lwidth: 10Ml      | Hz    |  |  |
| Freq.       | СН          | Peak-to-Average<br>Ratio (dB) |       | Freq. | СН          | Peak-to-<br>Ratio |       |  |  |
| (MHz)       |             | 16QAM                         | LIMIT | (MHz) |             | 16QAM             | LIMIT |  |  |
| 701.5       | 23035       | 6.05                          | 13    | 704.0 | 23060       | 5.90              | 13    |  |  |
| 707.5       | 23095       | 5.78                          | 13    | 707.5 | 23095       | 5.85              | 13    |  |  |

| LTE BAND 17 |             |                               |       |                          |       |       |                 |  |  |
|-------------|-------------|-------------------------------|-------|--------------------------|-------|-------|-----------------|--|--|
| С           | hannel band | dwidth: 5MH                   | łz    | Channel bandwidth: 10MHz |       |       |                 |  |  |
| Freq.       | СН          | Peak-to-Average<br>Ratio (dB) |       | Freq.                    | СН    |       | Average<br>(dB) |  |  |
| (MHz)       |             | 16QAM                         | LIMIT | (MHz)                    |       | 16QAM | LIMIT           |  |  |
| 706.5       | 23755       | 5.92                          | 13    | 709.0                    | 23780 | 5.87  | 13              |  |  |
| 710.0       | 23790       | 5.86                          | 13    | 710.0                    | 23790 | 5.94  | 13              |  |  |
| 713.5       | 23825       | 5.87                          | 13    | 711.0                    | 23780 | 5.98  | 13              |  |  |

## **Measurement Results:**

Please refer to next page.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






#### GSM 1900 Channel Low



#### GPRS 1900 Channel Low




# GSM 1900 Channel Mid



GPRS 1900 Channel Mid



# GSM 1900 Channel High



GPRS 1900 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piet (s) tested and such as a retained for 90 days only. 


Rep 37 就明,此報告結果僅對測試之樣品負責,同時止樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sue sedfined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforced may be presented to the fullest cutent of the force. document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE\_Band5\_1\_4MHz\_16QAM\_6\_0\_ Channel Low




LTE\_Band5\_3MHz\_16QAM\_15\_0\_ Channel Low




LTE\_Band5\_1\_4MHz\_16QAM\_6\_0\_ Channel Mid



LTE\_Band5\_3MHz\_16QAM\_15\_0\_ Channel Mid



LTE\_Band5\_1\_4MHz\_16QAM\_6\_0\_ Channel High




LTE\_Band5\_3MHz\_16QAM\_15\_0\_ Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






## LTE\_Band5\_5MHz\_16QAM\_25\_0\_ Channel Low




# LTE\_Band5\_10MHz\_16QAM\_50\_0\_ Channel Low




## LTE\_Band5\_5MHz\_16QAM\_25\_0\_ Channel Mid



LTE\_Band5\_10MHz\_16QAM\_50\_0\_ Channel Mid



# LTE\_Band5\_5MHz\_16QAM\_25\_0\_ Channel High




LTE\_Band5\_10MHz\_16QAM\_50\_0\_ Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







## LTE\_Band12\_1\_4MHz\_16QAM\_6\_0\_ Channel Low




# LTE\_Band12\_3MHz\_16QAM\_15\_0\_ Channel Low




## LTE\_Band12\_1\_4MHz\_16QAM\_6\_0\_ Channel Mid




LTE\_Band12\_3MHz\_16QAM\_15\_0\_ Channel Mid



# LTE\_Band12\_1\_4MHz\_16QAM\_6\_0\_ Channel High




LTE\_Band12\_3MHz\_16QAM\_15\_0\_ Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document-htm">www.sgs.com/terms-e-document-htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






## LTE\_Band12\_5MHz\_16QAM\_25\_0\_ Channel Low




# LTE\_Band12\_10MHz\_16QAM\_50\_0\_ Channel Low




## LTE\_Band12\_5MHz\_16QAM\_25\_0\_ Channel Mid




LTE\_Band12\_10MHz\_16QAM\_50\_0\_ Channel Mid



# LTE\_Band12\_5MHz\_16QAM\_25\_0\_ Channel High




LTE\_Band12\_10MHz\_16QAM\_50\_0\_ Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







## LTE\_Band17\_5MHz\_16QAM\_25\_0\_ Channel Low




# LTE\_Band17\_10MHz\_16QAM\_50\_0\_ Channel Low




# LTE\_Band17\_5MHz\_16QAM\_25\_0\_ Channel Mid



LTE\_Band17\_10MHz\_16QAM\_50\_0\_ Channel Mid



# LTE\_Band17\_5MHz\_16QAM\_25\_0\_ Channel High



LTE\_Band17\_10MHz\_16QAM\_50\_0\_ Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.