

# FCC CERTIFICATION REPORT

Based On SGS EMC Test Report No. : E1/2017/80099

**Applicant** : Sharp Corporation, IoT Communication B.U.  
**Address** : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima 739-0192, Japan  
**Manufacturer** : Sharp Corporation  
**Address** : 1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

**Equipment Under Test (EUT) :**  
**Product Name** : Smart Phone

**Standards** : FCC Part 15:2017, Subpart B, Class B  
**FCC Registration Numbers** : 916890

**Date of Receipt** : Aug. 10, 2017, Dec. 12, 2017  
**Date of Test** : Aug. 10 ~ Sep. 06, 2017, Dec. 12 ~ 26, 2017  
**Date of Issue** : Dec. 28, 2017

<b>Test Result :</b>	<b>PASS</b>
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

**Remarks :**

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

**Tested By:** Ivan Hsieh **Date** Dec. 28, 2017  
**Ivan Hsieh (Engineer)**

**Approved By** Eddy Cheng **Date** Dec. 28, 2017  
**Eddy Cheng (Asst. Supervisor)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Revision History

Report Number	Revision	Description	Issue Date
E1/2017/C0033	Rev.00	Based On E1/2017/80099 Changed PA Spot check Below / Above RE	Dec. 28, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



## Contents

<b>1. GENERAL INFORMATION</b> .....	<b>4</b>
1.1 APPLICANT & MANUFACTURER INFORMATION .....	4
1.2 GENERAL DESCRIPTION OF EUT .....	4
1.3 DETAILS OF EUT .....	4
1.4 OPERATION PROCEDURE .....	5
1.5 DESCRIPTION OF SUPPORT UNITS .....	6
1.6 MODIFICATION LIST .....	6
1.7 ACCESSORIES CABLE LIST .....	6
1.8 TEST SET-UP CONFIGURATION.....	7
1.9 MEASUREMENT PROCEDURE .....	8
1.10 STANDARDS APPLICABLE FOR TESTING.....	8
1.11 SUMMARY OF RESULTS .....	8
<b>2. EMISSION</b> .....	<b>9</b>
2.1 TEST RESULTS .....	9
2.2 FREQUENCY RANGE.....	9
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION .....	9
2.3.1 LIMITS OF CONDUCTED EMISSION .....	9
2.3.2 LIMITS OF RADIATED EMISSIONS .....	10
2.4. TEST OF CONDUCTED EMISSION.....	11
2.4.1 TEST EQUIPMENTS .....	11
2.4.2 OPERATING ENVIRONMENT .....	11
2.4.3 MEASUREMENT LEVEL CALCULATION .....	11
2.4.4 MEASUREMENT DATA:.....	12
2.5 TEST OF RADIATED EMISSION.....	20
2.5.1 TEST EQUIPMENTS .....	20
2.5.2 OPERATING ENVIRONMENT .....	23
2.5.3 MEASUREMENT LEVEL CALCULATION .....	23
2.5.4 MEASUREMENT DATA.....	24
<b>3. PHOTOGRAPHS OF TEST</b> .....	<b>錯誤! 尚未定義書籤。</b>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 1. General Information

## 1.1 Applicant & Manufacturer Information

Applicant : Sharp Corporation, IoT Communication B.U.  
 Address of Applicant : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima 739-0192, Japan  
 Manufacturer : Sharp Corporation  
 Address of Manufacturer : 1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

## 1.2 General Description of EUT

Product Name : Smart Phone

## 1.3 Details of EUT

Power Supply : AC 100~240V, 50~60Hz  
 Worst case : CE worst case : Config 3  
 Below / Above RE worst case : Config 2  
 Highest operate description : 2480 MHz  
 Battery : Model No.: UBATIA283AFN2  
 Supplier: SCUD(FUJIAN) Electronics Co., Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



QD43	Config 1	Config2	Config 3
Applicable standard	FCC 15B		
Accessories	EUT + AC Adaptor(AC ADAPTER 06) +USB Cable +PHF	EUT +USB Cable +PHF	EUT + AC Adaptor(AC ADAPTER 06) +USB Cable +PHF
Main function	<b>Speech</b>	<b>Data Link</b>	<b>Camera</b>
Additional function	BT+WiFi +NFC		
<b>Description</b>			
radiated emission	GSM 850/1900 WCDMA B5 LTE B5/B12/B17	Data R/W	MP3/ ;REC mode (Front/Back) ;play REC
conducted emission (DC Power)	NA	NA	NA
conducted emission (AC Power)	GSM 850/1900 WCDMA B5 LTE B5/B12/B17	Data R/W	MP3/ ;REC mode (Front/Back) ;play REC

## 1.4 Operation Procedure

### Config 1

1. Let EUT connect to Adapter & USB Cable & Earphone and turn it on.
2. Executed BT & WIFI & GPS & NFC & GSM 850/1900 or WCDMA B5 or LTE B5/B12/B17 Link.
3. Started the test.

### Config 2

1. Let EUT connect to Earphone & USB Cable and NB Link.
2. Executed BT & WIFI & GPS & NFC Link.
3. NB and mobile phone USB data transmission (Reader / Write)
4. Started the test.

### Config 3

1. Let EUT connect to Adapter & USB Cable & Earphone and turn it on.
2. Turned on front / rear camera to record / play the video or play music.
3. Executed BT & WIFI & GPS & NFC Link.
4. Started the test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
SIM Card	R&S	CMW-Z05	8952530076180167200
BT Speaker	Creative	MF8090	YFMF8090245R00855Y
Radio Communication Analyzer	R&S	CMU200	102189
Radio Communication Analyzer	R&S	CMW500	1201.002K50-152303-Zr
AP	BUFFALO	WZR-HP-G300NH2	44066221202559[[G]]
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218
Notebook	DELL	Latitude E5430	COVZYW1
Mouse	DELL	MS111-T	CN-OKW2YH-71616-345-OL7T
Printer	HP	VCVRA-1004	CN33K19J3F
Micro SD	Transcend	Micro SDHC (Class4)	N/A
Adapter	HOSIDEN	AC ADAPTER 06	N/A
Earphone	SONY	MDR-EX15AP	N/A

## Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
USB cable	N/A	0.95m	Shielding
Earphone cable	N/A	1.25m	Non-shielding

## 1.6 Modification List

No modification was made by SGS Taiwan Electronics & Communication Laboratory.

## 1.7 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
N/A	N/A	N/A	N/A


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.8 Test Set-Up Configuration


Config 1



Config 2



Config 3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

## 1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

## 1.11 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	0.1540	-10.54 (QP)
			Neutral	0.1540	-10.66 (QP)
	Radiated Emission	PASS	Ver.	47.1100	-5.30 (QP)

### Changed PA

Highest Emission					
Standard	Test Type	Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	N/A	Line	N/A	N/A
			Neutral	N/A	N/A
	Radiated Emission	PASS	Hor.	224.0000	-9.41 (QP)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2. EMISSION

### 2.1 Test Results

	Results
Conducted Emission	<b>Pass</b>
Radiated Emission	<b>Pass</b>

### 2.2 Frequency Range

#### FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or used in the device or on which the device operates or tunes (MHz)      Upper frequency of measurement range (MHz)

Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower

### 2.3 Limits of Conducted and Radiated Emission

#### 2.3.1 Limits of Conducted Emission

##### FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**2.3.2 Limits of Radiated Emissions**

**FCC Part 15, Subpart B Limit:**

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

**CISPR 22 Limit:**

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2.4. Test of Conducted Emission

### 2.4.1 Test Equipments

SGS Conducted_Emission HWAYA Conducted Room No.A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 3	101311	2017/6/23	2018/6/22
Coaxial Cables	EMC Instruments Corp	EMCRG58-BM-BM-3000	160812	2017/8/30	2018/8/29
LISN	SCHWARZBECK	NSLK 8127	8127-648	2017/6/18	2018/6/17
Pulse Limiter	Narda S.T.S.	PMM PL01	1110X30602	2017/8/12	2018/8/11
LISN	FCC	FCC-LISN-50/250-25-2-01	4034	2017/3/19	2018/3/18
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Conducted Emission  
 Expanded uncertainty (K=2) of conducted emission is 2.25 dB

### 2.4.2 Operating Environment

Temperature : 25 degree C

Humidity : 64 %RH

Atmospheric Pressure : 992 mBar

### 2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter Insertion Loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4.4 Measurement Data:

Config\_1\_L

Site : Conduction Room      Phase: **L1**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 64 %  
 Mode: Config 1 GSM1900  
 Note: Hynix

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.1500	54.80	0.34	55.14	66.00	-10.86	QP	
2		0.1500	32.60	0.34	32.94	56.00	-23.06	AVG	
3		0.1980	50.80	0.33	51.13	63.69	-12.56	QP	
4		0.1980	27.50	0.33	27.83	53.69	-25.86	AVG	
5		0.2460	47.60	0.33	47.93	61.89	-13.96	QP	
6		0.2460	24.50	0.33	24.83	51.89	-27.06	AVG	
7		0.2940	44.50	0.33	44.83	60.41	-15.58	QP	
8		0.2940	19.50	0.33	19.83	50.41	-30.58	AVG	
9		0.3420	43.00	0.34	43.34	59.15	-15.81	QP	
10		0.3420	17.70	0.34	18.04	49.15	-31.11	AVG	
11		0.3900	41.50	0.34	41.84	58.06	-16.22	QP	
12		0.3900	23.40	0.34	23.74	48.06	-24.32	AVG	
13		0.4340	42.00	0.34	42.34	57.18	-14.84	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#17

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config\_1\_L2

No.	Mk.	Reading Level		Correct Factor	Measurement	Limit		Over	Detector	Comment
		MHz	dBuV			dB	dBuV			
14		0.4340	27.20	0.34	27.54	47.18	-19.64		AVG	
15		0.4820	41.20	0.34	41.54	56.30	-14.76		QP	
16		0.4820	26.70	0.34	27.04	46.30	-19.26		AVG	
17		0.5300	38.30	0.35	38.65	56.00	-17.35		QP	
18		0.5300	23.80	0.35	24.15	46.00	-21.85		AVG	
19		0.5780	35.70	0.35	36.05	56.00	-19.95		QP	
20		0.5780	22.60	0.35	22.95	46.00	-23.05		AVG	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#17

Page: 2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_1\_N

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 64 %  
 Mode: Config 1 GSM1900  
 Note: Hynix

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.1500	55.00	0.42	55.42	66.00	-10.58	QP	
2		0.1500	33.70	0.42	34.12	56.00	-21.88	AVG	
3		0.1780	52.10	0.41	52.51	64.58	-12.07	QP	
4		0.1780	30.30	0.41	30.71	54.58	-23.87	AVG	
5		0.2020	50.20	0.41	50.61	63.53	-12.92	QP	
6		0.2020	27.00	0.41	27.41	53.53	-26.12	AVG	
7		0.2500	46.60	0.41	47.01	61.76	-14.75	QP	
8		0.2500	23.50	0.41	23.91	51.76	-27.85	AVG	
9		0.2980	44.40	0.41	44.81	60.30	-15.49	QP	
10		0.2980	18.60	0.41	19.01	50.30	-31.29	AVG	
11		0.3420	42.70	0.42	43.12	59.15	-16.03	QP	
12		0.3420	16.70	0.42	17.12	49.15	-32.03	AVG	
13		0.3900	40.90	0.42	41.32	58.06	-16.74	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #18

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config\_1\_N2

No.	Mk.	Reading Level		Correct Factor	Measurement	Limit		Over	Detector	Comment
		MHz	dBuV			dB	dBuV			
14		0.3900	24.00	0.42	24.42	48.06	-23.64		AVG	
15		0.4380	40.30	0.42	40.72	57.10	-16.38		QP	
16		0.4380	24.20	0.42	24.62	47.10	-22.48		AVG	
17		0.4860	40.30	0.42	40.72	56.24	-15.52		QP	
18		0.4860	25.50	0.42	25.92	46.24	-20.32		AVG	

\*:Maximum data    x:Over limit    f:over margin

File :80099\Data :#18

Page: 2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_L

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: From System      Humidity: 64 %  
 Mode: Config 2  
 Note: Hynix , AC 120V/60Hz , Internal Sotrage Write

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	43.30	0.42	43.72	65.78	-22.06	QP	
2		0.1540	24.40	0.42	24.82	55.78	-30.96	AVG	
3	*	0.1700	47.90	0.42	48.32	64.96	-16.64	QP	
4		0.1700	34.30	0.42	34.72	54.96	-20.24	AVG	
5		0.1820	38.70	0.41	39.11	64.39	-25.28	QP	
6		0.1820	21.70	0.41	22.11	54.39	-32.28	AVG	
7		0.2300	35.90	0.41	36.31	62.45	-26.14	QP	
8		0.2300	20.60	0.41	21.01	52.45	-31.44	AVG	
9		0.4420	31.30	0.42	31.72	57.02	-25.30	QP	
10		0.4420	16.20	0.42	16.62	47.02	-30.40	AVG	
11		24.0780	26.80	0.87	27.67	60.00	-32.33	QP	
12		24.0780	20.90	0.87	21.77	50.00	-28.23	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#37

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_2\_N

Site : Conduction Room      Phase: **L1**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: From System      Humidity: 64 %  
 Mode: Config 2  
 Note: Hynix , AC 120V/60Hz , Internal Sotrage Write

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1620	42.00	0.34	42.34	65.36	-23.02	QP	
2		0.1620	28.70	0.34	29.04	55.36	-26.32	AVG	
3		0.1980	38.30	0.33	38.63	63.69	-25.06	QP	
4		0.1980	22.00	0.33	22.33	53.69	-31.36	AVG	
5		0.2380	38.60	0.33	38.93	62.17	-23.24	QP	
6		0.2380	24.30	0.33	24.63	52.17	-27.54	AVG	
7		0.2740	37.40	0.33	37.73	61.00	-23.27	QP	
8		0.2740	25.80	0.33	26.13	51.00	-24.87	AVG	
9 *		0.4380	35.00	0.34	35.34	57.10	-21.76	QP	
10		0.4380	20.70	0.34	21.04	47.10	-26.06	AVG	
11		1.6260	27.90	0.41	28.31	56.00	-27.69	QP	
12		1.6260	20.70	0.41	21.11	46.00	-24.89	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#38

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_L

Site : Conduction Room      Phase: **L1**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 64 %  
 Mode: Config 3 play REC  
 Note: Hynix

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.1540	54.90	0.34	55.24	65.78	-10.54	QP	
2		0.1540	34.20	0.34	34.54	55.78	-21.24	AVG	
3		0.1780	52.30	0.33	52.63	64.58	-11.95	QP	
4		0.1780	29.80	0.33	30.13	54.58	-24.45	AVG	
5		0.2260	49.20	0.33	49.53	62.60	-13.07	QP	
6		0.2260	24.40	0.33	24.73	52.60	-27.87	AVG	
7		0.2740	46.40	0.33	46.73	61.00	-14.27	QP	
8		0.2740	21.50	0.33	21.83	51.00	-29.17	AVG	
9		0.3660	42.60	0.34	42.94	58.59	-15.65	QP	
10		0.3660	24.30	0.34	24.64	48.59	-23.95	AVG	
11		0.4620	42.80	0.34	43.14	56.66	-13.52	QP	
12		0.4620	30.50	0.34	30.84	46.66	-15.82	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#28

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_N

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 64 %  
 Mode: Config 3 play REC  
 Note: Hynix

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.1540	54.70	0.42	55.12	65.78	-10.66	QP	
2		0.1540	34.20	0.42	34.62	55.78	-21.16	AVG	
3		0.1900	51.30	0.41	51.71	64.04	-12.33	QP	
4		0.1900	28.40	0.41	28.81	54.04	-25.23	AVG	
5		0.2220	48.90	0.41	49.31	62.74	-13.43	QP	
6		0.2220	24.40	0.41	24.81	52.74	-27.93	AVG	
7		0.2700	46.60	0.41	47.01	61.12	-14.11	QP	
8		0.2700	22.20	0.41	22.61	51.12	-28.51	AVG	
9		0.3180	43.90	0.42	44.32	59.76	-15.44	QP	
10		0.3180	20.30	0.42	20.72	49.76	-29.04	AVG	
11		0.3660	41.90	0.42	42.32	58.59	-16.27	QP	
12		0.3660	21.70	0.42	22.12	48.59	-26.47	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#27

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## 2.5 Test of Radiated Emission

### 2.5.1 Test Equipments

#### Below 1GHz

SGS Radiated_Below_1GHz HWAYA 10m EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100924	2016/9/30	2017/9/29
EMI Test Receiver	R&S	ESCI 3	101343	2016/12/21	2017/12/20
Broadband Antenna	SCHWAZBECK	VULB9168	9168-628	2016/9/22	2017/9/21
Broadband Antenna	SCHWAZBECK	VULB9168	9168-629	2016/9/22	2017/9/21
Pre Amplifier	EMC Instruments Corp.	EMC330	980178	2017/3/31	2018/3/30
Pre Amplifier	EMC Instruments Corp.	EMC330	980179	2017/3/31	2018/3/30
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2016/9/18	2017/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2016/9/18	2017/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150820	2016/9/18	2017/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2016/9/18	2017/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150821	2016/9/18	2017/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2016/9/18	2017/9/17
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	Chance Most	10M Chamber	10M SAC	2016/12/31	2017/12/31
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Radiated Emission  
 Expanded uncertainty of radiated emission is 4.09 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



## Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966B_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2017/3/1	2018/2/28
EMI Test Receiver	R&S	ESR 7	101507	2017/5/27	2018/5/26
Horn Antenna	SCHWARZBEC K	BBHA9120D	BBHA9120D67 3	2016/10/14	2017/10/13
Pre Amplifier	R&S	SCU-18	100203	2017/3/26	2018/3/26
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140923	2016/9/30	2017/9/29
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140925	2016/9/30	2017/9/29
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140927	2016/9/30	2017/9/29
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2152/2	2017/6/5	2018/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2017/6/5	2018/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF-7802	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	N/A	N/A	N/A	N.C.R.	N.C.R.
Turn Table	N/A	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber B	SAC-B	2016/10/8	2017/10/7
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Radiated Emission  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.06 dB. (1-6GHz)  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.15 dB. (6-18GHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Changed PA  
Below 1GHz**

SGS Radiated_Below_1GHz HWAYA 10m_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100924	2017/10/20	2018/10/19
EMI Test Receiver	R&S	ESCI 3	101343	2017/12/21	2018/12/20
Broadband Antenna	SCHWAZBECK	VULB9168	9168-628	2017/9/8	2018/9/7
Broadband Antenna	SCHWAZBECK	VULB9168	9168-629	2017/9/12	2018/9/11
Pre Amplifier	EMC Instruments Corp.	EMC330	980178	2017/3/31	2018/3/30
Pre Amplifier	EMC Instruments Corp.	EMC330	980179	2017/3/31	2018/3/30
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150820	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150821	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2017/9/18	2018/9/17
Universal Digital Radio Communication Tester	R&S	CMU 200	119988	2017/3/7	2018/3/6
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	Chance Most	10M Chamber	10M SAC	2016/12/31	2017/12/31
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
Measurement Uncertainty of Radiated Emission  
Expanded uncertainty of radiated emission is 4.09 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2017/3/1	2018/2/28
EMI Test Receiver	R&S	ESR 7	101459	2017/2/17	2018/2/16
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA9120D67 3	2017/10/16	2018/10/15
Pre Amplifier	EMC Instruments Corp.	EMC012645B	980216	2017/4/25	2018/4/24
Coaxial Cable	JUNFLOW	MWX221-NMSNMS	J0778929	2017/4/23	2018/4/22
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	30255/4PEA	2017/4/23	2018/4/22
Coaxial Cable	EMC Instruments	EMC104-SM-SM	140927	2017/4/23	2018/4/22
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2152/2	2017/6/5	2018/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2017/6/5	2018/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	119988	2017/3/7	2018/3/6
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF	MF-7802	N.C.R.	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber A	SAC-A	2017/1/12	2018/1/11
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Radiated Emission  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.05 dB. (1-6GHz)

## 2.5.2 Operating Environment

Temperature : 25 degree C

Humidity : 65 %RH

Atmospheric Pressure : 996 mBar

## 2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



2.5.4 Measurement Data

Below 1GHz

Config\_1\_H

Site: SGS 10m Chamber      Polarization: **Horizontal**      Temperature: 27 °C  
 Limit: CISPR22 Class B 10M Radiation      Power: AC 120V/60Hz      Humidity: 64 %  
 Mode: Config 1      Distance:  
 Note: Sample 2 LTE B5 Link

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		32.2400	26.62	-12.72	13.90	30.00	-16.10	QP	
2		47.9600	26.90	-11.40	15.50	30.00	-14.50	QP	
3		146.4600	25.75	-12.05	13.70	30.00	-16.30	QP	
4		923.5900	25.08	1.32	26.40	37.00	-10.60	QP	
5		943.9800	25.04	1.76	26.80	37.00	-10.20	QP	
6 *		972.1100	25.05	1.85	26.90	37.00	-10.10	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#22

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_1\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 27 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 64 %
Mode: Config 1	Distance:	
Note: Sample 2 LTE B5 Link		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		32.6900	29.66	-12.36	17.30	30.00	-12.70	QP	
2		135.6500	26.25	-11.95	14.30	30.00	-15.70	QP	
3		744.2600	24.58	-0.68	23.90	37.00	-13.10	QP	
4		891.6200	24.37	0.83	25.20	37.00	-11.80	QP	
5		938.7100	24.47	1.23	25.70	37.00	-11.30	QP	
6 *		988.1200	24.65	1.75	26.40	37.00	-10.60	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#21

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config 2\_H

Site: SGS 10m Chamber      Polarization: *Horizontal*      Temperature: 25 °C  
 Limit: CISPR22 Class B 10M Radiation      Power: From System      Humidity: 65 %  
 Mode: Config 2      Distance:  
 Note: Sample 2 Internal shared storage Write

#### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		55.3800	27.04	-11.84	15.20	30.00	-14.80	QP	
2		150.1800	27.40	-11.90	15.50	30.00	-14.50	QP	
3		165.9000	30.18	-11.78	18.40	30.00	-11.60	QP	
4		204.8600	30.34	-14.94	15.40	30.00	-14.60	QP	
5		224.8300	32.20	-14.70	17.50	30.00	-12.50	QP	
6 *		955.7000	24.72	1.88	26.60	37.00	-10.40	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#18

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Config\_2\_V

Site: SGS 10m Chamber      Polarization: **Vertical**      Temperature: 25 °C  
 Limit: CISPR22 Class B 10M Radiation      Power: From System      Humidity: 65 %  
 Mode: Config 2      Distance:  
 Note: Sample 2 Internal shared storage Write

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	47.1100	35.73	-11.03	24.70	30.00	-5.30	QP	
2		140.7800	27.97	-11.57	16.40	30.00	-13.60	QP	
3		172.0600	32.27	-12.17	20.10	30.00	-9.90	QP	
4		958.6300	24.70	1.40	26.10	37.00	-10.90	QP	
5		977.9300	24.77	1.63	26.40	37.00	-10.60	QP	
6		993.0700	24.79	1.81	26.60	37.00	-10.40	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#17

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Config\_3\_H

Site: SGS 10m Chamber	Polarization: <i>Horizontal</i>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config 3	Distance:	
Note: Sample 2 REC Back		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		54.4900	26.06	-11.76	14.30	30.00	-15.70	QP	
2		166.9500	25.71	-11.81	13.90	30.00	-16.10	QP	
3		853.7300	25.05	0.15	25.20	37.00	-11.80	QP	
4		889.1200	24.95	0.65	25.60	37.00	-11.40	QP	
5		938.1400	25.26	1.64	26.90	37.00	-10.10	QP	
6 *		966.7600	25.23	1.87	27.10	37.00	-9.90	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#20

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Config\_3\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config 3	Distance:	
Note: Sample 2 REC Back		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		42.4900	25.78	-11.28	14.50	30.00	-15.50	QP	
2		53.4400	25.68	-11.28	14.40	30.00	-15.60	QP	
3		135.0400	25.40	-12.00	13.40	30.00	-16.60	QP	
4		890.2300	24.50	0.80	25.30	37.00	-11.70	QP	
5		963.0600	24.75	1.45	26.20	37.00	-10.80	QP	
6 *		976.9400	24.77	1.63	26.40	37.00	-10.60	QP	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data :#19

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Above 1GHz

Config\_1\_H

Site: SGS 966 Chamber B      Polarization: **Horizontal**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 68 %  
 Mode: Config\_1      Distance:  
 Note: LTE B5 Link

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1578.000	46.92	-16.52	30.40	74.00	-43.60	peak	
2		3125.000	46.57	-12.89	33.68	74.00	-40.32	peak	
3		3533.000	46.97	-12.52	34.45	74.00	-39.55	peak	
4	*	3958.000	53.69	-11.41	42.28	74.00	-31.72	peak	
5		5250.000	46.96	-8.20	38.76	74.00	-35.24	peak	
6		5828.000	46.18	-7.31	38.87	74.00	-35.13	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #34

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_1\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Config_1	Distance:	
Note: LTE B5 Link		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		1527.000	46.98	-16.64	30.34	74.00	-43.66	peak	
2		2666.000	47.62	-13.74	33.88	74.00	-40.12	peak	
3		3618.000	46.79	-12.29	34.50	74.00	-39.50	peak	
4		3958.000	48.65	-11.41	37.24	74.00	-36.76	peak	
5 *		5386.000	48.61	-8.04	40.57	74.00	-33.43	peak	
6		6066.000	46.00	-6.74	39.26	74.00	-34.74	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #33

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_H

Site: SGS 966 Chamber B      Polarization: **Horizontal**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea      Power: From System      Humidity: 68 %  
 Mode: Config\_2      Distance:  
 Note: Internal shared storage Write

#### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1187.000	49.33	-17.82	31.51	74.00	-42.49	peak	
2		2394.000	52.52	-14.42	38.10	74.00	-35.90	peak	
3		3176.000	50.51	-12.86	37.65	74.00	-36.35	peak	
4		4111.000	48.06	-11.05	37.01	74.00	-36.99	peak	
5		5267.000	47.35	-8.18	39.17	74.00	-34.83	peak	
6	*	5777.000	47.23	-7.40	39.83	74.00	-34.17	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #32

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Config\_2\_V

Site: SGS 966 Chamber B      Polarization: **Vertical**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: From System      Humidity: 68 %  
 Mode: Config\_2      Distance:  
 Note: Internal shared storage Write

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		1391.000	51.63	-17.10	34.53	74.00	-39.47	peak	
2	*	2394.000	60.58	-14.42	46.16	74.00	-27.84	peak	
3		2989.000	54.91	-13.03	41.88	74.00	-32.12	peak	
4		3176.000	56.17	-12.86	43.31	74.00	-30.69	peak	
5		4128.000	50.58	-11.02	39.56	74.00	-34.44	peak	
6		5998.000	46.90	-7.00	39.90	74.00	-34.10	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #31

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_H

Site: SGS 966 Chamber B	Polarization: <b>Horizontal</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Config_3	Distance:	
Note: REC Back		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		1714.000	47.52	-16.23	31.29	74.00	-42.71	peak	
2		2666.000	47.44	-13.74	33.70	74.00	-40.30	peak	
3		3584.000	46.86	-12.39	34.47	74.00	-39.53	peak	
4		4111.000	47.80	-11.05	36.75	74.00	-37.25	peak	
5		4876.000	46.78	-8.91	37.87	74.00	-36.13	peak	
6 *		5777.000	47.96	-7.40	40.56	74.00	-33.44	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #36

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Config_3	Distance:	
Note: REC Back		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2241.000	47.00	-14.89	32.11	74.00	-41.89	peak	
2		3057.000	46.98	-12.96	34.02	74.00	-39.98	peak	
3		3567.000	46.99	-12.42	34.57	74.00	-39.43	peak	
4		4128.000	47.27	-11.02	36.25	74.00	-37.75	peak	
5		5488.000	47.99	-7.91	40.08	74.00	-33.92	peak	
6 *		5828.000	48.34	-7.31	41.03	74.00	-32.97	peak	

\*:Maximum data    x:Over limit    !:over margin

File :80099\Data #35

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Changed PA  
Below 1GHz**


**Config\_1\_H**

Site: SGS 10m Chamber  
 Limit: CISPR22 Class B 10M Radiation  
 Mode: Config\_1  
 Note: LTE B5 Link

Polarization: *Horizontal*  
 Power: AC 120V/60Hz  
 Distance: 10m

Temperature: 20 °C  
 Humidity: 65 %

**Radiated Emission**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		52.3100	24.41	-11.29	13.12	30.00	-16.88	QP	
2		153.1900	24.83	-11.48	13.35	30.00	-16.65	QP	
3		174.5300	26.55	-11.69	14.86	30.00	-15.14	QP	
4		736.1600	23.57	-0.80	22.77	37.00	-14.23	QP	
5		917.5500	23.92	0.99	24.91	37.00	-12.09	QP	
6 *		968.9600	23.77	1.66	25.43	37.00	-11.57	QP	

\*:Maximum data x:Over limit !:over margin

File :E1-2017-C0033\Data :#8

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_1\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 20 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_1	Distance: 10m	
Note: LTE B5 Link		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	32.0200	30.03	-12.30	17.73	30.00	-12.27	QP	
2		55.2200	24.37	-11.12	13.25	30.00	-16.75	QP	
3		84.3200	30.28	-16.63	13.65	30.00	-16.35	QP	
4		153.1900	24.42	-11.00	13.42	30.00	-16.58	QP	
5		886.5100	23.09	0.59	23.68	37.00	-13.32	QP	
6		988.3600	23.19	1.49	24.68	37.00	-12.32	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-C0033>Data #7

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_H

Site: SGS 10m Chamber	Polarization: <i>Horizontal</i>	Temperature: 20 °C
Limit: CISPR22 Class B 10M Radiation	Power: From System	Humidity: 65 %
Mode: Config_2	Distance: 10m	
Note: Data-Link Write		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		89.1700	33.50	-17.39	16.11	30.00	-13.89	QP	
2		141.5500	29.13	-11.93	17.20	30.00	-12.80	QP	
3	*	224.0000	34.73	-14.14	20.59	30.00	-9.41	QP	
4		891.3600	23.78	0.51	24.29	37.00	-12.71	QP	
5		935.9800	23.85	1.39	25.24	37.00	-11.76	QP	
6		976.7200	23.65	1.65	25.30	37.00	-11.70	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-C0033\Data :#10

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 20 °C
Limit: CISPR22 Class B 10M Radiation	Power: From System	Humidity: 65 %
Mode: Config_2	Distance: 10m	
Note: Data-Link Write		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		46.4900	23.95	-10.81	13.14	30.00	-16.86	QP	
2		140.5800	25.28	-11.47	13.81	30.00	-16.19	QP	
3		259.8900	36.12	-12.00	24.12	37.00	-12.88	QP	
4		839.9500	22.94	-0.02	22.92	37.00	-14.08	QP	
5		896.2100	22.95	0.74	23.69	37.00	-13.31	QP	
6 *		988.3600	23.20	1.49	24.69	37.00	-12.31	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-C0033>Data :#9

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_H

Site: SGS 10m Chamber	Polarization: <i>Horizontal</i>	Temperature: 20 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_3	Distance: 10m	
Note: REC Back		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		38.7300	25.23	-11.64	13.59	30.00	-16.41	QP	
2		53.2800	24.63	-11.37	13.26	30.00	-16.74	QP	
3		148.3400	24.64	-11.67	12.97	30.00	-17.03	QP	
4		163.8600	24.65	-11.19	13.46	30.00	-16.54	QP	
5		848.6800	23.79	0.10	23.89	37.00	-13.11	QP	
6 *		961.2000	23.75	1.68	25.43	37.00	-11.57	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-C0033\Data :#12

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 20 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_3	Distance: 10m	
Note: REC Back		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		38.7300	25.22	-11.55	13.67	30.00	-16.33	QP	
2		59.1000	23.83	-11.43	12.40	30.00	-17.60	QP	
3		146.4000	23.43	-11.11	12.32	30.00	-17.68	QP	
4		158.0400	23.65	-11.14	12.51	30.00	-17.49	QP	
5		866.1400	22.99	0.26	23.25	37.00	-13.75	QP	
6 *		994.1800	23.26	1.54	24.80	37.00	-12.20	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-C0033\Data #11

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Above 1GHz

Config\_1\_H

Site: SGS 966 Chamber A      Polarization: **Horizontal**      Temperature: 26 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 60 %  
 Mode: Config 1      Distance:  
 Note: LTE/B5 Link

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2751.000	59.23	-13.35	45.88	74.00	-28.12	peak	
2		3567.000	58.60	-11.32	47.28	74.00	-26.72	peak	
3		4094.000	60.34	-9.49	50.85	74.00	-23.15	peak	
4		4927.000	58.54	-7.51	51.03	74.00	-22.97	peak	
5		4927.000	45.73	-7.51	38.22	54.00	-15.78	AVG	
6		5250.000	58.50	-7.00	51.50	74.00	-22.50	peak	
7		5250.000	45.64	-7.00	38.64	54.00	-15.36	AVG	
8		6032.000	61.35	-5.38	55.97	74.00	-18.03	peak	
9 *		6032.000	46.97	-5.38	41.59	54.00	-12.41	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#14

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_1\_V

Site: SGS 966 Chamber A      Polarization: **Vertical**      Temperature: 26 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 60 %  
 Mode: Config 1      Distance:  
 Note: LTE/B5 Link

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2972.000	59.04	-12.96	46.08	74.00	-27.92	peak	
2		3618.000	58.62	-11.10	47.52	74.00	-26.48	peak	
3		4519.000	59.19	-9.32	49.87	74.00	-24.13	peak	
4		4859.000	58.69	-7.83	50.86	74.00	-23.14	peak	
5		5318.000	58.72	-6.95	51.77	74.00	-22.23	peak	
6		5318.000	45.36	-6.95	38.41	54.00	-15.59	AVG	
7		6032.000	58.96	-5.38	53.58	74.00	-20.42	peak	
8 *		6032.000	47.52	-5.38	42.14	54.00	-11.86	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#13

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_H

Site :SGS 966 Chamber A      Polarization: **Vertical**      Temperature: 26 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea      Power: AC 120V/60Hz      Humidity: 60 %  
 Mode: Config 2      Distance:  
 Note: Internal shared storage Write

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		3380.000	58.64	-11.91	46.73	74.00	-27.27	peak	
2		3652.000	58.78	-10.97	47.81	74.00	-26.19	peak	
3		4145.000	58.84	-9.48	49.36	74.00	-24.64	peak	
4		4910.000	58.92	-7.60	51.32	74.00	-22.68	peak	
5		4910.000	45.62	-7.60	38.02	54.00	-15.98	AVG	
6		5454.000	58.82	-6.84	51.98	74.00	-22.02	peak	
7 *		5454.000	45.29	-6.84	38.45	54.00	-15.55	AVG	
8		5760.000	58.42	-6.17	52.25	74.00	-21.75	peak	
9		5760.000	44.43	-6.17	38.26	54.00	-15.74	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#22

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_2\_V

Site :SGS 966 Chamber A      Polarization: **Vertical**      Temperature: 26 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea      Power: AC 120V/60Hz      Humidity: 60 %  
 Mode: Config 2      Distance:  
 Note: Internal shared storage Write

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2615.000	59.50	-13.60	45.90	74.00	-28.10	peak	
2		3567.000	59.13	-11.32	47.81	74.00	-26.19	peak	
3		4247.000	58.88	-9.44	49.44	74.00	-24.56	peak	
4		4927.000	58.93	-7.51	51.42	74.00	-22.58	peak	
5		4927.000	45.72	-7.51	38.21	54.00	-15.79	AVG	
6		5369.000	58.67	-6.90	51.77	74.00	-22.23	peak	
7 *		5369.000	45.34	-6.90	38.44	54.00	-15.56	AVG	
8		5760.000	57.85	-6.17	51.68	74.00	-22.32	peak	
9		5760.000	44.54	-6.17	38.37	54.00	-15.63	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#21

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_H

Site :SGS 966 Chamber A	Polarization: <b>Horizontal</b>	Temperature: 26 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 60 %
Mode: Config 3	Distance:	
Note: REC Back		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		3584.000	59.48	-11.25	48.23	74.00	-25.77	peak	
2		4247.000	58.33	-9.44	48.89	74.00	-25.11	peak	
3		4621.000	59.18	-8.88	50.30	74.00	-23.70	peak	
4		5012.000	58.83	-7.20	51.63	74.00	-22.37	peak	
5		5012.000	46.06	-7.20	38.86	54.00	-15.14	AVG	
6		5284.000	58.79	-6.97	51.82	74.00	-22.18	peak	
7		5284.000	45.51	-6.97	38.54	54.00	-15.46	AVG	
8		5845.000	57.94	-5.97	51.97	74.00	-22.03	peak	
9 *		5845.000	45.14	-5.97	39.17	54.00	-14.83	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#20

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_V

Site: SGS 966 Chamber A	Polarization: <b>Vertical</b>	Temperature: 26 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 60 %
Mode: Config 3	Distance:	
Note: REC Back		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2972.000	58.77	-12.96	45.81	74.00	-28.19	peak	
2		3635.000	58.56	-11.03	47.53	74.00	-26.47	peak	
3		4009.000	58.66	-9.51	49.15	74.00	-24.85	peak	
4		4995.000	58.69	-7.22	51.47	74.00	-22.53	peak	
5		4995.000	45.66	-7.22	38.44	54.00	-15.56	AVG	
6		5318.000	58.83	-6.95	51.88	74.00	-22.12	peak	
7		5318.000	45.89	-6.95	38.94	54.00	-15.06	AVG	
8		5743.000	58.70	-6.22	52.48	74.00	-21.52	peak	
9 *		5743.000	45.69	-6.22	39.47	54.00	-14.53	AVG	

\*:Maximum data    x:Over limit    l:over margin

File :C0033\Data :#19

Page: 1

**\*\* End of Report \*\***

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.