

Page 1 of 57

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E REQUIREMENT

OF

Product Name: Smart Phone

FCC ID: APYHRO00257

Report No.: ER/2017/A0017

Issue Date: Nov. 10, 2017

FCC Rule Part: §2,22H & 24E

Sharp Corporation, IoT Communication B.U.

2-13-1. Hachihonmatsu-lida. Hi-**Prepared for:**

gashi-hiroshima-shi, Hiroshima 739-0192,

Japan

Sharp Corporation

Manufacturer: 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka

> 590-8522, Japan SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Prepared by:

Park, Wuku District, New Taipei City, Taiwan

24803





Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角規則・近報管路本度再列級へ係命資具・四可延保命度計量的人で全根音本を全立り音画です。不可可以表示 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 2 of 57

VERIFICATION OF COMPLIANCE

Sharp Corporation, IoT Communication B.U.

Applicant: 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima

739-0192, Japan

Sharp Corporation Manufacturer:

1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-8522, Japan

Smart Phone **Product Name:**

APYHRO00257 FCC ID:

File Number: ER/2017/A0017

Oct. 03, 2017 ~ Nov. 03, 2017 Date of test:

Date of EUT Received: Oct. 03, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	(on Li	Date:	Nov. 10, 2017
Prepared By:	Tin Lin/Engineer Vroletta Tang	Date:	Nov. 10, 2017
Approved By:	Jim Chang / Asst. Manager	Date:	Nov. 10, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained to 90 days only.
Fix f a distribution is such as the sample of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 3 of 57

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/A0017	Rev.00	Initial creation of document	Nov. 10, 2017

t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 4 of 57

Contents

1	GENERAL PRODUCT INFORMATION	5
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	. 10
4	DESCRIPTION OF TEST MODES	. 11
5	MEASUREMENT UNCERTAINTY	. 12
6	RF CONDUCTED OUTPUT POWER MEASUREMENT	13
7	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER)
ME	ASUREMENT	. 17
8	OCCUPIED BANDWIDTH MEASUREMENT	23
9	OUT OF BAND EMISSION AT ANTENNA TERMINALS	. 28
10	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	36
11	FREQUENCY STABILITY MEASUREMENT	51
12	PEAK TO AVERAGE RATIO	. 55

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 5 of 57

GENERAL PRODUCT INFORMATION

1.1 Product Description

General:

		1	
Product Name:	Smart Phone		
Hardware Version:	DVT		
Software Version:	N/A		
	3.85V from Rechargeable Li-ion Battery		
Power Supply:	Battery: Model No.: UBATIA284AFN2, Supplier: SHARP CORPORATION		

GSM:

Cellular Phone Standards	Operating Frequency	Rated Power	
Frequency Range and Power	GSM/GPRS 850	824.2 MHz- 848.8 MHz	33.5dBm
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz	30.5dBm
IMEI:	004401116186530 004401116189065		

Type of Emission:

Frequency Band	Type of Emission:
GSM 850	246KGXW
GPRS 850	244KGXW
GSM 1900	247KGXW
GPRS 1900	248KGXW

Max ERP/EIRP Power Measurement Result:

	dBm		W
GSM 850	17.65	ERP	0.058
GPRS 850	19.03	ERP	0.080
GSM 1900	21.25	EIRP	0.133
GPRS 1900	27.96	EIRP	0.625

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest evalent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 6 of 57

1.2 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24

ANSI / TIA / EIA 603-D-2010

KDB 971168 D01 v02r02 Power Meas license Digital System

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.4 Special Accessories

No special accessories were used during testing.

1.5 Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性質測紙之様品具質* 同時記様品性保留別大。本報告末整本公司書面計刊* 不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 7 of 57

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角说明,近報告路术性對例或之樣而具實,同時起樣而性殊留別だ。本报告本歷本之可書面評明,不可能放展者。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 8 of 57

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

Offset = RF cable loss (dB)+ attenuation factor(dB) =4.45+10=14.45(dB)

2.5 Final Amplifier Voltage and Current Information:


Test Mode	DC voltage (V)	DC current (mA)
GSM 850	3.85Vdc	527
GSM1900	3.85Vdc	532
GPRS 850	3.85Vdc	543
GPRS 1900	3.85Vdc	547

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such as an piecy are retained to 90 days only.
Fix f a six in , 此報告報 图 1 同時此樣品僅保留的天。本報告未剩本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a defended may be presented to the fulled a victor of the leaves of the leave document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





2.6 Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)

EUT

Remote Side

CMU200 MT8820C

Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	KR93300208	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fulled content of the full of the fulled content of the full of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 10 of 57

SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a)	Out of Band Emissions at Antenna Terminals and Band Edge	Compliant
§2.1053 §22.917(a) §24.238(a)	Field Strength of Spurious Radiation	Compliant
§24.232(d)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235	Frequency Stability	Compliant



Page 11 of 57

DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GSM/GPRS 850	E1-plan	E1-plan
GSM/GPRS 1900	E1-plan	E1-plan

GSM/GPRS MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS 850
	512 to 810	661	GSM/GPRS 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS 850
	512 to 810	512, 810	GSM/GPRS 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such as an piecy are retained to 90 days only.
Fix f a six in , 此報告報 图 1 同時此樣品僅保留的天。本報告未剩本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a defended may be presented to the fulled a victor of the leaves of the leave document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





Page 12 of 57

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:


	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
(i dianzation : vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
NA	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
(i dianzation : rionzontar)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prosecuted to the fullest evalent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.






6 RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3 Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page 14 of 57

6.4 Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017			
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017			
EXA Spectrum Analyz- er	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018			
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018			
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2		01/04/2018			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018			
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018			
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018			
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 15 of 57

6.5 Measurement Result

RF Conducted Output Power

GSM/GPRS (GMSK; 8-PSK) Result:

EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)
0014	824.2	128	32.52
GSM 850	836.6	190	32.6
000	848.8	251	32.67
0014	1850.2	512	29.89
GSM 1900	1880.0	661	29.63
1300	1909.8	810	29.69

EUT Mode	Frequency (MHz)		Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
0000	824.2	128	32.52	30.5	28.31	26.82
GPRS 850	836.6	190	32.6	30.77	28.51	27.13
000	848.8	251	32.67	30.75	28.62	27
0000	1850.2	512	29.89	27.84	25.84	24.36
GPRS 1900	1880.0	661	29.63	27.76	25.77	24.27
.500	1909.8	810	29.69	27.78	25.6	24.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest evalent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 16 of 57

Minimum Communications Power Measurement PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.25	27.34	25.56	23.56	21.93	19.96	18.29	16.06	14.13

PCL	9	10	11	12	13	14	15
Output power (dBm)	12.19	10.09	8.03	6.08	4.14	2.06	0.03

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明・近報告話未性質測域之様品具質「同時配帳品性保留別元・本場古来整本で図るの計画・計画・では、 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1 Standard Applicable


According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(c) Mobile and portable stations are limited to 2 W EIRP.

7.2 Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piecky lessed and such as a retained to 90 days only.

Pk 并另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforted may be researched to the fullent of the fallent document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fulled content of the full of the fulled content of the full of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 19 of 57

7.3 Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/lerms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 20 of 57

7.4 Measurement Equipment Used

ERP, E	EIRP MEASUREM	ENT EQUIPME	NT List 966 (Chamber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2017	09/19/2018
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018
Pre-Amplifier	Agilent	8447D	2944A07676	01/03/2017	01/02/2018
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/03/2017	01/02/2018
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 21 of 57


7.5 Measurement Result: (Peak) –using option of peak measurement

	EUT				Measur	ement		
Operation	Fundamental	СН	Antenna	S.G.	Antenna	Cable	ERP	Limit
Band	Frequency		Pol.	Output	Gain	Loss		
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	9.20	3.31	-2.92	9.58	38.45
	024.2	120	Н	16.06	3.31	-2.92	16.44	38.45
GSM	836.6	190	V	11.67	3.29	-2.96	11.99	38.45
850	030.0	190	Н	16.51	3.29	-2.96	16.84	38.45
	848.8	251	V	9.59	3.27	-3.00	9.86	38.45
	040.0	040.0 251	Н	17.38	3.27	-3.00	17.65	38.45
	824.2	128	V	12.43	3.31	-2.92	12.81	38.45
	024.2	120	Н	18.65	3.31	-2.92	19.03	38.45
GPRS	836.6	100	V	13.02	3.29	-2.96	13.34	38.45
850	350	190	Н	17.39	3.29	-2.96	17.71	38.45
	848.8	251	V	13.94	3.27	-3.00	14.20	38.45
		848.8 251		18.16	3.27	-3.00	18.42	38.45

Remark: The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prosecuted to the fullest evalent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





EUT Measurement Operation **Fundamental** S.G. Antenna Antenna Cable CH **ERP** Limit **Band** Frequency Pol. Output Gain Loss MHz V/H dBm dBd dB dBm dBm V 11.88 9.94 -4.4617.36 33.00 1850.2 512 9.94 Н 14.26 -4.4619.74 33.00 ٧ 12.38 10.03 17.91 33.00 -4.51**GSM** 1880.0 661 1900 15.72 Η 10.03 -4.5121.25 33.00 V 11.11 10.13 33.00 -4.5516.69 810 1909.8 Н 14.95 10.13 -4.5520.53 33.00 V 17.82 9.94 23.30 33.00 -4.461850.2 512 Н 22.48 9.94 33.00 -4.4627.96 ٧ 20.25 10.03 -4.5125.77 33.00 **GPRS** 1880.0 661 1900 22.42 Η 10.03 -4.5127.94 33.00 ٧ 20.51 10.13 -4.5526.09 33.00 1909.8 810 Н 21.56 10.13 27.14 33.00 -4.55

Remark: The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such as an piecy are retained to 90 days only.
Fix f a six in , 此報告報 图 1 同時此樣品僅保留的天。本報告未剩本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a defended may be presented to the fulled a victor of the leaves of the leave document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 23 of 57

8 OCCUPIED BANDWIDTH MEASUREMENT

8.1 Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2 Test Set-up



8.3 Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 24 of 57

8.4 Measurement Equipment Used


Conduc	Conducted Emission (measured at antenna port) Test Site							
EQUIPMENT	MFR	MODEL	MODEL SERIAL		CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017			
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017			
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018			
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018			
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	1 23670/2		01/04/2018			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018			
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018			
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018			
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






8.5 Measurement Result


		99%	99%	26 dB	26 dB
Erog		BW	BW	BW	BW
Freq. (MHz)	СН	(MHz)	(MHz)	(MHz)	(MHz)
(IVITIZ)		GSM	GPRS	GSM	GPRS
		850	850	850	850
824.2	128	0.24638	0.24429	0.31070	0.31400
836.6	190	0.24527	0.24112	0.32030	0.32310
848.8	251	0.24398	0.24359	0.31440	0.32190

Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
		GSM 1900	GPRS 1900	GSM 1900	GPRS 1900
1850.2	512	0.24650	0.24424	0.31740	0.32240
1880.0	661	0.24400	0.24778	0.31340	0.32440
1909.8	810	0.24384	0.24268	0.30720	0.30820






GSM_850MHz_LowCH128-824.2



GSM_850MHz_MidCH190-836.6




GSM_850MHz_HighCH251-848.8




GPRS_850MHz_LowCH128-824.2



GPRS_850MHz_MidCH190-836.6



GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piecky lessed and such as a retained to 90 days only.

Pk 并另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforted may be researched to the fullent of the fallent document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







GSM_1900MHz_LowCH512-1850.2




GSM_1900MHz_MidCH661-1880




GPRS_1900MHz_HighCH810-1909.8




GPRS_1900MHz_LowCH512-1850.2



GPRS_1900MHz_MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and conditions for Electronic Documents at www.sgs.com/terms and conditions f Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279






Page 28 of 57

OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1 Standard Applicable

FCC §22.917(a), §24.238(a), Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

9.2 Test SET-UP



9.3 Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- Allow trace to fully stabilize
- Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/lerms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 29 of 57

9.4 Measurement Equipment Used

Conduc	Test Site				
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

9.5 Measurement Result:


Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prosecuted to the fullest evalent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







30MHz~3GHz_GSM_850MHz_LowCH128-824.2



3GHz~10GHz_GSM_850MHz_MidCH190-836.6




3GHz~10GHz_GSM_850MHz_LowCH128-824.2




30MHz~3GHz_GSM_850MHz_HighCH251-848.8



30MHz~3GHz GSM 850MHz MidCH190-836.6



3GHz~10GHz_GSM_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of request or accessible at www.sgs.com/terms, available or accessible at www document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com




Report No.: ER/2017/A0017 Page 31 of 57


30MHz~3GHz_GPRS_850MHz_LowCH128-824.2



3GHz~10GHz_GPRS_850MHz_MidCH190-836.6




3GHz~10GHz GPRS 850MHz LowCH128-824.2




30MHz~3GHz GPRS 850MHz HighCH251-848.8



30MHz~3GHz_GPRS_850MHz_MidCH190-836.6



3GHz~10GHz_GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the samp and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 32 of 57


30MHz~3GHz GSM 1900MHz LowCH512-1850.2




3GHz~10GHz GSM 1900MHz MidCH661-1880




3GHz~10GHz GSM 1900MHz LowCH512-1850.2




30MHz~3GHz_GSM_1900MHz_HighCH810-1909.8



30MHz~3GHz GSM 1900MHz MidCH661-1880



3GHz~10GHz_GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the samp and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 33 of 57


30MHz~3GHz GPRS 1900MHz LowCH512-1850.2




3GHz~10GHz GPRS_1900MHz_MidCH661-1880




3GHz~10GHz GPRS_1900MHz LowCH512-1850.2




30MHz~3GHz_GPRS_1900MHz_HighCH810-1909.8



30MHz~3GHz_GPRS_1900MHz_MidCH661-1880



3GHz~10GHz_GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the samp and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com






Band Edge_GSM_850MHz_LowCH128-824.2



Band Edge_GPRS_850MHz_LowCH128-824.2



Band Edge_GSM_850MHz_HighCH251-848.8



Band Edge_GPRS_850MHz_HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piecky lessed and such as a retained to 90 days only.

Pk 并另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforted may be researched to the fullent of the fallent document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Band Edge_GSM_1900MHz_LowCH512-1850.2



Band Edge_GPRS_1900MHz_LowCH512-1850.2



Band Edge_GSM_1900MHz_HighCH810-1909.8



Band Edge_GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責,同時此樣品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488





10 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


10.1 **Standard Applicable**

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

EUT Setup 10.2

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such as an piecy are retained to 90 days only.
Fix f a six in , 此報告報 图 1 同時此樣品僅保留的天。本報告未剩本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a defended may be presented to the fulled a victor of the leaves of the leave document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 37 of 57

Radiated Emission Test Set-UP Frequency Over 1 GHz



10.3 **Measurement Procedure:**

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained to 90 days only.
Fix f a distribution is such as the sample of the document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 38 of 57

10.4 **Measurement Equipment Used:**

	EIRP MEASUREM										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018						
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018						
Loop Antenna	ETS-Lindgren	6502	148045	09/21/2017	09/20/2018						
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017						
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018						
Pre-Amplifier	Agilent	8447D	2944A07676	01/03/2017	01/02/2018						
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/03/2017	01/02/2018						
Turn Table	HD	DT420	N/A	N.C.R	N.C.R						
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R						
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R						
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018						
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018						
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017						
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018						
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018						
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 39 of 57


10.5 **Measurement Result:**

Radiated Spurious Emission Measurement Result: GPPRS 850 Mode

Operation Band :GPRS 850 Temp./Humi. :24 deg_C / 61 RH

Fundamental Frequency Engineer :824.2 MHz

Operation Mode :Tx CH LOW EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.




Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
52.31	S	-62.90	-51.15	-10.70	-1.05	-13.00	-49.90
136.70	S	-63.97	-59.91	-2.68	-1.38	-13.00	-50.97
245.34	S	-66.83	-68.45	3.37	-1.75	-13.00	-53.83
354.95	S	-69.52	-71.29	3.86	-2.09	-13.00	-56.52
532.46	S	-65.68	-66.84	3.68	-2.52	-13.00	-52.68
682.81	S	-63.07	-63.51	3.10	-2.67	-13.00	-50.07
1648.40	Н	-32.05	-34.94	7.11	-4.22	-13.00	-19.05
2472.60	Н	-40.18	-43.69	8.73	-5.22	-13.00	-27.18
3296.80	Н	-45.31	-49.16	9.90	-6.04	-13.00	-32.31
4121.00	Н	-55.26	-58.73	10.40	-6.93	-13.00	-42.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fulled content of the full document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:GPRS 850 :824.2 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
90.14	S	-70.39	-68.73	-0.45	-1.21	-13.00	-57.39
153.19	S	-68.40	-65.01	-1.95	-1.44	-13.00	-55.40
245.34	S	-66.01	-67.63	3.37	-1.75	-13.00	-53.01
408.30	S	-68.97	-70.34	3.79	-2.41	-13.00	-55.97
526.64	S	-65.68	-66.93	3.71	-2.46	-13.00	-52.68
694.45	S	-64.12	-64.33	3.09	-2.88	-13.00	-51.12
1648.40	Н	-28.81	-31.70	7.11	-4.22	-13.00	-15.81
2472.60	Н	-43.71	-47.22	8.73	-5.22	-13.00	-30.71
3296.80	Н	-50.09	-53.94	9.90	-6.04	-13.00	-37.09
4121.00	Н	-53.59	-57.06	10.40	-6.93	-13.00	-40.59
4945.20	Н	-50.80	-53.63	10.55	-7.72	-13.00	-37.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fulled content of the full document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



:24 deg_C / 61 RH

Page 41 of 57


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:GPRS 850 :836.6 MHz :Tx CH MID :E1 Plane

Temp./Humi.

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
52.31	S	-63.69	-51.94	-10.70	-1.05	-13.00	-50.69
136.70	S	-64.17	-60.10	-2.68	-1.38	-13.00	-51.17
241.46	S	-65.19	-66.76	3.31	-1.74	-13.00	-52.19
391.81	S	-69.24	-70.74	3.83	-2.33	-13.00	-56.24
526.64	S	-65.53	-66.79	3.71	-2.46	-13.00	-52.53
689.60	S	-63.70	-64.01	3.09	-2.79	-13.00	-50.70
1673.20	Н	-39.35	-42.26	7.20	-4.29	-13.00	-26.35
2509.80	Н	-45.45	-48.95	8.76	-5.26	-13.00	-32.45

t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com






:GPRS 850 :836.6 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
-			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
88.20	S	-69.59	-67.54	-0.85	-1.20	-13.00	-56.59
139.61	S	-67.61	-63.52	-2.70	-1.39	-13.00	-54.61
239.52	S	-66.34	-67.88	3.28	-1.74	-13.00	-53.34
411.21	S	-69.96	-71.35	3.78	-2.39	-13.00	-56.96
548.95	S	-66.12	-67.03	3.59	-2.69	-13.00	-53.12
689.60	S	-63.13	-63.43	3.09	-2.79	-13.00	-50.13
1673.20	Н	-36.98	-39.89	7.20	-4.29	-13.00	-23.98
2509.80	Н	-46.18	-49.68	8.76	-5.26	-13.00	-33.18
3346.40	Н	-54.05	-57.77	9.99	-6.26	-13.00	-41.05





Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:GPRS 850 :848.8 MHz :Tx CH HIGH :E1 Plane


Temp./Humi. :24 deg_C / 61 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
52.31	S	-64.16	-52.41	-10.70	-1.05	-13.00	-51.16
136.70	S	-62.55	-58.49	-2.68	-1.38	-13.00	-49.55
239.52	S	-66.84	-68.38	3.28	-1.74	-13.00	-53.84
406.36	S	-69.43	-70.81	3.80	-2.42	-13.00	-56.43
519.85	S	-65.45	-66.81	3.75	-2.39	-13.00	-52.45
697.36	S	-63.45	-63.60	3.08	-2.93	-13.00	-50.45
1697.60	Н	-40.90	-43.88	7.28	-4.31	-13.00	-27.90
2546.40	Н	-46.82	-50.30	8.81	-5.33	-13.00	-33.82





Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:GPRS 850 :848.8 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
95.96	S	-70.34	-67.95	-1.16	-1.23	-13.00	-57.34
206.54	S	-68.38	-70.10	3.38	-1.66	-13.00	-55.38
241.46	S	-67.59	-69.15	3.31	-1.74	-13.00	-54.59
415.09	S	-69.73	-71.13	3.77	-2.37	-13.00	-56.73
544.10	S	-65.64	-66.62	3.62	-2.64	-13.00	-52.64
689.60	S	-63.45	-63.75	3.09	-2.79	-13.00	-50.45
1697.60	Н	-38.91	-41.88	7.28	-4.31	-13.00	-25.91
2546.40	Н	-45.64	-49.13	8.81	-5.33	-13.00	-32.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Operation Mode

Report No.: ER/2017/A0017

Page 45 of 57


Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

:Tx CH LOW

Operation Band :GPRS 1900 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequency :1850.2 MHz Engineer :Tin

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.




Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
52.31	S	-64.28	-52.52	-10.70	-1.05	-13.00	-51.28
136.70	S	-63.33	-59.27	-2.68	-1.38	-13.00	-50.33
239.52	S	-65.81	-67.35	3.28	-1.74	-13.00	-52.81
403.45	S	-68.84	-70.25	3.81	-2.40	-13.00	-55.84
527.61	S	-65.52	-66.76	3.71	-2.47	-13.00	-52.52
682.81	S	-64.31	-64.75	3.10	-2.67	-13.00	-51.31
3700.40	Н	-50.90	-56.76	12.44	-6.58	-13.00	-37.90
5550.60	Н	-43.05	-47.71	12.90	-8.24	-13.00	-30.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fulled content of the full document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode EUT Pol.


:GPRS 1900 :1850.2 MHz :Tx CH LOW

:E1 Plane


Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.70	-46.97	-14.78	-0.96	-13.00	-49.70
136.70	S	-69.05	-64.98	-2.68	-1.38	-13.00	-56.05
239.52	S	-72.96	-74.50	3.28	-1.74	-13.00	-59.96
362.71	S	-70.11	-71.82	3.85	-2.15	-13.00	-57.11
510.15	S	-68.60	-70.06	3.80	-2.34	-13.00	-55.60
694.45	S	-66.30	-66.51	3.09	-2.88	-13.00	-53.30
3700.40	Н	-53.41	-59.27	12.44	-6.58	-13.00	-40.41
5550.60	Н	-47.83	-52.49	12.90	-8.24	-13.00	-34.83





Operation Mode EUT Pol.


:GPRS 1900 :1880 MHz :Tx CH MID

:E1 Plane


Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
52.31	S	-64.28	-52.53	-10.70	-1.05	-13.00	-51.28
140.58	S	-65.60	-61.54	-2.66	-1.40	-13.00	-52.60
240.49	S	-66.41	-67.96	3.29	-1.74	-13.00	-53.41
406.36	S	-69.21	-70.60	3.80	-2.42	-13.00	-56.21
513.06	S	-65.93	-67.36	3.79	-2.35	-13.00	-52.93
633.34	S	-62.89	-63.61	3.17	-2.46	-13.00	-49.89
3760.00	Н	-53.12	-58.98	12.45	-6.60	-13.00	-40.12
5640.00	Н	-42.16	-46.70	12.90	-8.36	-13.00	-29.16





Operation Mode EUT Pol.


:GPRS 1900 :1880 MHz :Tx CH MID

:E1 Plane


Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.10	-46.37	-14.78	-0.96	-13.00	-49.10
136.70	S	-66.67	-62.60	-2.68	-1.38	-13.00	-53.67
246.31	S	-72.57	-74.20	3.38	-1.75	-13.00	-59.57
413.15	S	-70.01	-71.40	3.77	-2.38	-13.00	-57.01
521.79	S	-68.01	-69.34	3.74	-2.41	-13.00	-55.01
699.30	S	-66.67	-66.79	3.08	-2.96	-13.00	-53.67
3760.00	Н	-52.86	-58.72	12.45	-6.60	-13.00	-39.86
5640.00	Н	-46.12	-50.66	12.90	-8.36	-13.00	-33.12






Operation Mode EUT Pol.

:GPRS 1900 :1909.8 MHz :Tx CH HIGH :E1 Plane


Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
54.25	S	-62.99	-51.74	-10.18	-1.06	-13.00	-49.99
136.70	S	-63.35	-59.29	-2.68	-1.38	-13.00	-50.35
239.52	S	-67.38	-68.91	3.28	-1.74	-13.00	-54.38
345.25	S	-68.85	-70.68	3.84	-2.01	-13.00	-55.85
513.06	S	-65.45	-66.88	3.79	-2.35	-13.00	-52.45
588.72	S	-63.34	-63.86	3.32	-2.80	-13.00	-50.34
3819.60	Н	-56.15	-61.97	12.47	-6.65	-13.00	-43.15
5729.40	Н	-43.96	-48.47	12.90	-8.39	-13.00	-30.96





Operation Band :GPRS 1900 Fundamental Frequency :1909.8 MHz


Operation Mode

:Tx CH HIGH EUT Pol. :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		•
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.36	-46.62	-14.78	-0.96	-13.00	-49.36
136.70	S	-68.65	-64.59	-2.68	-1.38	-13.00	-55.65
248.25	S	-72.68	-74.34	3.41	-1.75	-13.00	-59.68
367.56	S	-70.36	-72.03	3.85	-2.18	-13.00	-57.36
521.79	S	-68.24	-69.57	3.74	-2.41	-13.00	-55.24
692.51	S	-66.44	-66.69	3.09	-2.84	-13.00	-53.44
3819.60	Н	-53.76	-59.58	12.47	-6.65	-13.00	-40.76
5729.40	Н	-46.01	-50.52	12.90	-8.39	-13.00	-33.01




Page 51 of 57

11 FREQUENCY STABILITY MEASUREMENT

Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2 Test Set-up:



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

11.3 Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/lerms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 52 of 57

11.4 **Measurement Equipment Used:**

The state of the s							
Conducted Emission (measured at antenna port) Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017		
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017		
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018		
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018		
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018		
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018		
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018		
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017		
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018		
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018		
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com





11.5 Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

. INEGOLITO: EIX	REGULATION VS. VOLIAGE						
Ref	Reference Frequency: GPRS 850 Mid Channel 836.6 MHz						
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency					
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)			
4.43	20	836.600019	19	2091			
3.85	20	836.600015	15	2091			
3.27	20	836.600027	27	2091			
3.2 (End point)	20	836.600029	29	2091			

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz							
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency					
Vdc	Temperature $(^{\circ}\mathbb{C})$	(MHz)	Delta (Hz)	Limit (Hz)			
3.85	50	836.600025	25	2091			
3.85	40	836.600031	31	2091			
3.85	30	836.600024	24	2091			
3.85	20	836.600042	42	2091			
3.85	10	836.600028	28	2091			
3.85	0	836.600035	35	2091			
3.85	-10	836.600034	34	2091			
3.85	-20	836.600027	27	2091			
3.85	-30	836.600051	51	2091			

f (886-2) 2298-0488





Page 54 of 57

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz					
		Limit: +/- 2.5 ppm			
Power Supply	Environment	Frequency			
Vdc	Temperature (°ℂ)	(MHz)	Delta (Hz)	Limit (Hz)	
4.43	20	1880.000067	67	4700	
3.85	20	1880.000058	58	4700	
3.27	20	1880.000073	73	4700	
3.2 (End point)	20	1880.000069	69	4700	

FREQUENCY ERROR vs. TEMPERATURE

R	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz						
	Limit: +/- 2.5 ppm = Hz						
Power Supply	Environment	Frequency	Delta (Hz)	Limit (∐z)			
Vdc	Temperature (°ℂ)	(MHz)	Della (112)	Limit (Hz)			
3.85	50	1880.000064	64	4700			
3.85	40	1880.000063	63	4700			
3.85	30	1880.000075	75	4700			
3.85	20	1880.000084	84	4700			
3.85	10	1880.000091	91	4700			
3.85	0	1880.000086	86	4700			
3.85	-10	1880.000071	71	4700			
3.85	-20	1880.000095	95	4700			
3.85	-30	1880.000073	73	4700			

Note: The battery is rated 3.85Vdc.




Page 55 of 57

12 PEAK TO AVERAGE RATIO

Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2 Test SET-UP



12.3 **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4 **Measurement Equipment Used**

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such as an piecy are retained to 90 days only.
Fix f a six in , 此報告報 图 1 同時此樣品僅保留的天。本報告未剩本公司書面許可,不可都份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlowful to a defended may be presented to the fulled a victor of the learning of the content of the fulled and defended may be presented to the fulled a victor of the learning of the content document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 56 of 57

12.5 **Measurement Result**

Tabular Results:

Freq.	СН	Peak-to-Average Ratio (dB)		
(MHz)		GSM	GPRS	
		1900	1900	
1850.2	9296	10.22	9.77	
1880.0	9400	10.07	9.87	
1909.8	9538	9.54	10.07	

Measurement Results:


Please refer to next page.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488




GSM 1900 Channel Low




GSM 1900 Channel Mid




GSM 1900 Channel High




GPRS 1900 Channel Low



GPRS 1900 Channel Mid



GPRS 1900 Channel High



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Onless otherwise stated the results shown in this test report relearning to the sample(s) tested and such as an piecky lessed and such as a retained to 90 days only.

Pk 并另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlowful and efforced may be researched to the fullent of the fallent of the fallen document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號