



# FCC CERTIFICATION REPORT

**Test Report No.** : E1/2017/A0019  
**Applicant** : SHARP CORPORATION, IoT Communication BU  
**Address** : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima,  
739-0192, Japan  
**Manufacturer** : Sharp Corporation  
**Address** : 1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

**Equipment Under Test (EUT) :**  
**Product Name** : Smart phone

**Standards** : FCC Part 15:2017, Subpart B, Class B  
**FCC Designation Numbers** : 916890 / TW1087

**Date of Receipt** : Oct. 03, 2017  
**Date of Test** : Oct. 03 ~ 24, 2017  
**Date of Issue** : Nov. 16, 2017

<b>Test Result :</b>	<b>PASS</b>
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

**Remarks :**

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

**Tested By:**

*Ivan Hsieh*

**Date**

Nov. 16, 2017

**Ivan Hsieh (Engineer)**

**Approved By**

*Eddy Cheng*

**Date**

Nov. 16, 2017

**Eddy Cheng (Asst. Supervisor)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



## Revision History

Report Number	Revision	Description	Issue Date
E1/2017/A0019	Rev.00	Initial creation of document	Nov. 16, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Contents

<b>1. GENERAL INFORMATION</b> .....	<b>4</b>
1.1 APPLICANT & MANUFACTURER INFORMATION .....	4
1.2 GENERAL DESCRIPTION OF EUT .....	4
1.3 DETAILS OF EUT .....	4
1.4 OPERATION PROCEDURE .....	5
1.5 DESCRIPTION OF SUPPORT UNITS .....	6
1.6 MODIFICATION LIST .....	6
1.7 ACCESSORIES CABLE LIST .....	6
1.8 TEST SET-UP CONFIGURATION.....	7
1.9 MEASUREMENT PROCEDURE .....	9
1.10 STANDARDS APPLICABLE FOR TESTING.....	9
1.11 SUMMARY OF RESULTS .....	9
<b>2. EMISSION</b> .....	<b>10</b>
2.1 TEST RESULTS .....	10
2.2 FREQUENCY RANGE.....	10
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION .....	10
2.3.1 LIMITS OF CONDUCTED EMISSION .....	10
2.3.2 LIMITS OF RADIATED EMISSIONS .....	11
2.4. TEST OF CONDUCTED EMISSION.....	12
2.4.1 TEST EQUIPMENTS .....	12
2.4.2 OPERATING ENVIRONMENT .....	12
2.4.3 MEASUREMENT LEVEL CALCULATION.....	12
2.4.4 MEASUREMENT DATA:.....	13
2.5 TEST OF RADIATED EMISSION.....	19
2.5.1 TEST EQUIPMENTS .....	19
2.5.2 OPERATING ENVIRONMENT .....	20
2.5.3 MEASUREMENT LEVEL CALCULATION.....	20
2.5.4 MEASUREMENT DATA.....	21
<b>3. PHOTOGRAPHS OF TEST</b> .....	<b>45</b>
<b>4. PHOTOGRAPHS OF PRODUCT</b> .....	<b>54</b>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 1. General Information

## 1.1 Applicant & Manufacturer Information

Applicant : SHARP CORPORATION, IoT Communication BU  
 Address of Applicant : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi,  
 Hiroshima, 739-0192, Japan  
 Manufacturer : Sharp Corporation  
 Address of Manufacturer : 1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-  
 8522, Japan

## 1.2 General Description of EUT

Product Name : Smart phone

## 1.3 Details of EUT

Power Supply : AC 100~240V, 50~60Hz  
 Worst case : CE worst case : Config 2  
 Below RE worst case : Config 2  
 Above RE worst case : Config 1  
 Highest operate description : 2200 MHz  
 Adapter : (XN-2QC25)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



<b>QE71</b>	FCC 15B		
	<b>Config 1</b>	<b>Config2</b>	<b>Config 3</b>
Applicable standard	FCC 15B		
Accessories	EUT + AC Adaptor (XN-2QC25) +USB Cable+EARPHONE	EUT +USB Cable(to PC) +EARPHONE	EUT + AC Adaptor(XN-2QC25) +USB Cable
Main function	<i>Speech</i>	<i>Data Link</i>	<i>Audio</i>
Additional function	BT+WiFi Worst(5G/2.4G)+GPS+NFC		
<b>Description</b>			
radiated emission	GSM 850/1900 WCDMA B1 LTE B1	Data Read/Write +CAMERA(Front)	MP3 + CAMERA(Rear)
conducted emission (DC Power)	NA	NA	NA
conducted emission (AC Power)	GSM 850/1900 WCDMA B1 LTE B1	Data Read/Write +CAMERA(Front)	MP3 + CAMERA(Rear)

**1.4 Operation Procedure**

**Config 1**

1. Let EUT install the SIM Card & SD Card and connect to Earphone.
2. Let USB Port of EUT connect to the Adapter.
3. Set the BT mouse to pair with EUT.
4. Set WiFi (5G/2.4G) to obtain IP Address and execute Ping IP Address.
5. Turned on the GPS function & NFC function.
6. Set up the base station and test GSM / WCDMA / LTE connection.
7. Started the test.

**Config 2**

1. Let EUT install the SIM Card & SD Card and connect to Earphone.
2. Let USB Port of EUT connect to the PC and execute Data R/W.
3. Set the BT mouse to pair with EUT.
4. Set WiFi (5G/2.4G) to obtain IP Address and execute Ping IP Address.
5. Turned on the GPS function & NFC function.
6. Turned on the LED and Play Camera (Front).
7. Started the test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config 3

1. Let EUT install the SIM Card & SD Card.
2. Let USB Port of EUT connect to the Adapter.
3. Set the BT mouse to pair with EUT.
4. Set WiFi (5G/2.4G) to obtain IP Address and execute Ping IP Address.
5. Turned on the GPS function & NFC function.
6. Played the MP3 music. Turned on LED and Play Camera(Rear)
7. Started the test.

### 1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
Notebook (WIN 8)	DELL	INSPIRON 5437	H55Z0Z1
MOUSE	DELL	MS111-T	CN-OKW2YH-71616-345-OL7T
Printer	HP	VCVRA-1004	CN33K19J3F
Radio Communication Analyzer	R&S	CMU200	102189
Radio Communication Analyzer	R&S	CMW500	1201.002K50-152303-Zr
AP	BUFFALO	WZR-HP-G300NH2	44066221202559[[G]]
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218
Micro SD	Energizer	16GB SDHC	CG16G1642HVLN003058828

### Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
USB cable	N/A	0.95m	Shielding
Earphone cable	N/A	1.25m	Non-shielding

### 1.6 Modification List

No modification was made by SGS Taiwan Electronics & Communication Laboratory.

### 1.7 Accessories Cable List


Cable Type	Core	Length	Shielding/Non-shielding
N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 1.8 Test Set-Up Configuration

Config 1



Config 2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config 3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## 1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

## 1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

## 1.11 Summary of Results

Standard	Test Type	Highest Emission			
		Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	1.7780	-17.00 (AVG)
			Neutral	0.4260	-12.61 (AVG)
	Radiated Emission	PASS	Hor.	153.3300	-7.76 (QP)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2. EMISSION

### 2.1 Test Results

	Results
Conducted Emission	<b>Pass</b>
Radiated Emission	<b>Pass</b>

### 2.2 Frequency Range

#### FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement  
used in the device or on which the range (MHz)  
device operates or tunes (MHz)

Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower

### 2.3 Limits of Conducted and Radiated Emission

#### 2.3.1 Limits of Conducted Emission

##### FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

- Note :
- (1) The lower limit shall apply at the transition frequencies.
  - (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
  - (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**2.3.2 Limits of Radiated Emissions**

**FCC Part 15, Subpart B Limit:**

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

**CISPR 22 Limit:**

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2.4. Test of Conducted Emission

### 2.4.1 Test Equipments

SGS Conducted_Emission HWAYA Conducted Room No.A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 3	101311	2017/6/23	2018/6/22
Coaxial Cables	EMC Instruments Corp	EMCRG58-BM-BM-3000	160812	2017/8/30	2018/8/29
LISN	SCHWARZBECK	NSLK 8127	8127-648	2017/6/18	2018/6/17
Pulse Limiter	Narda S.T.S.	PMM PL01	1110X30602	2017/8/12	2018/8/11
LISN	Schwarzbeck	NSLK 8128	NSLK8128-300	2017/9/4	2018/9/3
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Conducted Emission  
 Expanded uncertainty (K=2) of conducted emission is 2.25 dB

### 2.4.2 Operating Environment

Temperature : 25 degree C

Humidity : 59 %RH

Atmospheric Pressure : 992 mBar

### 2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter Insertion Loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.4.4 Measurement Data:

Config\_1\_L

Site : Conduction Room      Phase: **L1**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 59 %  
 Mode: Config\_1  
 Note: LTE\_B1

Conducted Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Comment
1		2.5340	41.10	0.52	41.62	56.00	-14.38	QP	
2		2.5340	31.80	0.52	32.32	46.00	-13.68	AVG	
3		3.1900	41.10	0.60	41.70	56.00	-14.30	QP	
4		3.1900	32.20	0.60	32.80	46.00	-13.20	AVG	
5		3.3740	42.10	0.63	42.73	56.00	-13.27	QP	
6 *		3.3740	32.70	0.63	33.33	46.00	-12.67	AVG	
7		3.6700	41.90	0.67	42.57	56.00	-13.43	QP	
8		3.6700	32.60	0.67	33.27	46.00	-12.73	AVG	
9		4.2060	41.80	0.74	42.54	56.00	-13.46	QP	
10		4.2060	32.20	0.74	32.94	46.00	-13.06	AVG	
11		4.5900	41.20	0.77	41.97	56.00	-14.03	QP	
12		4.5900	31.40	0.77	32.17	46.00	-13.83	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#19

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_1\_N

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 59 %  
 Mode: Config\_1  
 Note: LTE\_B1

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1940	40.70	0.31	41.01	63.86	-22.85	QP	
2		0.1940	28.60	0.31	28.91	53.86	-24.95	AVG	
3		0.3860	42.50	0.32	42.82	58.15	-15.33	QP	
4		0.3860	31.20	0.32	31.52	48.15	-16.63	AVG	
5		2.5260	39.10	0.50	39.60	56.00	-16.40	QP	
6		2.5260	28.90	0.50	29.40	46.00	-16.60	AVG	
7		3.2740	39.40	0.54	39.94	56.00	-16.06	QP	
8		3.2740	30.00	0.54	30.54	46.00	-15.46	AVG	
9 *		3.6860	40.40	0.58	40.98	56.00	-15.02	QP	
10		3.6860	30.30	0.58	30.88	46.00	-15.12	AVG	
11		4.1180	40.10	0.61	40.71	56.00	-15.29	QP	
12		4.1180	30.20	0.61	30.81	46.00	-15.19	AVG	

\*:Maximum data    x:Over limit    !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_L

Site : Conduction Room      Phase: **L1**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 59 %  
 Mode: Config\_2  
 Note: PC Read

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1660	32.80	0.24	33.04	65.16	-32.12	QP	
2		0.1660	26.30	0.24	26.54	55.16	-28.62	AVG	
3		0.1980	30.60	0.23	30.83	63.69	-32.86	QP	
4		0.1980	25.00	0.23	25.23	53.69	-28.46	AVG	
5		0.3900	33.20	0.24	33.44	58.06	-24.62	QP	
6		0.3900	24.00	0.24	24.24	48.06	-23.82	AVG	
7		0.4660	30.10	0.24	30.34	56.58	-26.24	QP	
8		0.4660	22.90	0.24	23.14	46.58	-23.44	AVG	
9		1.7780	33.20	0.40	33.60	56.00	-22.40	QP	
10	*	1.7780	28.60	0.40	29.00	46.00	-17.00	AVG	
11		2.0580	33.50	0.44	33.94	56.00	-22.06	QP	
12		2.0580	27.70	0.44	28.14	46.00	-17.86	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data #5

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_N

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 59 %  
 Mode: Config\_2  
 Note: PC Read

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1580	30.00	0.32	30.32	65.57	-35.25	QP	
2		0.1580	23.50	0.32	23.82	55.57	-31.75	AVG	
3		0.1700	28.70	0.32	29.02	64.96	-35.94	QP	
4		0.1700	21.50	0.32	21.82	54.96	-33.14	AVG	
5		0.4260	34.60	0.32	34.92	57.33	-22.41	QP	
6 *		0.4260	34.40	0.32	34.72	47.33	-12.61	AVG	
7		0.7660	27.50	0.33	27.83	56.00	-28.17	QP	
8		0.7660	22.30	0.33	22.63	46.00	-23.37	AVG	
9		1.7460	34.00	0.41	34.41	56.00	-21.59	QP	
10		1.7460	27.10	0.41	27.51	46.00	-18.49	AVG	
11		2.0620	34.20	0.45	34.65	56.00	-21.35	QP	
12		2.0620	28.70	0.45	29.15	46.00	-16.85	AVG	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data #6

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





### Config\_3\_L

Site : Conduction Room	Phase: <b>L1</b>	Temperature: 25 °C
Limit: FCC Class B Conduction(QP)	Power: AC 120V/60Hz	Humidity: 59 %
Mode: Config_3		
Note:		

### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1940	41.90	0.23	42.13	63.86	-21.73	QP	
2		0.1940	29.10	0.23	29.33	53.86	-24.53	AVG	
3		2.6500	37.00	0.53	37.53	56.00	-18.47	QP	
4		2.6500	27.10	0.53	27.63	46.00	-18.37	AVG	
5		3.1060	38.20	0.59	38.79	56.00	-17.21	QP	
6 *		3.1060	28.70	0.59	29.29	46.00	-16.71	AVG	
7		3.6420	36.80	0.66	37.46	56.00	-18.54	QP	
8		3.6420	27.90	0.66	28.56	46.00	-17.44	AVG	
9		4.4940	35.50	0.77	36.27	56.00	-19.73	QP	
10		4.4940	26.60	0.77	27.37	46.00	-18.63	AVG	
11		9.8900	34.20	1.19	35.39	60.00	-24.61	QP	
12		9.8900	24.90	1.19	26.09	50.00	-23.91	AVG	

\*:Maximum data    x:Over limit    !:over margin


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_N

Site : Conduction Room      Phase: **N**      Temperature: 25 °C  
 Limit: FCC Class B Conduction(QP)      Power: AC 120V/60Hz      Humidity: 59 %  
 Mode: Config\_3  
 Note:

#### Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1900	38.00	0.31	38.31	64.04	-25.73	QP	
2		0.1900	25.60	0.31	25.91	54.04	-28.13	AVG	
3		0.4180	33.90	0.32	34.22	57.49	-23.27	QP	
4		0.4180	24.80	0.32	25.12	47.49	-22.37	AVG	
5		1.9140	31.70	0.44	32.14	56.00	-23.86	QP	
6		1.9140	22.70	0.44	23.14	46.00	-22.86	AVG	
7		2.8220	35.70	0.51	36.21	56.00	-19.79	QP	
8		2.8220	26.00	0.51	26.51	46.00	-19.49	AVG	
9		3.2980	34.90	0.55	35.45	56.00	-20.55	QP	
10		3.2980	26.10	0.55	26.65	46.00	-19.35	AVG	
11		3.9100	35.40	0.60	36.00	56.00	-20.00	QP	
12	*	3.9100	27.30	0.60	27.90	46.00	-18.10	AVG	

\*:Maximum data    x:Over limit    !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 2.5 Test of Radiated Emission

### 2.5.1 Test Equipments

#### Below 1GHz

SGS Radiated_Below_1GHz HWAYA 10m_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100950	2016/12/7	2017/12/6
EMI Test Receiver	R&S	ESCI 3	101343	2016/12/21	2017/12/20
Broadband Antenna	SCHWAZBECK	VULB9168	9168-628	2017/9/8	2018/9/7
Broadband Antenna	SCHWAZBECK	VULB9168	9168-629	2017/9/12	2018/9/11
Pre Amplifier	EMC Instruments Corp.	EMC330	980178	2017/3/31	2018/3/30
Pre Amplifier	EMC Instruments Corp.	EMC330	980179	2017/3/31	2018/3/30
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150820	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150821	2017/9/18	2018/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2017/9/18	2018/9/17
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	Chance Most	10M Chamber	10M SAC	2016/12/31	2017/12/31
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Radiated Emission  
 Expanded uncertainty of radiated emission is 4.09 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966B_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2017/3/1	2018/2/28
EMI Test Receiver	R&S	ESR 7	101507	2017/5/27	2018/5/26
Horn Antenna	SCHWARZBEC K	BBHA9120D	BBHA9120D67 3	2017/10/16	2018/10/15
Horn Antenna	Schwarzbeck	BBHA9170	BBHA9170-184	2016/12/12	2017/12/11
Pre Amplifier	R&S	SCU-18	100203	2017/3/26	2018/3/26
Pre Amplifier	EMC Instruments	EMC184045B	980135	2016/10/27	2017/10/26
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140923	2017/9/30	2018/9/29
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140925	2017/9/30	2018/9/29
Coaxial Cable	EMC Instruments	EMC104-SM- SM	140927	2017/9/30	2018/9/29
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2152/2	2017/6/5	2018/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2017/6/5	2018/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	122498	2016/11/9	2017/11/8
Wideband Radio Communication Tester	R&S	CMW 500	152303	2017/2/23	2018/2/22
Controller	MF-7802	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	N/A	N/A	N/A	N.C.R.	N.C.R.
Turn Table	N/A	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber B	SAC-B	2017/10/8	2018/10/7
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory  
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)  
 Measurement Uncertainty of Radiated Emission  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.06 dB. (1-6GHz)  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.15 dB. (6-18GHz)  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.19 dB. (18-26GHz)  
 Expanded uncertainty (k=2) of radiated emission measurement is 5.14 dB. (26-40GHz)

## 2.5.2 Operating Environment

Temperature : 25 degree C

Humidity : 65 %RH

Atmospheric Pressure : 996 mBar

## 2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






2.5.4 Measurement Data

Below 1GHz

Config\_1\_H

Site: SGS 10m Chamber      Polarization: **Horizontal**      Temperature: 25 °C  
 Limit: CISPR22 Class B 10M Radiation      Power: AC 120V/60Hz      Humidity: 65 %  
 Mode: Config\_1      Distance: 10m  
 Note: LTE B1

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		40.6700	25.06	-11.45	13.61	30.00	-16.39	QP	
2		163.8600	25.09	-11.19	13.90	30.00	-16.10	QP	
3		752.6500	23.89	-0.47	23.42	37.00	-13.58	QP	
4		828.3100	24.14	-0.03	24.11	37.00	-12.89	QP	
5 *		918.5200	25.84	1.01	26.85	37.00	-10.15	QP	
6		985.4500	24.12	1.63	25.75	37.00	-11.25	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#20

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_1\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_1	Distance: 10m	
Note: LTE B1		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	30.0000	30.55	-12.50	18.05	30.00	-11.95	QP	
2		39.7000	26.56	-11.43	15.13	30.00	-14.87	QP	
3		156.1000	23.85	-11.08	12.77	30.00	-17.23	QP	
4		781.7500	22.73	-0.13	22.60	37.00	-14.40	QP	
5		915.6100	22.90	0.89	23.79	37.00	-13.21	QP	
6		953.4400	22.97	1.14	24.11	37.00	-12.89	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#19

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_H

Site: SGS 10m Chamber	Polarization: <i>Horizontal</i>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: From System	Humidity: 65 %
Mode: Config_2	Distance: 10m	
Note: Data Write + CAMERA(Front)		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		52.3100	24.77	-11.29	13.48	30.00	-16.52	QP	
2	*	153.3300	33.71	-11.47	22.24	30.00	-7.76	QP	
3		220.1200	31.13	-14.29	16.84	30.00	-13.16	QP	
4		777.8700	24.11	-0.32	23.79	37.00	-13.21	QP	
5		861.2900	23.78	0.21	23.99	37.00	-13.01	QP	
6		984.4800	23.93	1.63	25.56	37.00	-11.44	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#6

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Config\_2\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: From System	Humidity: 65 %
Mode: Config_2	Distance: 10m	
Note: Data Write + CAMERA(Front)		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		55.2200	26.14	-11.12	15.02	30.00	-14.98	QP	
2		96.9300	33.20	-16.23	16.97	30.00	-13.03	QP	
3		153.1900	25.02	-11.00	14.02	30.00	-15.98	QP	
4		871.9600	22.71	0.35	23.06	37.00	-13.94	QP	
5		966.0500	22.87	1.26	24.13	37.00	-12.87	QP	
6 *		998.0600	22.64	1.58	24.22	37.00	-12.78	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#5

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_H

Site: SGS 10m Chamber	Polarization: <b>Horizontal</b>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_3	Distance: 10m	
Note: MP3 + CAMERA(Rear)		

#### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		41.6400	24.86	-11.37	13.49	30.00	-16.51	QP	
2		162.8900	25.06	-11.20	13.86	30.00	-16.14	QP	
3		640.1300	24.05	-2.10	21.95	37.00	-15.05	QP	
4		806.0000	23.90	-0.17	23.73	37.00	-13.27	QP	
5		908.8200	23.93	0.80	24.73	37.00	-12.27	QP	
6 *		978.6600	24.01	1.64	25.65	37.00	-11.35	QP	

\*:Maximum data    x:Over limit    !:over margin

File :E1-2017-A0019\Data :#10

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Config\_3\_V

Site: SGS 10m Chamber	Polarization: <b>Vertical</b>	Temperature: 25 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 65 %
Mode: Config_3	Distance: 10m	
Note: MP3 + CAMERA(Rear)		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1	*	39.7000	29.08	-11.43	17.65	30.00	-12.35	QP	
2		71.6200	29.53	-14.11	15.42	30.00	-14.58	QP	
3		98.8700	27.47	-15.96	11.51	30.00	-18.49	QP	
4		140.5800	23.98	-11.47	12.51	30.00	-17.49	QP	
5		883.6000	22.77	0.53	23.30	37.00	-13.70	QP	
6		984.4800	22.76	1.45	24.21	37.00	-12.79	QP	

\*:Maximum data x:Over limit !:over margin

File :E1-2017-A0019\Data :#9

Page: 7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Above 1GHz

1GHz~6GHz

Config\_1\_H

Site: SGS 966 Chamber B      Polarization: **Horizontal**      Temperature: 23 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 63 %  
 Mode: Config 1      Distance:  
 Note: WCDMA B1

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1731.000	56.40	-16.19	40.21	74.00	-33.79	peak	
2	*	2105.000	65.43	-15.29	50.14	74.00	-23.86	peak	
3		3652.000	49.00	-12.21	36.79	74.00	-37.21	peak	
4		4026.000	55.74	-11.24	44.50	74.00	-29.50	peak	
5		5386.000	47.41	-8.04	39.37	74.00	-34.63	peak	
6		5947.000	52.24	-7.09	45.15	74.00	-28.85	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#56

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_1\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 23 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 63 %
Mode: Config 1	Distance:	
Note: WCDMA B1		

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2105.000	66.59	-15.29	51.30	74.00	-22.70	peak	
2		3006.000	49.31	-13.00	36.31	74.00	-37.69	peak	
3		3533.000	47.62	-12.52	35.10	74.00	-38.90	peak	
4		4179.000	48.33	-10.91	37.42	74.00	-36.58	peak	
5		4689.000	48.03	-9.55	38.48	74.00	-35.52	peak	
6		5403.000	47.56	-8.02	39.54	74.00	-34.46	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#55

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_2\_H

Site: SGS 966 Chamber B      Polarization: **Horizontal**      Temperature: 23 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 63 %  
 Mode: Config 2      Distance:  
 Note: Data Write+CAMER(Front)

#### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	1595.000	63.51	-16.49	47.02	74.00	-26.98	peak	
2		1986.000	50.00	-15.63	34.37	74.00	-39.63	peak	
3		4111.000	47.26	-11.05	36.21	74.00	-37.79	peak	
4		4706.000	47.16	-9.50	37.66	74.00	-36.34	peak	
5		5386.000	46.88	-8.04	38.84	74.00	-35.16	peak	
6		5760.000	46.31	-7.44	38.87	74.00	-35.13	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#58

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_V

Site: SGS 966 Chamber B      Polarization: **Vertical**      Temperature: 23 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea      Power: AC 120V/60Hz      Humidity: 63 %  
 Mode: Config 2      Distance:  
 Note: Data Write+CAMER(Front)

### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1578.000	57.26	-16.52	40.74	74.00	-33.26	peak	
2		1986.000	54.98	-15.63	39.35	74.00	-34.65	peak	
3	*	2394.000	56.47	-14.42	42.05	74.00	-31.95	peak	
4		3176.000	52.48	-12.86	39.62	74.00	-34.38	peak	
5		5284.000	46.84	-8.16	38.68	74.00	-35.32	peak	
6		5760.000	47.16	-7.44	39.72	74.00	-34.28	peak	

\*:Maximum data    x:Over limit    !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_H

Site: SGS 966 Chamber B	Polarization: <b>Horizontal</b>	Temperature: 23 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 63 %
Mode: Config 3	Distance:	
Note: Mp3+CAMERA(Rear)		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		3499.000	46.94	-12.60	34.34	74.00	-39.66	peak	
2		4298.000	46.92	-10.64	36.28	74.00	-37.72	peak	
3		4638.000	46.77	-9.73	37.04	74.00	-36.96	peak	
4		4876.000	46.85	-8.91	37.94	74.00	-36.06	peak	
5 *		5352.000	46.99	-8.08	38.91	74.00	-35.09	peak	
6		5794.000	45.96	-7.37	38.59	74.00	-35.41	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#60

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 23 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 63 %
Mode: Config 3	Distance:	
Note: Mp3+CAMERA(Rear)		

#### Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		3618.000	47.19	-12.29	34.90	74.00	-39.10	peak	
2		4043.000	47.60	-11.20	36.40	74.00	-37.60	peak	
3		4468.000	47.63	-10.27	37.36	74.00	-36.64	peak	
4		4995.000	47.18	-8.52	38.66	74.00	-35.34	peak	
5		5335.000	47.03	-8.10	38.93	74.00	-35.07	peak	
6 *		5726.000	46.94	-7.49	39.45	74.00	-34.55	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#59

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






18GHz~26GHz  
Config\_1\_H

Site: SGS 966 Chamber B      Polarization: *Horizontal*      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 1      Distance:  
 Note: WCDMA B1

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		19024.000	53.08	-12.20	40.88	74.00	-33.12	peak	
2		20360.000	54.06	-13.13	40.93	74.00	-33.07	peak	
3	*	21640.000	54.06	-11.87	42.19	74.00	-31.81	peak	
4		22608.000	52.27	-12.13	40.14	74.00	-33.86	peak	
5		24136.000	50.49	-9.30	41.19	74.00	-32.81	peak	
6		24688.000	51.66	-10.29	41.37	74.00	-32.63	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#76

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_1\_V

Site: SGS 966 Chamber B      Polarization: **Vertical**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 1      Distance:  
 Note: WCDMA B1

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		19384.000	54.30	-12.13	42.17	74.00	-31.83	peak	
2		20928.000	53.36	-11.82	41.54	74.00	-32.46	peak	
3		21552.000	52.97	-11.76	41.21	74.00	-32.79	peak	
4		23120.000	53.18	-11.84	41.34	74.00	-32.66	peak	
5	*	23880.000	52.22	-9.41	42.81	74.00	-31.19	peak	
6		24688.000	52.60	-10.29	42.31	74.00	-31.69	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#75

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_H

Site: SGS 966 Chamber B	Polarization: <i>Horizontal</i>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 70 %
Mode: Config 2	Distance:	
Note: Data Write+CAMER(Front)		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		19392.000	53.71	-12.12	41.59	74.00	-32.41	peak	
2		19656.000	53.52	-12.45	41.07	74.00	-32.93	peak	
3	*	20920.000	53.75	-11.84	41.91	74.00	-32.09	peak	
4		21424.000	53.33	-11.69	41.64	74.00	-32.36	peak	
5		22152.000	52.66	-12.24	40.42	74.00	-33.58	peak	
6		23072.000	52.79	-11.98	40.81	74.00	-33.19	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#78

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 70 %
Mode: Config 2	Distance:	
Note: Data Write+CAMER(Front)		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18936.000	54.85	-12.40	42.45	74.00	-31.55	peak	
2		21632.000	53.64	-11.86	41.78	74.00	-32.22	peak	
3		21936.000	53.65	-12.22	41.43	74.00	-32.57	peak	
4		22624.000	53.86	-12.13	41.73	74.00	-32.27	peak	
5 *		25248.000	53.59	-10.70	42.89	74.00	-31.11	peak	
6		25600.000	52.50	-10.78	41.72	74.00	-32.28	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#77

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_H

Site: SGS 966 Chamber B	Polarization: <i>Horizontal</i>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 70 %
Mode: Config 3	Distance:	
Note: Mp3+CAMERA(Rear)		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18784.000	53.38	-12.85	40.53	74.00	-33.47	peak	
2		19880.000	53.47	-12.93	40.54	74.00	-33.46	peak	
3		20696.000	52.64	-12.51	40.13	74.00	-33.87	peak	
4	*	21784.000	52.88	-12.04	40.84	74.00	-33.16	peak	
5		25456.000	50.92	-10.78	40.14	74.00	-33.86	peak	
6		25952.000	51.05	-10.71	40.34	74.00	-33.66	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data #80

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_3\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 70 %
Mode: Config 3	Distance:	
Note: Mp3+CAMERA(Rear)		

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		19176.000	54.21	-12.16	42.05	74.00	-31.95	peak	
2		19848.000	54.79	-12.86	41.93	74.00	-32.07	peak	
3		20752.000	54.31	-12.34	41.97	74.00	-32.03	peak	
4		21416.000	53.78	-11.69	42.09	74.00	-31.91	peak	
5 *		23880.000	53.22	-9.41	43.81	74.00	-30.19	peak	
6		24360.000	52.58	-9.79	42.79	74.00	-31.21	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#79

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

26GHz~30GHz

Config\_1\_H

Site: SGS 966 Chamber B      Polarization: *Horizontal*      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 1      Distance:  
 Note: WCDMA B1

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		26576.000	8.98	39.71	48.69	74.00	-25.31	peak	
2		26948.000	8.95	39.26	48.21	74.00	-25.79	peak	
3	*	27392.000	9.34	39.36	48.70	74.00	-25.30	peak	
4		27884.000	7.66	39.55	47.21	74.00	-26.79	peak	
5		28400.000	5.29	39.60	44.89	74.00	-29.11	peak	
6		28644.000	5.71	39.63	45.34	74.00	-28.66	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#88

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_1\_V

Site: SGS 966 Chamber B      Polarization: **Vertical**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 1      Distance:  
 Note: WCDMA B1

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		26504.000	8.09	39.80	47.89	74.00	-26.11	peak	
2	*	26828.000	10.42	39.41	49.83	74.00	-24.17	peak	
3		27392.000	10.14	39.36	49.50	74.00	-24.50	peak	
4		28128.000	6.97	39.60	46.57	74.00	-27.43	peak	
5		28660.000	5.59	39.63	45.22	74.00	-28.78	peak	
6		28748.000	4.76	39.65	44.41	74.00	-29.59	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#87

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_2\_H

Site: SGS 966 Chamber B      Polarization: *Horizontal*      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 2      Distance:  
 Note: Data Write+CAMER(Front)

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		26744.000	10.89	39.51	50.40	74.00	-23.60	peak	
2	*	26912.000	11.33	39.31	50.64	74.00	-23.36	peak	
3		27380.000	10.24	39.35	49.59	74.00	-24.41	peak	
4		27900.000	8.74	39.56	48.30	74.00	-25.70	peak	
5		28120.000	7.69	39.60	47.29	74.00	-26.71	peak	
6		28408.000	7.70	39.60	47.30	74.00	-26.70	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#90

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Config\_2\_V

Site: SGS 966 Chamber B      Polarization: **Vertical**      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 2      Distance:  
 Note: Data Write+CAMER(Front)

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1	*	26732.000	10.95	39.52	50.47	74.00	-23.53	peak	
2		26900.000	10.44	39.32	49.76	74.00	-24.24	peak	
3		27352.000	10.00	39.34	49.34	74.00	-24.66	peak	
4		27888.000	8.38	39.56	47.94	74.00	-26.06	peak	
5		28092.000	8.13	39.60	47.73	74.00	-26.27	peak	
6		28220.000	7.66	39.60	47.26	74.00	-26.74	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#89

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_H

Site: SGS 966 Chamber B      Polarization: *Horizontal*      Temperature: 22 °C  
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)      Power: AC 120V/60Hz      Humidity: 70 %  
 Mode: Config 3      Distance:  
 Note: Mp3+CAMERA(Rear)

### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		26952.000	10.08	39.26	49.34	74.00	-24.66	peak	
2	*	27324.000	10.28	39.33	49.61	74.00	-24.39	peak	
3		27556.000	8.44	39.42	47.86	74.00	-26.14	peak	
4		27864.000	8.88	39.55	48.43	74.00	-25.57	peak	
5		28204.000	7.80	39.60	47.40	74.00	-26.60	peak	
6		28700.000	6.72	39.64	46.36	74.00	-27.64	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#92

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Config\_3\_V

Site: SGS 966 Chamber B	Polarization: <b>Vertical</b>	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 70 %
Mode: Config 3	Distance:	
Note: Mp3+CAMERA(Rear)		

#### Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		26528.000	8.70	39.77	48.47	74.00	-25.53	peak	
2	*	27492.000	9.57	39.40	48.97	74.00	-25.03	peak	
3		28120.000	7.86	39.60	47.46	74.00	-26.54	peak	
4		28224.000	7.43	39.60	47.03	74.00	-26.97	peak	
5		28708.000	6.03	39.64	45.67	74.00	-28.33	peak	
6		29552.000	4.50	39.92	44.42	74.00	-29.58	peak	

\*:Maximum data    x:Over limit    !:over margin

File :A0019\Data :#91

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.