

Page: 1 of 164

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT

Sharp Corporation, Mobile Communication B.U.

Applicant: 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi,

Hiroshima 739-0192, Japan

Sharp Corporation

Manufacturer: 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-8522, Japan

Product Name: Smart Phone

Report Number: ER/2018/90107

FCC ID: APYHRO00263

FCC Rule Part: §15.407, Cat: NII

Issue Date: Oct. 17, 2018

Sep. 04, 2018 ~ Oct. 11, 2018 **Date of Test:**

Date of EUT Received: Sep. 04, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Marcus Tseng / Sr. Engineer

Marcus Tseng

Chun Chieh Chen / Asst. Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Page: 2 of 164

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/90107	Rev.00	Initial creation of document	All	Oct. 17, 2018	Violetta Tang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCanyan** UNIO 134 WWW.mpganed.NewTaingilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Part Www.pignigilide/P

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 3 of 164

Contents

1	GENERAL INFORMATIOqN	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULT	7
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	12
6	CONDUCTED EMISSION TEST	13
7	DUTY CYCLE TEST SIGNAL	17
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	20
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	33
10	PEAK POWER SPECTRAL DENSITY	36
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	44
	TRANSMISSION IN THE ABSENCE OF DATA	
13	FREQUENCY STABILITY	143
14	ANTENNA REQUIREMENT	164

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號
14(20,0) 2000,

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 4 of 164

1. GENERAL INFORMATION

1.1 Product Description

General:

21101011		
Product Name:	Smart Phone	
Hardware Version:	DVT	
Software Version:	N/A	
Power Supply:	3.85V from Rechargeable Li-ion Battery	

WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. Power (dBm)	Modulation Technology	
	5180~5240	4	17.28		
11a_20	5260~5320	4	16.95	OFDM	
	5500~5700	11	17.05		
11n HT/	5180~5240	4	HT: 17.27 (Worst Case)		
ac_VHT	5260~5320	4	HT: 16.91 (Worst Case)	OFDM	
20M	5500~5700	11	HT: 16.96 (Worst Case)		
11n HT/	5190~5230	2	HT: 17.27 (Worst Case)		
ac_VHT	5270~5310	2	HT: 16.97 (Worst Case)	OFDM	
40M	5510~5670	5	HT: 17.15 (Worst Case)		
44	5210	1	15.39		
11ac VHT80M	5290	1	15.33	OFDM	
VIIIOOW	5530~5610	2	17.45		
Modulation Type			6QAM, QPSK, BPSK for OFD or OFDM in 802.11ac only	M	
Transition R	ate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144.4Mbps 802.11 n_40MHz: 13.5 – 300.0Mbps 802.11 ac_20MHz: 6.5 – 173.3Mbps 802.11 ac_40MHz: 13.5 – 400.0Mbps 802.11 ac_80MHz: 29.3 – 866.7Mbps			
Antenna De	signation:	Inverted-F 5150~5250 5250~5350		5.5dBi (Aux)	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCanyan** UNIO 134 WWW.mpganed.NewTaingilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Part Www.pignigilide/P

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 5 of 164

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

KDB 789033 D02 v02r01 General UNII Test Procedures New Rules

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sgs.com



Page: 6 of 164

2. SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 7 of 164

2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission




Fig. 2-2 AC Power Line Conducted **Emission**



Fig. 2-2 Conducted (Antenna Port) **Emission**




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	DC Power Supply	Anritsu	E3640A	MY52410006	N/A	Unshielded
3.	Notebook	Lenovo	T440P	P0000564	Shielded	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparatic surfaced and the processors of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 8 of 164

3. SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCanyan** UNIO 134 WWW.mpganed.NewTaingilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Part Www.pignigilide/P

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 9 of 164

4. DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

Operated band in 5150 MF				
802.11a / n HT20 Mode,				
802.11ac VHT20 Mode				
Channel	Frequency			
36	5180			
40	5200			
44	5220			
48	5240			

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel	Frequency		
38	5190		
46	5230		

802.11ac VHT80 Mode		
Frequency		
5210		

Operated band in 5250 MHz ~5350 MHz:

Operated barra in 0200 mil			
802.11a / n HT20 Mode, 802.11ac VHT20 Mode			
channel	Frequency		
52	5260		
56	5280		
60	5300		
64	5320		

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
54	5270	
62	5310	

802.11ac V	/HT80 Mode
Channel	Frequency
58	5290

Operated band in 5470 MHz ~5725 MHz:

802.11a / n HT20 Mode,								
802.11ac V	802.11ac VHT20 Mode							
Channel	Frequency							
100	5500							
104	5520							
108	5540							
112	5560							
116	5580							
120	5600							
124	5620							
128	5640							
132	5660							
136	5680							
140	5700							

802.11 n HT40 Mode,						
802.11ac VHT40 Mode						
Frequency						
5510						
5550						
5590						
5630						
5670						

802.11ac VHT80 Mode				
channel	Frequency			
106	5530			
122	5610			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCanyan** UNIO 134 WWW.mpganed.NewTaingilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Part Www.pignigilide/P

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 10 of 164

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is prorammed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.
- 4. The given UE is pre-scanned among 802.11n and ac modes, and 802.11n yields the highest reading that generates the highest emission.

DADIATED EMICCION TECT.

RADIATED EMISSION TEST:							
	RADI	ATED EMISS	ION TEST (BE	ELOW 1 GHz)			
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	44	OFDM	6	2TX	
802.11a	5260~5320	52 to 64	60	OFDM	6	2TX	
802.11a	5500~5700	100 to 140	116	OFDM	6	2TX	
	RADI	ATED EMISS	SION TEST (A	BOVE 1 GHz)			
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	` '	26 to 40	26 44 40	OFDM	6	2TX	
802.11n_HT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8	MIMO	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO	
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO	
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	2TX	
802.11n_HT20	3200~3320	32 10 04	32,00,04	OFDM	MCS8	MIMO	
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO	
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO	
802.11a	5500~5700	100 to 140	100,116,140	OFDM	6	2TX	
802.11n_HT20	3300~3700	100 10 140	, ,	OFDM	MCS8	MIMO	
802.11n_HT40	5510~5670	102 to 134	102,110,134	OFDM	MCS8	MIMO	
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	MCS8	MIMO	

Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for WLAN 5GHz Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽氏。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 11 of 164

ANTENNA PORT CONDUCTED MEASUREMENT

ANTENNA FORT CONDUCTED MILASOREMENT.							
CONDUCTED TEST							
MODE	FREQUENCY		TESTED	MODULATION	DATA RATE		
	BAND (MHz)	CHANNEL	CHANNEL		(Mbps)	PORT	
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	2TX	
802.11n_HT20	3100 3240	30 10 40	30,44,40	OFDM	MCS8	MIMO	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO	
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO	
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	2TX	
802.11n_HT20	5200~5520	32 10 04	52,00,04	OFDM	MCS8	MIMO	
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO	
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO	
802.11a	5500~5700	100 to 140	100,116,140	OFDM	6	2TX	
802.11n_HT20	5500~5700	100 10 140	100,110,140	OFDM	MCS8	MIMO	
802.11n_HT40	5510~5670	102 to 134	102,110,134	OFDM	MCS8	MIMO	
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	MCS8	MIMO	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSCanyan** UNIO 134 WWW.mpganed.NewTaingilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Universide/Part Www.pignigilide/Part Www.pignigilide/P

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 12 of 164

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB				
	30MHz - 180MHz: +/- 3.37dB				
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB				
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB				
	1GHz - 18GHz: +/- 4.04dB				
	18GHz - 40GHz: +/- 4.04dB				

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此概告結果僅對測述之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clayara Left

**INDICATE Material Scale (Int.) Taiwan 24803/364 th Taiwan 24803/364 th

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 13 of 164

6. CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)			
MHz	Quasi-peak	Average		
0.15 to 0.50	66 to 56	56 to 46		
0.50 to 5	56	46		
5 to 30	60	50		

Note

6.2 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100335	02/02/2018	02/01/2019
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/18/2018	05/17/2019

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 14 of 164

6.4 Test SET-UP



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 15 of 164

AC POWER LINE CONDUCTED EMISSION TEST DATA

Temperature: 25 °C Site Conduction Room Phase: L1 Power: AC 120V/60Hz Humidity: 85 % Limit: FCC Class B Conduction(QP)

Mode: Operation

Note:



MHz 0.1540	dBuV 40.41	dB 0.04	dBuV	dBuV	dB	Detector	Comment	
0.1540	40.41	0.04				TARREST PROPERTY.	Common	
		0.01	40.45	65.78	-25.33	peak		
0.1740	39.09	0.04	39.13	64.77	-25.64	peak		
0.2420	39.53	0.04	39.57	62.03	-22.46	peak		
0.3580	32.71	0.04	32.75	58.77	-26.02	peak		
0.5060	30.23	0.04	30.27	56.00	-25.73	peak		
17.1940	36.70	0.39	37.09	60.00	-22.91	peak		
	0.2420 0.3580 0.5060	0.2420 39.53 0.3580 32.71 0.5060 30.23	0.2420 39.53 0.04 0.3580 32.71 0.04 0.5060 30.23 0.04	0.2420 39.53 0.04 39.57 0.3580 32.71 0.04 32.75 0.5060 30.23 0.04 30.27	0.2420 39.53 0.04 39.57 62.03 0.3580 32.71 0.04 32.75 58.77 0.5060 30.23 0.04 30.27 56.00	0.2420 39.53 0.04 39.57 62.03 -22.46 0.3580 32.71 0.04 32.75 58.77 -26.02 0.5060 30.23 0.04 30.27 56.00 -25.73	0.2420 39.53 0.04 39.57 62.03 -22.46 peak 0.3580 32.71 0.04 32.75 58.77 -26.02 peak 0.5060 30.23 0.04 30.27 56.00 -25.73 peak	0.2420 39.53 0.04 39.57 62.03 -22.46 peak 0.3580 32.71 0.04 32.75 58.77 -26.02 peak 0.5060 30.23 0.04 30.27 56.00 -25.73 peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 164

Site Conduction Room

Phase:


Power: AC 120V/60Hz

Temperature: Humidity: 85 %

Limit: FCC Class B Conduction(QP)

Mode: Operation

Note:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1500	44.36	0.04	44.40	66.00	-21.60	peak	
2		0.1660	41.48	0.04	41.52	65.16	-23.64	peak	
3		0.2340	46.29	0.04	46.33	62.31	-15.98	peak	
4		0.3780	40.97	0.04	41.01	58.32	-17.31	peak	
5	*	0.5020	43.96	0.04	44.00	56.00	-12.00	peak	
6		0.5940	41.66	0.04	41.70	56.00	-14.30	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此概告結果僅對測述之樣品負責,同時此樣品僅保留90天。本概告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clayara Left

**INDICATE Material Scale (Int.) Taiwan 24803/364 th Taiwan 24803/364 th



Page: 17 of 164

7. DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	Duty Factor (dB) =10*log(1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	98.37	0.07	0.49	1.00
802.11n_20	98.25	0.08	0.53	1.00
802.11n_40	96.19	0.17	1.08	2.00
802.11ac_80	86.50	0.63	2.19	3.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated under the state shown in this seat report reter only to the sample(s) seater and such sample(s) are retained to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report reter only to the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample(s) are teamed to 90 days only. Per shown in this seat report the sample shown in this seat the sample shown in this seat that the sample shown in the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

www.tw.sgs.com




Page: 18 of 164

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this east report refer only to the sample(s) less than 3 only 10 Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 19 of 164

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 20 of 164

8. 26DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3


8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Repeat above procedures until all test default channel measured were complete.

8.3 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY57120290	02/14/2018	02/13/2019
DC Power Supply	Anritsu	E3640A	MY52410006	11/28/2017	11/27/2018
Temperature Chamber	TERCHY	MHG-120LF	911009	05/18/2018	05/17/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019
Coaxial Cables	N/A	WK CE Cable	N/A	01/02/2018	01/01/2019
Notebook	Lenovo	T440P	P0000564	N/A	N/A

8.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽氏。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 21 of 164

8.5 Measurement Result

26dB Bandwidth

802.11a CH0

802 11a CH1

802.T1a_CHU			602.TTa_CHT		
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.28	12.851	5180	21.53	13.330
5220	20.40	13.097	5220	21.37	13.298
5240	19.01	12.789	5240	21.61	13.346
5260	19.29	12.853	5260	21.61	13.346
5300	21.02	13.226	5300	21.41	13.307
5320	18.75	12.730	5320	20.84	13.190
5500	19.04	12.797	5500	21.39	13.302
5580	19.24	12.842	5580	20.29	13.073
5700	21.50	13.324	5700	21.91	13.407

802.11n HT20 CH0

802.11n HT20 CH1

002:1111_11120_0110		002:1111120_0111			
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	20.07	13.025	5180	22.45	13.513
5220	20.96	13.214	5220	21.97	13.418
5240	22.65	13.551	5240	22.38	13.498
5260	19.96	13.002	5260	22.23	13.470
5300	20.31	13.077	5300	22.95	13.607
5320	20.27	13.069	5320	22.31	13.484
5500	20.28	13.071	5500	22.36	13.494
5580	22.26	13.475	5580	22.25	13.474
5700	22.87	13.593	5700	22.64	13.548

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 22 of 164

802.11n HT40 CH0

802.11n HT40 CH1

- '- '-				
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)		
5190	41.85	16.217		
5230	39.17	15.930		
5270	39.18	15.931		
5310	39.17	15.930		
5510	39.25	15.938		
5550	42.16	16.249		
5670	39.05	15.916		

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	42.02	16.235
5230	42.04	16.237
5270	42.03	16.236
5310	42.20	16.253
5510	41.21	16.150
5550	41.41	16.171
5670	42.01	16.234

802.11ac _VHT80_CH0

802.11ac _VHT80_CH1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	79.15	18.985
5290	85.26	19.307
5530	84.76	19.282
5610	84.77	19.282

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	84.92	19.290
5290	85.03	19.296
5530	83.72	19.228
5610	85.14	19.301

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未絕本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WulkungRand NewTaipeiIndustrialPark WulkupDistrict. NewTaipeiCity_Taiwan24803/新北市五股區新北產業園區五工路 134 號


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Page: 23 of 164

FCC 802.11a 20MHz Main 5180MHz







FCC 802.11a 20MHz Main 5240MHz




FCC 802.11a 20MHz Main 5260MHz



FCC 802.11a 20MHz Main 5300MHz



FCC 802.11a 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.


Fix 月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 24 of 164


FCC 802.11a 20MHz Main 5500MHz




FCC 802.11a 20MHz Main 5580MHz




FCC 802.11a 20MHz Main 5700MHz




FCC 802.11a 20MHz AUX1 5180MHz



FCC 802.11a 20MHz AUX1 5220MHz



FCC 802.11a 20MHz AUX1 5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.


Fix 月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 25 of 164


FCC 802.11a 20MHz AUX1 5260MHz




FCC 802.11a 20MHz AUX1 5500MHz




FCC 802.11a 20MHz AUX1 5300MHz




FCC 802.11a 20MHz AUX1 5580MHz



FCC 802.11a 20MHz AUX1 5320MHz



FCC 802.11a 20MHz AUX1 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated the results shown in this test report relearning to the sample(s) tested and such sample(s) are retained for 90 to 4x8 only.

Ref. 8月 有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90 氏。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the leave. prosecuted to the fullest extent of the law.




Page: 26 of 164


FCC 802.11n 20MHz Main 5180MHz




FCC 802.11n 20MHz Main 5220MHz




FCC 802.11n 20MHz Main 5240MHz




FCC 802.11n 20MHz Main 5260MHz



FCC 802.11n 20MHz Main 5300MHz



FCC 802.11n 20MHz Main 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.

Fix 月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488




Page: 27 of 164

FCC 802.11n 20MHz Main 5500MHz







FCC 802.11n 20MHz Main 5580MHz




FCC 802.11n 20MHz AUX1 5220MHz



FCC 802.11n 20MHz Main 5700MHz



FCC 802.11n 20MHz AUX1 5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.


Fix 月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 28 of 164

FCC 802.11n 20MHz AUX1 5260MHz







FCC 802.11n 20MHz AUX1 5300MHz




FCC 802.11n 20MHz AUX1 5580MHz



FCC 802.11n 20MHz AUX1 5320MHz



FCC 802.11n 20MHz AUX1 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated the results shown in this test report relearning to the sample(s) tested and such sample(s) are retained for 90 to 4x8 only.

Ref. 8月 有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90 氏。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the leave. prosecuted to the fullest extent of the law.




Page: 29 of 164


FCC 802.11n 40MHz Main 5190MHz




FCC 802.11n 40MHz Main 5230MHz




FCC 802.11n 40MHz Main 5270MHz




FCC 802.11n 40MHz Main 5310MHz



FCC 802.11n 40MHz Main 5510MHz



FCC 802.11n 40MHz Main 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) are retained for 90 days only.


Fix 月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 30 of 164

FCC 802.11n 40MHz Main 5670MHz







FCC 802.11n 40MHz AUX1 5230MHz




FCC 802.11n 40MHz AUX1 5270MHz



FCC 802.11n 40MHz AUX1 5310MHz



FCC 802.11n 40MHz AUX1 5510MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated the results shown in this test report relearning to the sample(s) tested and such sample(s) are retained for 90 to 4x8 only.

Ref. 8月 有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90 氏。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the leave. prosecuted to the fullest extent of the law.