

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART **B, C & SUBPART L REQUIREMENT**

	81
Applicant:	Sharp Corporation, Mobile Communication B.U. 2-13-1, Hachihonmatsu-Iida, Higashi-hiroshima-shi, Hiro- shima, 739-0192, Japan
Manufacturer:	Sharp Corporation 1 Takumi-cho, Sakai-ku, Sakai City,Osaka 590-8522,Japan
Product Name:	Smart Phone
Report Number:	ER/2018/A0084
FCC ID:	APYHRO00264
FCC Rule Part:	2 , 22H & 24E & 27B, C & L
Issue Date:	Nov. 08, 2018
Date of Test:	Oct. 03, 2018 ~ Oct. 23, 2018
Date of EUT Received:	Oct. 03, 2018
We hereby certify that:	

OF

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Marcus Tseng

Tested By:

Marcus Tseng / Sr. Engineer

Approved By:

Jay Lin / Asst. Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

たかうかすが、いれてきる本体的の意味がある。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/A0084	Rev.00	Initial creation of document	All	Nov. 08, 2018	Tiffany Kao

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2018/A0084 Page 3 of 157

Contents

1.	GENERAL PRODUCT INFORMATION	4
2.	SYSTEM TEST CONFIGURATION	7
3.	SUMMARY OF TEST RESULTS	10
4.	DESCRIPTION OF TEST MODES	11
5.	MEASUREMENT UNCERTAINTY	15
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	16
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	33
8.	OCCUPIED BANDWIDTH MEASUREMENT	49
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	71
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	100
11.	FREQUENCY STABILITY MEASUREMENT	141
12.	PEAK TO AVERAGE RATIO	149



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Smart Phone
Hardware Version:	DVT
Software Version:	N/A
Power Supply:	3.85V from Rechargeable Li-ion Battery
IMEI:	004401116578929 / 004401116579075 / 004401116579976 004401116578473 / 004401116578978 / 004401116579141

1.2. GSM / WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)					
GSM/GPRS 850 824.2 - 848.8					
GSM/GPRS 1900 1850.2 - 1909.8					

Operating Frequency (MHz)				
WCDMA / HSPA+ Band V	-	846.6		

LTE Band	BW (MHz)	Operation Frequency (MHz)			
	1.4	824.7	<u>-</u>	848.3	
5	3	825.5	-	847.5	
5	5	826.5	-	846.5	
	10	829.0	-	844.0	
	1.4	699.7	-	715.3	
12	3	700.5	-	714.5	
12	5	701.5	-	713.5	
	10	704.0	-	711.0	
17	5	706.5	-	713.5	
	10	709.0	-	711.0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



	ERP / EIRP (dBm)		(W)	Type of Emission
GSM 850	19.33	ERP	0.086	247KGXW
GPRS 850	19.92	ERP	0.098	247KGXW
GSM 1900	24.38	EIRP	0.274	249KGXW
GPRS 1900	27.21	EIRP	0.526	243KGXW

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

	ERP / EIRP (dBm)		(W)	Type of Emission
WCDMA Band V	18.24	ERP	0.067	4M12F9W
HSDPA Band V	17.54	ERP	0.057	4M12F9W
HSUPA Band V	17.59	ERP	0.057	4M13F9W

LTE Band	BW (MHz)	Modulation		ERP / EIRP (dBm)		Type of Emission
	1.4	QPSK	18.48	ERP	0.070	1M09G7D
	1.4	16QAM	18.96	ERP	0.079	1M10D7W
	1.4	64QAM	19.61	ERP	0.091	1M10D7W
	3	QPSK	17.58	ERP	0.057	2M70G7D
	3	16QAM	18.80	ERP	0.076	2M70D7W
5	3	64QAM	19.75	ERP	0.094	2M70D7W
Э	5	QPSK	17.58	ERP	0.057	4M50G7D
	5	16QAM	18.78	ERP	0.076	4M51D7W
	5	64QAM	19.64	ERP	0.092	4M50D7W
	10	QPSK	17.44	ERP	0.055	8M98G7D
	10	16QAM	18.46	ERP	0.070	8M96D7W
	10	64QAM	19.42	ERP	0.087	8M99D7W
	5	QPSK	16.26	ERP	0.042	4M50G7D
	5	16QAM	17.44	ERP	0.055	4M51D7W
17	5	64QAM	18.21	ERP	0.066	4M51D7W
17	10	QPSK	16.26	ERP	0.042	9M00G7D
	10	16QAM	17.33	ERP	0.054	8M97D7W
	10	64QAM	17.46	ERP	0.056	8M98D7W

LTE Band	BW (MHz)	Modulation		ERP / EIRP (dBm)		Type of Emission
	1.4	QPSK	14.11	ERP	0.026	1M10G7D
	1.4	16QAM	15.18	ERP	0.033	1M10D7W
	1.4	64QAM	15.34	ERP	0.034	1M10D7W
	3	QPSK	13.97	ERP	0.025	2M70G7D
	3	16QAM	14.63	ERP	0.029	2M70D7W
12	3	64QAM	13.95	ERP	0.025	2M71D7W
12	5	QPSK	13.53	ERP	0.023	4M50G7D
	5	16QAM	14.69	ERP	0.029	4M50D7W
	5	64QAM	15.43	ERP	0.035	4M52D7W
	10	QPSK	13.56	ERP	0.023	9M01G7D
	10	16QAM	14.61	ERP	0.029	8M96D7W
	10	64QAM	14.61	ERP	0.029	8M99D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	4.8	10	14.8
High Band (Above 1 GHz)	5.1	10	15.1

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850		562
GSM 1900		648
WCDMA B5	2 05	598
LTE Band 5	3.85	854
LTE Band 12		883
LTE Band 17		874

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Remote Side

MT8820C

Table 2-1 Equipment Used in

ltem	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyer	Anritsu	MT8820C	6201465317	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised are performed except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is underule and offenders may be prosecuted to the fulle extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(c)(10) §27.50(h)(2)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a)	Out of Band Emissions at Antenna	
§24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)	Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>No.134.WuKungRoad.NewTaipeif/ustrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 th. **a**. **b**. **B**. **b**. **t**. **b**. **b**. **b**. **c**.</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
GSM/GPRS 850	E2-plan	E2-plan
GSM/GPRS 1900	E2-plan	E2-plan
WCDMA/HSPA Band V	H-plan	H-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



GSM/GPRS MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS 850
	512 to 810	661	GSM/GPRS 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS 850
	512 to 810	512, 810	GSM/GPRS 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
FREQUENCY STABILITY	4132 to 4233	4183	WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
BAND EDGE	4132 to 4233	4132, 4233	WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
RADIATED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>No.134.WuKungRoad.NewTaipeif/ustrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 th. **a**. **b**. **B**. **b**. **t**. **b**. **b**. **b**. **c**.</u>



LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
EKP	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED BAND-	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	Full RB
WIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	64QAM	Full RB
PEAK TO AVERAGE	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	Full RB
RATIO	20425 to 20625	20425, 20525, 20625	5MHz	64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	64QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 0 RB Offest
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	1 RB, 14 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



LTE Band 12 MODE

TEST ITEM	AVAILABLE Channel	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
ERP	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	64QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	64QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	64QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	64QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCU-	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB, 0 RB Offest
DETED EMIS-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB, 0 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 0 RB Offest
SION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	1 RB, 5 RB Offest

LTE Band 17 MODE

TEST ITEM	AVAILABLE Channel	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
LKF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED BAND-	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	Full RB
WIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AVERAGE	23755 to 23825	23755, 23790, 23825	5MHz	64QAM	Full RB
RATIO	23780 to 23800	23780, 23790, 23800	10MHz	64QAM	Full RB
	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised and particulate attent of the Law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

Magguramantungartaintu	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
Radio Communication Analyer	Anritsu	MT8820C	6201465317	2018/01/17	2019/01/16
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	2018/01/02	2019/01/01
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01

6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

			Average Burst Power
EUT Mode	Frequency (MHz)	СН	(1DN 1UP) Class 8 (dBm)
	824.2	128	32.17
GSM 850	836.6	190	32.42
000	848.8	251	32.34
0014	1850.2	512	28.53
GSM 1900	1880.0	661	28.60
	1909.8	810	28.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EUT Mode	Frequency	СН	Average Burst Power (1DN 1UP)	Average Burst Power (1DN 2UP)	Average Burst Power (1DN 3UP)	Average Burst Power (1DN 4UP)
	(8411-)		Class 8	Class 10	Class 12	Class 12
	(MHz)		(dBm)	(dBm)	(dBm)	(dBm)
	824.2	128	32.25	30.06	28.45	27.52
GPRS 850	836.6	190	32.22	30.04	28.42	27.50
000	848.8	251	32.10	29.93	28.32	27.41
0000	1850.2	512	28.53	26.09	24.28	23.59
GPRS 1900	1880.0	661	28.60	26.22	24.16	23.48
1000	1909.8	810	28.52	26.03	24.08	23.26



WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)
	826.4	4132	22.59
WCDMA	836.6	4183	22.58
	846.6	4233	22.63
	826.4	4132	21.66
HSDPA	836.6	4183	21.61
	846.6	4233	21.69
	826.4	4132	21.67
HSUPA	836.6	4183	21.57
	846.6	4233	21.65

WCDMA/HSUPA/HSDPA Band V Result:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and conditions for Electronic Documents at <u>www.sgs.com/terms_document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention and and withing the limits of content of the prove the company is the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



LTE Result:

Ľ	TE Band	5_Uplink f	requency b	and : 8	24 to 8	49 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.16
	20407	824.7	QPSK	1	5	22.15
	20407		QFSK	3	2	22.27
				6	0	21.26
				1	0	22.15
	20525	836.5	QPSK	1	5	22.19
	20525	030.3	QFSK	3	2	22.23
				6	0	21.18
				1	0	22.24
	20643	848.3	QPSK	1	5	22.24
	20043	040.3	QPSK	3	2	22.26
				6	0	21.23
		824.7	16QAM	1	0	21.27
	20407			1	5	21.30
20	20407	024.7		3	2	21.25
				6	0	20.41
	20525	836.5	16QAM	1	0	21.35
				1	5	21.46
1.4				3	2	21.36
				6	0	20.33
					21.49	
	00040	040.0	16QAM	1	5	21.15
	20643	848.3		3	2	21.40
				6	0	20.30
				1	0	20.49
	20407	0047	640414	1	5	20.44
	20407	824.7	64QAM	3	2	20.39
				6	0	19.63
				1	0	20.54
	00505	000 5	C404N4	1	5	20.65
	20525	836.5	64QAM	3	2	20.47
				6	0	19.47
				1	0	20.73
	00040	848.3	64QAM	1	5	20.27
	20643			3	2	20.66
				6	0	19.48



Ľ	TE Band	5_Uplink f	requency b	and : 8	24 to 8	49 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
			-	1	0	22.17
	20415	825.5	QPSK	1	14	22.33
	20410	020.0	QION	8	4	21.41
					21.31	
				1	0	22.24
	20525	836.5	QPSK	1	14	22.20
	20020	000.0		8	4	21.31
				15	0	21.31
				1	0	22.22
	20635	847.5	QPSK	1	14	22.22
	20033			8	4	21.40
				15	0	21.29
			16QAM	1	0	21.88
	20415	825.5		1	14	21.77
	20413			8	4	20.50
				15	0	20.47
	20525	836.5	16QAM	1	0	21.69
3				1	14	21.66
5				8	4	20.39
				15	0	20.51
			16QAM	1	0	21.64
	20635	847.5		1	14	21.31
	20033	047.5		8	4	20.44
				15	0	20.33
				1	0	21.24
	20415	825.5	64QAM	1	14	21.09
	20413	025.5		8	4	19.85
				15	0	19.83
				1	0	21.08
	20525	836.5	6400M	1	14	21.07
	20525	000.0	64QAM	8	4	19.83
				15	0	19.84
				1	0	20.96
	20635	847.5		1	14	20.75
	20035		64QAM	8	4	19.77
				15	0	19.64



Ľ	TE Band	5_Uplink f	requency b	and : 8	24 to 8	49 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.29
	20425	826.5	QPSK	1	24	22.26
	20423	020.5		12	6	21.40
				25	0	21.34
				1	0	22.37
	20525	836.5	QPSK	1	24	22.14
	20020	000.0	GIOIN	12	6	21.31
				25	0	21.29
				1	0	22.34
	20625	846.5	QPSK	1	24	22.17
			QION	12	6	21.30
				25	0	21.35
			16QAM	1	0	21.48
	20425	5 826.5		1	24	21.89
204	20423			12	6	20.51
				25	0	20.43
	20525	836.5	16QAM	1	0	21.47
5				1	24	21.80
5				12	6	20.36
				25	0	20.36
			16QAM	1	0	21.62
	20625	846.5		1	24	21.50
	20025	040.5		12	6	20.37
				25	0	20.39
				1	0	20.73
	20425	826.5	64QAM	1	24	21.14
	20423	020.5		12	6	19.65
				25	0	19.62
				1	0	20.64
	20525	926 F	6400M	1	24	20.95
	20525	836.5	64QAM	12	6	19.58
				25	0	19.48
				1	0	20.85
	20625	846.5	64QAM	1	24	20.76
	20020			12	6	19.56
				25	0	19.51



BW (MHz) UL Channel Frequency (MHz) Modulation RB Size RB Offset Conducted Average (dBm) 20450 829 QPSK 1 0 22.44 1 49 22.28 25 12 21.33 20450 829 QPSK 1 49 22.28 20525 836.5 QPSK 1 49 22.22 20525 836.5 QPSK 1 49 22.22 25 12 21.33 50 0 21.28 20525 836.5 QPSK 1 49 22.22 25 12 21.33 50 0 21.28 20600 844 QPSK 1 49 22.23 20500 829 16QAM 1 49 21.76 20450 829 16QAM 1 49 21.76 25 12 20.48 50 0 20.41 1 49 <t< th=""><th>Ľ</th><th>TE Band</th><th>5_Uplink f</th><th>requency b</th><th>and : 8</th><th>24 to 8</th><th>49 MHz</th></t<>	Ľ	TE Band	5_Uplink f	requency b	and : 8	24 to 8	49 MHz
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		UL Channel	Frequency (MHz)	Modulation	0.20	Offset	Average (dBm)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$							22.44
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20450	829	OPSK	1	49	22.28
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20400		QI OIX	25	12	21.33
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					50	0	21.31
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					1	0	22.28
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20525	836 5	OPSK	1	49	22.22
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20323	030.3	QF SK	25	12	21.33
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					50	0	21.28
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					1	0	22.26
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20600	011	ODSK	1	49	22.23
$10 \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20000	844	QFSK	25	12	21.29
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					50	0	21.26
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			829	16QAM	1	0	21.58
$10 \begin{array}{c ccccccccccccccccccccccccccccccccccc$		20450			1	49	21.76
10 20525 836.5 16QAM 16QAM 1 0 21.96 1 49 21.40 25 12 20.38 50 0 20.42	2	20450			25	12	20.48
10 20525 836.5 16QAM 1 49 21.40 25 12 20.38 50 0 20.42					50	0	20.41
10 20525 836.5 16QAM 25 12 20.38 50 0 20.42		20525	836.5	16QAM	1	0	21.96
25 12 20.38 50 0 20.42	10				1	49	21.40
	10				25	12	20.38
					50	0	20.42
				16QAM	1	0	21.64
20000 844 400 41 49 21.83		20600	044		1	49	21.83
20600 844 16QAM 25 12 20.37		20600	844		25	12	20.37
50 0 20.37					50	0	20.37
1 0 20.72					1	0	20.72
20450 200 640 AM 1 49 20.93		20450	000	640004	1	49	20.93
20450 829 64QAM 25 12 19.61		20450	829	64QAIVI	25	12	19.61
50 0 19.66					50	0	19.66
1 0 21.17					1	0	21.17
		00505	000 5		1	49	20.52
20525 836.5 64QAM 25 12 19.52		20525	836.5	64QAM	25	12	19.52
50 0 19.54						0	19.54
1 0 20.87							20.87
1 49 20.96			844	64QAM	1	49	
20600 844 64QAM 25 12 19.58		20600			25	12	
50 0 19.51						0	



LT	E Band	12_Uplink	frequency b	band : 6	699 to 7	716 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.14
	23017	699.7	QPSK	1	5	22.11
	23017	099.7	QF ON	3	2	22.28
				6	0	21.17
				1	0	22.15
	23095	707.5	QPSK	1	5	22.19
	23093	101.5	QF ON	3	2	22.30
				6	0	21.15
				1	0	22.13
:	23173	715.5	QPSK	1	5	22.21
	23173	715.5	QFSK	3	2	22.31
				6	0	21.17
		699.7	16QAM	1	0	21.44
	23017			1	5	21.59
ŕ	23017			3	2	21.33
				6	0	20.32
	23095	707.5	16QAM	1	0	21.60
1.4				1	5	21.25
1.4				3	2	21.16
				6	0	20.48
			16QAM	1	0	21.56
	23173	745 5		1	5	21.80
	23173	715.5		3	2	21.40
				6	0	20.35
				1	0	20.83
	23017	699.7	64QAM	1	5	20.93
	23017	099.7		3	2	20.68
				6	0	19.60
				1	0	20.88
	22005	707 5	640014	1	5	20.60
	23095	707.5	64QAM	3	2	20.44
				6	0	19.88
				1	0	20.95
	00470	715.5	64QAM	1	5	21.09
	23173			3	2	20.69
				6	0	19.73



LT	E Band	12_Uplink f	frequency k	band : 6	699 to 7	716 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.24
	23025	700.5	QPSK	1	14	22.14
	23023	700.5	QI OK	8	4	21.25
				15	0	21.21
				22.21		
	23095	707.5	QPSK	1	14	22.20
	20000	101.5	QI OK	8	4	21.29
				15	0	21.25
				1	0	22.24
-	23165	714.5	QPSK	1	14	22.28
	23105	714.5	QFSK	8	4	21.34
				15	0	21.24
	23025	700.5	16QAM	1	0	21.35
				1	14	21.58
				8	4	20.37
				15	0	20.34
	23095	707.5	16QAM	1	0	21.44
3				1	14	21.40
3				8	4	20.52
				15	0	20.28
			16QAM	1	0	21.57
	23165	744 5		1	14	21.62
	23105	714.5		8	4	20.40
				15	0	20.52
				1	0	20.55
	23025	700.5	64QAM	1	14	20.76
	23025	700.5	04QAIVI	8	4	19.62
				15	0	19.48
				1	0	20.58
	22005	707 E	640414	1	14	20.51
	23095	707.5	64QAM	8	4	19.75
				15	0	19.45
				1	0	20.83
	00405	744 5		1	14	20.81
	23165	714.5	64QAM	8	4	19.61
				15	0	19.74



LT	E Band	12_Uplink	frequency b	band : 6	99 to 7	/16 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.26
	23035	701.5	QPSK	1	24	22.38
	20000		QION	12	6	21.20
				25	0	21.29
				1	0	22.23
	23095	707.5	QPSK	1	24	22.31
	20000	101.5	QION	12	6	21.35
				25	0	21.23
				1	0	22.13
	23155	713.5	QPSK	1	24	22.38
	23133	715.5	QF ON	12	6	21.30
				25	0	21.24
	23035	701.5	16QAM	1	0	21.78
				1	24	21.61
				12	6	20.36
				25	0	20.35
	23095	707.5	16QAM	1	0	21.73
5				1	24	21.99
5				12	6	20.31
				25	0	20.35
			16QAM	1	0	21.47
	23155	740 5		1	24	21.47
	23100	713.5		12	6	20.53
				25	0	20.30
				1	0	21.15
	23035	701.5	64QAM	1	24	20.92
	23035	701.5	04QAIVI	12	6	19.74
				25	0	19.65
				1	0	21.11
	22005	707 E	640044	1	24	21.43
	23095	707.5	64QAM	12	6	19.71
				25	0	19.75
				1	0	20.85
	00455	713.5	64QAM	1	24	20.87
	23155			12	6	19.87
				25	0	19.65



LT	E Band	12_Uplink	frequency k	band : 6	699 to 7	716 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.24
	23060	704	QPSK	1	49	22.35
	23000	704	QFOR	25	12	21.30
				50	0	21.32
				1	0	22.19
	23095	707.5	QPSK	1	49	22.51
	23095	101.5	QFOR	25	12	21.29
				50	0	21.29
				1	0	22.25
	23130	711	QPSK	1	49	22.30
	23130	711	QPSN	25	12	21.22
				50	0	21.27
		704	16QAM	1	0	21.57
	22060			1	49	21.31
	23060			25	12	20.48
				50	0	20.44
	23095	707.5	16QAM	1	0	21.84
10				1	49	21.77
10				25	12	20.50
				50	0	20.44
			16QAM	1	0	21.33
	23130	711		1	49	21.94
	23130	/		25	12	20.38
				50	0	20.39
				1	0	20.90
	23060	704	64QAM	1	49	20.63
	23000	704		25	12	19.70
				50	0	19.67
				1	0	21.19
	22005	707 5	640044	1	49	21.10
	23095	707.5	64QAM	25	12	19.79
				50	0	19.65
				1	0	20.58
	22420	711		1	49	21.27
	23130		64QAM	25	12	19.72
				50	0	19.68



LT	E Band	17_Uplink	frequency k	band : 7	′04 to 7	716 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)
				1	0	22.16
	23755	706.5	QPSK	1	24	22.29
	23733	700.5	QF SK	12	6	21.23
				25	0	21.34
				1	0	22.18
	23790	710	QPSK	1	24	22.25
	23790	710	QF ON	12	6	21.36
				25	0	21.28
				1	0	22.29
	23825	713.5	QPSK	1	24	22.35
	23020	713.5	QFON	12	6	21.22
				25	0	21.24
	23755	706.5	16QAM	1	0	21.38
				1	24	21.93
				12	6	20.28
				25	0	20.42
	23790	710	16QAM	1	0	21.42
5				1	24	21.62
Э				12	6	20.50
				25	0	20.29
	23825	713.5	16QAM	1	0	21.88
				1	24	21.46
				12	6	20.30
				25	0	20.29
				1	0	20.73
	23755	706.5	64QAM	1	24	20.49
	23700	700.5	04QAIVI	12	6	19.68
				25	0	19.70
				1	0	21.09
	23790	710	6400M	1	24	20.95
	23790	710	64QAM	12	6	19.66
				25	0	19.68
				1	0	20.44
	22025	713.5	640414	1	24	21.20
	23825		64QAM	12	6	19.50
				25	0	19.54



LT	E Band	17_Uplink	frequency b	band : 7	′04 to 7	′16 MHz
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	0.20	RB Offset	Conducted Average (dBm)
				1	0	22.26
	23780	709	QPSK	1	49	22.37
	23700	103	QI SIX	25	12	21.30
				50	0	21.37
				1	0	22.34
	23790	710	QPSK	1	49	22.36
	23730	710	QI SIX	25	12	21.30
				50	0	21.28
				1	0	22.26
	23800	711	QPSK	1	49	22.30
	23000	111	QF SK	25	12	21.27
				50	0	21.22
	23780	709	16QAM	1	0	21.87
				1	49	21.76
				25	12	20.41
				50	0	20.44
	23790	710	16QAM	1	0	21.51
10				1	49	21.97
10				25	12	20.44
				50	0	20.33
	23800	711	16QAM	1	0	21.62
				1	49	21.92
				25	12	20.42
				50	0	20.37
				1	0	20.73
	23780	709	64QAM	1	49	20.49
	23700	709	04QAIVI	25	12	19.68
				50	0	19.70
				1	0	21.09
	22700	710	640414	1	49	20.95
	23790	710	64QAM	25	12	19.66
				50	0	19.68
				1	0	20.44
	22000	714	640414	1	49	21.20
	23800	711	64QAM	25	12	19.50
				50	0	19.54



HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βd	β _d (SF)	βc/βd	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test	-	Power (d Channel	lBm)	Power Class 3	Comments
		4132	4183	4233	Limitation (dBm)	
	1	21.66	21.61	21.69	20.3dBm – 25.7dBm	Pass
HSDPA V	2	21.19	21.15	21.14	20.3dBm – 25.7dBm	Pass
	3	21.14	21.14	21.12	19.8dBm – 25.7dBm	Pass
	4	21.16	21.11	21.18	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βa	β _d (SF)	βc/βd	βнs	ßec	βed	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub test	Avg.	Power (c Channel	lBm)	Power Class 3 Limitation (dBm)	Comments
	1631	4132	4183	4233		
	1	21.67	21.57	21.65	17.3dBm – 25.7dBm	Pass
	2	19.07	19.05	19.18	16.8dBm – 25.7dBm	Pass
HSUPA V	3	20.09	20.04	20.09	17.8dBm – 25.7dBm	Pass
	4	19.14	19.01	19.15	16.8dBm – 25.7dBm	Pass
	5	21.70	21.60	21.60	20.3dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	28.75	26.72	24.35	22.38	20.41	18.35	16.58	14.27	12.33
PCL	9	10	11	12	13	14	15		
Output power (dBm)	10.57	8.65	6.54	4.35	2.14	0.25	-1.87		

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.


FCC 24.232(b) Mobile and portable stations are limited to 2W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3W ERP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Weif S date was stated the results stated the results state to the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Radiated Power Test Set-UP Frequency Over 1 GHz (B)



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.3. Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. EIRP = S.G. output (dBm) + Antenna Gain (dBi) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set VBW = $3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601 points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28
Bi-log Antenna	SCHWAZBECK	VULB9168	300	2017/12/20	2018/12/19
Horn Antenna	Schwarzbeck	BBHA9120D	603	2018/04/13	2019/04/12
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2018/08/16	2019/08/15
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01
Spectrum Analyzer	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2019/02/01
Radio Communica- tion Analyer	Anritsu	MT8820C	6201465317	2018/01/17	2019/01/16
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	2018/01/02	2019/01/01
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01
Low Loss Cable	Huber Suhner	966 TX	1	2018/01/02	2019/01/01



	EUT				Measur	ement		Limit dBm 38.45 38.45 38.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBd	dB	dBm	dBm					
	824.2	128	V	11.33	3.45	-3.12	11.66	38.45					
	024.2	120	Н	18.42	3.45	-3.12	18.76	38.45					
GSM	836.6	190	V	12.09	3.45	-3.32	12.22	38.45					
850	030.0	190	Н	19.19	3.45	-3.32	19.33	38.45					
	848.8	251	V	12.44	3.46	-3.16	12.74	38.45					
	040.0	201	Н	18.76	3.46	-3.16	19.06	38.45					
	824.2	128	V	11.86	3.45	-3.12	12.19	38.45					
	024.2	120	Н	18.23	3.45	-3.12	18.56	38.45					
GPRS	836.6	190	V	12.32	3.45	-3.32	12.46	38.45					
850	030.0	190	Н	19.78	3.45	-3.32	19.92	38.45					
	040.0 051	251	V	12.57	3.46	-3.16	12.87	38.45					
	848.8	201	Н	19.27	3.46	-3.16	19.57	38.45					

7.5. Measurement Result: (Peak) –using option of peak measurement

Remark: (1)The RBW,VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	10.76	9.77	-4.66	15.86	33.00
	1000.2	512	Н	18.19	9.77	-4.66	23.29	33.00
GSM 1900	1880.0	661	V	9.28	9.86	-4.70	14.44	33.00
	1000.0	001	Н	19.22	9.86	-4.70	24.38	33.00
	1909.8	810	V	6.81	9.94	-4.72	12.03	33.00
	1909.0	010	Н	17.34	9.94	-4.72	22.56	33.00
	1850.2	512	V	17.01	9.77	-4.66	22.11	33.00
	1000.2	512	Н	18.62	9.77	-4.66	23.72	33.00
GPRS	1990.0	661	V	17.47	9.86	-4.70	22.63	33.00
1900	1880.0	661	Н	22.05	9.86	-4.70	27.21	33.00
	1909.8	810	V	15.00	9.94	-4.72	20.22	33.00
	1909.0	010	Н	17.56	9.94	-4.72	22.78	33.00

Remark: (1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	16.47	3.45	-3.17	16.75	38.45
	020.4	4132	Н	17.96	3.45	-3.17	18.24	38.45
WCDMA	836.6	4183	V	16.52	3.46	-3.33	16.65	38.45
Band V	030.0	4105	Н	17.86	3.45	-3.32	18.00	38.45
	846.6	4233	V	16.79	3.46	-3.23	17.02	38.45
	040.0	4200	Н	17.74	3.46	-3.35	17.86	38.45
	826.4	4132	V	15.55	3.45	-3.18	15.83	38.45
	020.4	4152	Н	16.78	3.45	-3.18	17.05	38.45
HSDPA	836.6	4183	V	15.94	3.45	-3.32	16.08	dBm 5 38.45 4 38.45 5 38.45 5 38.45 6 38.45 7 38.45 8 38.45 9 38.45 9 38.45 9 38.45 9 38.45 9 38.45 9 38.45 9 38.45 1 38.45 2 38.45 3 38.45 9 38.45 1 38.45 2 38.45 2 38.45
Band V	050.0	4105	Н	16.55	3.45	-3.32	16.68	
	846.6	4233	V	16.68	3.46	-3.35	16.79	38.45
	040.0	4200	Н	17.43	3.46	-3.34	17.54	38.45
	826.4	4132	V	15.18	3.45	-3.17	15.46	38.45
	020.4	4152	Н	17.31	3.45	-3.17	17.59	38.45
HSUPA	836.6	4183	V	15.88	3.45	-3.32	16.01	38.45
Band V	030.0	4105	Н	17.22	3.45	-3.32	17.35	38.45
	946.6 400	4233	V	17.06	3.46	-3.3	17.22	38.45
	846.6	4200	Н	17.23	3.46	-3.36	17.33	38.45

Remark: (1)The RBW,VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised at the fullet at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	904 7	20407	V	14.38	3.45	-3.17	14.66	38.45
	824.7	20407	Н	15.87	3.45	-3.16	16.16	38.45
BAND 5 BW: 1.4M	836.5	20525	V	15.35	3.45	-3.29	15.52	38.45
QPSK	030.5	20525	Н	17.55	3.45	-3.29	17.71	38.45
RB: 1,0	848.3	20643	V	13.61	3.46	-3.34	13.73	38.45
TCD: 1,0	040.5	20043	Н	17.52	3.46	-3.31	17.66	38.45
1.76	824.7	20407	V	14.48	3.45	-3.11	14.82	38.45
LTE BAND 5	024.7	20407	Н	16.24	3.45	-3.11	16.58	38.45
BW: 1.4M	836.5	20525	V	15.58	3.45	-3.30	15.74	38.45
QPSK	030.5	20020	Н	17.61	3.45	-3.30	17.76	38.45
RB: 1,5	848.3	20643	V	13.69	3.46	-3.28	13.87	38.45
1.0.1,0	848.3	20043	Н	18.23	3.46	-3.22	18.48	38.45
LTE BAND 5 BW: 1.4M 16QAM	924 7	20407	V	15.29	3.45	-3.17	15.57	38.45
	824.7	20407	Н	17.02	3.45	-3.17	17.30	38.45
	926 F	20525	V	16.49	3.45	-3.29	16.65	38.45
	836.5	20525	Н	18.66	3.45	-3.29	18.83	38.45
RB: 1,0	040.2	20643	V	14.75	3.46	-3.34	14.86	38.45
TXD. 1,0	848.3	20043	Н	18.45	3.46	-3.32	18.60	38.45
	924 7	20407	V	15.63	3.45	-3.11	15.96	38.45
	824.7	20407	Н	17.43	3.45	-3.10	17.78	38.45
BAND 5 BW: 1.4M	926 F	20525	V	16.55	3.45	-3.30	16.71	38.45
16QAM	836.5	20525	Н	18.80	3.45	-3.30	18.96	38.45
RB: 1,5	040.0	20642	V	14.85	3.46	-3.28	15.03	38.45
IXD. 1,5	848.3	20643	Н	18.41	3.46	-3.26	18.60	38.45
	924 7	20407	V	15.87	3.45	-3.16	16.15	38.45
	824.7	20407	Н	17.69	3.45	-3.10	18.04	38.45
BAND 5 BW: 1.4M	926 F	20525	V	16.91	3.45	-3.28	17.08	38.45
	836.5	20525	Н	19.36	3.45	-3.29	19.52	38.45
64QAM RB: 1,0	040.0	20642	V	14.91	3.46	-3.35	15.02	38.45
1.0.1,0	848.3	20643	Н	18.73	3.46	-3.36	18.83	38.45
	004 7	20407	V	16.21	3.45	-3.10	16.55	38.45
LTE BAND 5 BW: 1.4M 64QAM RB: 1,5	824.7	20407	Н	18.10	3.45	-3.10	18.45	38.45
	926 E	20525	V	17.03	3.45	-3.30	17.18	38.45
	836.5	20525	Н	19.46	3.45	-3.30	19.61	38.45
	848.3 2	20642	V	15.03	3.46	-3.27	15.22	38.45
		20643	Н	18.72	3.46	-3.28	18.90	38.45

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



l	EUT			I. Output Gain Loss ERP Limit H dBm dBi dB dBm dBm 12.41 3.45 -3.16 12.70 38.45 15.70 3.45 -3.16 12.70 38.45 13.54 3.45 -3.17 15.98 38.45 17.27 3.45 -3.27 17.45 38.45 13.22 3.46 -3.43 13.25 38.45 17.29 3.46 -3.43 17.33 38.45 12.91 3.45 -3.16 13.20 38.45 16.32 3.45 -3.16 16.60 38.45 13.60 3.45 -3.31 13.75 38.45 13.60 3.45 -3.31 13.75 38.45 13.36 3.46 -3.30 13.52 38.45 13.36 3.46 -3.28 17.24 38.45						
Operation Band	Fundamental Frequency	СН	Antenna Pol.				ERP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	905 F	20445	V	12.41	3.45	-3.16	12.70	38.45		
	825.5	20415	Н	15.70	3.45	-3.17	15.98	38.45		
BAND 5 BW: 3M	926 F	20525	V	13.54	3.45	-3.28	13.72	38.45		
QPSK	836.5	20525	Н	17.27	3.45	-3.27	17.45	38.45		
RB: 1,0	847.5	20635	V	13.22	3.46	-3.43	13.25	38.45		
IXD. 1,0	047.0	20035	Н	17.29	3.46	-3.43		38.45		
	925 F	20415	V	12.91	3.45	-3.16	13.20	38.45		
	825.5	20415	Н	16.32	3.45	-3.16	16.60	38.45		
BAND 5	000 F	20525	V	13.60	3.45	-3.31	13.75	38.45		
BW: 3M	836.5	20525	Н	17.44	3.45	-3.31	17.58	38.45		
QPSK RB: 1,14 847.5	047 E	20625	V	13.36	3.46	-3.30	13.52	38.45		
КD. 1,14	847.5	20635	Н	17.06	3.46	-3.28	17.24	38.45		
LTE BAND 5 BW: 3M	005 5	00445	V	13.47	3.45	-3.17	13.75	38.45		
	825.5	20415	Н	16.86	3.45	-3.17	17.14	38.45		
	000 5	00505	V	14.64	3.45	-3.27	14.82	38.45		
	836.5	20525	Н	18.36	3.45	-3.27	18.54	38.45		
16QAM	047 5	00005	V	14.30	3.46	-3.43	14.33	38.45		
RB: 1,0	847.5	20635	Н	18.32	3.46	-3.42	18.35	38.45		
	005 5	00445	V	14.06	3.45	-3.16	14.34	38.45		
LTE	825.5	20415	Н	17.47	3.45	-3.16	17.76	38.45		
BAND 5	000 5	00505	V	14.65	3.45	-3.31	14.80	38.45		
BW: 3M	836.5	20525	Н	18.66	3.45	-3.31	18.80	38.45		
16QAM RB: 1,14	0.47 5	00005	V	14.45	3.46	-3.27	14.64	38.45		
KD. 1,14	847.5	20635	Н	18.23	3.46	-3.28	18.41	38.45		
	00F F	20445	V	14.37	3.45	-3.17	14.65	38.45		
	825.5	20415	Н	17.85	3.45	-3.16	18.14	38.45		
BAND 5	000 5	00505	V	15.52	3.45	-3.28	15.70	38.45		
BW: 3M	836.5	20525	Н	19.21	3.45	-3.28	19.39	38.45		
64QAM	047 5	20025	V	12.55	3.46	-3.42	12.58	38.45		
RB: 1,0	847.5	20635	Н	18.35	3.46	-3.43	18.38	38.45		
	005 5	20445	V	14.97	3.45	-3.15	15.27	38.45		
LTE BAND 5 BW: 3M 64QAM RB: 1,14	825.5	20415	Н	18.35	3.45	-3.16	18.64	38.45		
	000 F	20525	V	15.59	3.45	-3.31	15.74	38.45		
	836.5	20525	Н	19.60	3.45	-3.31	19.75	38.45		
	847.5 2	20625	V	13.15	3.46	-3.27	13.34	38.45		
		20635	Н	18.84	3.46	-3.31	18.99	38.45		

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT			Pol.OutputGainLossERPLimitV/HdBmdBidBdBdBmdBmV12.263.45-3.1712.5438.45H15.923.45-3.1716.2038.45V13.473.45-3.2613.6638.45H17.223.45-3.2617.4138.45V13.103.46-3.4013.1638.45H17.333.46-3.4017.3938.45V13.073.45-3.1913.3338.45H16.773.45-3.1917.0338.45V13.403.45-3.3213.5438.45H17.453.45-3.3213.5438.45H17.453.45-3.3213.5438.45H16.943.46-3.2713.3638.45H16.943.46-3.3017.1038.45						
Operation Band	Fundamental Frequency	СН	Antenna Pol.				ERP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	926 F	20425	V	12.26	3.45	-3.17	12.54	38.45		
	826.5	20425	Н	15.92	3.45	-3.17	16.20	38.45		
BAND 5 BW: 5M	836.5	20525		13.47	3.45	-3.26	13.66	38.45		
QPSK	030.5	20323	Н	17.22	3.45	-3.26	17.41	38.45		
RB: 1,0	846.5	20625	V	13.10	3.46	-3.40	13.16	38.45		
IXD. 1,0	040.5	20025	Н	17.33	3.46	-3.40	17.39	38.45		
1.76	826.5	20425		13.07	3.45	-3.19	13.33	38.45		
LTE BAND 5	020.5	20423	Н	16.77	3.45	-3.19	17.03	38.45		
BAND 5 BW: 5M	836.5	20525		13.40	3.45	-3.32	13.54			
QPSK	030.5	20323	Н	17.45	3.45	-3.32	17.58	38.45		
RB: 1,24	846.5	20625	V	13.17	3.46	-3.27	13.36	38.45		
TCD: 1,24	040.5	20025		16.94	3.46	-3.30	17.10	38.45		
LTE BAND 5	826.5	20425	V	13.49	3.45	-3.17	13.78	38.45		
	020.5	20425	Н	16.98	3.45	-3.17	17.27	38.45		
	836.5	20525	V	14.57	3.45	-3.26	14.76	38.45		
BW: 5M 16QAM	030.5	20525	Н	18.30	3.45	-3.26	18.49	38.45		
RB: 1,0	946 5	20625	V	14.22	3.46	-3.40	14.28	38.45		
IXD. 1,0	846.5	040.0 20020	Н	18.46	3.46	-3.40	18.52	38.45		
1.76	826.5	20425	V	14.24	3.45	-3.19	14.50	38.45		
LTE BAND 5	020.5	20425	Н	17.91	3.45	-3.18	18.18	38.45		
BAND 5 BW: 5M	836.5	20525	V	14.63	3.45	-3.32	14.76	38.45		
16QAM	030.5	20525	Н	18.65	3.46	-3.33	18.78	38.45		
RB: 1,24	846.5	20625	V	14.41	3.46	-3.28	14.59	38.45		
T.D. 1,24	040.5	20025	Н	18.15	3.46	-3.28	18.33	38.45		
1.76	826.5	20425	V	12.25	3.45	-3.17	12.53	38.45		
LTE BAND 5	020.5	20425	Н	17.90	3.45	-3.17	18.18	38.45		
BAND 5 BW: 5M	836.5	20525	V	14.66	3.45	-3.26	14.85	38.45		
64QAM	030.5	20525	Н	19.04	3.45	-3.26	19.23	38.45		
RB: 1,0	846.5	20625	V	13.11	3.46	-3.40	13.16	38.45		
	040.0	20023	Н	18.60	3.46	-3.40	18.66	38.45		
1 7 6	826 5	20125	V	12.67	3.45	-3.19	12.93	38.45		
LTE BAND 5 BW: 5M 64QAM RB: 1,24	826.5	20425	Н	18.74	3.45	-3.19	19.00	38.45		
	936 5	20525	V	14.41	3.45	-3.32	14.54	38.45		
	836.5	20525	Н	19.51	3.45	-3.32	19.64	38.45		
	846.5 2	20625	V	13.11	3.46	-3.29	13.28	38.45		
		20020	Н	18.81	3.46	-3.30	18.97	38.45		

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	000.0	20450	V	12.20	3.45	-3.10	12.55	38.45			
	829.0	20450	Н	15.87	3.45	-3.17	16.15	38.45			
BAND 5 BW: 10M	926 E	20525	V	13.17	3.45	-3.23	13.39	38.45			
QPSK	836.5	20525	Н	16.71	3.45	-3.24	16.93	38.45			
RB: 1,0	844.0	20600	V	13.27	3.46	-3.33	13.39	38.45			
IND. 1,0	044.0	20600	Н	17.33	3.46	-3.34	17.44	38.45			
	820.0	20450	V	13.30	3.45	-3.25	13.50	38.45			
	829.0	20450	Н	16.99	3.45	-3.25	17.19	38.45			
BAND 5 BW: 10M	926 F	20525	V	13.06	3.46	-3.35	13.16	38.45			
QPSK	836.5	20525	Н	17.18	3.46	-3.35	17.28	38.45			
RB: 1,49	844.0	844 0	20600	V	13.04	3.46	-3.32	13.18	38.45		
ND. 1,73		20600	Н	16.87	3.46	-3.32	17.02	38.45			
LTE BAND 5 BW: 10M 16QAM	820.0	20450	V	13.16	3.45	-3.17	13.43	38.45			
	829.0	20450	Н	16.87	3.45	-3.10	17.22	38.45			
	000 F	20525	V	14.26	3.45	-3.23	14.47	38.45			
	836.5	20525	Н	17.81	3.45	-3.24	18.02	38.45			
RB: 1,0	044.0	20000	V	13.26	3.46	-3.33	13.38	38.45			
IND. 1,0	844.0	20600	Н	18.34	3.46	-3.34	18.46	38.45			
	000.0	20450	V	14.38	3.45	-3.25	14.58	38.45			
	829.0	20450	Н	18.06	3.45	-3.25	18.26	38.45			
BAND 5	000 F	20525	V	14.13	3.46	-3.35	14.24	38.45			
BW: 10M 16QAM	836.5	20525	Н	18.29	3.46	-3.35	18.39	38.45			
RB: 1,49	044.0	20000	V	12.38	3.46	-3.29	12.55	38.45			
IXD. 1,49	844.0	20600	Н	18.00	3.46	-3.32	18.15	38.45			
	820.0	20450	V	13.96	3.45	-3.10	14.30	38.45			
	829.0	20450	Н	17.87	3.45	-3.12	18.20	38.45			
BAND 5	000 F	20525	V	14.63	3.45	-3.24	14.85	38.45			
BW: 10M	836.5	20525	Н	18.61	3.45	-3.25	18.81	38.45			
64QAM RB: 1,0	014 0	20600	V	13.59	3.46	-3.39	13.66	38.45			
	844.0	20600	Н	19.30	3.46	-3.34	19.42	38.45			
1.70	020.0	20450	V	14.44	3.45	-3.25	14.64	38.45			
LTE BAND 5 BW: 10M 64QAM RB: 1,49	829.0	20450	Н	18.96	3.45	-3.26	19.16	38.45			
	926 F	20525	V	13.82	3.46	-3.35	13.93	38.45			
	836.5	20525	Н	19.16	3.46	-3.36	19.26	38.45			
	844.0 2	20600	V	13.05	3.46	-3.30	13.21	38.45			
		844.0	844.0	844.0	844.0	844.0	20600	Н	18.74	3.46	-3.31

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	000 7	00047	V	2.18	3.67	-2.09	3.76	34.77
	699.7	23017	Н	10.57	3.67	-2.08	12.15	34.77
BAND 12 BW: 1.4M	707.5	23095	V	2.17	3.65	-1.81	4.01	34.77
QPSK	707.5	23095	Н	12.21	3.65	-1.82	14.04	34.77
RB: 1,0	715.3	23173	V	-1.59	3.62	-2.33	-0.30	34.77
TCD: 1,0	715.5	23173	Н	11.82	3.62	-2.32	13.13	34.77
1.70	699.7	23017	V	2.34	3.68	-2.25	3.77	34.77
LTE BAND 12	099.7	23017	Н	10.90	3.68	-2.26	12.32	34.77
BW: 1.4M	707.5	23095	V	1.97	3.65	-1.90	3.73	34.77
QPSK	707.5	20090	Н	12.36	3.65	-1.90	14.11	34.77
RB: 1,5	715.3	23173	V	-1.29	3.62	-2.35	-0.02	34.77
1.0.1,0		23173	Н	12.42	3.62	-2.36	13.67	34.77
LTE BAND 12	600 7	22017	V	3.19	3.67	-2.10	4.76	34.77
	699.7	23017	Н	11.54	3.67	-2.08	13.12	34.77
	707 5	22005	V	3.16	3.65	-1.81	5.01	34.77
BW: 1.4M 16QAM	707.5	23095	Н	13.26	3.65	-1.82	15.09	34.77
RB: 1,0	715.2	00170	V	-1.54	3.62	-2.28	-0.20	34.77
IXD. 1,0	715.3	5.3 23173	Н	11.63	3.62	-2.30	12.94	34.77
	699.7	23017	V	3.65	3.68	-2.26	5.07	34.77
	099.7	23017	Н	12.00	3.68	-2.26	13.42	34.77
BAND 12 BW: 1.4M	707 5	22005	V	2.92	3.65	-1.92	4.64	34.77
16QAM	707.5	23095	Н	13.44	3.65	-1.91	15.18	34.77
RB: 1,5	715.3	23173	V	-1.35	3.62	-2.36	-0.09	34.77
IXD. 1,5	715.5	23173	Н	12.50	3.62	-2.36	13.76	34.77
	600.7	22017	V	2.27	3.67	-2.15	3.80	34.77
	699.7	23017	Н	3.81	3.65	-1.82	5.64	34.77
BAND 12 BW: 1.4M	707 5	22005	V	-1.37	3.62	-2.31	-0.06	34.77
64QAM	707.5	23095	Н	4.11	3.67	-2.07	5.70	34.77
RB: 1,0	715.2	22172	V	3.66	3.65	-1.87	5.45	34.77
	715.3	23173	Н	-1.41	3.62	-2.37	-0.16	34.77
	600.7	22017	V	10.26	3.67	-2.09	11.84	34.77
	699.7	23017	Н	13.14	3.65	-1.83	14.96	34.77
BAND 12	707 5	22005	V	11.09	3.62	-2.32	12.40	34.77
BW: 1.4M 64QAM RB: 1,5	707.5	23095	Н	12.11	3.67	-2.03	13.75	34.77
	715.2 0	23173	V	13.57	3.65	-1.88	15.34	34.77
	715.3	23173	Н	11.50	3.62	-2.37	12.75	34.77

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	700 E	00005	V	1.78	3.67	-2.09	3.36	34.77
	700.5	23025	Н	10.15	3.67	-2.06	11.75	34.77
BAND 12 BW: 3M	707.5	23095	V	1.94	3.66	-1.85	3.74	34.77
QPSK	707.5	23095	Н	11.72	3.66	-1.83	13.55	34.77
RB: 1,0	714.5	23165	V	0.18	3.63	-2.21	1.60	34.77
IXD. 1,0	714.5	23105	Н	12.56	3.63	-2.21	13.97	34.77
1.76	700.5	23025	V	2.36	3.67	-2.18	3.86	34.77
	700.5	23025	Н	11.05	3.68	-2.18	12.54	34.77
BAND 12 BW: 3M	707.5	23095	V	1.47	3.65	-1.91	3.20	34.77
QPSK	101.5	23095	Н	12.06	3.65	-1.92	13.79	34.77
RB: 1,14	714.5	22165	V	-1.39	3.62	-2.37	-0.14	34.77
		23165	Н	12.43	3.62	-2.37	13.68	34.77
LTE BAND 12 BW: 3M	700 F	22025	V	1.79	3.67	-2.12	3.34	34.77
	700.5	23025	Н	9.92	3.67	-2.10	11.48	34.77
	707 F	22005	V	2.98	3.66	-1.82	4.82	34.77
	707.5	23095	Н	12.81	3.66	-1.84	14.63	34.77
16QAM RB: 1,0	744 5	00465	V	0.21	3.63	-2.20	1.64	34.77
IXD. 1,0	714.5	23165	Н	12.62	3.63	-2.20	14.04	34.77
	700 F	22025	V	2.74	3.67	-2.17	4.25	34.77 34.77 34.77
	700.5	23025	Н	11.44	3.67	-2.18	12.94	34.77
BAND 12	707 E	22005	V	2.28	3.65	-1.92	4.01	34.77
BW: 3M 16QAM	707.5	23095	Н	12.85	3.65	-1.93	14.58	34.77
RB: 1,14	744 5	00465	V	-1.46	3.62	-2.36	-0.20	34.77
KD. 1,14	714.5	23165	Н	12.41	3.62	-2.37	13.66	34.77
	700 F	22025	V	2.22	3.67	-2.12	3.77	34.77
	700.5	23025	Н	10.25	3.67	-2.09	11.83	34.77
BAND 12	707 E	22005	V	3.02	3.66	-1.84	4.84	34.77
BW: 3M	707.5	23095	Н	12.09	3.66	-1.83	13.92	34.77
64QAM RB: 1,0	714 5	22465	V	0.67	3.63	-2.20	2.10	34.77
ΠD. 1,0	714.5	23165	Н	12.30	3.62	-2.26	13.67	34.77
	700 E	22025	V	3.08	3.68	-2.18	4.58	34.77
LTE BAND 12 - BW: 3M 64QAM RB: 1,14	700.5	23025	Н	11.50	3.67	-2.16	13.01	34.77
	707 5	22005	V	2.41	3.65	-1.93	4.13	34.77
	707.5	23095	Н	12.24	3.65	-1.93	13.95	34.77
	714.5 2	22465	V	-1.50	3.62	-2.37	-0.25	34.77
		714.5	23165	Н	11.53	3.62	-2.37	12.78

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	701 5	22025	V	2.18	3.67	-2.10	3.75	34.77
	701.5	23035	Н	10.10	3.67	-2.10	11.67	34.77
BAND 12 BW: 5M	707.5	23095	V	2.18	3.66	-1.89	3.95	34.77
QPSK	707.5	23095	Н	11.17	3.66	-1.90	12.93	34.77
RB: 1,0	713.5	23155	V	1.21	3.64	-2.08	2.76	34.77
IXD. 1,0	715.5	23155	Н	11.99	3.64	-2.09	13.53	34.77
1.76	701.5	23035	V	1.76	3.67	-2.03	3.40	34.77
LTE BAND 12	701.5	23035	Н	10.30	3.67	-2.03	11.94	34.77
BW: 5M	707.5	23095	V	1.52	3.64	-1.98	3.18	34.77
QPSK	707.5	23095	Н	11.72	3.64	-2.00	13.36	34.77
RB: 1,24	713.5	23155	V	-1.21	3.62	-2.34	0.06	34.77
1.0.1,24		23100	Н	11.91	3.62	-2.35	13.17	34.77
LTE	701 5	22025	V	2.01	3.67	-2.09	3.59	34.77
	701.5	23035	Н	11.26	3.67	-2.10	12.82	34.77
BAND 12 BW: 5M 16QAM	707 F	22005	V	2.35	3.66	-1.90	4.10	34.77
	707.5	23095	Н	11.21	3.66	-1.89	12.98	34.77
RB: 1,0	712 5	23155	V	2.21	3.64	-2.08	3.77	34.77
IXD. 1,0	713.5	23133	Н	13.13	3.64	-2.08	14.69	34.77
	701.5	23035	V	1.80	3.67	-2.04	3.43	34.77
	701.5	23035	Н	10.34	3.67	-2.03	11.97	34.77
BAND 12 BW: 5M	707 F	22005	V	2.63	3.64	-1.98	4.29	34.77
16QAM	707.5	23095	Н	12.86	3.64	-1.98	14.53	34.77
RB: 1,24	713.5	23155	V	-1.25	3.62	-2.36	0.01	34.77
TCD: 1,24	715.5	23155	Н	11.81	3.62	-2.35	13.08	34.77
	701 5	22025	V	3.42	3.67	-2.10	4.99	34.77
	701.5	23035	Н	10.06	3.67	-2.09	11.63	34.77
BAND 12	707 F	22005	V	3.70	3.66	-1.91	5.45	34.77
BW: 5M 64QAM	707.5	23095	Н	10.92	3.66	-1.84	12.73	34.77
RB: 1,0	712 5	22155	V	3.48	3.62	-2.27	4.83	34.77
	713.5	23155	Н	13.89	3.64	-2.09	15.43	34.77
	701 5	2202E	V	3.64	3.67	-2.05	5.26	34.77
LTE BAND 12 - BW: 5M 64QAM RB: 1,24	701.5	23035	Н	10.42	3.67	-2.02	12.07	34.77
	707 E	22005	V	5.34	3.64	-1.98	7.01	34.77
	707.5	23095	Н	13.01	3.64	-1.98	14.67	34.77
	713.5 2	22155	V	1.96	3.62	-2.37	3.21	34.77
		23155	Н	11.51	3.62	-2.35	12.77	34.77

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	704.0	22060	V	2.13	3.67	-2.11	3.69	34.77
	704.0	23060	Н	10.03	3.67	-2.07	11.63	34.77
BAND 12 BW: 10M	707.5	23095	V	1.93	3.67	-2.08	3.52	34.77
QPSK	707.5	23095	Н	10.34	3.67	-2.07	11.94	34.77
RB: 1,0	711.0	23130	V	2.14	3.66	-1.83	3.97	34.77
TCD: 1,0	711.0	23130	Н	11.35	3.66	-1.81	13.19	34.77
LTE	704.0	23060	V	1.68	3.65	-1.90	3.43	34.77
BAND 12	704.0	23000	Н	11.45	3.65	-1.91	13.19	34.77
BW: 10M	707.5	23095	V	1.00	3.63	-2.13	2.50	34.77
QPSK	101.5	23095	Н	12.06	3.63	-2.14	13.56	34.77
RB: 1,49	711.0	23130	V	-1.31	3.62	-2.37	-0.06	34.77
т.D. 1, 1 3		23130	Н	11.61	3.62	-2.35	12.89	34.77
	704.0	23060	V	3.15	3.67	-2.08	4.75	34.77
	704.0	23000	Н	11.13	3.67	-2.07	12.73	34.77
BAND 12	707 F	22005	V	1.95	3.67	-2.08	3.54	34.77
BW: 10M 16QAM	707.5	23095	Н	10.39	3.67	-2.07	11.99	34.77
RB: 1,0	711.0	23130	V	3.17	3.65	-1.80	5.02	34.77
IXD. 1,0	711.0	23130	Н	12.54	3.66	-1.81	14.39	34.77
	704.0	22060	V	2.14	3.65	-1.89	3.90	34.77
	704.0	23060	Н	11.56	3.65	-1.90	13.32	34.77
BAND 12	707 F	22005	V	1.88	3.63	-2.12	3.40	34.77
BW: 10M 16QAM	707.5	23095	Н	13.11	3.63	-2.13	14.61	34.77
RB: 1,49	711.0	22120	V	-1.39	3.62	-2.35	-0.12	34.77
IXD. 1,49	711.0	23130	Н	11.58	3.62	-2.35	12.85	34.77
	704.0	23060	V	2.66	3.67	-2.02	4.30	34.77
	704.0	23000	Н	12.05	3.67	-2.07	13.64	34.77
BAND 12 BW: 10M	707 F	22005	V	2.96	3.65	-1.84	4.78	34.77
	707.5	23095	Н	10.53	3.67	-2.07	12.13	34.77
64QAM RB: 1,0	711.0	22120	V	5.19	3.65	-1.80	7.04	34.77
	711.0	23130	Н	12.76	3.65	-1.80	14.61	34.77
	704.0	22060	V	3.99	3.65	-1.90	5.74	34.77
LTE BAND 12 - BW: 10M 64QAM RB: 1,49	704.0	23060	Н	11.84	3.65	-1.92	13.57	34.77
	707 E	22005	V	5.58	3.63	-2.13	7.09	34.77
	707.5	23095	Н	13.91	3.63	-2.12	15.42	34.77
	711.0 2	22120	V	1.96	3.62	-2.33	3.25	34.77
		23130	Н	11.30	3.62	-2.35	12.58	34.77

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	700 5	00755	V	6.02	3.65	-1.84	7.83	34.77
	706.5	23755	Н	12.97	3.65	-1.84	14.78	34.77
BAND 17 BW: 5M	710.0	23790	V	6.99	3.65	-1.88	8.76	34.77
QPSK	710.0	23790	Н	14.47	3.65	-1.86	16.26	34.77
RB: 1,0	713.5	23825	V	6.21	3.64	-2.09	7.75	34.77
TCD: 1,0	715.5	23025	Н	14.68	3.63	-2.10	16.22	34.77
LTE	706.5	23755	V	6.77	3.65	-1.92	8.50	34.77
BAND 17	700.5	23733	Н	14.52	3.65	-1.92	16.25	34.77
BW: 5M	710.0	23790	V	6.06	3.63	-2.14	7.56	34.77
QPSK	710.0	23790	Н	14.69	3.63	-2.14	16.19	34.77
RB: 1,24	713.5	23825	V	4.49	3.62	-2.36	5.75	34.77
1.0.1,27		23025	Н	14.10	3.62	-2.36	15.36	34.77
LTE	706.5	23755	V	6.10	3.65	-1.86	7.89	34.77
	700.5	23755	Н	13.03	3.65	-1.84	14.84	34.77
BAND 17 BW: 5M 16QAM	710.0	23790	V	8.10	3.65	-1.88	9.87	34.77
	710.0	23790	Н	15.69	3.65	-1.89	17.44	34.77
RB: 1,0	712 5	23825	V	7.45	3.64	-2.08	9.01	34.77
TCD: 1,0	713.5	23023	Н	15.77	3.63	-2.10	17.30	34.77
	706.5	23755	V	6.97	3.65	-1.91	8.71	34.77
	700.5	25755	Н	14.76	3.65	-1.92	16.49	34.77
BAND 17 BW: 5M	710.0	23790	V	7.22	3.63	-2.13	8.72	34.77
16QAM	710.0	23790	Н	15.92	3.63	-2.14	17.41	34.77
RB: 1,24	713.5	23825	V	4.33	3.62	-2.36	5.58	34.77
TCD: 1,24	715.5	23025	H	13.96	3.62	-2.36	15.22	34.77
1.70	706.5	23755	V	6.11	3.65	-1.83	7.94	34.77
LTE BAND 17	700.5	25755	H	12.96	3.65	-1.85	14.76	34.77
BW: 5M	710.0	23790	V	9.07	3.65	-1.86	10.86	34.77
64QAM	710.0	23790	Н	16.45	3.65	-1.88	18.21	dBm34.77
RB: 1,0	713.5	23825	V	8.47	3.64	-2.08	10.03	34.77
1.0.1,0	713.5	23825	Н	16.51	3.64	-2.08	18.07	
	706.5	23755	V	7.16	3.65	-1.93	8.87	34.77
LTE BAND 17	700.5	20100	Н	14.68	3.65	-1.92	16.41	34.77
	710.0	23790	V	7.87	3.63	-2.13	9.37	34.77
BW: 5M 64QAM RB: 1,24	710.0	23/90	Н	16.14	3.63	-2.15	17.62	34.77
	713.5 2	23825	V	4.89	3.62	-2.37	6.13	34.77
	710.0	23825	H	13.84	3.62	-2.37	15.09	34.77

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



	EUT				Measure	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	700.0	00700	V	6.10	3.66	-1.88	7.88	34.77
	709.0	23780	Н	13.15	3.65	-1.85	14.95	34.77
BAND 17 BW: 10M	710.0	22700	V	7.25	3.66	-1.88	9.03	34.77
QPSK	710.0	23790	Н	14.32	3.66	-1.87	16.11	34.77
RB: 1,0	711.0	23800	V	5.18	3.66	-1.81	7.02	34.77
IXD. 1,0	711.0	23000	Н	14.41	3.65	-1.80	16.26	34.77
1.76	709.0	23780	V	5.32	3.63	-2.22	6.73	34.77
LTE BAND 17	709.0	23780	Н	13.75	3.63	-2.22	15.15	34.77
BW: 10M	710.0	23790	V	4.32	3.62	-2.26	5.68	34.77
QPSK	710.0	23790	Н	13.59	3.62	-2.30	14.92	34.77
RB: 1,49	711.0	23800	V	4.16	3.62	-2.34	5.44	34.77
110.1,40	711.0	23000	Н	13.72	3.62	-2.35	15.00	34.77
1.76	709.0	23780	V	6.09	3.66	-1.88	7.87	34.77
LTE BAND 17	709.0	25760	Н	13.23	3.65	-1.87	15.01	34.77
BW: 10M	710.0	23790	V	7.31	3.66	-1.87	9.10	34.77
16QAM	710.0		Н	14.39	3.66	-1.85	16.20	34.77
RB: 1,0	711.0	23800	V	8.22	3.65	-1.80	10.07	34.77
TCD: 1,0	711.0	23000	Н	15.50	3.65	-1.82	17.33	34.77
	709.0	23780	V	5.48	3.63	-2.22	6.88	34.77
	709.0	23760	Н	14.34	3.63	-2.22	15.75	34.77
BAND 17 BW: 10M	710.0	23790	V	4.37	3.62	-2.26	5.73	34.77
16QAM	710.0	23790	Н	13.62	3.62	-2.28	14.97	34.77
RB: 1,49	711.0	23800	V	4.09	3.62	-2.33	5.38	34.77
TCD: 1,40	711.0	23000	Н	13.68	3.62	-2.33	14.97	34.77
	709.0	23780	V	6.28	3.66	-1.87	8.07	34.77
	709.0	23760	Н	13.01	3.65	-1.87	14.79	34.77
BAND 17 BW: 10M	710.0	23790	V	7.41	3.66	-1.88	9.19	34.77
64QAM	710.0	23790	Н	14.35	3.66	-1.87	16.13	34.77
RB: 1,0	711.0	23800	V	8.58	3.65	-1.80	10.43	34.77
	711.0	23000	Н	15.60	3.65	-1.80	17.46	34.77
	700.0	23780	V	6.04	3.63	-2.21	7.45	34.77
	LTE 709.0		Н	14.39	3.63	-2.23	15.79	34.77
BAND 17 BW: 10M	710.0	22700	V	5.06	3.62	-2.29	6.40	34.77
64QAM	710.0	23790	Н	13.63	3.62	-2.28	14.98	34.77
RB: 1,49	711.0	23800	V	4.78	3.62	-2.35	6.05	34.77
110. 1,79	711.0	23000	Н	13.64	3.62	-2.34	14.92	34.77

Remark: (1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz




8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY57120290	2018/02/14	2019/02/13
Radio Communi- cation Analyer	Anritsu	MT8815B	6200711454	2018/04/05	2019/04/04
DC Power Supply	Anritsu	E3640A	MY40000811	2017/12/18	2018/12/17
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	2018/01/02	2019/01/01
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01

8.5. Measurement Result

Freq. (MHz)		99% BV	V (MHz)	26 dB BW (MHz)		
	СН	GSM	GPRS	GPRS	GPRS 850	
		850	850	850		
824.2	128	0.24550	0.24391	0.315	0.318	
836.6	190	0.24661	0.24661	0.319	0.319	
848.8	251	0.24313	0.24305	0.317	0.320	

Freq. (MHz)		99% BV	V (MHz)	26 dB BW (MHz)		
	СН	GSM	GPRS	GSM	GPRS	
		1900	1900	1900	1900	
1850.2	512	0.24717	0.24325	0.312	0.319	
1880.0	661	0.24913	0.24327	0.313	0.315	
1909.8	810	0.24409	0.24319	0.326	0.318	

ſ	Eroa		99% BW (MHz)			26 dB BW (MHz)			
	Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA	
			V	V	V	V	V	V	
I	826.40	4132	4.11760	4.11940	4.12520	4.650	4.643	4.653	
	836.60	4183	4.11490	4.10880	4.11010	4.645	4.649	4.645	
l	846.60	4233	4.11030	4.10740	4.10130	4.654	4.650	4.650	

26 dB BW (MHz)

16QAM

9.786

9.759

9.771

64QAM

9.764

9.878

9.784



LTE BAND 5 Channel bandwidth: 1.4MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)					
(MHz)	UI	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM			
824.7	20407	1.0935	1.0921	1.0958	1.238	1.232	1.237			
836.5	20525	1.0944	1.1008	1.0956	1.242	1.239	1.245			
848.3	20643	1.0916	1.0956	1.0943	1.240	1.237	1.238			

	LTE BAND 5 Channel bandwidth: 3MHz											
Freq. (MHz)	СН	99% BW (MHz)			26 dB BW (MHz)							
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM					
825.5	20415	2.6991	2.6997	2.7038	2.997	3.002	2.995					
836.5	20525	2.7010	2.6996	2.7038	2.987	3.004	2.990					
847.5	20635	2.6984	2.7008	2.7028	3.014	3.007	2.986					

LTE BAND 5 Channel bandwidth: 10MHz

64QAM

8.9903

8.9807

8.9728

OPSK

9.837

9.822

9.835

99% BW (MHz)

16QAM

8.9593

8.9512

8.9423

Freq.

(MHz)

829.0

836.5

844.0

СН

20450

20525

20600

OPSK

8.9777

8.9838

8.9693

	LTE BAND 5 Channel bandwidth: 5MHz											
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)							
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM					
826.5	20425	4.4998	4.5017	4.4970	5.007	4.987	4.937					
836.5	20525	4.5026	4.5068	4.4953	4.998	4.952	4.981					
846.5	20625	4.4915	4.5012	4.4916	4.999	4.983	4.967					

	LTE BAND 12 Channel bandwidth: 1.4MHz											
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)							
(MHz)	Сп	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM					
699.7	23017	1.0950	1.0976	1.0962	1.242	1.241	1.237					
707.5	23095	1.0940	1.0951	1.0958	1.237	1.238	1.237					
715.3	23173	1.0928	1.0983	1.0963	1.221	1.241	1.237					

	LTE BAND 12 Channel bandwidth: 5MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
701.5	23035	4.4994	4.4991	4.5105	5.008	4.954	5.001				
707.5	23095	4.5031	4.5025	4.5201	5.015	4.971	4.993				
713.5	23155	4.5047	4.5015	4.5109	5.013	4.982	4.968				

	LTE BAND 17 Channel bandwidth: 5MHz											
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)							
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM					
706.5	23755	4.5028	4.5085	4.5085	5.003	4.990	5.008					
710.0	23790	4.5017	4.4986	4.5061	4.991	4.975	4.952					
713.5	23825	4.5006	4.5035	4.5052	4.992	4.953	4.950					


	LTE BAND 12 Channel bandwidth: 3MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
700.5	23025	2.6987	2.7011	2.7046	2.990	3.008	3.000				
707.5	23095	2.6990	2.7038	2.7052	2.992	3.008	2.991				
714.5	23165	2.7009	2.6997	2.7058	3.007	3.010	2.983				

LTE BAND 12 Channel bandwidth: 10MHz											
Freq. (MHz)	СН	99% BW (MHz)			26 dB BW (MHz)						
	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
704.0	23060	9.0033	8.9626	8.9861	9.810	9.814	9.814				
707.5	23095	9.0080	8.9632	8.9943	9.832	9.780	9.859				
711.0	23130	8.9886	8.9569	8.9705	9.857	9.754	9.812				


LTE BAND 17 Channel bandwidth: 10MHz											
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
709.0	23780	8.9766	8.9681	8.9829	9.827	9.797	9.868				
710.0	23790	8.9988	8.9488	8.9699	9.840	9.749	9.854				
711.0	23800	9.0036	8.9503	8.9765	9.825	9.714	9.840				




GSM 850MHz LowCH128-824.2




GSM_850MHz_MidCH190-836.6




GSM_850MHz_HighCH251-848.8




GPRS 850MHz LowCH128-824.2



GPRS_850MHz_MidCH190-836.6



GPRS_850MHz_HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




GSM 1900MHz LowCH512-1850.2




GSM_1900MHz_MidCH661-1880




GSM_1900MHz_HighCH810-1909.8




GPRS 1900MHz LowCH512-1850.2



GPRS_1900MHz_MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




WCDMA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




WCDMA_B5_HighCH4233-846.6




HSDPA B5 LowCH4132-826.4



HSDPA_B5_MidCH4183-836.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


S Taiwan I td No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




HSUPA B5 LowCH4132-826.4



HSUPA_B5_MidCH4183-836.6




HSUPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band5_1_4MHz_QPSK_6_0_LowCH20407-824.7



Band5_1_4MHz_QPSK_6_0_MidCH20525-836.5




Band5_1_4MHz_QPSK_6_0_HighCH20643-848.3








Band5_1_4MHz_16QAM_6_0_MidCH20525-836.5



Band5_1_4MHz_16QAM_6_0_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band5_1_4MHz_64QAM_6_0_LowCH20407-824.7




Band5_1_4MHz_64QAM_6_0_MidCH20525-836.5




Band5_1_4MHz_64QAM_6_0_HighCH20643-848.3




Band5_3MHz_QPSK_15_0_LowCH20415-825.5



Band5_3MHz_QPSK_15_0_MidCH20525-836.5



Band5_3MHz_QPSK_15_0_HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band5_3MHz_16QAM_15_0_LowCH20415-825.5




Band5_3MHz_16QAM_15_0_MidCH20525-836.5




Band5_3MHz_16QAM_15_0_HighCH20635-847.5






Band5_3MHz_64QAM_15_0_LowCH20415-825.5

Band5_3MHz_64QAM_15_0_MidCH20525-836.5



Band5_3MHz_64QAM_15_0_HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band5_5MHz_QPSK_25_0_LowCH20425-826.5




Band5_5MHz_QPSK_25_0_MidCH20525-836.5




Band5_5MHz_QPSK_25_0_HighCH20625-846.5






Band5_5MHz_16QAM_25_0_LowCH20425-826.5

Band5_5MHz_16QAM_25_0_MidCH20525-836.5



Band5_5MHz_16QAM_25_0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band5_5MHz_64QAM_25_0_LowCH20425-826.5




Band5_5MHz_64QAM_25_0_MidCH20525-836.5




Band5_5MHz_64QAM_25_0_HighCH20625-846.5




Band5_10MHz_QPSK_50_0_LowCH20450-829



Band5_10MHz_QPSK_50_0_MidCH20525-836.5




Band5_10MHz_QPSK_50_0_HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only




Band5_10MHz_16QAM_50_0_LowCH20450-829




Band5_10MHz_16QAM_50_0_MidCH20525-836.5




Band5_10MHz_16QAM_50_0_HighCH20600-844




Band5_10MHz_64QAM_50_0_LowCH20450-829



Band5_10MHz_64QAM_50_0_MidCH20525-836.5



Band5_10MHz_64QAM_50_0_HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_1_4MHz_QPSK_6_0_LowCH23017-699.7




Band12_1_4MHz_QPSK_6_0_MidCH23095-707.5




Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3




Band12_1_4MHz_16QAM_6_0_LowCH23017-699.7



Band12_1_4MHz_16QAM_6_0_MidCH23095-707.5



Band12_1_4MHz_16QAM_6_0_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and Conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_1_4MHz_64QAM_6_0_LowCH23017-699.7




Band12_1_4MHz_64QAM_6_0_MidCH23095-707.5




Band12_1_4MHz_64QAM_6_0_HighCH23173-715.3




Band12_3MHz_QPSK_15_0_LowCH23025-700.5



Band12_3MHz_QPSK_15_0_MidCH23095-707.5



Band12_3MHz_QPSK_15_0_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_3MHz_16QAM_15_0_LowCH23025-700.5




Band12_3MHz_16QAM_15_0_MidCH23095-707.5




Band12_3MHz_16QAM_15_0_HighCH23165-714.5




Band12_3MHz_64QAM_15_0_LowCH23025-700.5



Band12_3MHz_64QAM_15_0_MidCH23095-707.5



Band12_3MHz_64QAM_15_0_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_5MHz_QPSK_25_0_LowCH23035-701.5




Band12_5MHz_QPSK_25_0_MidCH23095-707.5




Band12_5MHz_QPSK_25_0_HighCH23155-713.5




Band12_5MHz_16QAM_25_0_LowCH23035-701.5



Band12_5MHz_16QAM_25_0_MidCH23095-707.5



Band12_5MHz_16QAM_25_0_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_5MHz_64QAM_25_0_LowCH23035-701.5




Band12_5MHz_64QAM_25_0_MidCH23095-707.5




Band12_5MHz_64QAM_25_0_HighCH23155-713.5




Band12_10MHz_QPSK_50_0_LowCH23060-704



Band12_10MHz_QPSK_50_0_MidCH23095-707.5



Band12_10MHz_QPSK_50_0_HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Contention is stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Band12_10MHz_16QAM_50_0_LowCH23060-704




Band12_10MHz_16QAM_50_0_MidCH23095-707.5




Band12_10MHz_16QAM_50_0_HighCH23130-711




Band12_10MHz_64QAM_50_0_LowCH23060-704



Band12_10MHz_64QAM_50_0_MidCH23095-707.5



Band12_10MHz_64QAM_50_0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and Conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law