



FCC CERTIFICATION REPORT

Test Report No. : MH/2018/A0204
Applicant : Sharp Corporation, Mobile Communication B.U.
Address : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima
 739-0192, Japan
Manufacturer : Sharp Corporation
Address : 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-8522, Japan

Equipment Under Test (EUT) :
Product Name : Cellular Phone

Standards : FCC Part 15, Subpart B, Class B
FCC Designation Numbers : 916890 / TW1087

Date of Receipt : Oct. 26, 2018
Date of Test : Oct. 26 ~ Nov. 16, 2018
Date of Issue : Nov. 29, 2018

Test Result :	PASS
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electronics & Communication Laboratory or testing done by SGS Taiwan Electronics & Communication Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electronics & Communication Laboratory in writing.

Tested By: Lowka Chen **Date** Nov. 29, 2018

Lowka Chen (Engineer)

Approved By Eddy Cheng **Date** Nov. 29, 2018

Eddy Cheng (Asst. Supervisor)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History

Report Number	Revision	Description	Issue Date
MH/2018/A0204	Rev.00	Initial creation of document	Nov. 29, 2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Contents

1. GENERAL INFORMATION	4
1.1 APPLICANT & MANUFACTURER INFORMATION	4
1.2 GENERAL DESCRIPTION OF EUT	4
1.3 DETAILS OF EUT	4
1.4 OPERATION PROCEDURE	5
1.5 DESCRIPTION OF SUPPORT UNITS	6
1.6 MODIFICATION LIST	7
1.7 ACCESSORIES CABLE LIST	7
1.8 TEST SET-UP CONFIGURATION.....	7
1.9 MEASUREMENT PROCEDURE	9
1.10 STANDARDS APPLICABLE FOR TESTING.....	9
1.11 SUMMARY OF RESULTS	9
2. EMISSION	10
2.1 TEST RESULTS	10
2.2 FREQUENCY RANGE.....	10
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	10
2.3.1 LIMITS OF CONDUCTED EMISSION	10
2.3.2 LIMITS OF RADIATED EMISSIONS	11
2.4. TEST OF CONDUCTED EMISSION.....	12
2.4.1 TEST EQUIPMENTS	12
2.4.2 OPERATING ENVIRONMENT	12
2.4.3 MEASUREMENT LEVEL CALCULATION.....	12
2.4.4 MEASUREMENT DATA:.....	13
2.5 TEST OF RADIATED EMISSION.....	19
2.5.1 TEST EQUIPMENTS	19
2.5.2 OPERATING ENVIRONMENT	21
2.5.3 MEASUREMENT LEVEL CALCULATION.....	21
2.5.4 MEASUREMENT DATA.....	22
3. PHOTOGRAPHS OF TEST	46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Sharp Corporation, Mobile Communication B.U.
 Address of Applicant : 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima 739-0192, Japan
 Manufacturer : Sharp Corporation
 Address of Manufacturer : 1 Takumi-cho, Sakai-ku, Sakai-Shi, Osaka 590-8522, Japan

1.2 General Description of EUT

Product Name : Cellular Phone

1.3 Details of EUT

Power Supply : AC 100~240V, 50/60Hz
 Highest operate description : 2480 MHz
 Battery : 3.8V, 1680mAh, 6.38Wh
 Cradle : Model No.: A
 Supplier : A
 Worst case : CE worst case : Config 4
 Below RE worst case : Config 2
 Above RE worst case : Config 3

FCC ID : APYHRO00268	DDR	PCB	(Select which one is worst case)
Type~A	Main Source	Main Source	V
Type~B	2 nd source-1	Main Source	Worst case
Type~C	2 nd source-2	2 nd source	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Accessories List: AC Charger : Salom/XN-2QC25 Data Cable : L6KU2001-CS-H PHF : Sony / MDR-EX15AP Conversion plug : n/a / SHX11QVA Cradle (In-box) : A	Config 1	Config 2	Config 3	Config 4
Applicable standard	FCC 15B			
Accessories	EUT + AC Adaptor +USB Cable	EUT +USB Cable	EUT + Conversion plug +PHF	EUT +USB Cable +Cradle +Adapter
Main function	<i>Speech</i>	<i>Data Link</i>	<i>Camera</i>	<i>Charging</i>
Additional function	BT+WIFI +GPS+NFC			
Description				
radiated emission	GSM 850/1900 WCDMA BV	Data R/W	MP4/ ;REC mode ;play REC	Charging
conducted emission (DC Power)	NA	NA	NA	NA
conducted emission (AC Power)	GSM 850/1900 WCDMA BV	Data R/W	NA	Charging

1.4 Operation Procedure

Config 1

1. Let EUT plug in SD Card & SIM Card, connect to Adapter with USB cable and turn it on.
2. Turn on BT function and connect to the Bluetooth speaker.
3. Turn on WiFi function and connect with NB_2 WiFi-AP, ping EUT IP Address.
4. Set up GPS simulator and turn on GPS test app.
5. Turn on the NFC function and confirm that the NFC function is normal.
6. Set up base station, set channel GSM/WCDMA/LTE Link or Idle.
7. Start the test.

Config 2

1. Let EUT plug in SD Card & SIM Card, connect to NB with USB cable.
2. Turn on BT function and connect to the Bluetooth speaker.
3. Turn on WiFi function and connect with NB_2 WiFi-AP, ping EUT IP Address.
4. Set up GPS simulator and turn on GPS test app.
5. Turn on the NFC function and confirm that the NFC function is normal.
6. Execute Data Read/Write in NB with EUT.
7. Start the test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config 3

1. Let EUT plug in SD Card & SIM Card, connect to USB to Audio Cable to Earphone.
2. Turn on BT function and connect to the Bluetooth speaker.
3. Turn on WiFi function and connect with NB_2 WiFi-AP, ping EUT IP Address.
4. Set up GPS simulator and turn on GPS test app.
5. Turn on the NFC function and confirm that the NFC function is normal.
6. EUT execution: a_1729.mp4 Play, b_Camera REC, c_Camera_Play
7. Start the test.

Config 4

1. Let Cradle connect to Adapter with USB cable.
2. Let EUT plug in SD Card & SIM Card and turn it on.
3. Turn on BT function and connect to the Bluetooth speaker.
4. Turn on WiFi function and connect with NB_2 WiFi-AP, ping EUT IP Address.
5. Set up GPS simulator and turn on GPS test app.
6. Turn on the NFC function and confirm that the NFC function is normal.
7. Place EUT on Cradle to charge
8. Start the test.

1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
SIM Card	R&S	CMW-Z05	8952530076180138474
Micro SD	Transcend	SDHC (Class 4)	N/A
BT Speaker	Creative	MF8090	YFMF8090245R00855Y
Radio Communication Analyzer	R&S	CMU200	102189
Radio Communication Analyzer	R&S	CMW500	1201.002K50-152303-Zr
AP	BUFFALO	WZR-HP-G300NH2	44066221202559[[G]]
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218
Mouse	Logitech	M-U0026	1738HS05FH98
Notebook (RE, HRE)	DELL	Latitude E5430	COVZYW1
Notebook (CE)	DELL	P56F	59WSJ72
Earphone	SONY	MDR-EX15AP	N/A
Adapter	Salom	XN-2QC25	N/A

Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
USB Cable*2	N/A	1.8m	Shielding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.6 Modification List


No modification was made by SGS Taiwan Electronics & Communication Laboratory.

1.7 Accessories Cable List


Cable Type	Core	Length	Shielding/Non-shielding
USB Cable	N/A	1m	Shielding
Earphone Cable	N/A	1.25m	Non-shielding

1.8 Test Set-Up Configuration

Config 1



Config 2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config 3



Config 4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

1.11 Summary of Results

Standard	Test Type	Highest Emission			
		Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	0.3780	-10.59 (AVG)
			Neutral	0.3820	-8.75 (AVG)
	Radiated Emission	PASS	Ver.	720.6400	-2.82 (QP)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2. EMISSION

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	Pass

2.2 Frequency Range

FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement
used in the device or on which the range (MHz)
device operates or tunes (MHz)

Below 1.705	30
1.705 - 108	1000
108 - 500	2000
500 - 1000	5000
Above 1000	5th harmonic of the highest frequency or 40 GHz, whichever is lower

2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.3.2 Limits of Radiated Emissions

FCC Part 15, Subpart B Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

CISPR 22 Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.4. Test of Conducted Emission

2.4.1 Test Equipments

SGS Conducted_Emission HWAYA Conducted Room No.B EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 3	100950	2017/12/12	2018/12/11
Coaxial Cable	EMC Instruments Corp.	EMC5D-BM-BM-3000	1401004	2018/5/25	2019/5/24
LISN	TESEQ	NNB 51	36061	2018/2/26	2019/2/25
Pulse Limiter	R&S	ESH3Z2	102099	2018/6/8	2019/6/7
LISN	TESEQ	NNB 51	36062	2018/3/30	2019/3/29
Communication Tester	R&S	CMU200	119988	2018/2/22	2019/2/21
Communication Tester	R&S	CMW500	152303	2018/2/21	2019/2/20
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
 Measurement Uncertainty of Conducted Emission
 Expanded uncertainty Ulab (K=2) of conducted emission is 2.25 dB
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of AC mains Conducted Emission is 3.44dB

2.4.2 Operating Environment

Temperature : 23 degree C

Humidity : 64 %RH

Atmospheric Pressure : 992 mBar

2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss + Pulse Limiter Insertion Loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




2.4.4 Measurement Data:

Config_1_L

Site : Conduction Room Phase: L1 Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_1
 Note: GSM 850

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1500	12.50	19.65	32.15	66.00	-33.85	QP	
2		0.1500	2.63	19.65	22.28	56.00	-33.72	AVG	
3		0.4660	9.30	20.17	29.47	56.58	-27.11	QP	
4 *		0.4660	2.22	20.17	22.39	46.58	-24.19	AVG	
5		1.6180	7.80	20.28	28.08	56.00	-27.92	QP	
6		1.6180	1.05	20.28	21.33	46.00	-24.67	AVG	
7		3.8260	7.02	20.21	27.23	56.00	-28.77	QP	
8		3.8260	1.02	20.21	21.23	46.00	-24.77	AVG	
9		6.7380	6.80	19.98	26.78	60.00	-33.22	QP	
10		6.7380	0.96	19.98	20.94	50.00	-29.06	AVG	
11		9.7980	5.90	19.95	25.85	60.00	-34.15	QP	
12		9.7980	0.78	19.95	20.73	50.00	-29.27	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204>Data :#6

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_1_N

Site : Conduction Room Phase: **N** Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_1
 Note: GSM 850

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1660	12.60	19.66	32.26	65.16	-32.90	QP	
2		0.1660	2.91	19.66	22.57	55.16	-32.59	AVG	
3		0.3180	9.80	19.92	29.72	59.76	-30.04	QP	
4		0.3180	1.90	19.92	21.82	49.76	-27.94	AVG	
5		0.4620	6.90	20.16	27.06	56.66	-29.60	QP	
6		0.4620	1.05	20.16	21.21	46.66	-25.45	AVG	
7		0.8180	10.78	19.98	30.76	56.00	-25.24	QP	
8 *		0.8180	2.69	19.98	22.67	46.00	-23.33	AVG	
9		0.9140	11.11	19.90	31.01	56.00	-24.99	QP	
10		0.9140	2.60	19.90	22.50	46.00	-23.50	AVG	
11		7.4620	6.60	19.96	26.56	60.00	-33.44	QP	
12		7.4620	1.01	19.96	20.97	50.00	-29.03	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204Data :#5

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_2_L

Site : Conduction Room Phase: **L1** Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_2
 Note: Data write

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.3220	14.60	19.93	34.53	59.66	-25.13	QP	
2		0.3220	7.21	19.93	27.14	49.66	-22.52	AVG	
3		0.3620	20.00	20.00	40.00	58.68	-18.68	QP	
4	*	0.3620	19.60	20.00	39.60	48.68	-9.08	AVG	
5		0.8180	12.70	19.99	32.69	56.00	-23.31	QP	
6		0.8180	9.30	19.99	29.29	46.00	-16.71	AVG	
7		0.9180	12.60	19.91	32.51	56.00	-23.49	QP	
8		0.9180	8.30	19.91	28.21	46.00	-17.79	AVG	
9		2.2500	9.40	20.51	29.91	56.00	-26.09	QP	
10		2.2500	2.13	20.51	22.64	46.00	-23.36	AVG	
11		2.5700	9.90	20.46	30.36	56.00	-25.64	QP	
12		2.5700	1.90	20.46	22.36	46.00	-23.64	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204>Data :#3

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_2_N

Site : Conduction Room Phase: **N** Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_2
 Note: Data write

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.3180	14.80	19.92	34.72	59.76	-25.04	QP	
2		0.3180	8.10	19.92	28.02	49.76	-21.74	AVG	
3		0.3620	20.40	19.99	40.39	58.68	-18.29	QP	
4	*	0.3620	19.40	19.99	39.39	48.68	-9.29	AVG	
5		0.8180	12.90	19.98	32.88	56.00	-23.12	QP	
6		0.8180	9.70	19.98	29.68	46.00	-16.32	AVG	
7		0.9180	12.90	19.90	32.80	56.00	-23.20	QP	
8		0.9180	8.50	19.90	28.40	46.00	-17.60	AVG	
9		2.4740	10.24	20.45	30.69	56.00	-25.31	QP	
10		2.4740	2.75	20.45	23.20	46.00	-22.80	AVG	
11		2.9220	9.30	20.37	29.67	56.00	-26.33	QP	
12		2.9220	1.30	20.37	21.67	46.00	-24.33	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204>Data :#4

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_4_L

Site : Conduction Room Phase: **L1** Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_4
 Note: charging

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	28.50	19.66	48.16	65.78	-17.62	QP	
2		0.1540	13.80	19.66	33.46	55.78	-22.32	AVG	
3		0.2220	18.90	19.78	38.68	62.74	-24.06	QP	
4		0.2220	10.40	19.78	30.18	52.74	-22.56	AVG	
5		0.3780	20.81	20.03	40.84	58.32	-17.48	QP	
6 *		0.3780	17.70	20.03	37.73	48.32	-10.59	AVG	
7		0.5020	14.40	20.23	34.63	56.00	-21.37	QP	
8		0.5020	4.90	20.23	25.13	46.00	-20.87	AVG	
9		0.7100	9.66	20.07	29.73	56.00	-26.27	QP	
10		0.7100	2.70	20.07	22.77	46.00	-23.23	AVG	
11		22.6100	21.42	20.09	41.51	60.00	-18.49	QP	
12		22.6100	12.90	20.09	32.99	50.00	-17.01	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204Data :#2

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_4_N

Site : Conduction Room Phase: **N** Temperature: 23 °C
 Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 64 %
 Mode: config_4
 Note: charging

Conducted Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	29.00	19.65	48.65	65.78	-17.13	QP	
2		0.1540	14.80	19.65	34.45	55.78	-21.33	AVG	
3		0.2180	21.50	19.75	41.25	62.89	-21.64	QP	
4		0.2180	12.91	19.75	32.66	52.89	-20.23	AVG	
5		0.3820	23.30	20.02	43.32	58.24	-14.92	QP	
6 *		0.3820	19.47	20.02	39.49	48.24	-8.75	AVG	
7		0.6700	14.70	20.08	34.78	56.00	-21.22	QP	
8		0.6700	5.30	20.08	25.38	46.00	-20.62	AVG	
9		2.6500	10.80	20.42	31.22	56.00	-24.78	QP	
10		2.6500	4.54	20.42	24.96	46.00	-21.04	AVG	
11		22.7580	12.60	20.12	32.72	60.00	-27.28	QP	
12		22.7580	5.04	20.12	25.16	50.00	-24.84	AVG	

*:Maximum data x:Over limit †:over margin

File :MH-2018-A0204>Data :#1

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

SGS Radiated_Below_1GHz HWAYA 10m_EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100950	2017/12/12	2018/12/11
EMI Test Receiver	R&S	ESCI 3	101343	2018/1/31	2019/1/30
Broadband Antenna	SCHWAZBECK	VULB9168	9168-628	2018/9/7	2019/9/6
Broadband Antenna	SCHWAZBECK	VULB9168	9168-629	2018/9/7	2019/9/6
Pre Amplifier	EMC Instruments Corp.	EMC330	980178	2018/3/31	2019/3/30
Pre Amplifier	EMC Instruments Corp.	EMC330	980179	2018/3/31	2019/3/30
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150917	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150919	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150820	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150918	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150821	2018/9/18	2019/9/17
Coaxial Cable	EMC Instruments	EMCCFD400-NM-NM	150822	2018/9/18	2019/9/17
Universal Digital Radio Communication Tester	R&S	CMU 200	119988	2018/2/22	2019/2/21
Wideband Radio Communication Tester	R&S	CMW 500	152303	2018/2/21	2019/2/20
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site NSA	Chance Most	10M Chamber	10M SAC	2017/12/31	2018/12/30
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
 Measurement Uncertainty of Radiated Emission
 Expanded uncertainty Ulab (K=2) of radiated emission is 4.09 dB. (30MHz ~ 1000MHz)
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.22 dB. (30MHz ~ 1000MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Above 1GHz

SGS Radiated_Above_1GHz HWAYA 966A EMC					
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV 40	101419	2018/5/15	2019/5/14
EMI Test Receiver	R&S	ESR 7	101459	2018/2/21	2019/2/20
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA9120D28 5	2018/10/26	2019/10/25
Horn Antenna	Schwarzbeck	BBHA9170	BBHA9170-184	2017/12/12	2018/12/11
Pre Amplifier	EMC Instruments Corp.	EMC012645B	980216	2018/3/31	2019/3/30
Pre Amplifier	EMC Instruments Corp.	EMC184045B	980135	2018/10/27	2019/10/26
Coaxial Cable	JUNFLOW	MWX221-NMSNMS	J0778929	2018/4/23	2019/4/22
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	30255/4PEA	2018/4/23	2019/4/22
Coaxial Cable	EMC Instruments	EMC104-SM-SM	140927	2018/4/23	2019/4/22
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2651/2	2018/6/5	2019/6/4
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	MY 2153/2	2018/6/5	2019/6/4
Universal Digital Radio Communication Tester	R&S	CMU 200	119988	2018/2/22	2019/2/21
Wideband Radio Communication Tester	R&S	CMW 500	152303	2018/2/21	2019/2/20
Controller	MF	MF-7802	N.C.R.	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Site VSWR	SGS	966 Chamber A	SAC-A	2018/1/12	2019/1/11
Test S/W	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory
 No.2, Keji 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
 Measurement Uncertainty of Radiated Emission
 Expanded uncertainty (k=2) of radiated emission measurement is 5.05 dB. (1-6GHz)
 Expanded uncertainty (k=2) of radiated emission measurement is 5.07 dB. (6-18GHz)
 Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.19 dB. (18-26GHz)
 Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.14 dB. (26-40GHz)
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.18 dB.(1-6GHz)
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.48 dB.(6-18GHz)
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is ---- dB.(18-26GHz)
 Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is ---- dB.(26-40GHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5.2 Operating Environment

Temperature : 24 degree C

Humidity : 66 %RH

Atmospheric Pressure : 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group



2.5.4 Measurement Data

Below 1GHz

Config_1_H

Site: SGS 10m Chamber
 Limit: CISPR22 Class B 10M Radiation
 Mode: Config_1
 Note: GSM 850

Polarization: *Horizontal*
 Power: AC 120V/60Hz
 Distance: 10m

Temperature: 24 °C
 Humidity: 66 %

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		50.3700	27.13	-11.01	16.12	30.00	-13.88	QP	
2		148.3400	25.86	-11.03	14.83	30.00	-15.17	QP	
3		261.8300	33.41	-11.76	21.65	37.00	-15.35	QP	
4 *		877.7800	23.42	1.65	25.07	37.00	-11.93	QP	
5		921.4300	22.04	2.59	24.63	37.00	-12.37	QP	
6		952.4700	21.56	3.22	24.78	37.00	-12.22	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data #14

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_1_V

Site: SGS 10m Chamber	Polarization: Vertical	Temperature: 24 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 66 %
Mode: Config_1	Distance: 10m	
Note: GSM 850		

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		36.7900	26.87	-11.89	14.98	30.00	-15.02	QP	
2		190.0500	29.66	-13.80	15.86	30.00	-14.14	QP	
3		261.8300	36.35	-11.68	24.67	37.00	-12.33	QP	
4		796.3000	23.46	0.46	23.92	37.00	-13.08	QP	
5	*	907.8500	23.49	1.72	25.21	37.00	-11.79	QP	
6		990.3000	22.80	2.16	24.96	37.00	-12.04	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data #13

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Config_2_H

Site: SGS 10m Chamber
 Limit: CISPR22 Class B 10M Radiation
 Mode: Config_2
 Note: Data Write

Polarization: *Horizontal*
 Power: From system
 Distance: 10m

Temperature: 24 °C
 Humidity: 66 %

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	!	167.7400	37.47	-11.28	26.19	30.00	-3.81	QP	
2	!	181.3200	38.60	-12.66	25.94	30.00	-4.06	QP	
3	!	239.5200	45.20	-12.37	32.83	37.00	-4.17	QP	
4		359.8000	32.78	-8.62	24.16	37.00	-12.84	QP	
5	*	718.7000	34.68	-0.77	33.91	37.00	-3.09	QP	
6		952.4700	26.46	3.22	29.68	37.00	-7.32	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#10

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_2_V

Site: SGS 10m Chamber	Polarization: Vertical	Temperature: 24 °C
Limit: CISPR22 Class B 10M Radiation	Power: From system	Humidity: 66 %
Mode: Config_2	Distance: 10m	
Note: Data Write		

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	!	167.7400	37.17	-11.33	25.84	30.00	-4.16	QP	
2	!	181.3200	38.33	-12.42	25.91	30.00	-4.09	QP	
3	!	215.2700	39.63	-14.20	25.43	30.00	-4.57	QP	
4	!	239.5200	46.35	-12.73	33.62	37.00	-3.38	QP	
5	*	720.6400	35.45	-1.27	34.18	37.00	-2.82	QP	
6		919.4900	23.63	1.78	25.41	37.00	-11.59	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#9

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_3_H

Site: SGS 10m Chamber
 Limit: CISPR22 Class B 10M Radiation
 Mode: Config_3
 Note: REC Mode

Polarization: *Horizontal*
 Power: From Battery
 Distance: 10m

Temperature: 24 °C
 Humidity: 66 %

Radiated Emission



No	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		50.3700	26.28	-11.01	15.27	30.00	-14.73	QP	
2		149.3100	27.07	-11.01	16.06	30.00	-13.94	QP	
3		261.8300	35.89	-11.76	24.13	37.00	-12.87	QP	
4		826.3700	23.37	1.21	24.58	37.00	-12.42	QP	
5		896.2100	23.24	1.92	25.16	37.00	-11.84	QP	
6	*	948.5900	22.15	3.18	25.33	37.00	-11.67	QP	

*:Maximum data x:Over limit !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Config_3_V

Site: SGS 10m Chamber
 Limit: CISPR22 Class B 10M Radiation
 Mode: Config_3
 Note: REC Mode

Polarization: **Vertical**
 Power: From Battery
 Distance: 10m

Temperature: 24 °C
 Humidity: 66 %

Radiated Emission



No	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		53.2800	26.25	-10.83	15.42	30.00	-14.58	QP	
2		175.5000	28.71	-11.78	16.93	30.00	-13.07	QP	
3		205.5700	29.92	-14.11	15.81	30.00	-14.19	QP	
4		261.8300	30.92	-11.68	19.24	37.00	-17.76	QP	
5	*	907.8500	23.44	1.72	25.16	37.00	-11.84	QP	
6		926.2800	23.04	1.87	24.91	37.00	-12.09	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data #11

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_4_H

Site: SGS 10m Chamber	Polarization: <i>Horizontal</i>	Temperature: 24 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 66 %
Mode: Config_4	Distance: 10m	
Note: Charging		

Radiated Emission



No	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		53.2800	27.26	-11.13	16.13	30.00	-13.87	QP	
2		147.3700	28.81	-10.99	17.82	30.00	-12.18	QP	
3	*	631.4000	28.40	-1.83	26.57	37.00	-10.43	QP	
4		848.6800	23.64	1.49	25.13	37.00	-11.87	QP	
5		936.9500	21.90	3.02	24.92	37.00	-12.08	QP	
6		975.7500	22.79	3.07	25.86	37.00	-11.14	QP	

*:Maximum data x:Over limit !:over margin

File :A0204\Data #16

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Config_4_V

Site: SGS 10m Chamber	Polarization: Vertical	Temperature: 24 °C
Limit: CISPR22 Class B 10M Radiation	Power: AC 120V/60Hz	Humidity: 66 %
Mode: Config_4	Distance: 10m	
Note: Charging		

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		56.1900	27.12	-11.00	16.12	30.00	-13.88	QP	
2		153.1900	26.62	-10.78	15.84	30.00	-14.16	QP	
3		202.6600	30.42	-14.05	16.37	30.00	-13.63	QP	
4		765.2600	25.10	-0.04	25.06	37.00	-11.94	QP	
5	*	929.1900	23.91	1.91	25.82	37.00	-11.18	QP	
6		987.3900	22.82	2.09	24.91	37.00	-12.09	QP	

*:Maximum data x:Over limit !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Above 1GHz

1GHz-18GHz

Config_1_H

Site: SGS 966 Chamber A
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea
 Mode: Mode 1
 Note: GSM 850
 Polarization: **Horizontal**
 Power: AC 120V/60Hz
 Distance:
 Temperature: 22 °C
 Humidity: 68 %

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2649.000	58.06	-11.47	46.59	74.00	-27.41	peak	
2		3669.000	57.47	-9.82	47.65	74.00	-26.35	peak	
3		4026.000	57.32	-8.27	49.05	74.00	-24.95	peak	
4		4910.000	57.73	-7.20	50.53	74.00	-23.47	peak	
5		5335.000	57.80	-6.43	51.37	74.00	-22.63	peak	
6		5335.000	45.06	-6.43	38.63	54.00	-15.37	AVG	
7		5726.000	58.11	-5.41	52.70	74.00	-21.30	peak	
8 *		5726.000	44.63	-5.41	39.22	54.00	-14.78	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#14

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_1_V

Site: SGS 966 Chamber A	Polarization: Vertical	Temperature: 22 °C
Limit: FCC Class B 3M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Mode 1	Distance:	
Note: GSM 850		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2632.000	57.93	-11.44	46.49	74.00	-27.51	peak	
2		3550.000	58.12	-10.37	47.75	74.00	-26.25	peak	
3		4281.000	57.38	-7.97	49.41	74.00	-24.59	peak	
4		4706.000	57.95	-7.46	50.49	74.00	-23.51	peak	
5		5386.000	57.87	-6.33	51.54	74.00	-22.46	peak	
6		5386.000	44.99	-6.33	38.66	54.00	-15.34	AVG	
7		5998.000	56.38	-4.60	51.78	74.00	-22.22	peak	
8	*	5998.000	43.67	-4.60	39.07	54.00	-14.93	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#13

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Config 2 H

Site: SGS 966 Chamber A
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea)
 Mode: Mode 2
 Note: Data Write

Polarization: **Horizontal**
 Power: From System
 Distance:

Temperature: 22 °C
 Humidity: 68 %

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2513.000	57.86	-11.22	46.64	74.00	-27.36	peak	
2		3584.000	58.11	-10.22	47.89	74.00	-26.11	peak	
3		4230.000	58.00	-8.02	49.98	74.00	-24.02	peak	
4		4842.000	58.00	-7.28	50.72	74.00	-23.28	peak	
5		5386.000	58.32	-6.33	51.99	74.00	-22.01	peak	
6		5386.000	44.51	-6.33	38.18	54.00	-15.82	AVG	
7		6066.000	56.51	-4.11	52.40	74.00	-21.60	peak	
8	*	6066.000	43.27	-4.11	39.16	54.00	-14.84	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#16

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2_V

Site: SGS 966 Chamber A Polarization: **Vertical** Temperature: 22 °C
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea) Power: From System Humidity: 68 %
 Mode: Mode 2 Distance:
 Note: Data Write

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		1595.000	66.98	-18.37	48.61	74.00	-25.39	peak	
2		1935.000	67.49	-16.80	50.69	74.00	-23.31	peak	
3		2122.000	65.65	-15.39	50.26	74.00	-23.74	peak	
4		2666.000	64.79	-11.49	53.30	74.00	-20.70	peak	
5		2666.000	47.11	-11.49	35.62	54.00	-18.38	AVG	!
6		3193.000	62.74	-11.52	51.22	74.00	-22.78	peak	
7		3193.000	49.33	-11.52	37.81	54.00	-16.19	AVG	!
8		4247.000	59.26	-8.00	51.26	74.00	-22.74	peak	
9	*	4247.000	46.54	-8.00	38.54	54.00	-15.46	AVG	!

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#15

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_H

Site: SGS 966 Chamber A Polarization: **Horizontal** Temperature: 22 °C
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea) Power: From Battery Humidity: 68 %
 Mode: Mode 3 Distance: Note: REC Mode

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		2581.000	58.65	-11.35	47.30	74.00	-26.70	peak	
2		3533.000	58.34	-10.45	47.89	74.00	-26.11	peak	
3		4060.000	57.30	-8.23	49.07	74.00	-24.93	peak	
4		4876.000	58.15	-7.24	50.91	74.00	-23.09	peak	
5		5454.000	58.12	-6.20	51.92	74.00	-22.08	peak	
6		5454.000	45.05	-6.20	38.85	54.00	-15.15	AVG	
7		6049.000	56.84	-4.24	52.60	74.00	-21.40	peak	
8	*	6049.000	43.85	-4.24	39.61	54.00	-14.39	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#12

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_V

Site: SGS 966 Chamber A Polarization: **Vertical** Temperature: 22 °C
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea) Power: From Battery Humidity: 68 %
 Mode: Mode 3 Distance: Note: REC Mode

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2683.000	58.06	-11.53	46.53	74.00	-27.47	peak	
2		3635.000	57.54	-9.98	47.56	74.00	-26.44	peak	
3		4145.000	58.01	-8.13	49.88	74.00	-24.12	peak	
4		4927.000	58.17	-7.18	50.99	74.00	-23.01	peak	
5		5352.000	58.78	-6.40	52.38	74.00	-21.62	peak	
6		5352.000	44.73	-6.40	38.33	54.00	-15.67	AVG	
7		5794.000	56.94	-5.22	51.72	74.00	-22.28	peak	
8	*	5794.000	44.28	-5.22	39.06	54.00	-14.94	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#11

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_4_H

Site: SGS 966 Chamber A Polarization: **Horizontal** Temperature: 22 °C
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea) Power: AC 120V/60Hz Humidity: 68 %
 Mode: Mode 4 Distance: Note: Charging

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2564.000	57.81	-11.32	46.49	74.00	-27.51	peak	
2		3176.000	59.16	-11.57	47.59	74.00	-26.41	peak	
3		3754.000	57.14	-9.43	47.71	74.00	-26.29	peak	
4		4264.000	58.11	-7.99	50.12	74.00	-23.88	peak	
5		4981.000	57.71	-7.14	50.57	74.00	-23.43	peak	
6		5930.000	56.58	-4.80	51.78	74.00	-22.22	peak	
7	*	5930.000	44.21	-4.80	39.41	54.00	-14.59	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#10

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_4_V

Site: SGS 966 Chamber A Polarization: **Vertical** Temperature: 22 °C
 Limit: FCC Class B 3M Radiation(1G-40G)(Pea) Power: AC 120V/60Hz Humidity: 68 %
 Mode: Mode 4 Distance: Note: Charging

Radiated Emission



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2598.000	58.74	-11.36	47.38	74.00	-26.62	peak	
2		3516.000	57.65	-10.52	47.13	74.00	-26.87	peak	
3		4111.000	57.86	-8.17	49.69	74.00	-24.31	peak	
4		4434.000	58.19	-7.78	50.41	74.00	-23.59	peak	
5		4910.000	57.73	-7.20	50.53	74.00	-23.47	peak	
6		5726.000	58.52	-5.41	53.11	74.00	-20.89	peak	
7 *		5726.000	44.18	-5.41	38.77	54.00	-15.23	AVG	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#9

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

18GHz-30GHz

Config_1_H

Site: SGS 966 Chamber A	Polarization: Horizontal	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea)	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Mode 1	Distance:	
Note: GSM 850		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18060.000	51.59	1.55	53.14	83.50	-30.36	peak	
2		19404.000	52.56	1.62	54.18	83.50	-29.32	peak	
3		20028.000	52.47	2.70	55.17	83.50	-28.33	peak	
4		21792.000	52.15	4.63	56.78	83.50	-26.72	peak	
5	*	24756.000	50.85	6.25	57.10	83.50	-26.40	peak	
6		26268.000	50.12	5.92	56.04	83.50	-27.46	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#26

Page: 1


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_1_V

Site: SGS 966 Chamber A Polarization: **Vertical** Temperature: 22 °C
 Limit: FCC Class B 1M Radiation(1G-40G)(Pea) Power: AC 120V/60Hz Humidity: 68 %
 Mode: Mode 1 Distance:
 Note: GSM 850

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18144.000	53.74	1.48	55.22	83.50	-28.28	peak	
2		18816.000	54.24	1.26	55.50	83.50	-28.00	peak	
3		20328.000	52.74	2.70	55.44	83.50	-28.06	peak	
4	*	22440.000	51.89	5.35	57.24	83.50	-26.26	peak	
5		23676.000	51.21	5.89	57.10	83.50	-26.40	peak	
6		26316.000	50.47	5.98	56.45	83.50	-27.05	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#25

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 H

Site: SGS 966 Chamber A	Polarization: Horizontal	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea	Power: From System	Humidity: 68 %
Mode: Mode 2	Distance:	
Note: Data Write		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18060.000	51.09	1.55	52.64	83.50	-30.86	peak	
2		19632.000	51.28	1.96	53.24	83.50	-30.26	peak	
3		20412.000	51.28	2.70	53.98	83.50	-29.52	peak	
4		21792.000	52.15	4.63	56.78	83.50	-26.72	peak	
5	*	22560.000	51.96	5.42	57.38	83.50	-26.12	peak	
6		26268.000	50.62	5.92	56.54	83.50	-26.96	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#28

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2_V

Site: SGS 966 Chamber A	Polarization: Vertical	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea	Power: From System	Humidity: 68 %
Mode: Mode 2	Distance:	
Note: Data Write		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18816.000	53.24	1.26	54.50	83.50	-29.00	peak	
2		21924.000	50.94	4.87	55.81	83.50	-27.69	peak	
3		22440.000	50.39	5.35	55.74	83.50	-27.76	peak	
4		23676.000	50.71	5.89	56.60	83.50	-26.90	peak	
5	*	24684.000	51.59	6.24	57.83	83.50	-25.67	peak	
6		25332.000	51.05	5.57	56.62	83.50	-26.88	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#27

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_H

Site: SGS 966 Chamber A	Polarization: Horizontal	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea)	Power: From Battery	Humidity: 68 %
Mode: Mode 3	Distance:	
Note: REC Mode		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18060.000	52.09	1.55	53.64	83.50	-29.86	peak	
2		19404.000	53.06	1.62	54.68	83.50	-28.82	peak	
3		20028.000	52.47	2.70	55.17	83.50	-28.33	peak	
4		21792.000	50.65	4.63	55.28	83.50	-28.22	peak	
5	*	24756.000	50.35	6.25	56.60	83.50	-26.90	peak	
6		26748.000	49.77	6.10	55.87	83.50	-27.63	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#30

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_V

Site: SGS 966 Chamber A	Polarization: Vertical	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea	Power: From Battery	Humidity: 68 %
Mode: Mode 3	Distance:	
Note: REC Mode		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18144.000	53.24	1.48	54.72	83.50	-28.78	peak	
2		18816.000	53.24	1.26	54.50	83.50	-29.00	peak	
3		21924.000	50.94	-4.87	55.81	83.50	-27.69	peak	
4		23676.000	51.71	5.89	57.60	83.50	-25.90	peak	
5	*	24684.000	52.09	6.24	58.33	83.50	-25.17	peak	
6		27168.000	49.50	6.17	55.67	83.50	-27.83	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#29

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_4_H

Site: SGS 966 Chamber A	Polarization: Horizontal	Temperature: 22 °C
Limit: FCC Class B 1M Radiation(1G-40G)(Pea	Power: AC 120V/60Hz	Humidity: 68 %
Mode: Mode 4	Distance:	
Note: Charging		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18060.000	51.09	1.55	52.64	83.50	-30.86	peak	
2		18888.000	51.71	1.28	52.99	83.50	-30.51	peak	
3		19740.000	51.61	2.18	53.79	83.50	-29.71	peak	
4		21660.000	49.68	4.39	54.07	83.50	-29.43	peak	
5		22560.000	49.46	5.42	54.88	83.50	-28.62	peak	
6	*	24600.000	50.70	6.22	56.92	83.50	-26.58	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#32

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_4_V

Site: SGS 966 Chamber A Polarization: **Vertical** Temperature: 22 °C
 Limit: FCC Class B 1M Radiation(1G-40G)(Pea) Power: AC 120V/60Hz Humidity: 68 %
 Mode: Mode 4 Distance:
 Note: Charging

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB		
1		18144.000	52.24	1.48	53.72	83.50	-29.78	peak	
2		20328.000	50.24	2.70	52.94	83.50	-30.56	peak	
3		21924.000	50.44	4.87	55.31	83.50	-28.19	peak	
4		23496.000	50.23	5.90	56.13	83.50	-27.37	peak	
5	*	24684.000	51.59	6.24	57.83	83.50	-25.67	peak	
6		27168.000	50.50	6.17	56.67	83.50	-26.83	peak	

*:Maximum data x:Over limit !:over margin

File :A0204\Data :#31

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.