

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

	UF
Applicant:	Sharp Corporation, Mobile Communication B.U. 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshi- ma, 739-0192, Japan
Manufacturer:	Sharp Corporation 1 Takumi-cho, Sakai-ku, Sakai City,Osaka 590-8522,Japan
Product Name:	Cellular Phone
Report Number:	ER/2018/C0136
FCC ID:	APYHRO00271
FCC Rule Part:	§15.247, Cat: DTS
Issue Date:	Dec. 21, 2018
Date of Test:	Oct. 25, 2018 ~ Nov. 29, 2018
Date of FUT Received:	Oct 25 2018

# Date of EUT Received: Oct. 25, 2018

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Marcus

Tested By:

Marcus Tseng / Sr. Engineer

Approved By: Jazz Huang / Asst. Supervisor



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This documents is sole by the Company subject to its General conductors of service printed overlear, available on request or accessible a <u>www.scs.com/terms and Conductors of Electronic Documents at www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/C0136	Rev.00	Initial creation of document	All	Dec. 21, 2018	Stefanie Yu

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# **Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	8
5	MEASUREMENT UNCERTAINTY	10
6	CONDUCTED EMISSION TEST	11
7	DUTY CYCLE OF TEST SIGNAL	15
8	PEAK OUTPUT POWER MEASUREMENT	18
9	6dB BANDWIDTH MEASUREMENT	21
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	25
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	34
12	POWER SPECTRAL DENSITY	83
13	ANTENNA REQUIREMENT	87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### **GENERAL INFORMATION** 1

# **1.1 Product description**

#### General:

Product Name:	Cellular Phone	
Hardware Version:	DVT	
Software Version:	N/A	
Power Supply:	3.8V from Rechargeable Li-ion Battery	

#### WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology		
11b/g	2412-2462	11	b: 17.21dBm g: 22.08dBm	DSSS, OFDM		
11n	HT20 2412-2462	11	21.87dBm	OFDM		
Modulatio	Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM			
Antenna D	Antenna Designation:		Inverted-L Antenna, Gain: -0.7dBi			
Transition Rate:		802.11 g: 6/	2/5.5/11 Mbps 9/12/18/24/36/48/54 Mt MHz: 6.5 – 72.2 Mbps	ops		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



# **1.2 Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247

KDB 558074 D01 v05 DTS Meas. Guidance

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards

# 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

#### **1.4 Special Accessories**

There are no special accessories used while test was conducted.

#### **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

# 1.6 Referencing test data across separate equipment authorization

The test report ER/2018/B0072 under original FCC ID: APYHRO00268 are fully referred for the new FCC ID: APYHRO00271 in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This document is issued by the company subject to is deneral conductors of server printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and conductors. This documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is period to the fullow thout prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### SYSTEM TEST CONFIGURATION 2

# 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

# 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

# 2.3 Test Procedure

# 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

# 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

# 2.4 Measurement Results Explanation Example

# For all conducted test items:


The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This documents is sole by the Company subject to its General conductors of service printed overlear, available on request or accessible a <u>www.scs.com/terms and Conductors of Electronic Documents at www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 2.5 Configuration of Tested System Fig. 2-1 Radiated Emission



# Fig. 2-2 AC Power Line Conducted Emission



# Fig. 2-2 Conducted (Antenna Port) Emission




Table 2-1	Equipment	Used in <sup>•</sup>	Tested Sy	ystem
-----------	-----------	----------------------	-----------	-------

ltem	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	DC Power Supply	Anritsu	E3640A	KR93300208	N/A	Unshielded
3.	Notebook	Lenovo	T440P	P0000564	Shielded	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### SUMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

#### **DESCRIPTION OF TEST MODES** 4

# 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n\_HT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
1	2412 MHz	8	2447 MHz
2	2417 MHz	9	2452 MHz
3	2422 MHz	10	2457 MHz
4	2427 MHz	11	2462 MHz
5	2432 MHz		
6	2437 MHz		
7	2442 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

#### RADIATED EMISSION TEST:

	RADIATED EMISSION TEST (BELOW 1 GHz)						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11g	1 to 11	6	OFDM	6	Main		
	RADIATED EMISSION TEST (ABOVE 1 GHz)						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11b	1 to 11	1, 6, 11	DSSS	1	Main		
802.11g	1 to 11	1, 6, 11	OFDM	6	Main		
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	Main		

**Note:** The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11b	1 to 11	1, 6, 11	DSSS	1	Main		
802.11g	1 to 11	1, 6, 11	OFDM	6	Main		
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0	Main		

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This documents is sole by the Company subject to its General Conductors of service printed overlear, available on request or accessible a <u>www.sgs.com/terms and Conductors of Electronic Documents at www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unautification to the prior written approval of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **MEASUREMENT UNCERTAINTY** 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### CONDUCTED EMISSION TEST 6

# 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)									
MHz	Quasi-peak	Average								
0.15 to 0.50	66 to 56	56 to 46								
0.50 to 5	56	46								
5 to 30	60	50								
Note										
1.The lower limit shall apply at th	1. The lower limit shall apply at the transition frequencies									
2. The limit decreases linearly wit	h the logarithm of the frequency ir	the range 0.15 MHz to 0.50								

MHz.

#### 6.2 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100335	02/02/2018	02/01/2019
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/18/2018	05/17/2019


# 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.


Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

tronic format documents, subject to its General condutions of service printed overlear, available on reducts of accessible at www.scs.com/terms and conductors.htm and, to etc-tronic format documents, subject to Terms and Conditions for Electronic Documents at www.scs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



# AC POWER LINE CONDUCTED EMISSION TEST DATA




No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1 *	0.1620	51.07	0.07	51.14	65.36	-14.22	peak	
2	0.1900	47.50	0.05	47.55	64.04	-16.49	peak	
3	0.5220	41.33	0.04	41.37	56.00	-14.63	peak	
4	4.9820	32.09	0.15	32.24	56.00	-23.76	peak	
5	6.4900	30.09	0.16	30.25	60.00	-29.75	peak	
6	18.5180	38.91	0.21	39.12	60.00	-20.88	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Site Conduction Room	Phase:	N	Temperature: 25 ()
Limit: FCC Class B Conduction(QP)	Power:	AC 120V/60Hz	Humidity: 85 %
Mode:			
Note:			



No.	Mk.	Freq.	Level	Factor	ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	*	0.1780	47.98	0.11	48.09	64.58	-16.49	peak	
2		0.2460	38.59	0.10	38.69	61.89	-23.20	peak	
3		0.5260	38.59	0.09	38.68	56.00	-17.32	peak	
4		1.3100	30.04	0.09	30.13	56.00	-25.87	peak	
5		5.1060	32.49	0.20	32.69	60.00	<b>-2</b> 7.31	peak	
6		23.3900	35.93	0.27	36.20	60.00	-23.80	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### DUTY CYCLE OF TEST SIGNAL 7

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

# Formula:

Duty Cycle = Ton / (Ton+Toff)

# **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

# **Duty Cycle:**

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	99.53	0.02	0.24	0.01
802.11g	98.70	0.06	0.73	0.01
802.11n_20	98.61	0.06	0.78	0.01

*b* = 99.529%, *g* = 98.698%,*n*\_*ht*\_20 = 98.609%

Duty Cycle Factor:  $10 * \log(1/0.99529) = 0.02$ Duty Cycle Factor:  $10 * \log(1/0.98698) = 0.06$ Duty Cycle Factor:  $10 * \log(1/0.98609) = 0.06$ 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This documents is sole by the Company subject to its General Conductors of service printed overlear, available on request or accessible a <u>www.sgs.com/terms and Conductors of Electronic Documents at www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unautification to the prior written approval of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



### 7.1 Duty Cycle Test Signal Measurement Result

#### 802.11 b




#### 802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 802.11 n\_20 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 8 PEAK OUTPUT POWER MEASUREMENT

# 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.


If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

# 8.2 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Power Meter	Anritsu	ML2496A	1804001	02/01/2018	01/31/2019
Power Sensor	Anritsu	MA2411B	1726104	02/01/2018	01/31/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
Notebook	Lenovo	T440P	P0000564	N/A	N/A

# 8.3 Test Set-up



# 8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

# **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非某方知明,此想先社里做批测键之样只含意,同時此样已做这份的问题。太親先去經太公司要否從可,不可如必過剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 8.5 Measurement Result

802.1	802.11b Ch0									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESULT						
1	2412	1	14.51	1 Watt =	30.00	dBm	PASS			
6	2437	1	17.21	1 Watt =	30.00	dBm	PASS			
11	2462	1	14.56	1 Watt =	30.00	dBm	PASS			
802.1	1b Ch0									
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT			
1	2412	1	11.97	1 Watt =	30.00	dBm	PASS			
6	2437	1	14.89	1 Watt =	30.00	dBm	PASS			
11	2462	1	11.87	1 Watt =	30.00	dBm	PASS			

802.1	802.11g Ch0										
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		RESULT						
1	2412	6	20.61	1 Watt =	30.00	dBm	PASS				
6	2437	6	22.08	1 Watt =	30.00	dBm	PASS				
11	2462	6	21.63	1 Watt =	30.00	dBm	PASS				
802.1	1g Ch0										
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT				
1	2412	6	11.85	1 Watt =	30.00	dBm	PASS				
6	2437	6	14.84	1 Watt =	30.00	dBm	PASS				
11	2462	6	11.95	1 Watt =	30.00	dBm	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.11n_HT20M Ch0									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)		RESULT				
1	2412	MCS0	20.65	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	21.87	1 Watt =	30.00	dBm	PASS		
11	2462	MCS0	21.62	1 Watt =	30.00	dBm	PASS		
802.1	1n_HT20	M Ch0							
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit			RESULT		
1	2412	MCS0	11.85	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	14.76	1 Watt =	30.00	dBm	PASS		
11	2462	MCS0	11.98	1 Watt =	30.00	dBm	PASS		

offset 10.40 dB for SISO mode

\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 6DB BANDWIDTH MEASUREMENT 9


# 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

# 9.2 Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/03/2018	05/02/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019
Notebook	Lenovo	T440P	P0000564	N/A	N/A

# 9.3 Test Set-up



# 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.

- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This document is study of the company subject to is deneral conductors of server printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and conductors. This documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 9.5 Measurement Result

#### 802.11b Ch0

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	10050.00	> 500	PASS
2437	10070.00	> 500	PASS
2462	10070.00	> 500	PASS

002.119			
Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	16430.00	> 500	PASS
2437	16400.00	> 500	PASS
2462	16420.00	> 500	PASS

802.11a Ch0

#### 802.11 n HT20 Ch0


Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	17630.00	> 500	PASS
2437	17610.00	> 500	PASS
2462	17630.00	> 500	PASS

\*Refer to next page for plots


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### OBW 6dB 802.11b 20MHz Chain0 2412MHz



#### OBW 6dB 802.11b 20MHz Chain0 2437MHz




#### OBW 6dB 802.11b 20MHz Chain0 2462MHz




# OBW 6dB 802.11g 20MHz Chain0 2412MHz

Center Fre	eq 2.41200000	Trig	ter Freq: 2.412000000 GHz : Free Run Avg Ho en: 30 dB	ld: 50/50	Radio Std: None Radio Device: BTS	Frequency
10 dB/div	Ref Offset 10.4 d Ref 30.00 dBr					
20.0			han mhanlige frank			Center Free 2.412000000 GH
-10.0		and a star and a second second	and the second			
-20.0 -30.0 <b>///////</b> -40.0					- Andrew and here	
50.0 60.0						
Center 2.4 #Res BW			#VBW 300 kHz		Span 30 MHz Sweep 2.933 ms	
Occup	ied Bandwidt 16	<sup>th</sup> 6.624 MHz	Total Power	21.6	dBm	Auto Ma
		-32.314 kHz	OBW Power		00 %	0 H
x dB Ba	ndwidth	16.43 MHz	x dB	-6.0	0 dB	

#### OBW 6dB 802.11g 20MHz Chain0 2437MHz



#### OBW 6dB 802.11g 20MHz Chain0 2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




#### OBW 6dB 802.11n 20MHz Chain0 2412MHz

enter Fro	RF 50 R 40 Bq 2.412000000	Trig	serse int ter Freq: 2.412000000 GHz : Free Run Avg Hol		None Frequency
		#IFGain:Low #Att	en: 30 dB	Radio Devi	ce: BTS
0 dB/div	Ref Offset 10.4 d Ref 30.00 dBr				
0.0					Center Fre 2.412000000 GH
.00		- Mar Mapolina	www.	admilien	
10	M			<u> </u>	
10 CANN	Anna			mili	normalan
1.0					
0,0					
enter 2.4	12 GHz			Spar	30 MHz
Res BW			#VBW 300 kHz	Sweep	
Occup	ied Bandwidt	h	Total Power	21.7 dBm	Auto Ma
	17	7.746 MHz			FregOffse
Transm	it Freq Error	-26.903 kHz	OBW Power	99.00 %	0 H
x dB Ba	andwidth	17.63 MHz	x dB	-6.00 dB	

#### OBW 6dB 802.11n 20MHz Chain0 2437MHz



#### OBW 6dB\_802.11n\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to its General condutions of service printed overlear, available on reducts or accessible at <u>www.scs.com/terms and conductors.htm</u> and, to elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT **10.1 Standard Applicable**


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

# **10.2 Measurement Equipment Used**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/03/2018	05/02/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019
Notebook	Lenovo	T440P	P0000564	N/A	N/A

# 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgc.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



### **10.4 Measurement Procedure**

#### **Reference Level of Emission Calculation:**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.

Use the peak marker function to determine the maximum amplitude level.

# **Conducted Band Edge:**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

# **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非基本分词 中心的意义。 大和生子领人公司拿不能了,不可如必道制。



#### **10.5 Measurement Result:**


Reference Level of Limit 802.11b mode			Reference Level of Limit 802.11g mode		
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	2.57	-17.43	2412	0.41	-19.59
2437	5.86	-14.14	2437	3.49	-16.51
2462	3.26	-16.74	2462	0.88	-19.12

#### Reference Level of Limit 802.11n20 mode

Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)
2412	0.40	-19.60
2437	3.44	-16.56
2462	1.04	-18.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






#### Reference Level\_802.11b\_20MHz\_Chain0\_2412MHz


#### Reference Level\_802.11b\_20MHz\_Chain0\_2437MHz




#### Reference Level\_802.11b\_20MHz\_Chain0\_2462MHz













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### Reference Level 802.11n 20MHz Chain0 2412MHz



#### Reference Level 802.11n 20MHz Chain0 2437MHz



### Reference Level 802.11n 20MHz Chain0 2462MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to its General condutions of service printed overlear, available on reducts or accessible at <u>www.scs.com/terms and conductors.htm</u> and, to elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Band Edge	802.11b	20MHz	Chain0	2412MHz
	_002.110		_01101110_	




Band Edge\_802.11b\_20MHz\_Chain0\_2462MHz

R HE SUD AC		SENSE:INT	autrataumo	02/52/08 PMNov 07, 2018	
Center Freq 2.48350000	PN0: Fast		Avg Type: Log-Pwr	TRACE 1 2 3 4 5 6 TYPE DUMANNA DET P NNNNN	Frequency
Ref Offset 10.4 db	3		Mk	r3 2.483 6 GHz -46.02 dBm	Auto Tun
	- Symme				Center Fre 2.483500000 GH
-10.0 -20.0 -20.0 -20.0 -20.0 -40.0	h	33		-1674dBn	Start Fre 2.433500000 GH
48.0 50.0 60.0 -7110		Mile Mile Marked Marked	an a	and you have been a start of the second s	Stop Fre 2.533500000 GH
Center 2.48350 GHz #Res BW 100 kHz	#VBW	300 kHz		Span 100.0 MHz 600 ms (1001 pts)	CF Ste 10.000000 MF Auto Ma
Uter Dools France Scale 1 N 1 F 2 N 1 F 3 N 1 F 4 5 6 7 8	2.460 5 GHz 2.483 5 GHz 2.483 6 GHz	2.98 dBm 46.53 dBm -46.02 dBm	FUNCTION FUNCTION WOTH	FLIRETION VALUE	Freq Offse 0 H
9 9 10 11 ¢			STATUS	*	




#### Band Edge\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to its General condutions of service printed overlear, available on reducts or accessible at <u>www.scs.com/terms and conductors.htm</u> and, to elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### Band Edge\_802.11n\_20MHz\_Chain0\_2412MHz



#### Band Edge\_802.11n\_20MHz\_Chain0\_2462MHz

R ITE 50.0 AC		SENSE:INT	aurevaumo	03:20:50 PMNer/ 07, 2018	
enter Freg 2.483500000	GH7	500 100 101	Avg Type: Log-Pwr	TRACE 1 2 3 4 5 6	Frequency
61161116q 2.40550000	PNO: Fast ~ IFGaint.ew	#Atten: 30 dB		DET P NNNN	
Ref Offset 10.4 dB			Mk	r3 2.483 6 GHz -41.30 dBm	Auto Tuni
				41.00 0.011	
10.1					Center Free
	u uuu				2,483500000 GH
10.0	1 1			-10.56 (50)	
20.0				-18 26 057	Start Fre
0.0		3			2.433500000 GH
40.0 Harristen and		Whatehand	الدوارد والوالاتي مطالب شوالا والمراجب والز		
50.0			and manifest free - spec frankfitherin reported	and a strate water and a strate of the	Stop Fre
50.0					2.533500000 GH
711.0					2.000000000
enter 2.48350 GHz Res BW 100 kHz	#VB	W 300 kHz	Sweep 9	Span 100.0 MHz .600 ms (1001 pts)	CF Step 10.000000 MH
NA MORE THE SAL		Y F	INCTION FURCTION WOTH	FUNCTION VALUE	Auto Ma
1 N 1 f 2. 2 N 1 f 2.	457 0 GHz 483 5 GHz	0.83 dBm -42.23 dBm			
3 N 1 f 2.	483 6 GHz	-41.30 dBm			Freq Offse
4					0 H
6 7					
9					
10					
1				*	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic This document is soled by the Company subject to its General Conditions or Service printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions</u> for electronic forward documents, subject to Terms and <u>conditions</u> for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-documenthit</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




### Spurious Emission 802.11b 20MHz Chain0 2412MHz



# Spurious Emission\_802.11b\_20MHz\_Chain0\_2437MHz



# Spurious Emission\_802.11b\_20MHz\_Chain0\_2462MHz




#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2412MHz



#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2437MHz



#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### Spurious Emission\_802.11n\_20MHz\_Chain0\_2412MHz



Spurious Emission\_802.11n\_20MHz\_Chain0\_2437MHz

Francisco		SENSE:INT ALIGNAUTO 12:32:16PM 0ct 31, 2018		TE SDQ AC				
Frequency	TYPE OWNER DET PINNING	TYPE		Cont. atkin		q 13.015	Fre	
Auto Tur	Ref Offset 10.4 dB Mkr4 24.730 9 GH2   Wird 24.730 9 GH2 -25.86 dBm							
Center Fre 13,015000000 GR						01		
Start Fre 30.000000 Mil	-161" Br							
Stop Fro 26.00000000 G							-	
CF Ste 2,597000000 GR Auto Mi	Span 25.97 GHz 482 s (30001 pts)	Sweep 2		#VBW 3		2 GHz 10 kHz		
Freq Offs 01	PURCHION VALUE		1.54 dBm 1.08 dBm 1.06 dBm 1.66 dBm 1.86 dBm	GHz GHz	2,429 6 4,874 0 7,311 0 24,730 9	f F f f	1 1 1 1	

Spurious Emission 802.11n 20MHz Chain0 2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> available on reducts or accessible at <u>www.sgs.com/terms</u> and <u>conditions</u> for electronic concurrents at <u>www.sgs.com/terms</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's in-structions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document to under the fuller to the fuller of the low. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

# **11.1 Standard Applicable**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- Emission level (dBµV/m) = 20 log Emission level (dBµV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This document is study of the company subject to is deneral conductors of server printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and conductors. This documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



### **11.2 Measurement Equipment Used:**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	12/29/2017	12/28/2018
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/16/2018	08/15/2019
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2017	12/11/2018
Loop Antenna	ETS.LINDGREN	6502	148045	10/08/2018	10/07/2019
3m Site NSA	SGS	966 chamber	N/A	01/02/2018	01/01/2019
Spectrum Analyz- er	Agilent	E4446A	MY51100003	05/15/2018	05/14/2019
EMI Test Receiv- er	R&S	ESCI7	100335	02/02/2018	02/01/2019
Pre-Amplifier	HP	8449B	3008A00578	01/02/2018	01/01/2019
Pre-Amplifier	HP	8447D	2944A07676	01/02/2018	01/01/2019
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	10/27/2018	10/26/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	01/02/2018	01/01/2019
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2018	01/01/2019
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A


NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




# 11.3 Test SET-UP





# (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to its General condutions of service printed overlear, available on reducts of accessible at www.scs.com/terms and conductors.htm and, to etc-tronic format documents, subject to Terms and Conditions for Electronic Documents at www.scs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **11.4 Measurement Procedure**

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This document is study of the company subject to is deneral conductors of server printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and conductors. This documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

# FS = RA + AF + CL - AG

Where	8	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

# 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-This document is issued by the company subject to is deneral conductors of server printed overlear, available on request or accessible at <u>www.sgs.com/terms</u> and conductors. This documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is period to the fullow thout prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach to grander the prior to reproduce except in full, without prior written approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




#### Radiated Band Edge Measurement Result (802.11b)

**Operation Band** Fundamental Frequency **Operation Mode** EUT Pol.

:802.11b :2412 MHz :Bandedge CH LOW :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	39.12	0.20	39.32	54.00	-14.68
2390.00	Peak	52.09	0.20	52.29	74.00	-21.71



**Operation Band** :802.11b **Fundamental Frequency** :2412 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.71	0.20	40.91	54.00	-13.09
2390.00	Peak	54.53	0.20	54.73	74.00	-19.27

Report No.:ER/2018/C0136 Page 41 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2417 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	38.93	0.20	39.13	54.00	-14.87
2390.00	Peak	52.54	0.20	52.74	74.00	-21.26

Report No.:ER/2018/C0136 Page 42 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2417 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.56	0.20	40.76	54.00	-13.24
2390.00	Peak	54.63	0.20	54.83	74.00	-19.17

Report No.:ER/2018/C0136 Page 43 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	38.80	0.53	39.33	54.00	-14.67
2483.50	Peak	51.80	0.53	52.33	74.00	-21.67

Report No.:ER/2018/C0136 Page 44 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	40.23	0.53	40.76	54.00	-13.24
2483.50	Peak	53.78	0.53	54.31	74.00	-19.69

Report No.:ER/2018/C0136 Page 45 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2462 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	38.69	0.53	39.22	54.00	-14.78
2483.50	Peak	51.35	0.53	51.88	74.00	-22.12

Report No.:ER/2018/C0136 Page 46 of 91



**Operation Band** :802.11b **Fundamental Frequency** :2462 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	38.87	0.53	39.40	54.00	-14.60
2483.50	Peak	53.02	0.53	53.55	74.00	-20.45




### Radiated Band Edge Measurement Result (802.11g)

**Operation Band** Fundamental Frequency **Operation Mode** EUT Pol.

:802.11g :2412 MHz :Bandedge CH LOW :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	39.49	0.20	39.69	54.00	-14.31
2390.00	Peak	53.26	0.20	53.46	74.00	-20.54



**Operation Band** :802.11g **Fundamental Frequency** :2412 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	42.20	0.20	42.40	54.00	-11.60
2390.00	Peak	60.81	0.20	61.01	74.00	-12.99



**Operation Band** :802.11g **Fundamental Frequency** :2417 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.37	0.20	40.57	54.00	-13.43
2390.00	Peak	59.79	0.20	59.99	74.00	-14.01



**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11g :2417 MHz :Bandedge CH LOW :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	43.84	0.20	44.04	54.00	-9.96
2390.00	Peak	67.41	0.20	67.61	74.00	-6.39

Report No.:ER/2018/C0136 Page 51 of 91



**Operation Band** :802.11g **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.56	0.53	40.09	54.00	-13.91
2483.50	Peak	58.50	0.53	59.03	74.00	-14.97

Report No.:ER/2018/C0136 Page 52 of 91



**Operation Band** :802.11g **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.66	0.53	42.19	54.00	-11.81
2483.50	Peak	64.22	0.53	64.75	74.00	-9.25

Report No.:ER/2018/C0136 Page 53 of 91



**Operation Band** :802.11g **Fundamental Frequency** :2462 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.37	0.53	39.90	54.00	-14.10
2483.50	Peak	56.82	0.53	57.35	74.00	-16.65

Report No.:ER/2018/C0136 Page 54 of 91



**Operation Band** :802.11g **Fundamental Frequency** :2462 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.50	0.53	42.03	54.00	-11.97
2483.50	Peak	63.53	0.53	64.06	74.00	-9.94




#### Radiated Band Edge Measurement Result (802.11\_HT20)

**Operation Band** Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20 :2412 MHz :Bandedge CH LOW :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	39.78	0.20	39.98	54.00	-14.02
2390.00	Peak	54.95	0.20	55.15	74.00	-18.85




**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11n20 :2412 MHz :Bandedge CH LOW :E2 Plane

Test Date Temp./Humi. Engineer :Wei Measurement Antenna Pol.

:2018-11-09 :21 deg\_C / 62 RH :HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	43.24	0.20	43.44	54.00	-10.56
2390.00	Peak	61.20	0.20	61.40	74.00	-12.60

Report No.:ER/2018/C0136 Page 57 of 91



**Operation Band** :802.11n20 **Fundamental Frequency** :2417 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	40.69	0.20	40.89	54.00	-13.11
2390.00	Peak	61.14	0.20	61.34	74.00	-12.66


Report No.:ER/2018/C0136 Page 58 of 91



**Operation Band** :802.11n20 **Fundamental Frequency** :2417 MHz **Operation Mode** :Bandedge CH LOW EUT Pol. :E2 Plane

Test Date Temp./Humi. Engineer :Wei Measurement Antenna Pol.

:2018-11-09 :21 deg\_C / 62 RH :HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
2390.00	Average	44.60	0.20	44.80	54.00	-9.20	
2390.00	Peak	68.66	0.20	68.86	74.00	-5.14	

Report No.:ER/2018/C0136 Page 59 of 91



**Operation Band** :802.11n20 **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.82	0.53	40.35	54.00	-13.65
2483.50	Peak	59.92	0.53	60.45	74.00	-13.55

Report No.:ER/2018/C0136 Page 60 of 91



**Operation Band** :802.11n20 **Fundamental Frequency** :2457 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.42	0.53	41.95	54.00	-12.05
2483.50	Peak	64.71	0.53	65.24	74.00	-8.76

Report No.:ER/2018/C0136 Page 61 of 91



**Operation Band** :802.11n20 **Fundamental Frequency** :2462 MHz **Operation Mode** :Bandedge CH HIGH EUT Pol. :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.47	0.53	40.00	54.00	-14.00
2483.50	Peak	59.27	0.53	59.80	74.00	-14.20


Report No.:ER/2018/C0136 Page 62 of 91



**Operation Band Fundamental Frequency Operation Mode** EUT Pol.

:802.11n20 :2462 MHz :Bandedge CH HIGH :E2 Plane

Test Date :2018-11-09 Temp./Humi. :21 deg\_C / 62 RH Engineer :Wei :HORIZONTAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.78	0.53	42.31	54.00	-11.69
2483.50	Peak	62.33	0.53	62.86	74.00	-11.14



#### Below 1GHz Worst-Case Data:

#### Radiated Spurious Emission Measurement Result (802.11 g)


-	•	•	
Operation Band	:802.11g	Test Date	:2018-11-12
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
49.40	Peak	30.15	-7.48	22.67	40.00	-17.33
141.55	Peak	27.88	-7.88	20.00	43.50	-23.50
284.14	Peak	28.84	-6.00	22.84	46.00	-23.16
306.45	Peak	28.61	-5.33	23.28	46.00	-22.72
393.75	Peak	30.46	-3.42	27.04	46.00	-18.96
526.64	Peak	28.52	-1.43	27.09	46.00	-18.91



Operation Band Fundamental Frequency	:802.11g :2437 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
65.89	Peak	33.10	-9.20	23.90	40.00	-16.10
262.80	Peak	38.99	-6.91	32.08	46.00	-13.92
284.14	Peak	35.41	-6.00	29.41	46.00	-16.59
306.45	Peak	35.99	-5.33	30.66	46.00	-15.34
327.79	Peak	32.35	-4.99	27.36	46.00	-18.64
393.75	Peak	35.68	-3.42	32.26	46.00	-13.74



### Above 1GHz Data:

#### Radiated Spurious Emission Measurement Result (802.11 b)


Operation Band	:802.11b	Test Date	:2018-11-12
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	27.40	5.61	33.01	54.00	-20.99
4824.00	Peak	37.16	5.61	42.77	74.00	-31.23




Operation Band Fundamental Frequency	:802.11b :2412 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	27.34	5.61	32.95	54.00	-21.05
4824.00	Peak	37.00	5.61	42.61	74.00	-31.39




Operation Band	:802.11b	Test Date	:2018-11-12
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	26.52	5.85	32.37	54.00	-21.63
4874.00	Peak	36.36	5.85	42.21	74.00	-31.79




Operation Band Fundamental Frequency	:802.11b :2437 MHz :Tx CH MID	Test Date Temp./Humi. Engineer	:2018-11-12 :21 deg_C / 62 RH :Wei
Operation Mode EUT Pol.	:E2 Plane	Engineer Measurement Antenna Pol.	:HORIZONTAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
_	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	_
	4874.00	Average	27.71	5.85	33.56	54.00	-20.44	
	4874.00	Peak	37.58	5.85	43.43	74.00	-30.57	




Operation Band Fundamental Frequency	:802.11b :2462 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH HIGH	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	26.36	5.82	32.18	54.00	-21.82
4924.00	Peak	36.61	5.82	42.43	74.00	-31.57



Operation Band Fundamental Frequency	:802.11b :2462 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH HIGH	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	27.34	5.82	33.16	54.00	-20.84
4924.00	Peak	37.26	5.82	43.08	74.00	-30.92



#### Radiated Spurious Emission Measurement Result (802.11 g)


Operation Band	:802.11g	Test Date	:2018-11-12
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	26.77	5.61	32.38	54.00	-21.62
4824.00	Peak	36.46	5.61	42.07	74.00	-31.93




Operation Band Fundamental Frequency	:802.11g :2412 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	27.54	5.61	33.15	54.00	-20.85
4824.00	Peak	37.36	5.61	42.97	74.00	-31.03




Operation Band Fundamental Frequency	:802.11g :2437 MHz :Tx CH MID	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH :Wei
Operation Mode	:Tx CH MID	Engineer	:VERTICAL
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	27.22	5.85	33.07	54.00	-20.93
4874.00	Peak	37.00	5.85	42.85	74.00	-31.15




Operation Band	:802.11g	Test Date	:2018-11-12
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	26.67	5.85	32.52	54.00	-21.48
4874.00	Peak	36.12	5.85	41.97	74.00	-32.03




Operation Band Fundamental Frequency	:802.11g :2462 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH HIGH	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
4924.00	Average	26.97	5.82	32.79	54.00	-21.21	
4924.00	Peak	36.66	5.82	42.48	74.00	-31.52	



Fundamental Frequency :2462	•	:21 deg_C / 62 RH
Operation Mode :Tx C EUT Pol. :E2 P	5	:Wei :HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	27.06	5.82	32.88	54.00	-21.12
4924.00	Peak	36.80	5.82	42.62	74.00	-31.38



#### Radiated Spurious Emission Measurement Result (802.11 HT20)

Operation Band	:802.11n20	Test Date	:2018-11-12
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	26.83	5.61	32.44	54.00	-21.56
4824.00	Peak	36.40	5.61	42.01	74.00	-31.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

This accument is ssued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms and conditions, it not</u> elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms</u>.edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號




Operation Band Fundamental Frequency	:802.11n20 :2412 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	26.75	5.61	32.36	54.00	-21.64
4824.00	Peak	36.36	5.61	41.97	74.00	-32.03




Operation Band Fundamental Frequency	:802.11n20 :2437 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
4874.00	Average	27.06	5.85	32.91	54.00	-21.09	
4874.00	Peak	36.25	5.85	42.10	74.00	-31.90	




Operation Band Fundamental Frequency	:802.11n20 :2437 MHz	Test Date Temp./Humi.	:2018-11-12 :21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	27.11	5.85	32.96	54.00	-21.04
4874.00	Peak	36.21	5.85	42.06	74.00	-31.94




Operation Band	:802.11n20	Test Date	:2018-11-12
Fundamental Frequency	:2462 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH HIGH	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	26.96	5.82	32.78	54.00	-21.22
4924.00	Peak	36.88	5.82	42.70	74.00	-31.30



Operation Band	:802.11n20	Test Date	:2018-11-12
Fundamental Frequency	:2462 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH HIGH	Engineer	:Wei
EUT Pol.	:E2 Plane	Engineer Measurement Antenna Pol.	:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	26.73	5.82	32.55	54.00	-21.45
4924.00	Peak	36.48	5.82	42.30	74.00	-31.70



# **12 POWER SPECTRAL DENSITY**


# 12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

# **12.2 Measurement Equipment Used**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/03/2018	05/02/2019
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019
Notebook	Lenovo	T440P	P0000564	N/A	N/A

## 12.3 Test Set-up



## **12.4 Measurement Procedure**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.
- For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### **12.5 Measurement Result**

	POWER DENSITY 802.11b				POWER DENSITY	802.11g	
Freq.	PSD	Limit	Result	Freq.	PSD	Limit	Result
(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result	(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result
2412	-10.96	8.00	PASS	2412	-14.14	8.00	PASS
2437	-8.65	8.00	PASS	2437	-10.00	8.00	PASS
2462	-10.53	8.00	PASS	2462	-13.84	8.00	PASS

POWER DENSITY 802.11n HT20						
Freq.	PSD	Limit	Result			
(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result			
2412	-14.78	8.00	PASS			
2437	-10.58	8.00	PASS			
2462	-12.80	8.00	PASS			

dB for SISO mode offset 10.40

\*Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-

This accument is sould by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sos.com/terms</u> and <u>conditions</u>. In or elec-tronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sos.com/terms</u>. *edocument.htm*. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



### Power Density 802.11b 20MHz Chain0 2412MHz




#### Power Density 802.11b 20MHz Chain0 2437MHz




### Power Density 802.11b 20MHz Chain0 2462MHz






#### Power Density 802.11g 20MHz Chain0 2437MHz







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## Power Density\_802.11n\_20MHz\_Chain0\_2412MHz



#### Power Density 802.11n 20MHz Chain0 2437MHz



## Power Density 802.11n 20MHz Chain0 2462MHz





# **13 ANTENNA REQUIREMENT**

# **13.1 Standard Applicable**

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

# **13.2 Antenna Connected Construction**

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to its General condutions of service printed overlear, available on reducts or accessible at <u>www.scs.com/terms and conductors.htm</u> and, to elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.scs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.