

Page 1 of 181

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART H REQUIREMENT

OF

Sharp Corporation, Mobile Communication B.U.

Applicant: 2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi,

Hiroshima 739-0192, Japan

Sharp Corporation Manufacturer:

1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

**Smart Phone Product Name:** 

**Report Number:** T190304W03-RP1 FCC ID: APYHRO00272

**FCC Rule Part:** 2,22H & 24E & 27H

**Issue Date:** Mar. 29, 2019

**Date of Test:** Mar. 05, 2019~Mar. 28, 2019

Date of EUT Received: Mar. 05. 2019

Compliance Certification Services Inc.Wugu Lab.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Issued by:

Taiwan. (R.O.C.) service@ccsrf.com

The test Result was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were given in ANSI C63.10: 2013 and compliance standards.

The test results of this report relate only to the tested sample (EUT) identified in this report The test Report of full or partial shall not copy. Without written approval of Compliance Certification Services Inc. (Wugu Laboratory).

Tested By:

Kane Tseng / Engineer

Approved By:

Kevin Tsai / Deputy Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Page 2 of 181

# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By	
T190304W03-RP1	Rev.00	Initial creation of document	All	Mar. 28, 2019	Violetta Tang	
T190304W03-RP1	Rev.01	Updated Bandedge data and Radiated Equipement list	Page 60, 89	Mar. 29, 2019	Violetta Tang	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





# **Contents**

1.	GENERAL PRODUCT INFORMATION	4
	SYSTEM TEST CONFIGURATION	
3.	SUMMARY OF TEST RESULTS	10
4.	DESCRIPTION OF TEST MODES	11
5.	MEASUREMENT UNCERTAINTY	15
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	16
7.	OCCUPIED BANDWIDTH MEASUREMENT	34
8.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	56
9.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	84
10.	FREQUENCY STABILITY MEASUREMENT	162
11	PEAK TO AVERAGE RATIO	169

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 1. GENERAL PRODUCT INFORMATION

# 1.1. Product Description

## General:

Product Name:	Smart Phone
Hardware Version:	DVT
Software Version:	N/A
Power Supply:	3.85V from Rechargeable Li-ion Battery
Antenna Designation:	Inverted-F Antenna, Gain: -4.6dBi (GSM/GPRS 850, WCDMA B5, LTE B5), -1.5dBi (GSM/GPRS 1900) -8.9dBi (LTE B12, LTE B17)
IMEI:	004401116720919 / 004401116720786 / 004401116720851 004401116721131 / 004401116721156 / 004401116721164

# 1.2. GSM / WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)				
GSM/GPRS 850 824.2 - 848.8				
GSM/GPRS 1900	1850.2	-	1909.8	

Operating Frequency (MHz	<u>z</u> )		
WCDMA / HSPA+ Band V	826.4	-	846.6

LTE Band	BW (MHz)	Operation Frequency (MHz)		
	1.4	824.7	-	848.3
E	3	825.5	-	847.5
5	5	826.5	-	846.5
	10	829.0	-	844.0
	1.4	699.7	-	715.3
12	3	700.5	-	714.5
12	5	701.5	-	713.5
	10	704.0	-	711.0
17	5	706.5	-	713.5
17	10	709.0	-	711.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

	ERP / EIRP (dBm)		(W)	Type of Emission
GSM 850	25.82	ERP	0.382	240KGXW
GPRS 850	25.77	ERP	0.378	240KGXW
GSM 1900	27.27	EIRP	0.533	241KGXW
GPRS 1900	27.24	EIRP	0.530	240KGXW

	ERP / EIRP (dBm)		(W)	Type of Emission
WCDMA Band V	19.00	ERP	0.079	4M14F9W
HSDPA Band V	18.00	ERP	0.063	4M16F9W
HSUPA Band V	18.00	ERP	0.063	4M15F9W

LTE	BW	Modulation		/ EIRP	(W)	Type of
Band	(MHz)	Modulation	(dBm)		( 0 0 )	Emission
	1.4	QPSK	15.49	ERP	0.035	1M10G7D
	1.4	16QAM	14.73	ERP	0.030	1M10D7W
	1.4	64QAM	14.08	ERP	0.026	1M09D7W
	3	QPSK	15.45	ERP	0.035	2M70G7D
	3	16QAM	14.76	ERP	0.030	2M70D7W
5	3	64QAM	14.13	ERP	0.026	2M70D7W
Э	5	QPSK	15.47	ERP	0.035	4M51G7D
	5	16QAM	14.72	ERP	0.030	4M50D7W
	5	64QAM	14.06	ERP	0.025	4M51D7W
	10	QPSK	15.53	ERP	0.036	9M01G7D
	10	16QAM	14.78	ERP	0.030	8M98D7W
	10	64QAM	14.12	ERP	0.026	8M99D7W
	5	QPSK	11.16	ERP	0.013	4M51G7D
	5	16QAM	10.36	ERP	0.011	4M51D7W
17	5	64QAM	9.75	ERP	0.009	4M51D7W
17	10	QPSK	11.27	ERP	0.013	9M01G7D
	10	16QAM	10.56	ERP	0.011	8M97D7W
	10	64QAM	9.94	ERP	0.010	8M96D7W

LTE Band	BW (MHz)	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
	1.4	QPSK	11.23	ERP	0.013	1M10G7D
	1.4	16QAM	10.44	ERP	0.011	1M10D7W
	1.4	64QAM	9.82	ERP	0.010	1M10D7W
	3	QPSK	11.20	ERP	0.013	2M70G7D
	3	16QAM	10.51	ERP	0.011	2M70D7W
12	3	64QAM	9.82	ERP	0.010	2M70D7W
12	5	QPSK	11.24	ERP	0.013	4M50G7D
	5	16QAM	10.55	ERP	0.011	4M52D7W
	5	64QAM	9.91	ERP	0.010	4M51D7W
	10	QPSK	11.29	ERP	0.013	9M02G7D
	10	16QAM	10.58	ERP	0.011	8M97D7W
	10	64QAM	9.91	ERP	0.010	8M97D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 6 of 181

# 1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

KDB648474 D03 Wireless Chargers Battery Cover

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

# 1.5. Test Facility

Compliance Certification Services Inc. Wugu Lab. No.11, Wugong 6th Rd.,

Wugu Dist., New Taipei City 24891, Taiwan. (R.O.C.) (TAF code 1309)

FCC Designation number: TW1309

## 1.6. Special Accessories

No special accessories were used during testing.

## 1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 7 of 181

## 2. SYSTEM TEST CONFIGURATION

# 2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

#### 2.3. Test Procedure

#### 2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

## 2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

### 2.4. Measurement Results Explanation Example

## For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

| おいている | はいている | はい documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	0.2	14.8	15
High Band (Above 1 GHz)	0.5	14.5	15

# 2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850		667
GSM 1900		697
WCDMA B5	3.85	686
LTE Band 5	3.03	688
LTE Band 12		692
LTE Band 17		677

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 9 of 181

# 2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)





Fig. 2-3 Configuration of Tested System (Fixed Channel-Radiated, Wireless Charging Mode)



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Wideband Radio Communication Tester	R&S	CMW 500	116875	shielded	Un-shielded
2.	DC Power Supply	Anritsu	E3640A	MY52410006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

| おいている | はいている | はい documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(c)(10) §27.50(h)(2)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(m)(4)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §22.913	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 11 of 181

## 4. DESCRIPTION OF TEST MODES


#### 4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover	
GSM/GPRS 850	H-plan	H-plan	
GSM/GPRS 1900	H-plan	H-plan	
WCDMA/HSPA Band V	H-plan	H-plan	
LTE Band 5	H-plan	H-plan	
LTE Band 12	H-plan	H-plan	
LTE Band 17	H-plan	H-plan	

Note: Additional emissions testing were performed per KDB 648474 D03 and reported herein and identified as WPC. Per KDB 648474 D03, spurious emissions measurement data was also investigated with the wireless charging battery cover.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






## GSM/GPRS MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS 850
	512 to 810	661	GSM/GPRS 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS 850
	512 to 810	512, 810	GSM/GPRS 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

### WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
FREQUENCY STABILITY	4132 to 4233	4183	WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
BAND EDGE	4132 to 4233	4132, 4233	WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA Band V
RADIATED EMISSION	4132 to 4233	4132, 4183, 4233	WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





### LTF Band 5 MODE

LIE Ballu 3 MIC					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
LDD	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
ERP	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED BAND-	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	Full RB
l width [	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	64QAM	Full RB
PEAK TO AVERAGE	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	Full RB
RATIO	20425 to 20625	20425, 20525, 20625	5MHz	64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	64QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 0 RB Offest
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest	
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest	
EKP	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest	
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK	Full RB	
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	Full RB	
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	Full RB	
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	Full RB	
	23017 to 23173	23017, 23095, 23173	1.4MHz	64QAM	Full RB	
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	64QAM	Full RB	
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	64QAM	Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	64QAM	Full RB	
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB	
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB	
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB	
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB	
CONDCU-	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB, 0 RB Offest	
DETED EMIS-	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB, 0 RB Offest	
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 0 RB Offest	
SION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest	
RADIATED EMISSION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 49 RB Offest	

### LTE Band 17 MODE

TEST ITEM AVAILABLE CHANNEL		TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
ERP	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	64QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	64QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 49 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise stated the results shown in this test report retier only to the samplets) tested and student samplets are featured for 90 days only. 
Pk 并另有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent a parties to a transaction from exercising all their rights and obligations under the transaction and this document does not exponent the parties to a transaction from exercising all their rights and obligations under the transaction. documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of the SGS Group (SGS SA)



## 5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Output Power	+/- 1.15 dB
99% Occupied Bandwidth	+/- 0.89%
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.89 dB
Frequency Stability vs. Temperature	+/- 2.64 Hz
3M Semi Anechoic Chamber / 30M~200M	+/- 4.12 dB
3M Semi Anechoic Chamber / 200MHz ~ 1GHz	+/- 4.68
3M Semi Anechoic Chamber / 1GHz ~ 8GHz	+/- 5.18
3M Semi Anechoic Chamber / 8GHz ~ 18GHz	+/- 5.47
3M Semi Anechoic Chamber / 18GHz ~ 26GHz	+/- 3.81
3M Semi Anechoic Chamber / 26GHz ~ 40GHz	+/- 3.87

#### Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report.
- 3. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Page 16 of 181

### 6. RF CONDUCTED OUTPUT POWER MEASUREMENT

## 6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

#### **ERP/EIRP LIMIT**

According to FCC §2.1046


FCC 22.913(a) (5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

## 6.2. Test Set-up



**Note:** Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 17 of 181

#### 6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP.

## **TEST PROCEDURE:**

ANSI C63.26:2015 KDB 971168 Section 5.6

ERP/EIRP = PMeas + GT-LC

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.2 For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 6.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Digital Radio Communication Tester	R&S	CMU200	100535	09/17/2018	09/16/2019
DC Power Supply	Agilent	E3640A	KR93300208	08/15/2018	08/14/2019
Attenuator	Mini-Circuit	BW-S10W2+	1	02/26/2019	02/25/2020
Wideband Radio Communication Tester	R&S	CMW 500	116875	04/20/2018	04/19/2019

#### 6.5. Measurement Result


## **RF Conducted Output Power**

GSM/GPRS/EDGE (GMSK: 8-PSK) Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
CCM	824.2	128	32.46	-4.60	25.71	27.86	38.50	-10.64
GSM 850	836.6	190	32.41	-4.60	25.66	27.81	38.50	-10.69
030	848.8	251	32.57	-4.60	25.82	27.97	38.50	-10.53
CCM	1850.2	512	28.64	-1.50	24.99	27.14	33.00	-5.86
GSM 1900	1880.0	661	28.77	-1.50	25.12	27.27	33.00	-5.73
1700	1909.8	810	28.70	-1.50	25.05	27.20	33.00	-5.80
CDDC	824.2	128	32.43	-4.60	25.68	27.83	38.50	-10.67
GPRS 850	836.6	190	32.42	-4.60	25.67	27.82	38.50	-10.68
000	848.8	251	32.52	-4.60	25.77	27.92	38.50	-10.58
CDDC	1850.2	512	28.65	-1.50	25.00	27.15	33.00	-5.85
GPRS 1900	1880.0	661	28.74	-1.50	25.09	27.24	33.00	-5.76
1700	1909.8	810	28.71	-1.50	25.06	27.21	33.00	-5.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report retier only to the sample(s) tested and such sample(s) test documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
CDDC	824.2	128	32.43	30.21	28.20	27.21
GPRS 850	836.6	190	32.42	30.08	28.05	27.15
000	848.8	251	32.52	30.33	27.95	27.10
CDDC	1850.2	512	28.65	26.77	25.14	24.22
GPRS 1900	1880.0	661	28.74	26.61	25.03	24.10
	1909.8	810	28.71	26.66	25.07	24.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 20 of 181

#### WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

#### Results:

#### WCDMA/HSUPA/HSDPA Band V Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	826.4	4132	23.60	-4.60	19.00	38.50	-19.50
WCDMA	836.6	4183	23.58	-4.60	18.98	38.50	-19.52
	846.6	4233	23.59	-4.60	18.99	38.50	-19.51
	826.4	4132	22.57	-4.60	17.97	38.50	-20.53
HSDPA	836.6	4183	22.60	-4.60	18.00	38.50	-20.50
	846.6	4233	22.59	-4.60	17.99	38.50	-20.51
	826.4	4132	22.57	-4.60	17.97	38.50	-20.53
HSUPA	836.6	4183	22.60	-4.60	18.00	38.50	-20.50
	846.6	4233	22.52	-4.60	17.92	38.50	-20.58




Page 21 of 181

# LTE Result: FDD Band 5

Antenna	gain (dBi)	-4.6								
	•	1	LTE Ban	d 5_Up	link frequency	/ band : 824 to			-	
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average	ERP Average	EIRP Average	EIRP Limit	Margin (dB)
				1	0	(dBm)	(dBm) 15.38	(dBm) 17.53	(dBm)	-20.92
				1	0	22.13			38.45	
	20407	824.7	QPSK	1	5	22.15	15.40	17.55	38.45	-20.9
				3	2	22.22	15.47	17.62	38.45	-20.83
				6	0	21.27	14.52	16.67	38.45	-21.78
				1	0	22.13	15.38	17.53	38.45	-20.92
	20525	836.5	QPSK	1	5	22.18	15.43	17.58	38.45	-20.87
				3	2	22.24	15.49	17.64	38.45	-20.81
				6	0	21.22	14.47	16.62	38.45	-21.83
				1	0	22.13	15.38	17.53	38.45	-20.92
	20643	848.3	QPSK	1	5	22.13	15.38	17.53	38.45	-20.92
				3	2	22.21	15.46	17.61	38.45	-20.84
				6	0	21.29	14.54	16.69	38.45	-21.76
				1	0	21.41	14.66	16.81	38.45	-21.64
	20407	824.7	16QAM	1	5	21.45	14.70	16.85	38.45	-21.6
	20107	021.7	10 27 1111	3	2	21.30	14.55	16.70	38.45	-21.75
				6	0	20.34	13.59	15.74	38.45	-22.71
				1	0	21.41	14.66	16.81	38.45	-21.64
1.4	20525	836.5	16QAM	1	5	21.48	14.73	16.88	38.45	-21.57
1.4	20020	030.3	TOQAW	3	2	21.32	14.57	16.72	38.45	-21.73
				6	0	20.27	13.52	15.67	38.45	-22.78
				1	0	21.44	14.69	16.84	38.45	-21.61
	207.42	040.2	1/0414	1	5	21.41	14.66	16.81	38.45	-21.64
	20643	848.3	16QAM	3	2	21.29	14.54	16.69	38.45	-21.76
				6	0	20.32	13.57	15.72	38.45	-22.73
				1	0	20.78	14.03	16.18	38.45	-22.27
	20407	0047	(40.014	1	5	20.76	14.01	16.16	38.45	-22.29
	20407	824.7	64QAM	3	2	20.68	13.93	16.08	38.45	-22.37
				6	0	19.69	12.94	15.09	38.45	-23.36
				1	0	20.78	14.03	16.18	38.45	-22.27
	00		,,,,,,,,	1	5	20.83	14.08	16.23	38.45	-22.22
	20525	836.5	64QAM	3	2	20.67	13.92	16.07	38.45	-22.38
				6	0	19.67	12.92	15.07	38.45	-23.38
				1	0	20.83	14.08	16.23	38.45	-22.22
		Ì .		1	5	20.72	13.97	16.12	38.45	-22.33
	20643	848.3	64QAM	3	2	20.68	13.93	16.08	38.45	-22.37
				6	0	19.64	12.89	15.04	38.45	-23.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Antenna	gain (dBi)	-4.6	LTE Ban	d 5_Upl	link frequency	y band : 824 to	849 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.15	15.40	17.55	38.45	-20.9
	20415	825.5	QPSK	1	14	22.19	15.44	17.59	38.45	-20.86
	20413	023.3	UPSK	8	4	21.38	14.63	16.78	38.45	-21.67
				15	0	21.35	14.60	16.75	38.45	-21.7
				1	0	22.17	15.42	17.57	38.45	-20.88
	20525	836.5	QPSK	1	14	22.20	15.45	17.60	38.45	-20.85
	20020	030.3	UPSK	8	4	21.36	14.61	16.76	38.45	-21.69
				15	0	21.30	14.55	16.70	38.45	-21.75
				1	0	22.10	15.35	17.50	38.45	-20.95
	20635	847.5	QPSK	1	14	22.13	15.38	17.53	38.45	-20.92
	20033	047.3	UPSK	8	4	21.37	14.62	16.77	38.45	-21.68
				15	0	21.27	14.52	16.67	38.45	-21.78
				1	0	21.44	14.69	16.84	38.45	-21.61
	20/15	025 5	16QAM	1	14	21.49	14.74	16.89	38.45	-21.56
	20415 825.5	TOQAW	8	4	20.44	13.69	15.84	38.45	-22.61	
			15	0	20.35	13.60	15.75	38.45	-22.7	
			1	0	21.48	14.73	16.88	38.45	-21.57	
3	20525	836.5	16QAM	1	14	21.51	14.76	16.91	38.45	-21.54
3	20020	030.3	TOQAW	8	4	20.41	13.66	15.81	38.45	-22.64
				15	0	20.29	13.54	15.69	38.45	-22.76
				1	0	21.48	14.73	16.88	38.45	-21.57
	20635	847.5	16QAM	1	14	21.44	14.69	16.84	38.45	-21.61
	20033	047.3	TOQAW	8	4	20.45	13.70	15.85	38.45	-22.6
				15	0	20.33	13.58	15.73	38.45	-22.72
				1	0	20.80	14.05	16.20	38.45	-22.25
	20415	825.5	64QAM	1	14	20.88	14.13	16.28	38.45	-22.17
	20415	823.3	04QAIVI	8	4	19.77	13.02	15.17	38.45	-23.28
				15	0	19.69	12.94	15.09	38.45	-23.36
				1	0	20.80	14.05	16.20	38.45	-22.25
	20525	024 E	44000	1	14	20.87	14.12	16.27	38.45	-22.18
	20525	836.5	64QAM	8	4	19.72	12.97	15.12	38.45	-23.33
				15	0	19.63	12.88	15.03	38.45	-23.42
				1	0	20.79	14.04	16.19	38.45	-22.26
	204.25	047 5	64QAM	1	14	20.80	14.05	16.20	38.45	-22.25
	20635	847.5	04QAIVI	8	4	19.76	13.01	15.16	38.45	-23.29
				15	0	19.69	12.94	15.09	38.45	-23.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Antonna	gain (dBi)	-4.6	LTE Ban	d 5_Upl	link frequency	/ band : 824 to	849 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.16	15.41	17.56	38.45	-20.89
	20425	826.5	QPSK	1	24	22.03	15.28	17.43	38.45	-21.02
	20423	020.3	UPSK	12	6	21.38	14.63	16.78	38.45	-21.67
				25	0	21.29	14.54	16.69	38.45	-21.76
				1	0	22.18	15.43	17.58	38.45	-20.87
	20525	836.5	QPSK	1	24	22.05	15.30	17.45	38.45	-21
	20020	030.3	QF3K	12	6	21.31	14.56	16.71	38.45	-21.74
				25	0	21.20	14.45	16.60	38.45	-21.85
				1	0	22.12	15.37	17.52	38.45	-20.93
	20625	846.5	QPSK	1	24	22.22	15.47	17.62	38.45	-20.83
	20023	040.3	UPSK	12	6	21.33	14.58	16.73	38.45	-21.72
				25	0	21.24	14.49	16.64	38.45	-21.81
				1	0	21.31	14.56	16.71	38.45	-21.74
	20425	024 5	16QAM	1	24	21.38	14.63	16.78	38.45	-21.67
	20425 826.5	020.3	TOCAW	12	6	20.38	13.63	15.78	38.45	-22.67
				25	0	20.32	13.57	15.72	38.45	-22.73
			16QAM	1	0	21.28	14.53	16.68	38.45	-21.77
5	20525	836.5		1	24	21.31	14.56	16.71	38.45	-21.74
3	20020	030.3	TOQAW	12	6	20.30	13.55	15.70	38.45	-22.75
				25	0	20.24	13.49	15.64	38.45	-22.81
				1	0	21.08	14.33	16.48	38.45	-21.97
	20625	846.5	16QAM	1	24	21.47	14.72	16.87	38.45	-21.58
	20023	040.3	TOQAW	12	6	20.33	13.58	15.73	38.45	-22.72
				25	0	20.27	13.52	15.67	38.45	-22.78
				1	0	20.64	13.89	16.04	38.45	-22.41
	20425	826.5	64QAM	1	24	20.74	13.99	16.14	38.45	-22.31
	20423	020.3	04QAIVI	12	6	19.75	13.00	15.15	38.45	-23.3
				25	0	19.63	12.88	15.03	38.45	-23.42
				1	0	20.59	13.84	15.99	38.45	-22.46
	20525	836.5	64QAM	1	24	20.71	13.96	16.11	38.45	-22.34
	20020	030.3	04QAIVI	12	6	19.61	12.86	15.01	38.45	-23.44
				25	0	19.61	12.86	15.01	38.45	-23.44
				1	0	20.44	13.69	15.84	38.45	-22.61
	20425	014 E	640011	1	24	20.81	14.06	16.21	38.45	-22.24
	20625	846.5	64QAM	12	6	19.65	12.90	15.05	38.45	-23.4
				25	0	19.65	12.90	15.05	38.45	-23.4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page 24 of 181

Antenna gain (dBi)

Antenna	gain (dBi)	-4.6	LTE Ban	d 5_Upl	link frequency	/ band : 824 to	849 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.14	15.39	17.54	38.45	-20.91
	20450	829	QPSK	1	49	22.21	15.46	17.61	38.45	-20.84
	20430	027	QF3K	25	12	21.23	14.48	16.63	38.45	-21.82
				50	0	21.02	14.27	16.42	38.45	-22.03
				1	0	22.16	15.41	17.56	38.45	-20.89
	20525	836.5	QPSK	1	49	22.12	15.37	17.52	38.45	-20.93
	20323	030.3	QI SIX	25	12	21.22	14.47	16.62	38.45	-21.83
				50	0	21.03	14.28	16.43	38.45	-22.02
				1	0	22.28	15.53	17.68	38.45	-20.77
	20600	844	QPSK	1	49	22.08	15.33	17.48	38.45	-20.97
	20000	044	QI SIX	25	12	21.28	14.53	16.68	38.45	-21.77
				50	0	21.05	14.30	16.45	38.45	-22
				1	0	21.49	14.74	16.89	38.45	-21.56
	20450	820	16QAM	1	49	21.53	14.78	16.93	38.45	-21.52
	20450 829	TOCAIVI	25	12	20.24	13.49	15.64	38.45	-22.81	
			50	0	20.03	13.28	15.43	38.45	-23.02	
			1	0	21.52	14.77	16.92	38.45	-21.53	
10	20525	836.5	16QAM	1	49	21.45	14.70	16.85	38.45	-21.6
10	20323	030.3	TOCAIVI	25	12	20.24	13.49	15.64	38.45	-22.81
				50	0	20.02	13.27	15.42	38.45	-23.03
				1	0	21.48	14.73	16.88	38.45	-21.57
	20600	844	16QAM	1	49	21.43	14.68	16.83	38.45	-21.62
	20000	044	TOQAW	25	12	20.27	13.52	15.67	38.45	-22.78
				50	0	20.06	13.31	15.46	38.45	-22.99
				1	0	20.85	14.10	16.25	38.45	-22.2
	20450	829	64QAM	1	49	20.87	14.12	16.27	38.45	-22.18
	20430	027	04QAIVI	25	12	19.55	12.80	14.95	38.45	-23.5
				50	0	19.42	12.67	14.82	38.45	-23.63
				1	0	20.86	14.11	16.26	38.45	-22.19
	20525	836.5	64QAM	1	49	20.83	14.08	16.23	38.45	-22.22
	20020	030.3	04QAIVI	25	12	19.56	12.81	14.96	38.45	-23.49
				50	0	19.37	12.62	14.77	38.45	-23.68
				1	0	20.80	14.05	16.20	38.45	-22.25
	20600	844	64QAM	1	49	20.76	14.01	16.16	38.45	-22.29
	20000	044	04QAIVI	25	12	19.64	12.89	15.04	38.45	-23.41
				50	0	19.41	12.66	14.81	38.45	-23.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page 25 of 181

### FDD Band 12

Antenna gain (dBi) -8.9

Antenna	gairi (dbi)	-8.9	LTE Band	l 12_Ur	olink frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.02	10.97	13.12	34.77	-21.65
	23017	699.7	QPSK	1	5	22.12	11.07	13.22	34.77	-21.55
	23017	077.7	QF3K	3	2	22.19	11.14	13.29	34.77	-21.48
				6	0	21.20	10.15	12.30	34.77	-22.47
				1	0	22.08	11.03	13.18	34.77	-21.59
	23095	707.5	QPSK	1	5	22.16	11.11	13.26	34.77	-21.51
	23073	707.5	QF3K	3	2	22.23	11.18	13.33	34.77	-21.44
				6	0	21.28	10.23	12.38	34.77	-22.39
				1	0	22.17	11.12	13.27	34.77	-21.5
	23173	715.5	QPSK	1	5	22.21	11.16	13.31	34.77	-21.46
	23173	713.3	QF3K	3	2	22.28	11.23	13.38	34.77	-21.39
				6	0	21.32	10.27	12.42	34.77	-22.35
				1	0	21.26	10.21	12.36	34.77	-22.41
	23017	600.7	16QAM	1	5	21.37	10.32	12.47	34.77	-22.3
	23017	23017 699.7	TOQAWI	3	2	21.23	10.18	12.33	34.77	-22.44
			6	0	20.29	9.24	11.39	34.77	-23.38	
		+ +		1	0	21.40	10.35	12.50	34.77	-22.27
1.4	23095	707.5	16QAM	1	5	21.48	10.43	12.58	34.77	-22.19
1.4	23093	707.5	TOQAW	3	2	21.29	10.24	12.39	34.77	-22.38
				6	0	20.34	9.29	11.44	34.77	-23.33
				1	0	21.44	10.39	12.54	34.77	-22.23
	23173	715.5	16QAM	1	5	21.49	10.44	12.59	34.77	-22.18
	23173	710.0	TOQAW	3	2	21.34	10.29	12.44	34.77	-22.33
				6	0	20.39	9.34	11.49	34.77	-23.28
				1	0	20.59	9.54	11.69	34.77	-23.08
	23017	699.7	64QAM	1	5	20.77	9.72	11.87	34.77	-22.9
	23017	077.7	04QAIVI	3	2	20.55	9.50	11.65	34.77	-23.12
				6	0	19.64	8.59	10.74	34.77	-24.03
				1	0	20.76	9.71	11.86	34.77	-22.91
	23095	707.5	64QAM	1	5	20.82	9.77	11.92	34.77	-22.85
	23073	707.5	04QAIVI	3	2	20.63	9.58	11.73	34.77	-23.04
				6	0	19.65	8.60	10.75	34.77	-24.02
				1	0	20.79	9.74	11.89	34.77	-22.88
	23173	715.5	64QAM	1	5	20.87	9.82	11.97	34.77	-22.8
	231/3	710.0	04QAIVI	3	2	20.73	9.68	11.83	34.77	-22.94
				6	0	19.77	8.72	10.87	34.77	-23.9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






-8.9

Antenna	gain (dBi)	-8.9	LTE Band	l 12_Up	link frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.04	10.99	13.14	34.77	-21.63
	23025	700.5	QPSK	1	14	22.14	11.09	13.24	34.77	-21.53
	23023	700.5	QF3K	8	4	21.29	10.24	12.39	34.77	-22.38
				15	0	21.26	10.21	12.36	34.77	-22.41
				1	0	22.14	11.09	13.24	34.77	-21.53
	23095	707.5	QPSK	1	14	22.21	11.16	13.31	34.77	-21.46
	23073	707.5	QF3K	8	4	21.36	10.31	12.46	34.77	-22.31
				15	0	21.35	10.30	12.45	34.77	-22.32
				1	0	22.16	11.11	13.26	34.77	-21.51
	23165	714.5	QPSK	1	14	22.25	11.20	13.35	34.77	-21.42
	23103	714.5	QF3K	8	4	21.40	10.35	12.50	34.77	-22.27
				15	0	21.33	10.28	12.43	34.77	-22.34
				1	0	21.31	10.26	12.41	34.77	-22.36
	23025	700.5	16QAM	1	14	21.42	10.37	12.52	34.77	-22.25
	23023	700.5	TOQAW	8	4	20.38	9.33	11.48	34.77	-23.29
				15	0	20.29	9.24	11.39	34.77	-23.38
				1	0	21.34	10.29	12.44	34.77	-22.33
3	23095	707.5	16QAM	1	14	21.51	10.46	12.61	34.77	-22.16
3	23093	707.3	TOQAW	8	4	20.44	9.39	11.54	34.77	-23.23
				15	0	20.37	9.32	11.47	34.77	-23.3
				1	0	21.47	10.42	12.57	34.77	-22.2
	23165	714.5	16QAM	1	14	21.56	10.51	12.66	34.77	-22.11
	23100	714.3	TOQAW	8	4	20.46	9.41	11.56	34.77	-23.21
				15	0	20.32	9.27	11.42	34.77	-23.35
				1	0	20.67	9.62	11.77	34.77	-23
	23025	700.5	64QAM	1	14	20.78	9.73	11.88	34.77	-22.89
	23025	700.5	04QAIVI	8	4	19.73	8.68	10.83	34.77	-23.94
				15	0	19.59	8.54	10.69	34.77	-24.08
				1	0	20.66	9.61	11.76	34.77	-23.01
	2200E	707 F	44000	1	14	20.82	9.77	11.92	34.77	-22.85
	23095	707.5	64QAM	8	4	19.78	8.73	10.88	34.77	-23.89
				15	0	19.74	8.69	10.84	34.77	-23.93
				1	0	20.80	9.75	11.90	34.77	-22.87
	221/5	71 / Γ	6 4 O A B 4	1	14	20.87	9.82	11.97	34.77	-22.8
	23165	714.5	64QAM	8	4	19.78	8.73	10.88	34.77	-23.89
				15	0	19.66	8.61	10.76	34.77	-24.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






-89

Antenna	Antenna gain (dBi) -8.9  LTE Band 12_Uplink frequency band : 699 to 716 MHz  Conducted ERP EIRP EIRP												
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)		EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	22.15	11.10	13.25	34.77	-21.52			
	23035	701.5	QPSK	1	24	22.04	10.99	13.14	34.77	-21.63			
	23030	701.3	UPSK	12	6	21.32	10.27	12.42	34.77	-22.35			
				25	0	21.22	10.17	12.32	34.77	-22.45			
				1	0	22.22	11.17	13.32	34.77	-21.45			
	23095	707.5	QPSK	1	24	22.07	11.02	13.17	34.77	-21.6			
	23093	707.5	QF3K	12	6	21.38	10.33	12.48	34.77	-22.29			
				25	0	21.28	10.23	12.38	34.77	-22.39			
				1	0	22.16	11.11	13.26	34.77	-21.51			
	23155	713.5	QPSK	1	24	22.29	11.24	13.39	34.77	-21.38			
	23100	713.3	QF3K	12	6	21.36	10.31	12.46	34.77	-22.31			
				25	0	21.31	10.26	12.41	34.77	-22.36			
				1	0	21.15	10.10	12.25	34.77	-22.52			
	22025	701.5	16QAM	1	24	21.30	10.25	12.40	34.77	-22.37			
	23035 701.5	10Q/IIVI	12	6	20.35	9.30	11.45	34.77	-23.32				
				25	0	20.25	9.20	11.35	34.77	-23.42			
			16QAM	1	0	21.21	10.16	12.31	34.77	-22.46			
5	23095	707.5		1	24	21.36	10.31	12.46	34.77	-22.31			
5	23073	707.5	TOQAIVI	12	6	20.38	9.33	11.48	34.77	-23.29			
				25	0	20.28	9.23	11.38	34.77	-23.39			
				1	0	21.46	10.41	12.56	34.77	-22.21			
	23155	713.5	16QAM	1	24	21.60	10.55	12.70	34.77	-22.07			
	23133	713.3	TOQAW	12	6	20.35	9.30	11.45	34.77	-23.32			
				25	0	20.28	9.23	11.38	34.77	-23.39			
				1	0	20.50	9.45	11.60	34.77	-23.17			
	23035	701.5	64QAM	1	24	20.62	9.57	11.72	34.77	-23.05			
	23033	701.5	04QAIVI	12	6	19.74	8.69	10.84	34.77	-23.93			
				25	0	19.62	8.57	10.72	34.77	-24.05			
				1	0	20.60	9.55	11.70	34.77	-23.07			
	23095	707.5	64QAM	1	24	20.69	9.64	11.79	34.77	-22.98			
	23070	707.3	04QAIVI	12	6	19.78	8.73	10.88	34.77	-23.89			
				25	0	19.59	8.54	10.69	34.77	-24.08			
				1	0	20.83	9.78	11.93	34.77	-22.84			
	23155	713.5	64QAM	1	24	20.96	9.91	12.06	34.77	-22.71			
	23100	113.3	04QAIVI	12	6	19.68	8.63	10.78	34.77	-23.99			
				25	0	19.67	8.62	10.77	34.77	-24			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





-8.9

Antenna	gair (dbi)	-8.9	LTE Band	l 12_Up	link frequency	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.09	11.04	13.19	34.77	-21.58
	23060	704	QPSK	1	49	22.34	11.29	13.44	34.77	-21.33
	23000	704	QF3K	25	12	21.19	10.14	12.29	34.77	-22.48
				50	0	21.00	9.95	12.10	34.77	-22.67
				1	0	22.11	11.06	13.21	34.77	-21.56
	23095	707.5	QPSK	1	49	22.27	11.22	13.37	34.77	-21.4
	23073	707.5	QF3K	25	12	21.25	10.20	12.35	34.77	-22.42
				50	0	21.04	9.99	12.14	34.77	-22.63
				1	0	22.13	11.08	13.23	34.77	-21.54
	23130	711	QPSK	1	49	22.31	11.26	13.41	34.77	-21.36
	23130	/ 11	QF3K	25	12	21.27	10.22	12.37	34.77	-22.4
				50	0	21.06	10.01	12.16	34.77	-22.61
				1	0	21.39	10.34	12.49	34.77	-22.28
	23060	704	16QAM	1	49	21.57	10.52	12.67	34.77	-22.1
	23000	3060 704	TOQAIVI	25	12	20.20	9.15	11.30	34.77	-23.47
			50	0	20.01	8.96	11.11	34.77	-23.66	
			1/044	1	0	21.46	10.41	12.56	34.77	-22.21
10	23095	707.5		1	49	21.63	10.58	12.73	34.77	-22.04
10	23093	707.3	16QAM	25	12	20.25	9.20	11.35	34.77	-23.42
				50	0	20.03	8.98	11.13	34.77	-23.64
				1	0	21.39	10.34	12.49	34.77	-22.28
	23130	711	16QAM	1	49	21.58	10.53	12.68	34.77	-22.09
	23130	/11	TOQAW	25	12	20.27	9.22	11.37	34.77	-23.4
				50	0	20.07	9.02	11.17	34.77	-23.6
				1	0	20.70	9.65	11.80	34.77	-22.97
	23060	704	64QAM	1	49	20.93	9.88	12.03	34.77	-22.74
	23000	704	04QAIVI	25	12	19.54	8.49	10.64	34.77	-24.13
				50	0	19.41	8.36	10.51	34.77	-24.26
				1	0	20.83	9.78	11.93	34.77	-22.84
	22005	707.5	640414	1	49	20.96	9.91	12.06	34.77	-22.71
	23095	707.5	64QAM	25	12	19.57	8.52	10.67	34.77	-24.1
				50	0	19.38	8.33	10.48	34.77	-24.29
				1	0	20.70	9.65	11.80	34.77	-22.97
	22120	711	440414	1	49	20.96	9.91	12.06	34.77	-22.71
	23130	711	64QAM	25	12	19.60	8.55	10.70	34.77	-24.07
				50	0	19.38	8.33	10.48	34.77	-24.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page 29 of 181

### FDD Band 17

Antenna gain (dBi) -8.9

Tuntorina	gain (dBi)	-8.9	LTE Band	l 17_Up	link frequency	y band : 704 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.15	11.10	13.25	34.77	-21.52
	23755	706.5	QPSK	1	24	22.06	11.01	13.16	34.77	-21.61
	23733	700.5	QI SIX	12	6	21.35	10.30	12.45	34.77	-22.32
				25	0	21.27	10.22	12.37	34.77	-22.4
				1	0	22.21	11.16	13.31	34.77	-21.46
	23790	710	QPSK	1	24	22.08	11.03	13.18	34.77	-21.59
	23770	710	QF3K	12	6	21.39	10.34	12.49	34.77	-22.28
				25	0	21.26	10.21	12.36	34.77	-22.41
				1	0	22.15	11.10	13.25	34.77	-21.52
	23825	713.5	QPSK	1	24	22.10	11.05	13.20	34.77	-21.57
	23023	713.3	QF3K	12	6	21.33	10.28	12.43	34.77	-22.34
				25	0	21.25	10.20	12.35	34.77	-22.42
				1	0	21.13	10.08	12.23	34.77	-22.54
	22755	704 E	16QAM	1	24	21.39	10.34	12.49	34.77	-22.28
	23755 706.5	TOQAW	12	6	20.37	9.32	11.47	34.77	-23.3	
				25	0	20.28	9.23	11.38	34.77	-23.39
			1	0	21.19	10.14	12.29	34.77	-22.48	
_	22700	710	1/0444	1	24	21.41	10.36	12.51	34.77	-22.26
5	23790	710	16QAM	12	6	20.42	9.37	11.52	34.77	-23.25
				25	0	20.27	9.22	11.37	34.77	-23.4
				1	0	21.31	10.26	12.41	34.77	-22.36
	22025	710 5	1/0414	1	24	21.40	10.35	12.50	34.77	-22.27
	23825	713.5	16QAM	12	6	20.37	9.32	11.47	34.77	-23.3
				25	0	20.27	9.22	11.37	34.77	-23.4
				1	0	20.47	9.42	11.57	34.77	-23.2
	22755	704 E	64QAM	1	24	20.73	9.68	11.83	34.77	-22.94
	23755	706.5	04QAIVI	12	6	19.72	8.67	10.82	34.77	-23.95
				25	0	19.67	8.62	10.77	34.77	-24
				1	0	20.57	9.52	11.67	34.77	-23.1
	22700	710	44000	1	24	20.80	9.75	11.90	34.77	-22.87
	23790	710	64QAM	12	6	19.78	8.73	10.88	34.77	-23.89
	Ī			25	0	19.59	8.54	10.69	34.77	-24.08
				1	0	20.63	9.58	11.73	34.77	-23.04
	22025	710 5	6 4 O A B 4	1	24	20.74	9.69	11.84	34.77	-22.93
	23825	713.5	64QAM	12	6	19.71	8.66	10.81	34.77	-23.96
	Ī			25	0	19.63	8.58	10.73	34.77	-24.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






-89

Antenna	Antenna gain (dBi) -8.9  LTE Band 17_Uplink frequency band : 704 to 716 MHz  Conducted ERP EIRP EIRP												
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	22.04	10.99	13.14	34.77	-21.63			
	23780	709	QPSK	1	49	22.32	11.27	13.42	34.77	-21.35			
	23/00	709	UPSK	25	12	21.29	10.24	12.39	34.77	-22.38			
				50	0	21.08	10.03	12.18	34.77	-22.59			
				1	0	22.11	11.06	13.21	34.77	-21.56			
	23790	710	QPSK	1	49	22.28	11.23	13.38	34.77	-21.39			
	23/70	710	QF3K	25	12	21.28	10.23	12.38	34.77	-22.39			
				50	0	21.06	10.01	12.16	34.77	-22.61			
				1	0	22.10	11.05	13.20	34.77	-21.57			
	23800	711	QPSK	1	49	22.19	11.14	13.29	34.77	-21.48			
	23000	711	QI SIX	25	12	21.28	10.23	12.38	34.77	-22.39			
				50	0	21.08	10.03	12.18	34.77	-22.59			
				1	0	21.37	10.32	12.47	34.77	-22.3			
	22780	709	16QAM	1	49	21.61	10.56	12.71	34.77	-22.06			
	23780 709	707	TOQAW	25	12	20.28	9.23	11.38	34.77	-23.39			
				50	0	20.08	9.03	11.18	34.77	-23.59			
			16QAM	1	0	21.43	10.38	12.53	34.77	-22.24			
10	23790	710		1	49	21.59	10.54	12.69	34.77	-22.08			
10	23/70	710	TOQAW	25	12	20.27	9.22	11.37	34.77	-23.4			
				50	0	20.07	9.02	11.17	34.77	-23.6			
				1	0	21.44	10.39	12.54	34.77	-22.23			
	23800	711	16QAM	1	49	21.52	10.47	12.62	34.77	-22.15			
	23000	711	TOCAIVI	25	12	20.28	9.23	11.38	34.77	-23.39			
				50	0	20.07	9.02	11.17	34.77	-23.6			
				1	0	20.73	9.68	11.83	34.77	-22.94			
	23780	709	64QAM	1	49	20.99	9.94	12.09	34.77	-22.68			
	23700	707	04QAIVI	25	12	19.65	8.60	10.75	34.77	-24.02			
				50	0	19.43	8.38	10.53	34.77	-24.24			
				1	0	20.79	9.74	11.89	34.77	-22.88			
	23790	710	64QAM	1	49	20.91	9.86	12.01	34.77	-22.76			
	23170	710	UHQAW	25	12	19.65	8.60	10.75	34.77	-24.02			
				50	0	19.46	8.41	10.56	34.77	-24.21			
				1	0	20.80	9.75	11.90	34.77	-22.87			
	23800	711	64QAM	1	49	20.88	9.83	11.98	34.77	-22.79			
	23000	/ 1 1	04QAIVI	25	12	19.61	8.56	10.71	34.77	-24.06			
				50	0	19.45	8.40	10.55	34.77	-24.22			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





## **HSDPA Release 6 MODE:**

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

## **HSDPA SUB-TEST Setting**

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	$eta_d$	β <sub>d</sub> ( <b>SF</b> )	βc/βd	β <sub>HS</sub> (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

#### **Results:**

Mode	Sub test	Ανί	g. Power (di Channel	3m)
	1031	4132.00	4183.00	4233.00
	1	22.57	22.60	22.59
HSDPA V	2	22.08	22.08	22.07
H2DPA V	3	22.10	22.04	22.06
	4	22.07	22.07	22.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所有分類、明、近報音級不便可知、(人体の具具 門門野政権の理体層列化 本格音を整本を引き面配子 ) 不可能的模型。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting** 

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βε	βa	β <sub>d</sub> (SF)	βс/βа	βнs	βес	βed	β <sub>ed</sub> (SF)	β <sub>ed</sub> (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β <sub>ed</sub> 1: 47/15 β <sub>ed</sub> 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

#### Results:

	Ch	Avg. Power (dBm)						
Mode	Sub test		Channel					
	เบรเ	4132.00	4183.00	4233.00				
	1	22.57	22.60	22.52				
	2	20.62	20.64	20.65				
HSUPA V	3	21.60	21.66	21.53				
	4	20.65	20.53	20.55				
	5	22.50	22.60	22.60				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

| おいている | はいている | はい documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 33 of 181

### **Minimum Communications Power Measurement**

#### PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.45	27.31	24.9	22.97	21.03	19.07	17.26	14.8	13.1

PCL	9	10	11	12	13	14	15
Output power (dBm)	11.19	9.24	7.19	5.04	2.93	0.88	-1.17

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

#### WCDMA/HSDPA/HSUPA band V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page 34 of 181

## 7. OCCUPIED BANDWIDTH MEASUREMENT

# 7.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

## 7.2. Test Set-up



#### 7.3. Measurement Procedure

## 99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 \* Signal BW, set % Power = 99%.

#### 99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about  $1\% \sim 5\%$  of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW=  $1\% \sim 5\%$ , VBW= 3 RBW, with span > 2 \* Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions.htm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4. Measurement Equipment Used


EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY53400256	11/21/2018	11/20/2019
Digital Radio Communication Tester	R&S	CMU200	100535	09/17/2018	09/16/2019
DC Power Supply	Agilent	E3640A	KR93300208	08/15/2018	08/14/2019
Attenuator	Mini-Circuit	BW-S10W2+	1	02/26/2019	02/25/2020
DC Block	Mini-Circuits	BLK-18-S+	31129(1)	02/26/2019	02/25/2020
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPD022-013	02/26/2019	02/25/2020
Coaxial Cables	Woken	00100A1F1A185C	RF12	02/26/2019	02/25/2020
Wideband Radio Communication Tester	R&S	CMW 500	116875	04/20/2018	04/19/2019

## 7.5. Measurement Result

Freq.		99% BV	V (MHz)	26 dB B	W (MHz)
(MHz)	CH	GSM	GPRS	GPRS	GPRS
(IVII IZ)		850	850	850	850
824.2	128	0.23998	0.23691	0.302	0.301
836.6	190	0.23951	0.24015	0.308	0.306
848.8	251	0.23860	0.23716	0.304	0.301
Frog		99% BV	V (MHz)	26 dB B	W (MHz)
Freq.	СН	99% BV GSM	V (MHz) GPRS	26 dB B	W (MHz) GPRS
Freq. (MHz)	СН				` '
	<b>CH</b> 512	GSM	GPRS	GSM	GPRS
(MHz)		GSM 1900	GPRS 1900	GSM 1900	GPRS 1900

Eroa		999	% BW (MH	z)	26 dB BW (MHz)			
Freq. (MHz)	CH	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA	
(IVII IZ)		V	V	V	V	V	V	
826.40	4132	4.13670	4.15590	4.14850	4.714	4.682	4.685	
836.60	4183	4.13310	4.11940	4.12220	4.683	4.687	4.667	
846.60	4233	4.12910	4.11350	4.13530	4.655	4.704	4.702	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





	LTE BAND 5 Channel bandwidth: 1.4MHz										
Freq. CH 99% BW (MHz) 26					dB BW (M	lHz)					
	(MHz)	CI	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM			
	824.7	20407	1.0959	1.0933	1.0944	1.236	1.234	1.237			
	836.5	20525	1.0916	1.0961	1.0921	1.233	1.236	1.232			
	848.3	20643	1.0933	1.0958	1.0923	1.245	1.233	1.225			

	LTE BAND 5 Channel bandwidth: 3MHz										
Freq.	СН	99	% BW (MH	lz)	26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
825.5	20415	2.6972	2.7008	2.6943	2.998	3.014	2.991				
836.5	20525	2.7031	2.7027	2.7016	2.992	3.009	2.995				
847.5	20635	2.6934	2.6996	2.6947	2.985	3.011	3.004				

	LTE BAND 5 Channel bandwidth: 5MHz										
Freq.	СН	99	% BW (MI	Hz)	26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
826.5	20425	4.5055	4.4994	4.5073	4.959	4.946	4.964				
836.5	20525	4.4969	4.4930	4.5101	4.974	4.940	4.918				
846.5	20625	4.4861	4.4985	4.4930	4.963	4.930	4.932				

	LTE BAND 5 Channel bandwidth: 10MHz										
Freq.	СН	99	99% BW (MHz) 26 dB BW (MHz)								
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
829.0	20450	8.9846	8.9822	8.9866	9.820	9.809	9.742				
836.5	20525	8.9779	8.9582	8.9636	9.755	9.730	9.737				
844.0	20600	9.0103	8.9846	8.9880	9.829	9.765	9.749				

LTE BAND 12 Channel bandwidth: 1.4MHz								
Freq.	СН	99	% BW (MI	Hz)	26 dB BW (MHz)			
(MHz)	СН	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	
699.7	23017	1.0922	1.0976	1.0945	1.216	1.244	1.229	
707.5	23095	1.0929	1.0950	1.0989	1.239	1.229	1.228	
715.3	23173	1.0957	1.0954	1.0990	1.233	1.248	1.243	

LTE BAND 12 Channel bandwidth: 3MHz									
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)				
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
700.5	23025	2.6987	2.7027	2.6956	2.997	3.013	3.009		
707.5	23095	2.6999	2.7013	2.6973	2.987	2.990	3.009		
714.5	23165	2.7041	2.7011	2.7001	2.975	3.002	3.003		


LTE BAND 12 Channel bandwidth: 5MHz									
Freq.	СН	99% BW (MHz)			26	26 dB BW (MHz)			
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
701.5	23035	4.4973	4.5009	4.5008	4.963	4.973	4.949		
707.5	23095	4.5023	4.5102	4.4950	4.967	4.962	4.965		
713.5	23155	4.4985	4.5182	4.5144	4.997	4.817	4.987		

LTE BAND 12 Channel bandwidth: 10MHz									
Freq.	СН	99	99% BW (MHz)			26 dB BW (MHz)			
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
704.0	23060	8.9988	8.9722	8.9732	9.815	9.734	9.749		
707.5	23095	8.9883	8.9722	8.9521	9.752	9.773	9.764		
711.0	23130	9.0202	8.9697	8.9654	9.801	9.784	9.759		

LTE BAND 17 Channel bandwidth: 5MHz								
Freq. CH		99	% BW (MI	Hz)	26 dB BW (MHz)			
(MHz)	СН	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	
706.5	23755	4.5040	4.5056	4.5132	4.947	4.940	4.947	
710.0	23790	4.5088	4.5005	4.5039	4.992	4.973	4.938	
713.5	23825	4.4941	4.5082	4.5047	4.956	4.947	4.915	


LTE BAND 17 Channel bandwidth: 10MHz									
Freq. CH		99	99% BW (MHz)			26 dB BW (MHz)			
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
709.0	23780	8.9995	8.9663	8.9585	9.779	9.771	9.716		
710.0	23790	9.0117	8.9693	8.9642	9.814	9.817	9.746		
711.0	23800	9.0015	8.9664	8.9606	9.774	9.698	9.764		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







GSM 850MHz LowCH128-824.2









### GSM 850MHz HighCH251-848.8




# GPRS\_850MHz\_LowCH128-824.2




#### GPRS 850MHz MidCH190-836.6



### GPRS 850MHz HighCH251-848.8





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






GSM 1900MHz LowCH512-1850.2






GSM 1900MHz HighCH810-1909.8




GPRS\_1900MHz\_LowCH512-1850.2




GPRS 1900MHz MidCH661-1880



GPRS 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







WCDMA B5 LowCH4132-826.4




HSDPA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6




WCDMA B5 HighCH4233-846.6



HSDPA B5 HighCH4233-846.6





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






HSUPA B5 LowCH4132-826.4







## HSUPA B5 HighCH4233-846.6




# Band5\_1\_4MHz\_QPSK\_6\_0\_LowCH20407-824.7




### Band5\_1\_4MHz\_QPSK\_6\_0\_MidCH20525-836.5



## Band5 1 4MHz QPSK 6 0 HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_1\_4MHz\_16QAM\_6\_0\_LowCH20407-824.7




Band5\_1\_4MHz\_16QAM\_6\_0\_MidCH20525-836.5




Band5 1 4MHz 16QAM 6 0 HighCH20643-848.3




Band5\_1\_4MHz\_64QAM\_6\_0\_LowCH20407-824.7




Band5\_1\_4MHz\_64QAM\_6\_0\_MidCH20525-836.5



Band5 1 4MHz 64QAM 6 0 HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_3MHz\_QPSK\_15\_0\_LowCH20415-825.5




Band5\_3MHz\_QPSK\_15\_0\_MidCH20525-836.5




Band5 3MHz QPSK 15 0 HighCH20635-847.5




Band5\_3MHz\_16QAM\_15\_0\_LowCH20415-825.5




Band5\_3MHz\_16QAM\_15\_0\_MidCH20525-836.5



Band5 3MHz 16QAM 15 0 HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_3MHz\_64QAM\_15\_0\_LowCH20415-825.5




Band5\_3MHz\_64QAM\_15\_0\_MidCH20525-836.5




Band5 3MHz 64QAM 15 0 HighCH20635-847.5




Band5\_5MHz\_QPSK\_25\_0\_LowCH20425-826.5




Band5\_5MHz\_QPSK\_25\_0\_MidCH20525-836.5



Band5 5MHz QPSK 25 0 HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_5MHz\_16QAM\_25\_0\_LowCH20425-826.5




Band5\_5MHz\_16QAM\_25\_0\_MidCH20525-836.5




Band5 5MHz 16QAM 25 0 HighCH20625-846.5




Band5\_5MHz\_64QAM\_25\_0\_LowCH20425-826.5




Band5\_5MHz\_64QAM\_25\_0\_MidCH20525-836.5



Band5 5MHz 64QAM 25 0 HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_10MHz\_QPSK\_50\_0\_LowCH20450-829




Band5\_10MHz\_QPSK\_50\_0\_MidCH20525-836.5




Band5 10MHz QPSK 50 0 HighCH20600-844




Band5\_10MHz\_16QAM\_50\_0\_LowCH20450-829




Band5\_10MHz\_16QAM\_50\_0\_MidCH20525-836.5



Band5 10MHz 16QAM 50 0 HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band5\_10MHz\_64QAM\_50\_0\_LowCH20450-829




Band5\_10MHz\_64QAM\_50\_0\_MidCH20525-836.5




Band5 10MHz 64QAM 50 0 HighCH20600-844




Band12\_1\_4MHz\_QPSK\_6\_0\_LowCH23017-699.7




Band12\_1\_4MHz\_QPSK\_6\_0\_MidCH23095-707.5



Band12 1 4MHz QPSK 6 0 HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12\_1\_4MHz\_16QAM\_6\_0\_LowCH23017-699.7




Band12\_1\_4MHz\_16QAM\_6\_0\_MidCH23095-707.5




Band12 1 4MHz 16QAM 6 0 HighCH23173-715.3




Band12\_1\_4MHz\_64QAM\_6\_0\_LowCH23017-699.7




Band12\_1\_4MHz\_64QAM\_6\_0\_MidCH23095-707.5



Band12 1 4MHz 64QAM 6 0 HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12\_3MHz\_QPSK\_15\_0\_LowCH23025-700.5




Band12\_3MHz\_QPSK\_15\_0\_MidCH23095-707.5




Band12 3MHz QPSK 15 0 HighCH23165-714.5




Band12\_3MHz\_16QAM\_15\_0\_LowCH23025-700.5




Band12\_3MHz\_16QAM\_15\_0\_MidCH23095-707.5



Band12 3MHz 16QAM 15 0 HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12\_3MHz\_64QAM\_15\_0\_LowCH23025-700.5




Band12\_3MHz\_64QAM\_15\_0\_MidCH23095-707.5




Band12 3MHz 64QAM 15 0 HighCH23165-714.5




Band12\_5MHz\_QPSK\_25\_0\_LowCH23035-701.5




Band12\_5MHz\_QPSK\_25\_0\_MidCH23095-707.5



Band12 5MHz QPSK 25 0 HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12\_5MHz\_16QAM\_25\_0\_LowCH23035-701.5




Band12\_5MHz\_16QAM\_25\_0\_MidCH23095-707.5




Band12 5MHz 16QAM 25 0 HighCH23155-713.5




Band12\_5MHz\_64QAM\_25\_0\_LowCH23035-701.5




Band12\_5MHz\_64QAM\_25\_0\_MidCH23095-707.5



Band12 5MHz 64QAM 25 0 HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12 10MHz QPSK 50 0 LowCH23060-704




Band12 10MHz QPSK 50 0 MidCH23095-707.5




Band12 10MHz QPSK 50 0 HighCH23130-711




Band12\_10MHz\_16QAM\_50\_0\_LowCH23060-704




Band12\_10MHz\_16QAM\_50\_0\_MidCH23095-707.5



Band12 10MHz 16QAM 50 0 HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band12\_10MHz\_64QAM\_50\_0\_LowCH23060-704




Band12\_10MHz\_64QAM\_50\_0\_MidCH23095-707.5




Band12 10MHz 64QAM 50 0 HighCH23130-711




Band17\_5MHz\_QPSK\_25\_0\_LowCH23755-706.5




Band17\_5MHz\_QPSK\_25\_0\_MidCH23790-710



Band17 5MHz QPSK 25 0 HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band17\_5MHz\_16QAM\_25\_0\_LowCH23755-706.5




Band17\_5MHz\_16QAM\_25\_0\_MidCH23790-710




Band17 5MHz 16QAM 25 0 HighCH23825-713.5




Band17\_5MHz\_64QAM\_25\_0\_LowCH23755-706.5




Band17\_5MHz\_64QAM\_25\_0\_MidCH23790-710



Band17 5MHz 64QAM 25 0 HighCH23825-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Band17 10MHz QPSK 50 0 LowCH23780-709




Band17\_10MHz\_QPSK\_50\_0\_MidCH23790-710




Band17 10MHz QPSK 50 0 HighCH23800-711




Band17\_10MHz\_16QAM\_50\_0\_LowCH23780-709



Band17\_10MHz\_16QAM\_50\_0\_MidCH23790-710




Band17 10MHz 16QAM 50 0 HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Band17\_10MHz\_64QAM\_50\_0\_LowCH23780-709



Band17\_10MHz\_64QAM\_50\_0\_MidCH23790-710



Band17 10MHz 64QAM 50 0 HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. Fex page 18 page 19 page 1 document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.