

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

Applicant:	Sharp Corporation, Mobile Communication B.U. 2-13-1, Hachihonmatsu-Iida, Higashi-hiroshima-shi, Hiroshima, 739-0192, Japan
Manufacturer:	Sharp Corporation 1 Takumi-cho, Sakai-ku, Sakai City,Osaka 590-8522,Japan
Product Name:	Smart phone
Report Number:	ER/2019/C0150
FCC ID:	APYHRO00282
FCC Rule Part:	2 , 22H & 24E & 27 C
Issue Date:	Feb. 13, 2020
Date of Test:	Dec. 23, 2019 ~ Jan. 17, 2020
Date of EUT Received:	Dec. 23, 2019
We hereby cortify that:	

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Approved By:

Vito Pei/ Sr. Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

R#ア另有説明、此報告結果僅對測試之様品員。同時此様品僅保留的100元。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Revision History							
Report Number Revision Description Issue Date Remark							
ER/2019/C0150	Rev.00	Original.	Feb. 13, 2020	Revised By: Susan Lin			



Contents

1.	GENERAL PRODUCT INFORMATION	4
2.	SYSTEM TEST CONFIGURATION	10
3.	SUMMARY OF TEST RESULTS	13
4.	DESCRIPTION OF TEST MODES	14
5.	MEASUREMENT UNCERTAINTY	24
6.	MAXMUM OUTPUT POWER	25
7.	OCCUPIED BANDWIDTH MEASUREMENT	71
8.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	137
9.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	274
10.	FREQUENCY STABILITY MEASUREMENT	376
11.	PEAK TO AVERAGE RATIO	





1. GENERAL PRODUCT INFORMATION

1.1. Product Description

Product Name:	Smart phone
Hardware Version:	DVT
Software Version:	N/A
Power Supply:	3.85V from Rechargeable Li-ion Battery
Antenna Designation:	Inverted-F Antenna, Gain: -5.9dBi (GSM/GPRS 850, WCDMA B5, LTE B5), -3.9dBi (GSM/GPRS 1900, WCDMA B2, LTE B2), -6.0dBi (WCDMA B4, LTE B4), -1.4dBi (LTE B7) -10.6dBi (LTE B12, LTE B17), -6.9dBi (LTE B13) -0.8dBi (LTE B38, LTE B41)
IMEI:	004401117126629 / 004401117127106 / 004401117127304 004401117126579 / 004401117126967 / 004401117127510

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



1.2. GSM / WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)						
GSM/GPRS 850 824.2 - 848.8						
GSM/GPRS 1900 1850.2 - 1909.8						

Operating Frequency (MHz)					
WCDMA / HSPA+ Band II	1852.4	-	1907.6		
WCDMA / HSPA+ Band IV	1712.4	-	1752.6		
WCDMA / HSPA+ Band V	826.4	-	846.6		

LTE Band	BW	Operation Frequency
	(MHz)	(MHz)
	1.4	1850.7 - 1909.3
	3	1851.5 - 1908.5
2	5	1852.5 - 1907.5
2	10	1855.0 - 1905.0
	15	1857.5 - 1902.5
	20	1860.0 - 1900.0
	1.4	1710.7 - 1754.3
4	3	1711.5 - 1753.5
	5	1712.5 - 1752.5
4	10	1715.0 - 1780.0
	15	1717.5 - 1747.5
	20	1720.0 - 1745.0
	1.4	824.7 - 848.3
F	3	825.5 - 847.5
5	5	826.5 - 846.5
	10	829.0 - 844.0
	5	2502.5 - 2567.5
7	10	2505.0 - 2565.0
/	15	2507.5 - 2562.5
	20	2510.0 - 2560.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	1.4	699.7	-	715.3
12	3	700.5	-	714.5
12	5	701.5	-	713.5
	10	704.0	-	711.0
13	5	779.5	-	784.5
15	10		782	
17	5	706.5	-	713.5
17	10	709.0	-	711.0
	5	2572.5	-	2617.5
38	10	2575.0	-	2615.0
30	15	2577.5	-	2612.5
	20	2580.0	-	2610.0
	5	2498.5	-	2687.5
41	10	2501.0	-	2685.0
	15	2503.5	-	2682.5
	20	2506.0	-	2680.0

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

	ERP / EIRP (dBm)		W	Type of Emission
GPRS 850	26.58	ERP	0.455	247KGXW
GPRS 1900	25.11	EIRP	0.324	243KGXW

	ERP / EI	ERP / EIRP (dBm)		Type of Emission
WCDMA Band II	18.52	EIRP	0.071	4M14F9W
HSDPA Band II	17.57	EIRP	0.057	4M15F9W
HSUPA Band II	17.48	EIRP	0.056	4M15F9W
WCDMA Band IV	16.28	EIRP	0.042	4M14F9W
HSDPA Band IV	15.30	EIRP	0.034	4M14F9W
HSUPA Band IV	15.29	EIRP	0.034	4M15F9W
WCDMA Band V	17.93	ERP	0.062	4M15F9W
HSDPA Band V	16.77	ERP	0.048	4M15F9W
HSUPA Band V	16.88	ERP	0.049	4M15F9W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/C0150 Page 7 of 419

LTE			ERP /	ERP / EIRP		Type of
Band	BW	Modulation	(dB	m)	(W)	Emission
		QPSK	18.14	EIRP	0.065	1M10G7D
2	1.4	16QAM	17.60	EIRP	0.058	1M10D7W
		64QAM	16.73	EIRP	0.047	1M10D7W
		QPSK	18.15	EIRP	0.065	2M70G7D
2	3	16QAM	17.63	EIRP	0.058	2M70D7W
		64QAM	16.78	EIRP	0.048	2M71D7W
		QPSK	18.22	EIRP	0.066	4M50G7D
2	5	16QAM	17.61	EIRP	0.058	4M50D7W
		64QAM	16.73	EIRP	0.047	4M51D7W
		QPSK	18.18	EIRP	0.066	9M00G7D
2	10	16QAM	17.70	EIRP	0.059	8M96D7W
		64QAM	16.88	EIRP	0.049	8M98D7W
		QPSK	18.39	EIRP	0.069	13M5G7D
2	15	16QAM	17.97	EIRP	0.063	13M5D7W
		64QAM	17.13	EIRP	0.052	13M5D7W
		QPSK	18.43	EIRP	0.070	18M2G7D
2	20	16QAM	17.83	EIRP	0.061	18M0D7W
		64QAM	17.03	EIRP	0.050	18M0D7W
		64QAM			0.050	
LTE	BW		ERP /	EIRP		Type of
LTE Band	BW	Modulation	ERP / (dB	EIRP m)	(W)	Type of Emission
Band		Modulation QPSK	ERP / (dB 15.92	EIRP m) EIRP	(W) 0.039	Type of Emission 1M09G7D
	BW 1.4	Modulation QPSK 16QAM	ERP / (dB 15.92 15.37	EIRP m) EIRP EIRP	(W) 0.039 0.034	Type of Emission 1M09G7D 1M10D7W
Band		Modulation QPSK 16QAM 64QAM	ERP / (dB 15.92 15.37 14.51	EIRP m) EIRP EIRP EIRP	(W) 0.039 0.034 0.028	Type of Emission 1M09G7D 1M10D7W 1M10D7W
Band 4	1.4	Modulation QPSK 16QAM 64QAM QPSK	ERP / (dB 15.92 15.37 14.51 15.96	EIRP m) EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D
Band		Modulation QPSK 16QAM 64QAM QPSK 16QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47	EIRP m) EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W
Band 4	1.4	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63	EIRP m) EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W
4 4	1.4 3	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM QPSK	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D
Band 4	1.4	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM QPSK 16QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W
4 4	1.4 3	Modulation QPSK 16QAM 64QAM QPSK 16QAM QPSK 16QAM 64QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W
Band 4 4 4	1.4 3 5	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM 64QAM QPSK	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.028 0.041	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 9M00G7D
4 4	1.4 3	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM 64QAM 64QAM 16QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10 15.59	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.028 0.041 0.036	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 4M51D7W 9M00G7D 8M96D7W
Band 4 4 4	1.4 3 5	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM QPSK 16QAM 64QAM 64QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10 15.59 14.69	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.041 0.036 0.029	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 9M00G7D 8M96D7W
Band 4 4 4	1.4 3 5 10	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM QPSK 16QAM 64QAM 64QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10 15.59 14.69 16.23	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.041 0.036 0.029 0.042	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 4M51D7W 9M00G7D 8M96D7W 8M98D7W 13M5G7D
Band 4 4 4	1.4 3 5	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM QPSK 16QAM 64QAM 64QAM 16QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10 15.59 14.69 16.23 15.74	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.041 0.036 0.029 0.042 0.042 0.042	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 9M00G7D 8M96D7W 3M5G7D 13M5D7W
Band 4 4 4	1.4 3 5 10	Modulation QPSK 16QAM 64QAM QPSK 16QAM 64QAM 64QAM QPSK 16QAM 64QAM 64QAM	ERP / (dB 15.92 15.37 14.51 15.96 15.47 14.63 16.03 15.40 14.51 16.10 15.59 14.69 16.23	EIRP m) EIRP EIRP EIRP EIRP EIRP EIRP EIRP EIRP	(W) 0.039 0.034 0.028 0.039 0.035 0.029 0.040 0.035 0.028 0.041 0.036 0.029 0.042	Type of Emission 1M09G7D 1M10D7W 1M10D7W 2M70G7D 2M70D7W 2M71D7W 4M51G7D 4M51D7W 4M51D7W 9M00G7D 8M96D7W 8M98D7W 13M5G7D

LTE	BW	Modulation	ERP / EIRP		(W)	Type of
Band	DVV	wouldtion	(dB	m)	(**)	Emission
		QPSK	14.57	ERP	0.029	1M10G7D
5	1.4	16QAM	14.07	ERP	0.026	1M10D7W
		64QAM	13.52	ERP	0.022	1M10D7W
		QPSK	14.48	ERP	0.028	2M70G7D
5	3	16QAM	14.03	ERP	0.025	2M70D7W
		64QAM	13.50	ERP	0.022	2M71D7W
		QPSK	14.64	ERP	0.029	4M50G7D
5	5	16QAM	14.20	ERP	0.026	4M51D7W
		64QAM	13.65	ERP	0.023	4M51D7W
		QPSK	14.70	ERP	0.030	9M00G7D
5	10	16QAM	14.15	ERP	0.026	8M96D7W
		64QAM	13.60	ERP	0.023	8M97D7W
		-				
LTE	BW	Modulation	ERP /	EIRP	(14/)	Type of
Band	DVV	wouldion	(dB	m)	(W)	Emission
		QPSK	21.62	EIRP	0.145	4M50G7D
7	5	16QAM	21.17	EIRP	0.131	4M50D7W

LIE	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of
Band	DVV	Wouldtion			(**)	Emission
		QPSK	21.62	EIRP	0.145	4M50G7D
7	5	16QAM	21.17	EIRP	0.131	4M50D7W
		64QAM	20.26	EIRP	0.106	4M51D7W
		QPSK	21.51	EIRP	0.142	9M00G7D
7	10	16QAM	21.17	EIRP	0.131	8M96D7W
		64QAM	20.24	EIRP	0.106	8M98D7W
		QPSK	21.81	EIRP	0.152	13M5G7D
7	15	16QAM	21.37	EIRP	0.137	13M5D7W
		64QAM	20.48	EIRP	0.112	13M5D7W
		QPSK	21.84	EIRP	0.153	17M9G7D
7	20	16QAM	21.38	EIRP	0.137	18M0D7W
		64QAM	20.50	EIRP	0.112	17M9D7W

t (886-2) 2299-3279

0.037

0.030

17M9D7W

17M9D7W

EIRP

EIRP

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the fullese extend of the law. and offenders may be prosecuted to the fullest extent of the law.

ſ

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

15.71

14.81

20

4

16QAM

64QAM



Report No.: ER/2019/C0150 Page 8 of 419

LTE	BW	Modulation	-	ERP / EIRP		Type of
Band			(dB	m)	(W)	Emission
		QPSK	9.69	ERP	0.009	1M10G7D
12	1.4	16QAM	9.22	ERP	0.008	1M10D7W
		64QAM	8.58	ERP	0.007	1M10D7W
		QPSK	9.78	ERP	0.010	2M70G7D
12	3	16QAM	9.41	ERP	0.009	2M70D7W
		64QAM	8.69	ERP	0.007	2M70D7W
		QPSK	9.82	ERP	0.010	4M50G7D
12	5	16QAM	9.35	ERP	0.009	4M51D7W
		64QAM	8.71	ERP	0.007	4M51D7W
		QPSK	9.92	ERP	0.010	9M00G7D
12	10	16QAM	9.09	ERP	800.0	8M95D7W
		64QAM	8.45	ERP	0.007	8M97D7W
	-					
LTE	BW	Modulation	ERP /		(W)	Type of
Band	011	woodation	(dB	<u>m)</u>	(**)	Emission

LIE	BW	Modulation	(dBm)		(\\\)	Type of
Band	DVV	Nouulation			(W)	Emission
		QPSK	13.65	ERP	0.023	4M50G7D
13	5	16QAM	13.07	ERP	0.020	4M51D7W
		64QAM	12.43	ERP	0.017	4M51D7W
		QPSK	13.49	ERP	0.022	8M94G7D
13	10	16QAM	12.95	ERP	0.020	8M95D7W
		64QAM	12.20	ERP	0.017	8M96D7W
			ERP / EIRP			
LTE	עעם	Madulation	ERP /	EIRP	(14/)	Type of
LTE Band	BW	Modulation	ERP / (dB		(W)	Type of Emission
_	BW	Modulation QPSK	-		(W) 0.010	
_	BW 5		(dB	m)	. ,	Emission
Band		QPSK	(dB 9.86	m) ERP	0.010	Emission 4M50G7D
Band		QPSK 16QAM	(dB 9.86 9.47	m) ERP ERP	0.010 0.009	Emission 4M50G7D 4M51D7W
Band		QPSK 16QAM 64QAM	(dB 9.86 9.47 8.82	m) ERP ERP ERP	0.010 0.009 0.008	Emission 4M50G7D 4M51D7W 4M52D7W

LTE	BW	Modulation	ERP / EIRP		(W)	Type of	
Band	011	Wouldtion	(dB	m)	(**)	Emission	
		QPSK	22.12	EIRP	0.163	4M51G7D	
38	5	16QAM	21.52	EIRP	0.142	4M51D7W	
		64QAM	20.80	EIRP	0.120	4M51D7W	
		QPSK	22.15	EIRP	0.164	9M00G7D	
38	10	16QAM	21.89	EIRP	0.155	8M96D7W	
		64QAM	21.07	EIRP	0.128	8M97D7W	
		QPSK	22.25	EIRP	0.168	13M4G7D	
38	15	16QAM	21.65	EIRP	0.146	13M5D7W	
		64QAM	20.91	EIRP	0.123	13M4D7W	
		QPSK	22.30	EIRP	0.170	17M9G7D	
38	20	16QAM	21.64	EIRP	0.146	17M9D7W	
	64QAM	20.86	EIRP	0.122	17M9D7W		
ITE			FRP /	FIRP		Type of	

LTE	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of
Band	DVV	woouldtion			(**)	Emission
		QPSK	22.67	EIRP	0.185	4M51G7D
41	5	16QAM	22.09	EIRP	0.162	4M51D7W
		64QAM	21.34	EIRP	0.136	4M51D7W
		QPSK	22.71	EIRP	0.187	8M99G7D
41	10	16QAM	22.13	EIRP	0.163	8M97D7W
		64QAM	21.32	EIRP	0.136	8M97D7W
		QPSK	22.76	EIRP	0.189	13M5G7D
41	15	16QAM	22.18	EIRP	0.165	13M5D7W
		64QAM	21.34	EIRP	0.136	13M5D7W
		QPSK	22.81	EIRP	0.191	17M9G7D
41	20	16QAM	22.23	EIRP	0.167	17M9D7W
		64QAM	21.49	EIRP	0.141	17M9D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SC6 Taiwan Ltd.</u> [No.134.WitkiunRonad NewTaineiIndustrialPark WitkiuDistrict NewTaineiCity Taiwan2/480/144.htt = T_ME_Ext_1.4tt = #Electrone_ext_1.4tt = #

f (886-2) 2298-0488



1.4. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Designation number: TW0001

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

1.8. Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chinese Statement in the source of the statement in the source of the format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.ht</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	0.5	13.9	14.4
High Band (1 GHz~2GHz)	0.7	14	14.7
High Band (Above 2 GHz)	0.8	14.2	15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

で解す另有説明、此報告結果僅對測試之様品負責、同時此様品僅保留的になっ本報告未經本公司書面許可、不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.ht</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850		658
GPRS 1900		631
HSUPA B2		692
WCDMA B4		641
HSUPA B5		657
LTE Band 2		680
LTE Band 4	3.85	691
LTE Band 5	3.00	684
LTE Band 7]	676
LTE Band 12		697
LTE Band 13		632
LTE Band 17] [663
LTE Band 38		665
LTE Band 41		688

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side

MT8820C

Table 2-1 Equipment Used in

ltem	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyzer	Anritsu	MT8820C	6200995019	N/A	N/A
2.	DC Power Supply	Agilent	E3640A	MY52410006	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2019/C0150 Page 13 of 419



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
<pre>§24.232(c) §27.50(d)(4) §22.913(a)(5) §27, 50(h)(2) §27.50(c)(10) §27.50(b)(10)</pre>	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §24.238(a) §27.53(h) §22.917(a)(b) §27.53(m) §27.53(g) §27.53(c) §27.53(g) §27.53(m)(4)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053, §2.1057(a)(1) §24.238(a) §27.53(h) §22.917(a) §27.53(m)(2) §27.53(g) §27.53(c)(f)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50((B)	Peak to Average Ratio	Compliant
§2.1055 (1) §24.235 §27.54 §22.355	Frequency Stability	Compliant



4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	RADIATED EMISSION
GSM/GPRS 850	H-plane
GSM/GPRS 1900	H-plane
WCDMA/HSPA Band II	H-plane
WCDMA/HSPA Band IV	H-plane
WCDMA/HSPA Band V	H-plane
LTE Band 2	H-plane
LTE Band 4	H-plane
LTE Band 5	H-plane
LTE Band 7	H-plane
LTE Band 12	H-plane
LTE Band 13	H-plane
LTE Band 17	H-plane
LTE Band 38	H-plane
LTE Band 41	H-plane

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

で解す另有説明、此報告結果僅對測試之様品負責、同時此様品僅保留的になっ本報告未經本公司書面許可、不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GSM/GPRS MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS 850
	512 to 810	661	GSM/GPRS 1900
PEAK TO AVERAGE RATIO	512 to 810	512, 661, 810	GSM/GPRS 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS 850
	512 to 810	512, 810	GSM/GPRS 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS 850
	512 to 810	512, 661, 810	GSM/GPRS 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GSM 850
	512 to 810	512, 661, 810	GSM 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	1312, 1413, 1513 9262, 9400, 9538	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513	4132, 4183, 4233 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9538	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538	WCDMA Band II WCDMA Band IV WCDMA Band V



LTE Band 2 MODE

TEST ITEM	AVAILABLE	TESTED	CHANNEL	MODULATION	MODE
	CHANNEL		BANDWIDTH		
		18607, 18900, 19193	1.4MHz	QPSK, 16QAM, 64QAM	
		18615, 18900, 19185	3MHz	QPSK, 16QAM, 64QAM	,
EIRP		18625, 18900, 19175	5MHz	QPSK, 16QAM, 64QAM	
		18650, 18900, 19150	10MHz	QPSK, 16QAM, 64QAM	
		18675, 18900, 19125	15MHz	QPSK, 16QAM, 64QAM	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
		18615, 18900, 19185	3MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM, 64QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM, 64QAM	Full RB
		18700, 18900, 19100	20MHz	QPSK, 16QAM, 64QAM	Full RB
	18607 to 19193	18607, 18900, 19193	1.4MHz	64QAM	Full RB
		18615, 18900, 19185	3MHz	64QAM	Full RB
PEAK TO AVER-		18625, 18900, 19175	5MHz	64QAM	Full RB
AGE RATIO		18650, 18900, 19150	10MHz	64QAM	Full RB
		18675, 18900, 19125	15MHz	64QAM	Full RB
		18700, 18900, 19100	20MHz	64QAM	Full RB
	18607 to 19193	18607, 19193	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
Britte Eboe	18650 to 19150	18650, 19150	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
		18607, 18900, 19193	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED EMISSION		18615, 18900, 19185	3MHz	QPSK	1 RB, 0 RB Offest
		18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest
		18650, 18900, 19150	10MHz	QPSK	1 RB, 0 RB Offest
		18675, 18900, 19125	15MHz	QPSK	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 99 RB Offest



LTE Band 4 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
EIRP	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
		19965, 20175, 22385	3MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH		20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	Full RB
		20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	Full RB
		20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	Full RB
		19957, 20175, 19393	1.4MHz	64QAM	Full RB
		19965, 20175, 22385	3MHz	64QAM	Full RB
PEAK TO AVER-		19975, 20175, 20375	5MHz	64QAM	Full RB
AGE RATIO		20000, 20175, 20350		64QAM	Full RB
		20025, 20175, 20325		64QAM	Full RB
		20050, 20175, 20300	20MHz	64QAM	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20000 to 20350	20000, 20350	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300		20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
CONDCUDETED EMISSION		19957, 20175, 19393		QPSK	1 RB, 0 RB Offest
		19965, 20175, 22385	3MHz	QPSK	1 RB, 0 RB Offest
		19975, 20175, 20375	5MHz	QPSK	1 RB, 0 RB Offest
		20000, 20175, 20350		QPSK	1 RB, 0 RB Offest
		20025, 20175, 20325	15MHz	QPSK	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20050 to 20300	20050, 20175, 20300	20MHz	QPSK	1 RB, 0 RB Offest



LTE Band 5 MODE

		TESTED	CHANNEL		
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH		MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	
EKF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	64QAM	Full RB
PEAK TO AVER-	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	Full RB
AGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	64QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCUDETED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 0 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20425 to 20625	20450, 20525, 20600	10MHz	QPSK	1 RB, 49 RB Offest



LTE Band 7 MODE

	AVAILABLE	TESTED	CHANNEL		
TEST ITEM	CHANNEL	CHANNEL	BANDWIDTH	MODULATION	MODE
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
EIRP	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH		20850, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	
		20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	
		20775, 21100, 21425	5MHz	64QAM	Full RB
PEAK TO AVER-		20800, 21100, 21400	10MHz	64QAM	Full RB
AGE RATIO		20850, 21100, 21375	15MHz	64QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	64QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
BANDEDGE	20850 to 21375	20850, 21100, 21375	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
		20850, 21100, 21350	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
		20775, 21100, 21425	5MHz	QPSK	1 RB, 0 RB Offest
CONDUCTED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK	1 RB, 0 RB Offest
EMISSION		20850, 21100, 21375	15MHz	QPSK	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20850 to 21350	20850, 21100, 21350	20MHz	QPSK	1 RB, 99 RB Offest
EMISSION MASK	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset



LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
ERP	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM, 64QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM, 64QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	64QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	64QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	64QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	64QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK	1 RB, 0 RB Offest
CONDCU- DETED EMIS-		23025, 23095, 23165		QPSK	1 RB, 0 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK	1 RB, 0 RB Offest
SION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23060 to 23130	23060, 23095, 23130	10MHz	QPSK	1 RB, 49 RB Offest



LTE Band 13 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
ENF	23230	23230	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23230	23230	10MHz	QPSK	Full RB
OCCUPIED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	23230	23230	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AV-	23205 to 23255	23205, 23230, 23255	5MHz	64QAM	Full RB
ERAGE RATIO	23230	23230	10MHz	64QAM	Full RB
	23205 to 23255	23205, 23255	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23230	23230	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCU-	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 0 RB Offest
DETED EMIS- SION	23230	23230	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 24 RB Offest

LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
ERF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	64QAM	Full RB
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	64QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCU-	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest
DETED EMIS- SION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 49 RB Offest



LTE Band 38 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
EIRP	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	
OCCUPIED	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	64QAM	Full RB
PEAK TO AVER-	37800 to 38200	37800 , 38000, 38200	10MHz	64QAM	Full RB
AGE RATIO	37825 to 38175	37825 , 38000, 38175	15MHz	64QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	64QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK	1 RB/ 0,74 RB Offest Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK	1 RB, 0 RB Offest
CONDUCTED	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK	1 RB, 0 RB Offest
EMISSION	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK	1 RB, 0 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK	1 RB, 0 RB Offest
EMISSION MASK	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset



LTE Band 41 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
EIRP	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
LINF	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY		39700, 40620, 41540		QPSK,	Full RB
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM, 64QAM	Full RB
OCCUPIED		39700, 40620, 41540		QPSK, 16QAM, 64QAM	Full RB
BANDWIDTH		39725, 40620, 41515		QPSK, 16QAM, 64QAM	Full RB
		39750, 40620, 41490		QPSK, 16QAM, 64QAM	Full RB
		39675, 40620, 41565		64QAM	Full RB
PEAK TO AVER-		39700, 40620, 41540		64QAM	Full RB
AGE RATIO		39725, 40620, 41515	15MHz	64QAM	Full RB
		39750, 40620, 41490		64QAM	Full RB
		39675, 40620, 41565	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED		39700, 40620, 41540	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION		39725, 40620, 41515		QPSK,	1 RB, 0 RB Offest
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK,	1 RB, 0 RB Offest
	39675 to 41565	39675, 40620, 41565	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION MASK	39700 to 41540	39700, 40620, 41540	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
EMISSION MASK	39725 to 41515	39725, 40620, 41515	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	39750 to 41490	39750, 40620, 41490	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset
RADIATED EMISSION	39750 to 41490	39750, 40620, 41490	20MHz	QPSK	1 RB, 99 RB Offest



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%


Radiated Spurious Emission:

-	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB
Magguramantungartaintu	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.





6. MAXMUM OUTPUT POWER

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (b)

(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC 27.50(c)

(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

FCC 27, 50(h)

(2) Mobile and other user stations transmitting in the BRS and EBS bands are limited to 2 W EIRP.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-

MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/tems_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Determining ERP and/or EIRP from conducted RF output power measurements

ERP/EIRP = PMeas + GT-LC

Where:

ERP/EIRP	= effective or equivalent radiated power, respectively (expressed in the
	same units as PMeas, typically dBW or dBm);
PMeas	measured transmitter output power or PSD, in dBm or dBW;
GT	= gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)
LC	= signal attenuation in the connecting cable between the transmitter and
	antenna, in dB.2

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

6.5. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Radio Communication Analyer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020
DC Power Supply	Agilent	E3640A	MY52410006	12/10/2019	12/09/2020
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



6.6. Measurement Result **RF Conducted Output Power GSM/GPRS MODE:**

EUT Mode	Freq. (MHz)	сн	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	824.2	128	32.48	-5.90	24.43	26.58	38.50	-11.92
GSM 850	836.6	190	32.29	-5.90	24.24	26.39	38.50	-12.11
	848.8	251	32.28	-5.90	24.23	26.38	38.50	-12.12
	1850.2	512	28.91	-3.90	22.86	25.01	33.00	-7.99
GSM 1900	1880.0	661	28.93	-3.90	22.88	25.03	33.00	-7.97
1000	1909.8	810	29.01	-3.90	22.96	25.11	33.00	-7.89
	824.2	128	32.48	-5.90	24.43	26.58	38.50	-11.92
GPRS 850	836.6	190	32.29	-5.90	24.24	26.39	38.50	-12.11
	848.8	251	32.28	-5.90	24.23	26.38	38.50	-12.12
	1850.2	512	28.91	-3.90	22.86	25.01	33.00	-7.99
GPRS 1900	1880.0	661	28.93	-3.90	22.88	25.03	33.00	-7.97
	1909.8	810	29.01	-3.90	22.96	25.11	33.00	-7.89

EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
	824.2	128	32.48	30.57	28.95	28.13
GPRS 850	836.6	190	32.29	30.60	29.04	28.15
	848.8	251	32.28	30.45	28.88	28.05
	1850.2	512	28.91	26.75	25.04	24.11
GPRS 1900	1880.0	661	28.93	26.87	25.15	24.12
	1909.8	810	29.01	26.98	25.40	24.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



WCDMA/HSPA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results: WCDMA/HSUPA/HSDPA Band II Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	1852.4	9262	22.37	-3.90	16.32	18.47	33.00	-14.53
WCDMA	1880.0	9400	22.42	-3.90	16.37	18.52	33.00	-14.48
	1907.6	9538	22.33	-3.90	16.28	18.43	33.00	-14.57
	1852.4	9262	21.38	-3.90	15.33	17.48	33.00	-15.52
HSDPA	1880.0	9400	21.47	-3.90	15.42	17.57	33.00	-15.43
	1907.6	9538	21.35	-3.90	15.30	17.45	33.00	-15.55
	1852.4	9262	21.34	-3.90	15.29	17.44	33.00	-15.56
HSUPA	1880.0	9400	21.38	-3.90	15.33	17.48	33.00	-15.52
	1907.6	9538	21.34	-3.90	15.29	17.44	33.00	-15.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relative for ourso only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



WCDMA/HSUPA/HSDPA

Band IV Result:

EUT Mode	Freq. (MHz)	СН	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	1712.4	1312	22.27	-6.00	14.12	16.27	30.00	-13.73
WCDMA	1732.6	1413	22.23	-6.00	14.08	16.23	30.00	-13.77
	1752.6	1513	22.28	-6.00	14.13	16.28	30.00	-13.72
	1712.4	1312	21.27	-6.00	13.12	15.27	30.00	-14.73
HSDPA	1732.6	1413	21.29	-6.00	13.14	15.29	30.00	-14.71
	1752.6	1513	21.30	-6.00	13.15	15.30	30.00	-14.70
	1712.4	1312	21.27	-6.00	13.12	15.27	30.00	-14.73
HSUPA	1732.6	1413	21.22	-6.00	13.07	15.22	30.00	-14.78
	1752.6	1513	21.29	-6.00	13.14	15.29	30.00	-14.71

WCDMA/HSUPA/HSDPA

Band V Result: Conducted Antenna EUT ERP EIRP Limit Margin Freq. СН Avg. Power Gain Mode (MHz) (dBm) (dBm) (dBm) (dB) (dBm) (dBi) 4132 -20.70 826.4 23.70 -5.90 15.65 17.80 38.50 **WCDMA** 836.6 4183 23.83 -5.90 15.78 17.93 38.50 -20.57 846.6 4233 23.75 -5.9015.70 17.85 38.50 -20.65 826.4 4132 22.67 -5.90 14.62 38.50 -21.73 16.77 **HSDPA** 836.6 4183 22.62 -5.90 14.57 16.72 38.50 -21.78 4233 -5.90 14.61 -21.74 846.6 22.66 16.76 38.50 826.4 4132 22.67 -5.90 14.62 16.77 38.50 -21.73 **HSUPA** 836.6 4183 22.78 -5.90 14.73 16.88 38.50 -21.62 846.6 4233 22.76 -5.9014.71 38.50 -21.64 16.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

で解す另有説明、此報告結果僅對測試之様品負責、同時此様品僅保留的になっ本報告未經本公司書面許可、不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



HSPA (HSDPA & HSUPA) Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βa	β₀ (SF)	βc/βd	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βa	β _d (SF)	β∂β₫	βнs	β _{ec}	β _{ed}	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/tems_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Results:

Mode	Sub test	Avg. Power (dBm) Channel				
		9262.00	9400.00	9538.00		
	1	21.38	21.47	21.35		
HSDPA II	2	20.88	20.96	20.86		
ngupa II	3	20.86	20.95	20.86		
	4	20.90	20.94	20.83		

Mode	Sub test	Avg. Power (dBm) Channel				
	1631	1312.00	1413.00	1513.00		
	1	21.27	21.29	21.30		
HSDPA IV	2	20.77	20.77	20.78		
NODPA IV	3	20.78	20.74	20.80		
	4	20.76	20.73	20.77		

		Avg. Power (dBm)					
Mode	Sub test	Channel					
		4132.00	4183.00	4233.00			
	1	22.67	22.62	22.66			
HSDPA V	2	22.20	22.25	22.18			
HODPA V	3	22.14	22.22	22.24			
	4	22.18	22.26	22.23			



		Avg. Power (dBm)					
Mode	Sub test	Channel					
		9262.00	9400.00	9538.00			
	1	21.34	21.38	21.34			
	2	19.35	19.38	19.33			
HSUPA II	3	20.33	20.38	20.35			
	4	19.34	19.44	19.34			
	5	21.35	21.41	21.30			

Mode		Avg. Power (dBm) Channel						
	Sub test							
		1312.00	1413.00	1513.00				
	1	21.27	21.22	21.29				
	2	19.20	19.25	19.27				
HSUPA IV	3	20.20	20.19	20.23				
	4	19.23	19.26	19.29				
	5	21.18	21.22	21.24				

Mode	Sub test	Avg. Power (dBm) Channel					
		4132.00	4183.00	4233.00			
	1	22.67	22.78	22.76			
	2	20.71	20.79	20.75			
HSUPA V	3	21.71	21.81	21.74			
	4	20.70	20.78	20.77			
	5	22.68	22.84	20.82			

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm then record the read. The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/tems_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/tems_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.tw.sgs.com



Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.43	27.56	25.57	23.56	21.47	19.42	17.86	15.93	14.09

PCL	9	10	11	12	13	14	15
Output power (dBm)	12.05	10.31	8.17	6.32	4.24	2.38	0.46

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



LTE Result:

Antenna gain (dBi) -3.9

	gain (dBl)	- <u>3.9</u> L1	E Band 2 U	olink fr	equency band	: 1850 to 1910) MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.93	18.03	33	-14.97
	18607	1850.7	QPSK	1	5	21.87	17.97	33	-15.03
	10007	1000.7	QFON	3	2	22.03	18.13	33	-14.87
				6	0	21.04	17.14	33	-15.86
				1	0	21.95	18.05	33	-14.95
	18900	1880	QPSK	1	5	22.02	18.12	33	-14.88
	10300	1000		3	2	22.04	18.14	33	-14.86
				6	0	21.10	17.20	33	-15.8
				1	0	21.90	18.00	33	-15
	19193	1909.3	QPSK	1	5	21.86	17.96	33	-15.04
	19190	1909.5	QPSK	3	2	21.83	17.93	33	-15.07
				6	0	21.04	17.14	33	-15.86
		1850.7	16QAM	1	0	21.11	17.21	33	-15.79
	18607			1	5	21.44	17.54	33	-15.46
	10007			3	2	21.14	17.24	33	-15.76
				6	0	20.09	16.19	33	-16.81
		1880	16QAM	1	0	21.50	17.60	33	-15.4
1.4	18900			1	5	20.95	17.05	33	-15.95
1.4	10300			3	2	20.98	17.08	33	-15.92
				6	0	20.20	16.30	33	-16.7
		1909.3	16QAM	1	0	20.92	17.02	33	-15.98
	19193			1	5	21.17	17.27	33	-15.73
	10100			3	2	21.09	17.19	33	-15.81
				6	0	20.13	16.23	33	-16.77
		1850.7	64QAM	1	0	20.30	16.40	33	-16.6
	18607			1	5	20.63	16.73	33	-16.27
	10007			3	2	20.16	16.26	33	-16.74
				6	0	19.21	15.31	33	-17.69
			64QAM	1	0	20.57	16.67	33	-16.33
	18900	1880		1	5	20.13	16.23	33	-16.77
				3	2	20.03	16.13	33	-16.87
				6	0	19.30	15.40	33	-17.6
				1	0	19.97	16.07	33	-16.93
	19193	1909.3	64QAM	1	5	20.30	16.40	33	-16.6
	10100	1909.5		3	2	20.22	16.32	33	-16.68
				6	0	19.23	15.33	33	-17.67



Antenna	gain (dBi)	-3.9							
		L1	TE Band 2_U	plink fr	equency band	: 1850 to 1910	-		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.95	18.05	33	-14.95
	18615	1851.5	QPSK	1	14	22.05	18.15	33	-14.85
	10015	1051.5	QI ON	8	4	21.14	17.24	33	-15.76
				15	0	21.09	17.19	33	-15.81
				1	0	22.02	18.12	33	-14.88
	18900	1880	QPSK	1	14	22.05	18.15	33	-14.85
	10900	1000	QFON	8	4	21.15	17.25	33	-15.75
				15	0	21.12	17.22	33	-15.78
				1	0	21.90	18.00	33	-15
	19185	1908.5	QPSK	1	14	21.97	18.07	33	-14.93
	19105	1906.5		8	4	21.13	17.23	33	-15.77
				15	0	21.11	17.21	33	-15.79
	18615	1851.5	16QAM	1	0	21.07	17.17	33	-15.83
				1	14	21.46	17.56	33	-15.44
				8	4	20.19	16.29	33	-16.71
				15	0	20.22	16.32	33	-16.68
				1	0	20.92	17.02	33	-15.98
3	18900	1880	160AM	1	14	21.25	17.35	33	-15.65
3	10900	1880	16QAM	8	4	20.22	16.32	33	-16.68
				15	0	20.14	16.24	33	-16.76
		1908.5	16QAM	1	0	21.53	17.63	33	-15.37
	19185			1	14	21.17	17.27	33	-15.73
	19100			8	4	20.16	16.26	33	-16.74
				15	0	20.11	16.21	33	-16.79
		1851.5	64QAM	1	0	20.14	16.24	33	-16.76
	18615			1	14	20.61	16.71	33	-16.29
	10010			8	4	19.38	15.48	33	-17.52
				15	0	19.29	15.39	33	-17.61
		1880		1	0	20.03	16.13	33	-16.87
	18900		64QAM	1	14	20.27	16.37	33	-16.63
	10900			8	4	19.41	15.51	33	-17.49
				15	0	19.14	15.24	33	-17.76
				1	0	20.68	16.78	33	-16.22
	10195	1009 5	640 414	1	14	20.20	16.30	33	-16.7
	19185	1908.5	64QAM	8	4	19.28	15.38	33	-17.62
				15	0	19.13	15.23	33	-17.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Antenna	gain (dBi)	-3.9							
		Lī	TE Band 2_U	plink fro	equency band	: 1850 to 1910) MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.08	18.18	33	-14.82
	18625	1852.5	QPSK	1	24	22.00	18.10	33	-14.9
	10020	1002.0		12	6	21.18	17.28	33	-15.72
				25	0	21.05	17.15	33	-15.85
				1	0	21.98	18.08	33	-14.92
	18900	1880	QPSK	1	24	22.12	18.22	33	-14.78
	10000	1000		12	6	21.10	17.20	33	-15.8
				25	0	21.06	17.16	33	-15.84
				1	0	21.88	17.98	33	-15.02
	19175	1907.5	QPSK	1	24	21.92	18.02	33	-14.98
	10170	1007.0	QI OIT	12	6	21.09	17.19	33	-15.81
				25	0	21.01	17.11	33	-15.89
				1	0	21.15	17.25	33	-15.75
	18625	1852.5	16QAM	1	24	21.14	17.24	33	-15.76
	18625 1852.5	1002.0		12	6	20.13	16.23	33	-16.77
				25	0	20.16	16.26	33	-16.74
				1	0	21.06	17.16	33	-15.84
5	18900	1880	16QAM	1	24	21.51	17.61	33	-15.39
Ū	10000	1000	10 00/11/1	12	6	20.09	16.19	33	-16.81
				25	0	20.05	16.15	33	-16.85
				1	0	21.05	17.15	33	-15.85
	19175	1907.5	16QAM	1	24	21.22	17.32	33	-15.68
	10170	1007.0	10 00/11/1	12	6	20.07	16.17	33	-16.83
				25	0	20.14	16.24	33	-16.76
				1	0	20.28	16.38	33	-16.62
	18625	1852.5	64QAM	1	24	20.14	16.24	33	-16.76
	10020	1002.0		12	6	19.21	15.31	33	-17.69
				25	0	19.28	15.38	33	-17.62
				1	0	20.20	16.30	33	-16.7
	18900	1880	64QAM	1	24	20.63	16.73	33	-16.27
	10000	1000		12	6	19.20	15.30	33	-17.7
				25	0	19.06	15.16	33	-17.84
				1	0	20.18	16.28	33	-16.72
	19175	1907.5	64QAM	1	24	20.23	16.33	33	-16.67
	13175	1307.3		12	6	19.20	15.30	33	-17.7
				25	0	19.24	15.34	33	-17.66



-3.9 Antenna gain (dBi)

Antenna	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
				1	0	22.03	18.13	33	-14.87			
	18650	1855	QPSK	1	49	22.08	18.18	33	-14.82			
	10050	1000		25	12	21.17	17.27	33	-15.73			
				50	0	21.29	17.39	33	-15.61			
				1	0	22.06	18.16	33	-14.84			
	18900	1880	QPSK	1	49	22.04	18.14	33	-14.86			
	10000	1000		25	12	21.10	17.20	33	-15.8			
				50	0	21.18	17.28	33	-15.72			
				1	0	22.03	18.13	33	-14.87			
	19150	1905	QPSK	1	49	22.05	18.15	33	-14.85			
	19150	1900	QFON	25	12	21.17	17.27	33	-15.73			
				50	0	21.06	17.16	33	-15.84			
				1	0	21.02	17.12	33	-15.88			
	18650	1855	16QAM	1	49	21.60	17.70	33	-15.3			
	18650 1855	1055	TOQAIN	25	12	20.23	16.33	33	-16.67			
				50	0	20.22	16.32	33	-16.68			
			100414	1	0	21.31	17.41	33	-15.59			
10	18900	1880		1	49	21.19	17.29	33	-15.71			
10	10900	1000	16QAM	25	12	20.14	16.24	33	-16.76			
				50	0	20.22	16.32	33	-16.68			
				1	0	21.41	17.51	33	-15.49			
	19150	1905	16QAM	1	49	21.58	17.68	33	-15.32			
	19150	1905	TOQAIN	25	12	20.25	16.35	33	-16.65			
				50	0	20.15	16.25	33	-16.75			
				1	0	20.04	16.14	33	-16.86			
	19650	1055	64001	1	49	20.78	16.88	33	-16.12			
	18650	1855	64QAM	25	12	19.30	15.40	33	-17.6			
				50	0	19.22	15.32	33	-17.68			
				1	0	20.50	16.60	33	-16.4			
	10000	1000	640 414	1	49	20.20	16.30	33	-16.7			
	18900	1880	64QAM	25	12	19.28	15.38	33	-17.62			
				50	0	19.31	15.41	33	-17.59			
				1	0	20.50	16.60	33	-16.4			
	10150	1005	640 414	1	49	20.65	16.75	33	-16.25			
	19150	1905	64QAM	25	12	19.41	15.51	33	-17.49			
				50	0	19.23	15.33	33	-17.67			



Antenna	gain (dBi)	-3.9							
	_	Lī	TE Band 2_U	plink fr	equency band	: 1850 to 1910) MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.17	18.27	33	-14.73
	18675	1857.5	QPSK	1	74	22.12	18.22	33	-14.78
	10075	1007.0	QION	36	18	21.29	17.39	33	-15.61
				75	0	21.29	17.39	33	-15.61
				1	0	22.29	18.39	33	-14.61
	18900	1880	QPSK	1	74	22.26	18.36	33	-14.64
	10000	1000	QI OIV	36	18	21.35	17.45	33	-15.55
				75	0	21.22	17.32	33	-15.68
				1	0	22.25	18.35	33	-14.65
	19125	1902.5	QPSK	1	74	22.25	18.35	33	-14.65
	13125	1302.5	QION	36	18	21.28	17.38	33	-15.62
				75	0	21.34	17.44	33	-15.56
				1	0	21.45	17.55	33	-15.45
	18675	1857 5	16QAM	1	74	21.41	17.51	33	-15.49
	18675 1857.5	1007.0	TOQAW	36	18	20.39	16.49	33	-16.51
				75	0	20.35	16.45	33	-16.55
				1	0	21.34	17.44	33	-15.56
15	18900	1880	16QAM	1	74	21.87	17.97	33	-15.03
10	10300	1000		36	18	20.18	16.28	33	-16.72
				75	0	20.31	16.41	33	-16.59
				1	0	21.15	17.25	33	-15.75
	19125	1902.5	16QAM	1	74	21.26	17.36	33	-15.64
	19125	1902.5		36	18	20.36	16.46	33	-16.54
				75	0	20.30	16.40	33	-16.6
				1	0	20.55	16.65	33	-16.35
	18675	1857.5	64QAM	1	74	20.53	16.63	33	-16.37
	10070	1007.0		36	18	19.54	15.64	33	-17.36
				75	0	19.46	15.56	33	-17.44
				1	0	20.51	16.61	33	-16.39
	18900	1880	64QAM	1	74	21.03	17.13	33	-15.87
	10300	1000		36	18	19.31	15.41	33	-17.59
				75	0	19.50	15.60	33	-17.4
				1	0	20.27	16.37	33	-16.63
	19125	1902.5	64QAM	1	74	20.42	16.52	33	-16.48
	10120	1002.0		36	18	19.49	15.59	33	-17.41
				75	0	19.47	15.57	33	-17.43



Antenna	gain (dBi)	-3.9							
	-	L1	TE Band 2_U	plink fre	equency band	l : 1850 to 1910) MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.16	18.26	33	-14.74
	18700	1860	QPSK	1	99	22.33	18.43	33	-14.57
	10700	1000		50	25	21.30	17.40	33	-15.6
				100	0	21.42	17.52	33	-15.48
				1	0	22.19	18.29	33	-14.71
	18900	1880	QPSK	1	99	22.17	18.27	33	-14.73
	10300	1000		50	25	21.23	17.33	33	-15.67
				100	0	21.31	17.41	33	-15.59
				1	0	22.16	18.26	33	-14.74
	19100	1900	QPSK	1	99	22.18	18.28	33	-14.72
	19100	1900	QFON	50	25	21.30	17.40	33	-15.6
				100	0	21.19	17.29	33	-15.71
				1	0	21.15	17.25	33	-15.75
	19700	1860	16QAM	1	99	21.73	17.83	33	-15.17
	18700 180	1000	TOQAIN	50	25	20.36	16.46	33	-16.54
				100	0	20.35	16.45	33	-16.55
				1	0	21.44	17.54	33	-15.46
20	18900	1880	16QAM	1	99	21.32	17.42	33	-15.58
20	10900	1000	TOQAIN	50	25	20.27	16.37	33	-16.63
				100	0	20.35	16.45	33	-16.55
				1	0	21.54	17.64	33	-15.36
	19100	1900	16QAM	1	99	21.71	17.81	33	-15.19
	19100	1900	TOQAIN	50	25	20.38	16.48	33	-16.52
				100	0	20.28	16.38	33	-16.62
				1	0	20.25	16.35	33	-16.65
	18700	1860	64QAM	1	99	20.93	17.03	33	-15.97
	10700	1000	04QAIN	50	25	19.54	15.64	33	-17.36
				100	0	19.46	15.56	33	-17.44
				1	0	20.63	16.73	33	-16.27
	18900	1880	640414	1	99	20.48	16.58	33	-16.42
	10900	1000	64QAM	50	25	19.38	15.48	33	-17.52
				100	0	19.51	15.61	33	-17.39
				1	0	20.66	16.76	33	-16.24
	10100	1000	640414	1	99	20.88	16.98	33	-16.02
	19100	1900	64QAM	50	25	19.49	15.59	33	-17.41
				100	0	19.46	15.56	33	-17.44



Antenna	gain (dBi)	-6							
		Ľ	TE Band 4_U	plink f	requenc	y band : 1710	to 1755 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.77	15.77	30	-14.23
	19957	1710.7	QPSK	1	5	21.74	15.74	30	-14.26
	19957	17 10.7	QFON	3	2	21.88	15.88	30	-14.12
				6	0	20.93	14.93	30	-15.07
				1	0	21.84	15.84	30	-14.16
	20175	1732.5	QPSK	1	5	21.83	15.83	30	-14.17
	20175	1752.5	QFON	3	2	21.89	15.89	30	-14.11
				6	0	20.87	14.87	30	-15.13
				1	0	21.80	15.80	30	-14.2
	20393	1754.3	QPSK	1	5	21.88	15.88	30	-14.12
	20393	1704.0	QFON	3	2	21.92	15.92	30	-14.08
				6	0	20.90	14.90	30	-15.1
				1	0	21.03	15.03	30	-14.97
	19957	1710.7	16QAM	1	5	21.19	15.19	30	-14.81
	19957	17 10.7		3	2	20.93	14.93	30	-15.07
				6	0	19.98	13.98	30	-16.02
			.5 16QAM	1	0	21.30	15.30	30	-14.7
1.4	20175	1732.5		1	5	20.93	14.93	30	-15.07
1.4	20175	1752.5	TOQAW	3	2	21.05	15.05	30	-14.95
				6	0	19.88	13.88	30	-16.12
				1	0	21.01	15.01	30	-14.99
	20393	1754.3	16QAM	1	5	21.37	15.37	30	-14.63
	20393	1704.0	TOQAW	3	2	21.02	15.02	30	-14.98
				6	0	20.07	14.07	30	-15.93
				1	0	20.17	14.17	30	-15.83
	19957	1710.7	64QAM	1	5	20.34	14.34	30	-15.66
	19957	17 10.7		3	2	20.00	14.00	30	-16
				6	0	19.10	13.10	30	-16.9
				1	0	20.46	14.46	30	-15.54
	20175	1732.5	64QAM	1	5	20.06	14.06	30	-15.94
	20175	1152.5	04Q/AIVI	3	2	20.13	14.13	30	-15.87
				6	0	19.01	13.01	30	-16.99
				1	0	20.04	14.04	30	-15.96
	20202	1754 2	640414	1	5	20.51	14.51	30	-15.49
	20393 1754.3	1704.0	1754.3 64QAM	3	2	20.22	14.22	30	-15.78
				6	0	19.22	13.22	30	-16.78



Antenna	gain (dBi)	-6				1 1 1740			
BW (MHz)	UL Channel	L Frequency (MHz)	Modulation	RB Size	RB Offset	y band : 1710 Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.78	15.78	30	-14.22
				1	14	21.80	15.80	30	-14.2
	19965	1711.5	QPSK	8	4	20.96	14.96	30	-15.04
				15	0	20.94	14.94	30	-15.06
				1	0	21.77	15.77	30	-14.23
				1	14	21.92	15.92	30	-14.08
	20175	1732.5	QPSK	8	4	20.93	14.93	30	-15.07
				15	0	21.01	15.01	30	-14.99
				1	0	21.96	15.96	30	-14.04
	00005	4750 5	0.001/	1	14	21.96	15.96	30	-14.04
	20385	1753.5	QPSK	8	4	21.05	15.05	30	-14.95
				15	0	21.01	15.01	30	-14.99
19			16QAM	1	0	21.04	15.04	30	-14.96
	40005			1	14	21.07	15.07	30	-14.93
	19965	1711.5		8	4	19.93	13.93	30	-16.07
				15	0	19.99	13.99	30	-16.01
		1732.5	160.004	1	0	21.41	15.41	30	-14.59
<u>^</u>	00475			1	14	21.47	15.47	30	-14.53
3	20175	1732.5	16QAM	8	4	19.93	13.93	30	-16.07
				15	0	20.05	14.05	30	-15.95
				1	0	21.16	15.16	30	-14.84
	20205	1753.5	1604M	1	14	21.41	15.41	30	-14.59
	20385	1/00.0	16QAM	8	4	20.15	14.15	30	-15.85
				15	0	20.10	14.10	30	-15.9
				1	0	20.17	14.17	30	-15.83
	10065	1711 E	C4OAM	1	14	20.18	14.18	30	-15.82
	19965	1711.5	64QAM	8	4	19.08	13.08	30	-16.92
				15	0	19.18	13.18	30	-16.82
				1	0	20.58	14.58	30	-15.42
	20175	1732.5	64QAM	1	14	20.63	14.63	30	-15.37
	20173	1732.3	04QAIVI	8	4	19.11	13.11	30	-16.89
				15	0	19.19	13.19	30	-16.81
				1	0	20.35	14.35	30	-15.65
	20385	1753.5	64QAM	1	14	20.52	14.52	30	-15.48
	20000	1700.0		8	4	19.25	13.25	30	-16.75
				15	0	19.25	13.25	30	-16.75

t (886-2) 2299-3279



Antenna	gain (dBi)	-6							
		L	IE Band 4_U	plink f	requenc	y band : 1710		FIRE	
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.68	15.68	30	-14.32
	19975	1712.5	QPSK	1	24	22.03	16.03	30	-13.97
	19975	17 12.5	QFON	12	6	20.98	14.98	30	-15.02
				25	0	20.95	14.95	30	-15.05
				1	0	21.77	15.77	30	-14.23
	20175	1732.5	QPSK	1	24	21.91	15.91	30	-14.09
	20175	1752.5	QFON	12	6	21.04	15.04	30	-14.96
				25	0	20.90	14.90	30	-15.1
				1	0	21.97	15.97	30	-14.03
	20375	1752.5	QPSK	1	24	21.98	15.98	30	-14.02
	20375	1752.5	QFSK	12	6	21.09	15.09	30	-14.91
				25	0	21.00	15.00	30	-15
19975 1712.5			1	0	21.02	15.02	30	-14.98	
	4740 5	100414	1	24	21.32	15.32	30	-14.68	
	19975	1712.5	16QAM	12	6	20.04	14.04	30	-15.96
				25	0	19.94	13.94	30	-16.06
			10000	1	0	21.29	15.29	30	-14.71
-	00475	4700 5		1	24	21.03	15.03	30	-14.97
5	20175	1732.5	16QAM	12	6	19.97	13.97	30	-16.03
				25	0	20.07	14.07	30	-15.93
				1	0	21.25	15.25	30	-14.75
	00075	4750 5	400 414	1	24	21.40	15.40	30	-14.6
	20375	1752.5	16QAM	12	6	20.11	14.11	30	-15.89
				25	0	19.97	13.97	30	-16.03
				1	0	20.13	14.13	30	-15.87
	10075	1710 E	640 4 14	1	24	20.44	14.44	30	-15.56
	19975	1712.5	64QAM	12	6	19.21	13.21	30	-16.79
				25	0	19.12	13.12	30	-16.88
				1	0	20.44	14.44	30	-15.56
20175 1732.5		1	24	20.21	14.21	30	-15.79		
	20175	1/32.5	64QAM	12	6	19.17	13.17	30	-16.83
				25	0	19.18	13.18	30	-16.82
				1	0	20.36	14.36	30	-15.64
	00075	4750 5		1	24	20.51	14.51	30	-15.49
	20375 1752.5 64QA	64QAM	12	6	19.27	13.27	30	-16.73	
			25	0	19.16	13.16	30	-16.84	

t (886-2) 2299-3279

```
www.tw.sgs.com
```



Antenna	gain (dBi)	-6							
		Ľ	TE Band 4_U	plink f	requenc	y band : 1710			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.69	15.69	30	-14.31
	20000	1715	QPSK	1	49	21.75	15.75	30	-14.25
	20000	1715	QFON	25	12	21.00	15.00	30	-15
				50	0	21.02	15.02	30	-14.98
				1	0	21.72	15.72	30	-14.28
	20175	1732.5	QPSK	1	49	21.83	15.83	30	-14.17
	20175	17.52.5	QION	25	12	21.05	15.05	30	-14.95
				50	0	21.01	15.01	30	-14.99
				1	0	22.10	16.10	30	-13.9
	20375	1750	QPSK	1	49	21.91	15.91	30	-14.09
	20373	1750	QFON	25	12	21.04	15.04	30	-14.96
				50	0	20.94	14.94	30	-15.06
				1	0	21.14	15.14	30	-14.86
	20000	1715	16QAM	1	49	20.89	14.89	30	-15.11
	20000	1715		25	12	20.07	14.07	30	-15.93
				50	0	20.05	14.05	30	-15.95
			16QAM	1	0	21.17	15.17	30	-14.83
10	20175	1732.5		1	49	21.05	15.05	30	-14.95
10	20175	17.52.5		25	12	19.92	13.92	30	-16.08
				50	0	20.08	14.08	30	-15.92
				1	0	21.59	15.59	30	-14.41
	20375	1750	16QAM	1	49	21.27	15.27	30	-14.73
	20075	1750		25	12	20.05	14.05	30	-15.95
				50	0	20.06	14.06	30	-15.94
				1	0	20.31	14.31	30	-15.69
	20000	1715	64QAM	1	49	20.08	14.08	30	-15.92
	20000	1710		25	12	19.24	13.24	30	-16.76
				50	0	19.17	13.17	30	-16.83
				1	0	20.32	14.32	30	-15.68
20175	1732.5	64QAM	1	49	20.20	14.20	30	-15.8	
	20175	1102.0		25	12	19.08	13.08	30	-16.92
				50	0	19.28	13.28	30	-16.72
				1	0	20.69	14.69	30	-15.31
	20375	1750	64QAM	1	49	20.38	14.38	30	-15.62
	20010	1130		25	12	19.24	13.24	30	-16.76
				50	0	19.22	13.22	30	-16.78

t (886-2) 2299-3279



Antenna	gain (dBi)	-6							
		Ľ	TE Band 4_U	plink f	requenc	y band : 1710			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.01	16.01	30	-13.99
	20025	1717.5	QPSK	1	74	22.04	16.04	30	-13.96
	20025	1717.5	QFON	36	18	21.20	15.20	30	-14.8
				75	0	21.21	15.21	30	-14.79
				1	0	22.06	16.06	30	-13.94
	20175	1732.5	QPSK	1	74	21.94	15.94	30	-14.06
	20175	1752.5	QFON	36	18	21.18	15.18	30	-14.82
				75	0	21.22	15.22	30	-14.78
				1	0	22.23	16.23	30	-13.77
	20325	1747.5	QPSK	1	74	22.11	16.11	30	-13.89
	20323	1747.5	QFON	36	18	21.33	15.33	30	-14.67
				75	0	21.13	15.13	30	-14.87
	20025 1717.5		16QAM	1	0	21.74	15.74	30	-14.26
		1717 5		1	74	21.21	15.21	30	-14.79
2	20025	1717.5		36	18	20.24	14.24	30	-15.76
				75	0	20.26	14.26	30	-15.74
			16QAM	1	0	21.70	15.70	30	-14.3
15	20175	1732.5		1	74	21.35	15.35	30	-14.65
15	20175	1752.5	IOQAIN	36	18	20.22	14.22	30	-15.78
				75	0	20.27	14.27	30	-15.73
				1	0	21.47	15.47	30	-14.53
	20325	1747.5	16QAM	1	74	21.55	15.55	30	-14.45
	20323	1747.5	IOQAIN	36	18	20.31	14.31	30	-15.69
				75	0	20.27	14.27	30	-15.73
				1	0	20.88	14.88	30	-15.12
	20025	1717.5	64QAM	1	74	20.35	14.35	30	-15.65
	20025	1717.5		36	18	19.37	13.37	30	-16.63
				75	0	19.45	13.45	30	-16.55
				1	0	20.87	14.87	30	-15.13
	20175	1732.5	64QAM	1	74	20.48	14.48	30	-15.52
	20175	11 JZ.J		36	18	19.38	13.38	30	-16.62
				75	0	19.40	13.40	30	-16.6
				1	0	20.65	14.65	30	-15.35
	20325	17/7 5	64QAM	1	74	20.66	14.66	30	-15.34
	20325 1747.5		36	18	19.44	13.44	30	-16.56	
				75	0	19.45	13.45	30	-16.55


www.tw.sgs.com



Antenna	gain (dBi)	-6	TE Band 4 11	nlink f	roquono	y band : 1710	to 1755 MUz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	21.95	15.95	30	-14.05
				1	99	21.99	15.99	30	-14.01
	20050	1720	QPSK	50	25	21.27	15.27	30	-14.73
				100	0	21.13	15.13	30	-14.87
				1	0	22.13	16.13	30	-13.87
	00475	4700 5	0.001/	1	99	22.12	16.12	30	-13.88
	20175	1732.5	QPSK	50	25	21.25	15.25	30	-14.75
				100	0	21.25	15.25	30	-14.75
				1	0	22.27	16.27	30	-13.73
	00000	4745	0001/	1	99	22.13	16.13	30	-13.87
	20300	1745	QPSK	50	25	21.12	15.12	30	-14.88
				100	0	21.26	15.26	30	-14.74
20050			1	0	21.24	15.24	30	-14.76	
	00050	4700	100 111	1	99	21.49	15.49	30	-14.51
	20050	1720	16QAM	50	25	20.32	14.32	30	-15.68
				100	0	20.23	14.23	30	-15.77
		4700 5	400.004	1	0	21.51	15.51	30	-14.49
00	00475			1	99	21.27	15.27	30	-14.73
20	20175	1732.5	16QAM	50	25	20.20	14.20	30	-15.8
				100	0	20.30	14.30	30	-15.7
				1	0	21.41	15.41	30	-14.59
	00000	4745	400 414	1	99	21.71	15.71	30	-14.29
	20300	1745	16QAM	50	25	20.28	14.28	30	-15.72
				100	0	20.16	14.16	30	-15.84
				1	0	20.40	14.40	30	-15.6
	20050	4700	640444	1	99	20.60	14.60	30	-15.4
	20050	1720	64QAM	50	25	19.48	13.48	30	-16.52
				100	0	19.34	13.34	30	-16.66
				1	0	20.66	14.66	30	-15.34
	20175	1720 E	640414	1	99	20.39	14.39	30	-15.61
	20175	1732.5	64QAM	50	25	19.32	13.32	30	-16.68
				100	0	19.43	13.43	30	-16.57
				1	0	20.52	14.52	30	-15.48
	20200	4745	640414	1	99	20.81	14.81	30	-15.19
	20300	1745	64QAM	50	25	19.44	13.44	30	-16.56
	20000 1740		100	0	19.33	13.33	30	-16.67	

t (886-2) 2299-3279

```
www.tw.sgs.com
```





Antenna g	jain (dBi)	-5.9								
	, , ,		LTE Ba	nd 5_Up	link frequenc	y band : 824 to 8	49 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.46	14.41	16.56	38.45	-21.89
	20407	0047	ODCK	1	5	22.50	14.45	16.60	38.45	-21.85
	20407	824.7	QPSK	3	2	22.54	14.49	16.64	38.45	-21.81
				6	0	21.55	13.50	15.65	38.45	-22.8
				1	0	22.51	14.46	16.61	38.45	-21.84
	20525	836.5	ODCK	1	5	22.54	14.49	16.64	38.45	-21.81
	20323	030.3	QPSK	3	2	22.62	14.57	16.72	38.45	-21.73
				6	0	21.60	13.55	15.70	38.45	-22.75
				1	0	22.50	14.45	16.60	38.45	-21.85
	20643	848.3	QPSK	1	5	22.36	14.31	16.46	38.45	-21.99
	20043	040.3	QPSK	3	2	22.51	14.46	16.61	38.45	-21.84
				6	0	21.50	13.45	15.60	38.45	-22.85
				1	0	21.91	13.86	16.01	38.45	-22.44
	20407	0047	160 414	1	5	22.10	14.05	16.20	38.45	-22.25
	20407	824.7	16QAM	3	2	21.58	13.53	15.68	38.45	-22.77
				6	0	20.77	12.72	14.87	38.45	-23.58
			100.004	1	0	21.71	13.66	15.81	38.45	-22.64
1.4	20525	836.5		1	5	22.12	14.07	16.22	38.45	-22.23
1.4	20525	030.3	16QAM	3	2	21.61	13.56	15.71	38.45	-22.74
				6	0	20.57	12.52	14.67	38.45	-23.78
				1	0	21.48	13.43	15.58	38.45	-22.87
	20643	848.3	16QAM	1	5	21.98	13.93	16.08	38.45	-22.37
	20043	040.3	TOQAM	3	2	21.59	13.54	15.69	38.45	-22.76
				6	0	20.55	12.50	14.65	38.45	-23.8
				1	0	21.30	13.25	15.40	38.45	-23.05
	20407	824.7	64QAM	1	5	21.55	13.50	15.65	38.45	-22.8
	20407	024.7	04QAM	3	2	21.00	12.95	15.10	38.45	-23.35
				6	0	20.21	12.16	14.31	38.45	-24.14
				1	0	21.03	12.98	15.13	38.45	-23.32
	20525	836.5	64QAM	1	5	21.57	13.52	15.67	38.45	-22.78
	20020	000.0	U+Q/NN	3	2	20.92	12.87	15.02	38.45	-23.43
				6	0	20.04	11.99	14.14	38.45	-24.31
				1	0	20.83	12.78	14.93	38.45	-23.52
	20643	848.3	64QAM	1	5	21.37	13.32	15.47	38.45	-22.98
	20045	040.0	0+QAW	3	2	20.97	12.92	15.07	38.45	-23.38
				6	0	19.85	11.80	13.95	38.45	-24.5



Antenna	gain (dBi)	-5.9								
			LTE Ban	d 5_Up	ink frequency	/ band : 824 to		5100		•
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average	ERP Average	EIRP Average	EIRP Limit	Margin (dB)
()		()		4	0	(dBm)	(dBm)	(dBm)	(dBm)	. ,
				1	0	22.35	14.30	16.45	38.45	-22
	20415	825.5	QPSK	1	14	22.46	14.41	16.56	38.45	-21.89
				8	4	21.56	13.51	15.66	38.45	-22.79
				15	0	21.48	13.43	15.58	38.45	-22.87
				1	0	22.39	14.34	16.49	38.45	-21.96
	20525	836.5	QPSK	1	14	22.53	14.48	16.63	38.45	-21.82
				8	4	21.59	13.54	15.69	38.45	-22.76
				15	0	21.55	13.50	15.65	38.45	-22.8
				1	0	22.48	14.43	16.58	38.45	-21.87
	20635	847.5	QPSK	1	14	22.27	14.22	16.37	38.45	-22.08
				8	4	21.57	13.52	15.67	38.45	-22.78
				15	0	21.55	13.50	15.65	38.45	-22.8
				1	0	22.04	13.99	16.14	38.45	-22.31
	20415	825.5	16QAM	1	14	22.08	14.03	16.18	38.45	-22.27
	20415	020.0	IUQAW	8	4	20.72	12.67	14.82	38.45	-23.63
				15	0	20.61	12.56	14.71	38.45	-23.74
		836.5	16QAM	1	0	21.93	13.88	16.03	38.45	-22.42
3	20525			1	14	21.82	13.77	15.92	38.45	-22.53
0	20020	000.0		8	4	20.58	12.53	14.68	38.45	-23.77
				15	0	20.59	12.54	14.69	38.45	-23.76
				1	0	21.82	13.77	15.92	38.45	-22.53
	20635	847.5	16QAM	1	14	21.56	13.51	15.66	38.45	-22.79
	20035	047.5	TOQAIN	8	4	20.46	12.41	14.56	38.45	-23.89
				15	0	20.55	12.50	14.65	38.45	-23.8
				1	0	21.52	13.47	15.62	38.45	-22.83
	20415	825.5	64QAM	1	14	21.55	13.50	15.65	38.45	-22.8
	20410	020.0	04QAIVI	8	4	20.05	12.00	14.15	38.45	-24.3
				15	0	20.06	12.01	14.16	38.45	-24.29
				1	0	21.40	13.35	15.50	38.45	-22.95
	20525	000 F	640414	1	14	21.18	13.13	15.28	38.45	-23.17
	20525	836.5	64QAM	8	4	20.04	11.99	14.14	38.45	-24.31
				15	0	19.92	11.87	14.02	38.45	-24.43
				1	0	21.17	13.12	15.27	38.45	-23.18
	00005	0475	040414	1	14	20.95	12.90	15.05	38.45	-23.4
	20635	847.5	64QAM	8	4	19.79	11.74	13.89	38.45	-24.56
				15	0	19.94	11.89	14.04	38.45	-24.41



			LTE Ban	d 5_Upli	ink frequenc	y band : 824 to	849 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margii (dB)
				1	0	22.57	14.52	16.67	38.45	-21.78
	00405	000 F	0001	1	24	22.51	14.46	16.61	38.45	-21.84
	20425	826.5	QPSK	12	6	21.66	13.61	15.76	38.45	-22.6
				25	0	21.58	13.53	15.68	38.45	-22.7
				1	0	22.64	14.59	16.74	38.45	-21.7
	00505	000 5		1	24	22.69	14.64	16.79	38.45	-21.6
	20525	836.5	QPSK	12	6	21.69	13.64	15.79	38.45	-22.6
				25	0	21.62	13.57	15.72	38.45	-22.7
				1	0	22.65	14.60	16.75	38.45	-21.7
	00005	0.40 5	0001	1	24	22.60	14.55	16.70	38.45	-21.7
	20625	846.5	QPSK	12	6	21.60	13.55	15.70	38.45	-22.7
				25	0	21.50	13.45	15.60	38.45	-22.8
				1	0	22.24	14.19	16.34	38.45	-22.1
	00405	000 5	16QAM	1	24	21.65	13.60	15.75	38.45	-22.
	20425	826.5		12	6	20.63	12.58	14.73	38.45	-23.7
┝				25	0	20.66	12.61	14.76	38.45	-23.6
		000 5	400.004	1	0	22.25	14.20	16.35	38.45	-22.1
-	00505			1	24	22.25	14.20	16.35	38.45	-22.1
5	20525	836.5	16QAM	12	6	20.65	12.60	14.75	38.45	-23.
				25	0	20.74	12.69	14.84	38.45	-23.6
				1	0	21.61	13.56	15.71	38.45	-22.7
	0000-	0 40 F	100.004	1	24	21.78	13.73	15.88	38.45	-22.5
	20625	846.5	16QAM	12	6	20.68	12.63	14.78	38.45	-23.6
				25	0	20.63	12.58	14.73	38.45	-23.7
				1	0	21.65	13.60	15.75	38.45	-22.
	00405	000 -		1	24	21.01	12.96	15.11	38.45	-23.3
	20425	826.5	64QAM	12	6	19.95	11.90	14.05	38.45	-24.4
				25	0	20.01	11.96	14.11	38.45	-24.3
				1	0	21.61	13.56	15.71	38.45	-22.7
	00505	000 -		1	24	21.70	13.65	15.80	38.45	-22.6
2	20525	836.5	64QAM	12	6	19.97	11.92	14.07	38.45	-24.3
				25	0	20.10	12.05	14.20	38.45	-24.2
				1	0	21.04	12.99	15.14	38.45	-23.3
	0000-	o 40 -		1	24	21.15	13.10	15.25	38.45	-23.
	20625	846.5	64QAM	12	6	20.16	12.11	14.26	38.45	-24.1
			-	25	0	20.11	12.06	14.21	38.45	-24.2



Antenna	ntenna gain (dBi) -5.9									
			LTE Ban	d 5_Upl	ink frequency	band : 824 to				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.47	14.42	16.57	38.45	-21.88
				1	49	22.58	14.53	16.68	38.45	-21.77
	20450	829	QPSK	25	12	21.68	13.63	15.78	38.45	-22.67
				50	0	21.60	13.55	15.70	38.45	-22.75
				1	0	22.51	14.46	16.61	38.45	-21.84
				1	49	22.75	14.70	16.85	38.45	-21.6
	20525	836.5	QPSK	25	12	21.71	13.66	15.81	38.45	-22.64
				50	0	21.67	13.62	15.77	38.45	-22.68
				1	0	22.60	14.55	16.70	38.45	-21.75
			0.001/	1	49	22.39	14.34	16.49	38.45	-21.96
	20600	844	QPSK	25	12	21.69	13.64	15.79	38.45	-22.66
				50	0	21.66	13.61	15.76	38.45	-22.69
				1	0	22.16	14.11	16.26	38.45	-22.19
	20450	829	16QAM	1	49	22.20	14.15	16.30	38.45	-22.15
	20450	029		25	12	20.84	12.79	14.94	38.45	-23.51
				50	0	20.73	12.68	14.83	38.45	-23.62
		836.5	16QAM	1	0	22.05	14.00	16.15	38.45	-22.3
10	20525			1	49	21.94	13.89	16.04	38.45	-22.41
10	20020	000.0		25	12	20.70	12.65	14.80	38.45	-23.65
				50	0	20.71	12.66	14.81	38.45	-23.64
				1	0	21.94	13.89	16.04	38.45	-22.41
	20600	844	16QAM	1	49	21.68	13.63	15.78	38.45	-22.67
	20000	044	1000/111	25	12	20.58	12.53	14.68	38.45	-23.77
				50	0	20.67	12.62	14.77	38.45	-23.68
				1	0	21.65	13.60	15.75	38.45	-22.7
	20450	829	64QAM	1	49	21.51	13.46	15.61	38.45	-22.84
	20100	020	o ray un	25	12	20.32	12.27	14.42	38.45	-24.03
				50	0	20.23	12.18	14.33	38.45	-24.12
				1	0	21.39	13.34	15.49	38.45	-22.96
	20525	836.5	64QAM	1	49	21.30	13.25	15.40	38.45	-23.05
		000.0	U. S. W.	25	12	20.14	12.09	14.24	38.45	-24.21
				50	0	20.05	12.00	14.15	38.45	-24.3
				1	0	21.38	13.33	15.48	38.45	-22.97
	20600	844	64QAM	1	49	21.17	13.12	15.27	38.45	-23.18
		844		25	12	19.91	11.86	14.01	38.45	-24.44
				50	0	20.12	12.07	14.22	38.45	-24.23



Antenna g	jain (dBi)	-1.4							
	·		LTE Band 7_	Uplink	frequenc	cy band : 2500 to	o 2570 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.94	21.54	33	-11.46
	20775	2502.5	QPSK	1	24	23.02	21.62	33	-11.38
	20115	2002.0	QION	12	6	22.04	20.64	33	-12.36
				25	0	22.03	20.63	33	-12.37
				1	0	22.75	21.35	33	-11.65
	21100	2535	QPSK	1	24	22.92	21.52	33	-11.48
	21100	2000		12	6	21.91	20.51	33	-12.49
				25	0	21.94	20.54	33	-12.46
				1	0	22.76	21.36	33	-11.64
	21375	2567.5	QPSK	1	24	23.02	21.62	33	-11.38
				12	6	22.06	20.66	33	-12.34
				25	0	22.05	20.65	33	-12.35
			16QAM	1	0	22.39	20.99	33	-12.01
	20775	2502.5		1	24	22.57	21.17	33	-11.83
				12	6	21.11	19.71	33	-13.29
ļ				25	0	21.00	19.60	33	-13.4
		2535	16QAM	1	0	21.95	20.55	33	-12.45
5	21100			1	24	22.34	20.94	33	-12.06
				12	6	20.94	19.54	33	-13.46
				25	0	21.01	19.61	33	-13.39
				1	0	22.01	20.61	33	-12.39
	21375	2567.5	16QAM	1	24	22.21	20.81	33	-12.19
				12	6	21.17	19.77	33	-13.23
				25	0	21.00	19.60	33	-13.4
				1	0	21.55	20.15	33	-12.85
	20775	2502.5	64QAM	1	24	21.66	20.26	33	-12.74
				12	6	20.29	18.89	33	-14.11
				25	0	20.16	18.76	33	-14.24
				1	0	21.09	19.69	33	-13.31
	21100	2535	64QAM	1	24	21.28	19.88	33	-13.12
				12	6	19.94	18.54	33	-14.46
				25	0	20.05	18.65	33	-14.35
				1	0	21.17	19.77	33	-13.23
	21375	2567.5	64QAM	1	24	21.29	19.89	33	-13.11
				12	6	20.35	18.95	33	-14.05
				25	0	20.01	18.61	33	-14.39



				ршик і	requenc	y band : 2500			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.88	21.48	33	-11.52
	20800	2505	QPSK	1	49	22.90	21.50	33	-11.5
	20000	2000	QFSK	25	12	22.06	20.66	33	-12.34
				50	0	22.10	20.70	33	-12.3
				1	0	22.66	21.26	33	-11.74
	21100	2535	QPSK	1	49	22.82	21.42	33	-11.58
	21100	2000	QFSK	25	12	21.88	20.48	33	-12.52
				50	0	21.90	20.50	33	-12.5
				1	0	22.63	21.23	33	-11.77
	01250	0565	QPSK	1	49	22.91	21.51	33	-11.49
	21350	2565	QPSK	25	12	22.05	20.65	33	-12.35
				50	0	21.97	20.57	33	-12.43
				1	0	22.49	21.09	33	-11.91
	00000	0505	16QAM	1	49	22.57	21.17	33	-11.83
	20800	2505		25	12	21.05	19.65	33	-13.35
				50	0	21.08	19.68	33	-13.32
		2535	160044	1	0	22.06	20.66	33	-12.34
10	01100			1	49	22.17	20.77	33	-12.23
10	21100	2000	16QAM	25	12	20.88	19.48	33	-13.52
				50	0	20.98	19.58	33	-13.42
				1	0	22.04	20.64	33	-12.36
	01250	2565	1604M	1	49	22.54	21.14	33	-11.86
	21350	2000	16QAM	25	12	21.11	19.71	33	-13.29
				50	0	20.96	19.56	33	-13.44
				1	0	21.52	20.12	33	-12.88
	20000	DEDE	640414	1	49	21.64	20.24	33	-12.76
	20800	2505	64QAM	25	12	20.07	18.67	33	-14.33
				50	0	20.25	18.85	33	-14.15
				1	0	21.17	19.77	33	-13.23
-	21100	2535	64QAM	1	49	21.30	19.90	33	-13.1
	21100	2000	UHQAIVI	25	12	20.00	18.60	33	-14.4
				50	0	20.10	18.70	33	-14.3
				1	0	21.22	19.82	33	-13.18
	21250	2565	64QAM	1	49	21.61	20.21	33	-12.79
	21350	2000		25	12	20.23	18.83	33	-14.17

```
www.tw.sgs.com
```



ntenna	gain (dBi)	-1.4							
		Ľ	IE Band 7_U	plink f	requenc	y band : 2500		FIDE	
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.97	21.57	33	-11.43
	20825	2507.5	QPSK	1	74	23.21	21.81	33	-11.19
	20025	2307.3	QFON	36	18	22.28	20.88	33	-12.12
				75	0	22.25	20.85	33	-12.15
				1	0	22.99	21.59	33	-11.41
	21100	2535	QPSK	1	74	23.13	21.73	33	-11.27
	21100	2000	QION	36	18	22.20	20.80	33	-12.2
				75	0	22.20	20.80	33	-12.2
				1	0	22.61	21.21	33	-11.79
	21375	2562.5	QPSK	1	74	22.94	21.54	33	-11.46
	21575	2302.3	QFON	36	18	21.89	20.49	33	-12.51
				75	0	21.96	20.56	33	-12.44
				1	0	22.31	20.91	33	-12.09
	20825	2507.5	16QAM	1	74	22.43	21.03	33	-11.97
_	20025	2007.0	IOQAIVI	36	18	21.34	19.94	33	-13.06
				75	0	21.25	19.85	33	-13.15
		2535	16QAM	1	0	22.53	21.13	33	-11.87
15	21100			1	74	22.77	21.37	33	-11.63
15	21100	2000	IUQAN	36	18	21.20	19.80	33	-13.2
				75	0	21.04	19.64	33	-13.36
				1	0	22.39	20.99	33	-12.01
	21375	2562.5	16QAM	1	74	22.24	20.84	33	-12.16
	21375	2002.0	IOQAIVI	36	18	21.03	19.63	33	-13.37
				75	0	21.16	19.76	33	-13.24
				1	0	21.47	20.07	33	-12.93
	20825	2507.5	64QAM	1	74	21.51	20.11	33	-12.89
	20025	2007.0	04QAIVI	36	18	20.47	19.07	33	-13.93
				75	0	20.44	19.04	33	-13.96
				1	0	21.70	20.30	33	-12.7
	21100	2535	64QAM	1	74	21.88	20.48	33	-12.52
	21100	2000	UHQAIVI	36	18	20.31	18.91	33	-14.09
				75	0	20.08	18.68	33	-14.32
				1	0	21.51	20.11	33	-12.89
	01075	0560 F	640 4 14	1	74	21.42	20.02	33	-12.98
	21375	2562.5	64QAM	36	18	20.23	18.83	33	-14.17
				75	0	20.33	18.93	33	-14.07

t (886-2) 2299-3279



Antenna	gain (dBi)	-1.4							
	I	Ľ	TE Band 7_U	plink f	requenc	y band : 2500			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.96	21.56	33	-11.44
	20850	2510	QPSK	1	99	23.17	21.77	33	-11.23
	20030	2310	QFON	50	25	22.34	20.94	33	-12.06
				100	0	22.33	20.93	33	-12.07
				1	0	22.93	21.53	33	-11.47
	21100	2535	QPSK	1	99	23.14	21.74	33	-11.26
	21100	2000	QFON	50	25	22.13	20.73	33	-12.27
				100	0	22.16	20.76	33	-12.24
				1	0	22.95	21.55	33	-11.45
	21350	2560	QPSK	1	99	23.24	21.84	33	-11.16
	21330	2300	QFON	50	25	22.25	20.85	33	-12.15
				100	0	22.25	20.85	33	-12.15
				1	0	22.44	21.04	33	-11.96
	20850	2510	16QAM	1	99	22.52	21.12	33	-11.88
	20030	2310	TOQAIVI	50	25	21.27	19.87	33	-13.13
				100	0	21.34	19.94	33	-13.06
		2535	16QAM	1	0	22.02	20.62	33	-12.38
20	21100			1	99	22.31	20.91	33	-12.09
20	21100	2000	TOQAW	50	25	21.21	19.81	33	-13.19
				100	0	21.13	19.73	33	-13.27
				1	0	22.58	21.18	33	-11.82
	21350	2560	16QAM	1	99	22.78	21.38	33	-11.62
	21330	2000	TOQAW	50	25	21.41	20.01	33	-12.99
				100	0	21.32	19.92	33	-13.08
				1	0	21.63	20.23	33	-12.77
	20850	2510	64QAM	1	99	21.70	20.30	33	-12.7
	20030	2310		50	25	20.32	18.92	33	-14.08
				100	0	20.44	19.04	33	-13.96
				1	0	21.14	19.74	33	-13.26
	21100	2535	64QAM	1	99	21.39	19.99	33	-13.01
	21100	2000		50	25	20.22	18.82	33	-14.18
				100	0	20.17	18.77	33	-14.23
				1	0	21.73	20.33	33	-12.67
	21350	2560	64QAM	1	99	21.90	20.50	33	-12.5
	21300	2000	04QAW	50	25	20.56	19.16	33	-13.84
				100	0	20.37	18.97	33	-14.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuckungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新 北市 五股 區 新北產業園 區 五工路 134 號

f (886-2) 2298-0488



Antenna	Antenna gain (dBi) -10.6									
			LTE Band	l 12_Up	link frequenc	y band : 699 to				•
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.38	9.63	11.78	34.77	-22.99
	23017	699.7	QPSK	1	5	22.26	9.51	11.66	34.77	-23.11
	23017	099.7	QFON	3	2	22.17	9.42	11.57	34.77	-23.2
				6	0	21.37	8.62	10.77	34.77	-24
				1	0	22.24	9.49	11.64	34.77	-23.13
	23095	707.5	QPSK	1	5	22.42	9.67	11.82	34.77	-22.95
	23095	707.5	QPSK	3	2	22.21	9.46	11.61	34.77	-23.16
				6	0	21.39	8.64	10.79	34.77	-23.98
				1	0	22.35	9.60	11.75	34.77	-23.02
	23173	715.5	QPSK	1	5	22.44	9.69	11.84	34.77	-22.93
	23173	715.5	QFON	3	2	22.20	9.45	11.60	34.77	-23.17
				6	0	21.42	8.67	10.82	34.77	-23.95
				1	0	21.52	8.77	10.92	34.77	-23.85
	23017	699.7	16QAM	1	5	21.61	8.86	11.01	34.77	-23.76
	23017	099.7	TOQAIN	3	2	21.19	8.44	10.59	34.77	-24.18
				6	0	20.51	7.76	9.91	34.77	-24.86
		707.5	16QAM	1	0	21.97	9.22	11.37	34.77	-23.4
1.4	23095			1	5	21.78	9.03	11.18	34.77	-23.59
1.4	20000	101.5	IUQAIN	3	2	21.27	8.52	10.67	34.77	-24.1
				6	0	20.45	7.70	9.85	34.77	-24.92
				1	0	21.58	8.83	10.98	34.77	-23.79
	23173	715.5	16QAM	1	5	21.37	8.62	10.77	34.77	-24
	20110	7 10.0	IUQAIN	3	2	21.28	8.53	10.68	34.77	-24.09
				6	0	20.47	7.72	9.87	34.77	-24.9
				1	0	20.87	8.12	10.27	34.77	-24.5
	23017	699.7	64QAM	1	5	20.87	8.12	10.27	34.77	-24.5
	20017	033.1		3	2	20.57	7.82	9.97	34.77	-24.8
				6	0	19.74	6.99	9.14	34.77	-25.63
				1	0	21.33	8.58	10.73	34.77	-24.04
	23095	707.5	64QAM	1	5	21.02	8.27	10.42	34.77	-24.35
	20000	101.5		3	2	20.64	7.89	10.04	34.77	-24.73
				6	0	19.80	7.05	9.20	34.77	-25.57
				1	0	20.93	8.18	10.33	34.77	-24.44
	23173	715.5	64QAM	1	5	20.63	7.88	10.03	34.77	-24.74
	20110	1 10.0		3	2	20.60	7.85	10.00	34.77	-24.77
			_	6	0	19.75	7.00	9.15	34.77	-25.62



			LTE Band	12_Up	link frequenc	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margi (dB)
				1	0	22.40	9.65	11.80	34.77	-22.9
			0.501/	1	14	22.42	9.67	11.82	34.77	-22.9
	23025	700.5	QPSK	8	4	21.54	8.79	10.94	34.77	-23.8
				15	0	21.52	8.77	10.92	34.77	-23.8
				1	0	22.48	9.73	11.88	34.77	-22.8
	00005	707 5	0001/	1	14	22.52	9.77	11.92	34.77	-22.8
	23095	707.5	QPSK	8	4	21.58	8.83	10.98	34.77	-23.7
				15	0	21.58	8.83	10.98	34.77	-23.7
				1	0	22.51	9.76	11.91	34.77	-22.8
	00405	7445	0001/	1	14	22.53	9.78	11.93	34.77	-22.8
	23165	714.5	QPSK	8	4	21.66	8.91	11.06	34.77	-23.
				15	0	21.53	8.78	10.93	34.77	-23.8
			16QAM	1	0	21.90	9.15	11.30	34.77	-23.4
	00005	700 5		1	14	22.04	9.29	11.44	34.77	-23.
	23025	700.5		8	4	20.52	7.77	9.92	34.77	-24.
				15	0	20.67	7.92	10.07	34.77	-24
		707 5	400.004	1	0	21.63	8.88	11.03	34.77	-23.
•	00005			1	14	22.16	9.41	11.56	34.77	-23.
3	23095	707.5	16QAM	8	4	20.53	7.78	9.93	34.77	-24.
				15	0	20.55	7.80	9.95	34.77	-24.
				1	0	21.67	8.92	11.07	34.77	-23
	00405	7445	400 414	1	14	21.44	8.69	10.84	34.77	-23.
	23165	714.5	16QAM	8	4	20.74	7.99	10.14	34.77	-24.
				15	0	20.63	7.88	10.03	34.77	-24.
				1	0	21.24	8.49	10.64	34.77	-24.
	00005	700 5	C10414	1	14	21.44	8.69	10.84	34.77	-23.
	23025	700.5	64QAM	8	4	19.77	7.02	9.17	34.77	-25
				15	0	19.91	7.16	9.31	34.77	-25.
				1	0	20.91	8.16	10.31	34.77	-24.
	00005	707 5	640414	1	14	21.39	8.64	10.79	34.77	-23.
	23095	707.5	64QAM	8	4	19.79	7.04	9.19	34.77	-25.
				15	0	19.84	7.09	9.24	34.77	-25.
		1		1	0	21.06	8.31	10.46	34.77	-24.3
	00405	744 5	640414	1	14	20.80	8.05	10.20	34.77	-24.
	23165	714.5	64QAM	8	4	20.12	7.37	9.52	34.77	-25.2
				15	0	19.88	7.13	9.28	34.77	-25.4



Antenna	gain (dBi)	-10.6								
	-	1	LTE Band	12_Up	link frequenc	y band : 699 to				
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average	ERP Average	EIRP Average	EIRP Limit	Margin (dB)
, ,		· · ·		1	0	(dBm) 22.51	(dBm) 9.76	(dBm) 11.91	(dBm)	-22.86
				1	÷				34.77	
	23035	701.5	QPSK	1 12	24	22.39 21.50	9.64	11.79	34.77	-22.98
					6		8.75	10.90	34.77	-23.87
				25	0	21.50	8.75	10.90	34.77	-23.87
				1	0	22.37	9.62	11.77	34.77	-23
	23095	707.5	QPSK	1	24	22.55	9.80	11.95	34.77	-22.82
				12	6	21.54	8.79	10.94	34.77	-23.83
				25	0	21.52	8.77	10.92	34.77	-23.85
				1	0	22.48	9.73	11.88	34.77	-22.89
	23155	713.5	QPSK	1	24	22.57	9.82	11.97	34.77	-22.8
				12	6	21.53	8.78	10.93	34.77	-23.84
				25	0	21.55	8.80	10.95	34.77	-23.82
				1	0	21.65	8.90	11.05	34.77	-23.72
	23035	701.5	16QAM	1	24	21.74	8.99	11.14	34.77	-23.63
				12	6	20.52	7.77	9.92	34.77	-24.85
				25	0	20.64	7.89	10.04	34.77	-24.73
		707.5	16QAM	1	0	22.10	9.35	11.50	34.77	-23.27
5	23095			1	24	21.91	9.16	11.31	34.77	-23.46
5	20000	101.5	IUQAIN	12	6	20.60	7.85	10.00	34.77	-24.77
				25	0	20.58	7.83	9.98	34.77	-24.79
				1	0	21.71	8.96	11.11	34.77	-23.66
	23155	713.5	16QAM	1	24	21.50	8.75	10.90	34.77	-23.87
	23100	/ 13.5	TOQAIVI	12	6	20.61	7.86	10.01	34.77	-24.76
				25	0	20.60	7.85	10.00	34.77	-24.77
				1	0	20.96	8.21	10.36	34.77	-24.41
	00005	704 5	040414	1	24	20.97	8.22	10.37	34.77	-24.4
	23035	701.5	64QAM	12	6	19.90	7.15	9.30	34.77	-25.47
				25	0	19.97	7.22	9.37	34.77	-25.4
				1	0	21.46	8.71	10.86	34.77	-23.91
				1	24	21.17	8.42	10.57	34.77	-24.2
	23095	707.5	64QAM	12	6	19.97	7.22	9.37	34.77	-25.4
				25	0	19.78	7.03	9.18	34.77	-25.59
				1	0	21.06	8.31	10.46	34.77	-24.31
				1	24	20.83	8.08	10.23	34.77	-24.54
	23155	713.5	64QAM	12	6	19.87	7.12	9.27	34.77	-25.5
				25	0	19.85	7.12	9.25	34.77	-25.52



			LTE Band	12_Up	link frequenc	y band : 699 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Marg (dB)
				1	0	22.39	9.64	11.79	34.77	-22.9
				1	49	22.58	9.83	11.98	34.77	-22.7
	23060	704	QPSK	25	12	21.60	8.85	11.00	34.77	-23.7
				50	0	21.61	8.86	11.01	34.77	-23.
				1	0	22.35	9.60	11.75	34.77	-23.0
	00005		0.001/	1	49	22.67	9.92	12.07	34.77	-22.
	23095	707.5	QPSK	25	12	21.60	8.85	11.00	34.77	-23.
				50	0	21.55	8.80	10.95	34.77	-23.8
				1	0	22.45	9.70	11.85	34.77	-22.9
	00.400		0.001/	1	49	22.59	9.84	11.99	34.77	-22.
	23130	711	QPSK	25	12	21.62	8.87	11.02	34.77	-23.
				50	0	21.51	8.76	10.91	34.77	-23.
				1	0	21.69	8.94	11.09	34.77	-23.
	02000	704	16QAM	1	49	21.60	8.85	11.00	34.77	-23.
	23060	704		25	12	20.58	7.83	9.98	34.77	-24.
				50	0	20.67	7.92	10.07	34.77	-24
		707.5	1000	1	0	21.84	9.09	11.24	34.77	-23.
10	00005			1	49	21.70	8.95	11.10	34.77	-23.
10	23095	707.5	16QAM	25	12	20.57	7.82	9.97	34.77	-24
				50	0	20.64	7.89	10.04	34.77	-24.
				1	0	21.50	8.75	10.90	34.77	-23.
	23130	711	16QAM	1	49	21.80	9.05	11.20	34.77	-23.
	23130	/ 1 1	TOQAIN	25	12	20.58	7.83	9.98	34.77	-24.
				50	0	20.57	7.82	9.97	34.77	-24
				1	0	21.05	8.30	10.45	34.77	-24.
	23060	704	64QAM	1	49	20.96	8.21	10.36	34.77	-24.
	23000	704	04QAIN	25	12	19.95	7.20	9.35	34.77	-25.
				50	0	19.88	7.13	9.28	34.77	-25.
				1	0	21.20	8.45	10.60	34.77	-24.
	23095	707.5	64QAM	1	49	20.98	8.23	10.38	34.77	-24.
	20090	101.5	04QAIVI	25	12	19.97	7.22	9.37	34.77	-25
				50	0	19.93	7.18	9.33	34.77	-25.
				1	0	20.73	7.98	10.13	34.77	-24.
	23130	711	6404M	1	49	21.13	8.38	10.53	34.77	-24.
	20100	111	64QAM	25	12	19.90	7.15	9.30	34.77	-25.
				50	0	19.87	7.12	9.27	34.77	-25



Antenna	gain (dBi)	-6.9								
			LTE Band	113_U	plink fre	equency band	: 777 to 787 M			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.40	13.35	15.50	34.77	-19.27
	23205	779.5	QPSK	1	24	22.62	13.57	15.72	34.77	-19.05
	20200	110.0	QI OIT	12	6	21.75	12.70	14.85	34.77	-19.92
				25	0	21.71	12.66	14.81	34.77	-19.96
				1	0	22.42	13.37	15.52	34.77	-19.25
	23230	782	QPSK	1	24	22.70	13.65	15.80	34.77	-18.97
	20200	102	QI OIT	12	6	21.72	12.67	14.82	34.77	-19.95
				25	0	21.67	12.62	14.77	34.77	-20
				1	0	22.47	13.42	15.57	34.77	-19.2
	23255	784.5	QPSK	1	24	22.66	13.61	15.76	34.77	-19.01
	20200	704.5	QION	12	6	21.78	12.73	14.88	34.77	-19.89
				25	0	21.74	12.69	14.84	34.77	-19.93
				1	0	22.12	13.07	15.22	34.77	-19.55
	23205	779.5	16QAM	1	24	21.73	12.68	14.83	34.77	-19.94
		115.5		12	6	20.76	11.71	13.86	34.77	-20.91
				25	0	20.81	11.76	13.91	34.77	-20.86
				1	0	21.80	12.75	14.90	34.77	-19.87
5	23230	782	16QAM	1	24	21.92	12.87	15.02	34.77	-19.75
5	23230	102	IUQAIVI	12	6	20.80	11.75	13.90	34.77	-20.87
				25	0	20.68	11.63	13.78	34.77	-20.99
				1	0	21.94	12.89	15.04	34.77	-19.73
	23255	784.5	16QAM	1	24	22.03	12.98	15.13	34.77	-19.64
	23255	704.5	TOQAIVI	12	6	20.81	11.76	13.91	34.77	-20.86
				25	0	20.77	11.72	13.87	34.77	-20.9
				1	0	21.48	12.43	14.58	34.77	-20.19
	23205	779.5	64QAM	1	24	20.96	11.91	14.06	34.77	-20.71
	23203	119.5		12	6	20.03	10.98	13.13	34.77	-21.64
				25	0	20.09	11.04	13.19	34.77	-21.58
				1	0	21.19	12.14	14.29	34.77	-20.48
	23230	782	64QAM	1	24	21.24	12.19	14.34	34.77	-20.43
		102		12	6	20.13	11.08	13.23	34.77	-21.54
				25	0	20.04	10.99	13.14	34.77	-21.63
				1	0	21.29	12.24	14.39	34.77	-20.38
	23255	784.5	64QAM	1	24	21.30	12.25	14.40	34.77	-20.37
	20200	104.3		12	6	20.07	11.02	13.17	34.77	-21.6
				25	0	20.16	11.11	13.26	34.77	-21.51



Antenna	aain I	(dRi)	-6.9
Antenna	yaiii	uDI)	-0.9

	<u>y</u>		LTE Band	1 13_U	plink fre	equency band	: 777 to 787 M	Hz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.45	13.40	15.55	34.77	-19.22
	23230	782	QPSK	1	49	22.54	13.49	15.64	34.77	-19.13
	23230	102	QPSK	25	12	21.76	12.71	14.86	34.77	-19.91
				50	0	21.79	12.74	14.89	34.77	-19.88
				1	0	22.00	12.95	15.10	34.77	-19.67
10	23230	782	16QAM	1	49	21.88	12.83	14.98	34.77	-19.79
10	23230	102	IUQAIVI	25	12	20.72	11.67	13.82	34.77	-20.95
				50	0	20.83	11.78	13.93	34.77	-20.84
				1	0	21.25	12.20	14.35	34.77	-20.42
	23230 782	780	640AM	1	49	21.08	12.03	14.18	34.77	-20.59
		102	2 64QAM	25	12	19.94	10.89	13.04	34.77	-21.73
				50	0	20.18	11.13	13.28	34.77	-21.49



Antenna gain (dBi) -10.6

	gain (dBl)	-10.6	LTE Band	l 17_Up	link frequency	y band : 704 to	716 MHz			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.40	9.65	11.80	34.77	-22.97
	00755	700 5		1	24	22.58	9.83	11.98	34.77	-22.79
	23755	706.5	QPSK	12	6	21.56	8.81	10.96	34.77	-23.81
				25	0	21.55	8.80	10.95	34.77	-23.82
				1	0	22.41	9.66	11.81	34.77	-22.96
	23790	710	QPSK	1	24	22.61	9.86	12.01	34.77	-22.76
	23790	710	QFON	12	6	21.58	8.83	10.98	34.77	-23.79
				25	0	21.55	8.80	10.95	34.77	-23.82
				1	0	22.48	9.73	11.88	34.77	-22.89
	23825	713.5	QPSK	1	24	22.60	9.85	12.00	34.77	-22.77
	23023	715.5	QFON	12	6	21.54	8.79	10.94	34.77	-23.83
				25	0	21.64	8.89	11.04	34.77	-23.73
				1	0	21.42	8.67	10.82	34.77	-23.95
	00755	706 5	160 4 M	1	24	21.64	8.89	11.04	34.77	-23.73
	23755 706.5	16QAM	12	6	20.65	7.90	10.05	34.77	-24.72	
			F	25	0	20.58	7.83	9.98	34.77	-24.79
				1	0	21.98	9.23	11.38	34.77	-23.39
E	00700	710	160 4 14	1	24	22.07	9.32	11.47	34.77	-23.3
5	23790	710	16QAM	12	6	20.64	7.89	10.04	34.77	-24.73
				25	0	20.59	7.84	9.99	34.77	-24.78
				1	0	21.56	8.81	10.96	34.77	-23.81
	23825	713.5	16QAM	1	24	22.22	9.47	11.62	34.77	-23.15
	23025	715.5	TOQAIVI	12	6	20.63	7.88	10.03	34.77	-24.74
				25	0	20.60	7.85	10.00	34.77	-24.77
				1	0	20.73	7.98	10.13	34.77	-24.64
	23755	706.5	64QAM	1	24	20.87	8.12	10.27	34.77	-24.5
	23755	700.5	04QAIVI	12	6	19.88	7.13	9.28	34.77	-25.49
				25	0	19.84	7.09	9.24	34.77	-25.53
				1	0	21.31	8.56	10.71	34.77	-24.06
	23790	710	64001	1	24	21.43	8.68	10.83	34.77	-23.94
	23790	710	64QAM	12	6	20.02	7.27	9.42	34.77	-25.35
				25	0	19.90	7.15	9.30	34.77	-25.47
				1	0	20.85	8.10	10.25	34.77	-24.52
	23825	713.5	64QAM	1	24	21.57	8.82	10.97	34.77	-23.8
	20020	110.0	0 4 Q/4IVI	12	6	19.88	7.13	9.28	34.77	-25.49
				25	0	19.89	7.14	9.29	34.77	-25.48



Antenna	gain (dBi)	-10.6								
BW (MHz)	UL Channel	Frequency (MHz)	LTE Banc	RB Size	RB Offset	cy band : 704 to Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.46	9.71	11.86	34.77	-22.91
	00700		0.001/	1	49	22.66	9.91	12.06	34.77	-22.71
	23780	709	QPSK	25	12	21.70	8.95	11.10	34.77	-23.67
				50	0	21.63	8.88	11.03	34.77	-23.74
				1	0	22.32	9.57	11.72	34.77	-23.05
	00700	710		1	49	22.68	9.93	12.08	34.77	-22.69
	23790	710	QPSK	25	12	21.52	8.77	10.92	34.77	-23.85
				50	0	21.61	8.86	11.01	34.77	-23.76
				1	0	22.40	9.65	11.80	34.77	-22.97
	23800	711	QPSK	1	49	22.54	9.79	11.94	34.77	-22.83
	23000	/ 1 1	QPSK	25	12	21.54	8.79	10.94	34.77	-23.83
				50	0	21.52	8.77	10.92	34.77	-23.85
				1	0	21.62	8.87	11.02	34.77	-23.75
	23780 709	700	16QAM	1	49	21.93	9.18	11.33	34.77	-23.44
	23700	109	TOQAM	25	12	20.71	7.96	10.11	34.77	-24.66
				50	0	20.66	7.91	10.06	34.77	-24.71
			400414	1	0	21.51	8.76	10.91	34.77	-23.86
10	23790	710		1	49	21.83	9.08	11.23	34.77	-23.54
10	23790	710	16QAM	25	12	20.59	7.84	9.99	34.77	-24.78
				50	0	20.59	7.84	9.99	34.77	-24.78
				1	0	21.71	8.96	11.11	34.77	-23.66
	23800	711	16QAM	1	49	21.81	9.06	11.21	34.77	-23.56
	23000	/ 1 1	TOQAIVI	25	12	20.64	7.89	10.04	34.77	-24.73
				50	0	20.61	7.86	10.01	34.77	-24.76
				1	0	21.00	8.25	10.40	34.77	-24.37
	00700	700	640414	1	49	21.25	8.50	10.65	34.77	-24.12
	23780	709	64QAM	25	12	19.93	7.18	9.33	34.77	-25.44
				50	0	20.02	7.27	9.42	34.77	-25.35
				1	0	20.75	8.00	10.15	34.77	-24.62
	00700	710	640414	1	49	21.06	8.31	10.46	34.77	-24.31
	23790	710	64QAM	25	12	19.95	7.20	9.35	34.77	-25.42
				50	0	19.97	7.22	9.37	34.77	-25.4
				1	0	21.03	8.28	10.43	34.77	-24.34
	02000	744	640414	1	49	21.11	8.36	10.51	34.77	-24.26
	23800	711	64QAM	25	12	19.85	7.10	9.25	34.77	-25.52
				50	0	19.82	7.07	9.22	34.77	-25.55



Antenna	gain (dBi)	-0.8							
		LT	E Band 38_U	Jplink	frequen	cy band : 2570) to 2620 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.87	22.07	33	-10.93
	37775	2572.5	QPSK	1	24	22.82	22.02	33	-10.98
	31113	2012.0	QFSN	12	6	22.14	21.34	33	-11.66
				25	0	22.10	21.30	33	-11.7
				1	0	22.92	22.12	33	-10.88
	38000	2595	QPSK	1	24	22.92	22.12	33	-10.88
	30000	2090	QFON	12	6	22.12	21.32	33	-11.68
				25	0	22.13	21.33	33	-11.67
				1	0	22.91	22.11	33	-10.89
	38225	2617.5	QPSK	1	24	22.84	22.04	33	-10.96
	30225	2017.5	QFSN	12	6	22.08	21.28	33	-11.72
				25	0	22.04	21.24	33	-11.76
				1	0	22.13	21.33	33	-11.67
	37775 2572.5	16QAM	1	24	22.17	21.37	33	-11.63	
	31115	2072.0	TOQAIVI	12	6	21.10	20.30	33	-12.7
			25	0	21.12	20.32	33	-12.68	
			0505 400444	1	0	22.32	21.52	33	-11.48
F	20000	0505		1	24	22.31	21.51	33	-11.49
5	38000	2595	16QAM	12	6	21.05	20.25	33	-12.75
				25	0	21.14	20.34	33	-12.66
				1	0	22.24	21.44	33	-11.56
	38225	2617.5	16QAM	1	24	22.19	21.39	33	-11.61
	30223	2017.3	TOQAIVI	12	6	21.09	20.29	33	-12.71
				25	0	21.03	20.23	33	-12.77
				1	0	21.37	20.57	33	-12.43
	27775	0570 F	6404M	1	24	21.33	20.53	33	-12.47
	37775	2572.5	64QAM	12	6	20.27	19.47	33	-13.53
				25	0	20.27	19.47	33	-13.53
				1	0	21.60	20.80	33	-12.2
	20000	0505	640444	1	24	21.46	20.66	33	-12.34
	38000	2595	64QAM	12	6	20.19	19.39	33	-13.61
				25	0	20.25	19.45	33	-13.55
				1	0	21.38	20.58	33	-12.42
	20005	0647 5	640444	1	24	21.36	20.56	33	-12.44
	38225	2617.5	64QAM	12	6	20.33	19.53	33	-13.47
				25	0	20.26	19.46	33	-13.54



Antenna	gain (dBi)	-0.8							
		LT	E Band 38_L	Jplink [•]	frequen	cy band : 2570) to 2620 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	22.80	22.00	33	-11
	37800	2575	QPSK	1	49	22.93	22.13	33	-10.87
	37600	2010	QFON	25	12	22.11	21.31	33	-11.69
				50	0	22.04	21.24	33	-11.76
				1	0	22.91	22.11	33	-10.89
	38000	2595	QPSK	1	49	22.91	22.11	33	-10.89
	30000	2393	QFON	25	12	22.03	21.23	33	-11.77
				50	0	22.05	21.25	33	-11.75
				1	0	22.95	22.15	33	-10.85
	38200	2615	QPSK	1	49	22.87	22.07	33	-10.93
	30200	2015	QUON	25	12	22.09	21.29	33	-11.71
				50	0	22.02	21.22	33	-11.78
				1	0	22.69	21.89	33	-11.11
	37800	37800 2575	16QAM	1	49	22.14	21.34	33	-11.66
	57000			25	12	21.12	20.32	33	-12.68
				50	0	21.02	20.22	33	-12.78
				1	0	22.27	21.47	33	-11.53
10	38000	2595	16QAM	1	49	22.15	21.35	33	-11.65
10	00000	2000	TOQAIN	25	12	21.16	20.36	33	-12.64
				50	0	21.15	20.35	33	-12.65
				1	0	22.19	21.39	33	-11.61
	38200	2615	16QAM	1	49	22.15	21.35	33	-11.65
	00200	2010	TOQAIN	25	12	21.10	20.30	33	-12.7
				50	0	21.10	20.30	33	-12.7
				1	0	21.87	21.07	33	-11.93
	37800	2575	64QAM	1	49	21.32	20.52	33	-12.48
	0/000	2010	0-102/11/1	25	12	20.31	19.51	33	-13.49
				50	0	20.24	19.44	33	-13.56
				1	0	21.44	20.64	33	-12.36
	38000	2595	64QAM	1	49	21.29	20.49	33	-12.51
	00000	2000		25	12	20.30	19.50	33	-13.5
				50	0	20.43	19.63	33	-13.37
				1	0	21.49	20.69	33	-12.31
	38200	2615	64QAM	1	49	21.39	20.59	33	-12.41
	30200	2013		25	12	20.34	19.54	33	-13.46
				50	0	20.25	19.45	33	-13.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Antenna	gain (dBi)	-0.8							
		LT	E Band 38_L	Jplink [•]	frequen	cy band : 2570			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.00	22.20	33	-10.8
	37825	2577.5	QPSK	1	74	22.95	22.15	33	-10.85
	37023	2011.0	QFSK	36	19	22.27	21.47	33	-11.53
				75	0	22.23	21.43	33	-11.57
				1	0	23.05	22.25	33	-10.75
	38000	2595	QPSK	1	74	23.05	22.25	33	-10.75
	30000	2090	QFON	36	19	22.25	21.45	33	-11.55
				75	0	22.26	21.46	33	-11.54
				1	0	23.04	22.24	33	-10.76
	38175	2612.5	QPSK	1	74	22.97	22.17	33	-10.83
	30175	2012.3	QFSK	36	19	22.21	21.41	33	-11.59
				75	0	22.17	21.37	33	-11.63
				1	0	22.26	21.46	33	-11.54
	27025	37825 2577.5	16QAM	1	74	22.30	21.50	33	-11.5
	37020	2077.0	IOQAIVI	36	19	21.23	20.43	33	-12.57
				75	0	21.25	20.45	33	-12.55
				1	0	22.45	21.65	33	-11.35
15	20000	0505	160414	1	74	22.44	21.64	33	-11.36
15	38000	2595	16QAM	36	19	21.18	20.38	33	-12.62
				75	0	21.27	20.47	33	-12.53
				1	0	22.37	21.57	33	-11.43
	20175	0640 F	160414	1	74	22.32	21.52	33	-11.48
	38175	2612.5	16QAM	36	19	21.22	20.42	33	-12.58
				75	0	21.16	20.36	33	-12.64
				1	0	21.56	20.76	33	-12.24
	27025		C10AM	1	74	21.57	20.77	33	-12.23
	37825	2577.5	64QAM	36	19	20.39	19.59	33	-13.41
				75	0	20.45	19.65	33	-13.35
				1	0	21.71	20.91	33	-12.09
	20000	0E0E	640444	1	74	21.68	20.88	33	-12.12
	38000	2595	64QAM	36	19	20.44	19.64	33	-13.36
				75	0	20.41	19.61	33	-13.39
				1	0	21.63	20.83	33	-12.17
	20475	0640 5	640 4 44	1	74	21.56	20.76	33	-12.24
	38175	2612.5	64QAM	36	19	20.46	19.66	33	-13.34
				75	0	20.33	19.53	33	-13.47

t (886-2) 2299-3279

```
www.tw.sgs.com
```



Antenna	gain (dBi)	-0.8							
		LT	E Band 38_L	Jplink	frequen	cy band : 2570			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.06	22.26	33	-10.74
	27050	2580	QPSK	1	99	23.01	22.21	33	-10.79
	37850	2000	QPSK	50	25	22.29	21.49	33	-11.51
				100	0	22.26	21.46	33	-11.54
				1	0	23.10	22.30	33	-10.7
	38000	2595	QPSK	1	99	23.02	22.22	33	-10.78
	30000	2090	QFON	50	25	22.25	21.45	33	-11.55
				100	0	22.36	21.56	33	-11.44
				1	0	23.03	22.23	33	-10.77
	38150	2610	QPSK	1	99	22.93	22.13	33	-10.87
	30130	2010	QFON	50	25	22.14	21.34	33	-11.66
				100	0	22.15	21.35	33	-11.65
				1	0	22.40	21.60	33	-11.4
	37850	2580	16QAM	1	99	22.33	21.53	33	-11.47
	37000	2360	TOQAIVI	50	25	21.35	20.55	33	-12.45
				100	0	21.23	20.43	33	-12.57
				1	0	22.43	21.63	33	-11.37
20	38000	2595	16QAM	1	99	22.39	21.59	33	-11.41
20	30000	2090	TOQAIVI	50	25	21.32	20.52	33	-12.48
				100	0	21.22	20.42	33	-12.58
				1	0	22.44	21.64	33	-11.36
	38150	2610	16QAM	1	99	22.36	21.56	33	-11.44
	30130	2010	TOQAIVI	50	25	21.24	20.44	33	-12.56
				100	0	21.19	20.39	33	-12.61
				1	0	21.53	20.73	33	-12.27
	37850	2580	64QAM	1	99	21.59	20.79	33	-12.21
	37650	2000	04QAIVI	50	25	20.55	19.75	33	-13.25
				100	0	20.52	19.72	33	-13.28
				1	0	21.66	20.86	33	-12.14
	38000	2595	64QAM	1	99	21.52	20.72	33	-12.28
	30000	2000		50	25	20.48	19.68	33	-13.32
				100	0	20.43	19.63	33	-13.37
				1	0	21.58	20.78	33	-12.22
	38150	2610	64QAM	1	99	21.59	20.79	33	-12.21
	30130	2010	04QAIVI	50	25	20.44	19.64	33	-13.36
				100	0	20.41	19.61	33	-13.39

t (886-2) 2299-3279

```
www.tw.sgs.com
```



Antenna	gain (dBi)	-0.8							
		LT	E Band 41_U	lplink fi	equency ban	d : 2496 to 269	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.26	22.46	33	-10.54
	39675	2498.5	QPSK	1	24	23.12	22.32	33	-10.68
	53075	2430.3	QUON	12	6	22.39	21.59	33	-11.41
				25	0	22.45	21.65	33	-11.35
				1	0	23.43	22.63	33	-10.37
	40620	2593	QPSK	1	24	23.44	22.64	33	-10.36
	40020	2000	QUON	12	6	22.66	21.86	33	-11.14
				25	0	22.64	21.84	33	-11.16
				1	0	23.21	22.41	33	-10.59
	41565	2687.5	QPSK	1	24	23.47	22.67	33	-10.33
	41505	2007.5	QFON	12	6	22.79	21.99	33	-11.01
				25	0	22.61	21.81	33	-11.19
				1	0	22.55	21.75	33	-11.25
	20675	0400 E	16QAM	1	24	22.50	21.70	33	-11.3
	39675	2498.5	TOQAIVI	12	6	21.46	20.66	33	-12.34
				25	0	21.50	20.70	33	-12.3
				1	0	22.89	22.09	33	-10.91
5	40620	2593	100414	1	24	22.78	21.98	33	-11.02
Э	40620	2093	16QAM	12	6	21.70	20.90	33	-12.1
				25	0	21.65	20.85	33	-12.15
				1	0	22.56	21.76	33	-11.24
	115CE	0607 F	100414	1	24	22.78	21.98	33	-11.02
	41565	2687.5	16QAM	12	6	21.89	21.09	33	-11.91
				25	0	21.67	20.87	33	-12.13
				1	0	20.65	19.85	33	-13.15
	20675	0400 E	64QAM	1	24	21.60	20.80	33	-12.2
	39675	2498.5	04QAIVI	12	6	20.70	19.90	33	-13.1
				25	0	20.79	19.99	33	-13.01
				1	0	22.14	21.34	33	-11.66
	40620	2593	64QAM	1	24	21.90	21.10	33	-11.9
	40020	2090	04QAIVI	12	6	20.96	20.16	33	-12.84
				25	0	20.79	19.99	33	-13.01
				1	0	21.74	20.94	33	-12.06
	44505	0607 5	640414	1	24	21.97	21.17	33	-11.83
	41565	2687.5	64QAM	12	6	21.09	20.29	33	-12.71
				25	0	20.80	20.00	33	-13



Antenna	gain (dBi)	-0.8							
		LT	E Band 41_U	lplink fi	requency band	d : 2496 to 269			
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.30	22.50	33	-10.5
	39700	2501	QPSK	1	49	23.16	22.36	33	-10.64
	39700	2301	QFON	25	12	22.43	21.63	33	-11.37
				50	0	22.49	21.69	33	-11.31
				1	0	23.47	22.67	33	-10.33
	40620	2593	QPSK	1	49	23.48	22.68	33	-10.32
	40020	2000	QUON	25	12	22.70	21.90	33	-11.1
				50	0	22.68	21.88	33	-11.12
				1	0	23.25	22.45	33	-10.55
	41540	2685	QPSK	1	49	23.51	22.71	33	-10.29
	41540	2005	QFON	25	12	22.83	22.03	33	-10.97
				50	0	22.65	21.85	33	-11.15
				1	0	22.59	21.79	33	-11.21
	30700	2501	16QAM	1	49	22.54	21.74	33	-11.26
	39700 2501	2001		25	12	21.50	20.70	33	-12.3
				50	0	21.54	20.74	33	-12.26
				1	0	22.93	22.13	33	-10.87
10	40620	2593	16QAM	1	49	22.82	22.02	33	-10.98
10	40020	2090	TOQAIN	25	12	21.74	20.94	33	-12.06
				50	0	21.69	20.89	33	-12.11
				1	0	22.60	21.80	33	-11.2
	41540	2685	16QAM	1	49	22.82	22.02	33	-10.98
	41040	2005	TOQAIN	25	12	21.93	21.13	33	-11.87
				50	0	21.71	20.91	33	-12.09
				1	0	21.78	20.98	33	-12.02
	39700	2501	64QAM	1	49	21.80	21.00	33	-12
	39700	2001		25	12	20.64	19.84	33	-13.16
				50	0	20.84	20.04	33	-12.96
				1	0	22.12	21.32	33	-11.68
	40620	2593	64QAM	1	49	21.93	21.13	33	-11.87
	40020	2090	04QAW	25	12	20.87	20.07	33	-12.93
				50	0	20.84	20.04	33	-12.96
				1	0	21.80	21.00	33	-12
	11510	2685	640 414	1	49	22.01	21.21	33	-11.79
	41540	2003	64QAM	25	12	21.07	20.27	33	-12.73
				50	0	21.01	20.21	33	-12.79

```
www.tw.sgs.com
```



Antenna	gain (dBi)	-0.8							
	-	LT	E Band 41_U	lplink fr	equency ban	d : 2496 to 269	0 MHz		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
				1	0	23.35	22.55	33	-10.45
	39725	2503.5	QPSK	1	74	23.21	22.41	33	-10.59
	00120	2000.0		36	18	22.48	21.68	33	-11.32
				75	0	22.54	21.74	33	-11.26
				1	0	23.52	22.72	33	-10.28
	40620	2593	QPSK	1	74	23.53	22.73	33	-10.27
	40020	2000		36	18	22.75	21.95	33	-11.05
				75	0	22.73	21.93	33	-11.07
				1	0	23.30	22.50	33	-10.5
	41515	2682.5	QPSK	1	74	23.56	22.76	33	-10.24
	41010	2002.5		36	18	22.88	22.08	33	-10.92
				75	0	22.70	21.90	33	-11.1
				1	0	22.64	21.84	33	-11.16
	30725	2503 5	16QAM	1	74	22.59	21.79	33	-11.21
	39725 2503.5	2000.0		36	18	21.55	20.75	33	-12.25
				75	0	21.59	20.79	33	-12.21
				1	0	22.98	22.18	33	-10.82
15	40620	2593	16QAM	1	74	22.87	22.07	33	-10.93
15	40020	2090	TOQAIN	36	18	21.79	20.99	33	-12.01
				75	0	21.74	20.94	33	-12.06
				1	0	22.65	21.85	33	-11.15
	41515	2682.5	16QAM	1	74	22.87	22.07	33	-10.93
	41515	2002.5	TOQAIN	36	18	21.98	21.18	33	-11.82
				75	0	21.76	20.96	33	-12.04
				1	0	21.78	20.98	33	-12.02
	39725	2503.5	64QAM	1	74	21.72	20.92	33	-12.08
	39123	2000.0		36	18	20.79	19.99	33	-13.01
				75	0	20.86	20.06	33	-12.94
				1	0	22.13	21.33	33	-11.67
	40620	2593	64QAM	1	74	22.14	21.34	33	-11.66
	40020	2090		36	18	20.95	20.15	33	-12.85
				75	0	20.85	20.05	33	-12.95
				1	0	21.75	20.95	33	-12.05
	41515	2682.5	64QAM	1	74	22.11	21.31	33	-11.69
	41010	2002.0		36	18	21.19	20.39	33	-12.61
				75	0	21.03	20.23	33	-12.77



-interina	gain (dBi)	-0.8	E Rand 11	loliok fr	auanay har	nd : 2496 to 269	0 MU-		
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Marg (dB)
				1	0	23.40	22.60	33	-10.4
	00750	0500	000/	1	99	23.26	22.46	33	-10.5
	39750	2506	QPSK	50	25	22.53	21.73	33	-11.2
				100	0	22.59	21.79	33	-11.2
				1	0	23.57	22.77	33	-10.2
	40000	0500	0001/	1	99	23.58	22.78	33	-10.2
	40620	2593	QPSK	50	25	22.80	22.00	33	-11
				100	0	22.78	21.98	33	-11.(
				1	0	23.35	22.55	33	-10.4
	41490	2680	QPSK	1	99	23.61	22.81	33	-10.1
	41490	2000	QPSK	50	25	22.93	22.13	33	-10.8
				100	0	22.75	21.95	33	-11.0
				1	0	22.69	21.89	33	-11.1
	20750	2506	16QAM	1	99	22.64	21.84	33	-11.
	39750	2000	TOQAIN	50	25	21.60	20.80	33	-12
				100	0	21.64	20.84	33	-12.
				1	0	23.03	22.23	33	-10.
20	40600	2502	100414	1	99	22.92	22.12	33	-10.
20	40620	2593	16QAM	50	25	21.84	21.04	33	-11.
				100	0	21.79	20.99	33	-12.
				1	0	22.70	21.90	33	-11
	41490	2680	16QAM	1	99	22.92	22.12	33	-10.
	41490	2000	IOQAIVI	50	25	22.03	21.23	33	-11.
				100	0	21.81	21.01	33	-11.9
				1	0	21.88	21.08	33	-11.
	20750	2506	640414	1	99	21.92	21.12	33	-11.8
	39750	2506	64QAM	50	25	20.76	19.96	33	-13.
				100	0	20.87	20.07	33	-12.
				1	0	22.29	21.49	33	-11.
	40600	0500	640414	1	99	22.03	21.23	33	-11.
	40620	2593	64QAM	50	25	21.06	20.26	33	-12.
				100	0	20.94	20.14	33	-12.
				1	0	21.85	21.05	33	-11.
	41400	2690	640 414	1	99	22.19	21.39	33	-11.
	41490	2680	64QAM	50	25	21.26	20.46	33	-12.
				100	0	20.99	20.19	33	-12.8
	-	-				-			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




7. OCCUPIED BANDWIDTH MEASUREMENT

7.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

7.2. Test Set-up



7.3. Measurement Procedure

99% & 26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4. Measurement Equipment Used

		1			
EQUIPMENT TYPE	MFR	MODEL NUM- BER	SERIAL NUM- BER	LAST CAL.	CAL DUE.
Radio Communication Analyer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020
DC Power Supply	Agilent	E3640A	MY52410006	12/10/2019	12/09/2020
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2019	05/16/2020
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	02/13/2019	02/12/2020
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	01/02/2020	01/01/2021

7.5. Measurement Result

Freq. (MHz)	СН	99% BW (MHz)		26 dB BW (MHz)	
		GSM 850	GPRS 850	GSM 850	GPRS 850
824.2	128	0.24409	0.24031	0.318	0.319
836.6	190	0.24606	0.24717	0.317	0.319
848.8	251	0.24509	0.24231	0.316	0.313

Freq. (MHz)	СН	99% BW (MHz)		26 dB BW (MHz)	
		GSM 1900	GPRS 1900	GSM 1900	GPRS 1900
1850.2	512	0.24163	0.24109	0.318	0.315
1880.0	661	0.24024	0.24023	0.315	0.310
1909.8	810	0.24253	0.24260	0.316	0.317

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



F		99% BW (MHz)			26 dB BW (MHz)			
Freq. (MHz)	СН	WCDMA II	HSDPA II	HSUPA II	WCDMA II	HSDPA II	HSUPA II	
1852.40	9262	4.13420	4.14250	4.13970	4.702	4.688	4.666	
1880.00	9400	4.14410	4.14080	4.13060	4.709	4.683	4.683	
1907.60	9538	4.13830	4.14690	4.15010	4.705	4.684	4.668	

Frog		99% BW (MHz)			26 dB BW (MHz)		
Freq. (MHz)	СН	WCDMA IV	HSDPA IV	HSUPA IV	WCDMA IV	HSDPA IV	HSUPA IV
1712.40	1312	4.14010	4.13140	4.14200	4.697	4.673	4.679
1732.60	1413	4.13770	4.13850	4.14500	4.692	4.671	4.662
1752.60	1513	4.13790	4.12550	4.13290	4.698	4.670	4.684

Блая		99	9% BW (MH	z)	26 dB BW (MHz)			
Freq. (MHz)	СН	WCDMA V	HSDPA V	HSUPA V	WCDMA V	HSDPA V	HSUPA V	
826.40	4132	4.13220	4.13950	4.14120	4.684	4.701	4.683	
836.60	4183	4.14580	4.15420	4.14780	4.695	4.686	4.679	
846.60	4233	4.14090	4.14350	4.12860	4.701	4.677	4.683	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新 北 市 五 股 區 新 北 產 業 園 區 五 工 路 134 號



Report No.: ER/2019/C0150 Page 74 of 419

	LTE BAND 2 Channel bandwidth: 1.4MHz										
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)							
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM					
1850.7	18607	1.0946	1.0994	1.235	1.248	1.234					
1880.0	18900	1.0951	1.0963	1.240	1.243	1.232					
1909.3	19193	1.0945	1.0980	1.229	1.234	1.241					

	LTE BAND 2 Channel bandwidth: 5MHz										
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)							
(MHz)	CH	QPSK	16QAM	QPSK	16QAM	64QAM					
1852.5	18625	4.5008	4.5045	4.966	4.956	4.973					
1880.0	18900	4.4997	4.4954	4.971	4.945	4.959					
1907.5	19175	4.5004	4.5023	5.002	4.942	4.951					

	LTE BAND 2 Channel bandwidth: 3MHz										
Free	Freq.	СН	99% BV	V (MHz)	26 dB BW (MHz)						
(MH:	z)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
1851	.5	18615	2.6972	2.6998	3.004	3.018	3.026				
1880	.0	18900	2.6999	2.7019	3.002	3.005	2.994				
1908	.5	19185	2.6978	2.6987	3.003	3.003	2.997				

	LTE BAND 2 Channel bandwidth: 10MHz										
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)							
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM					
1855.0	18650	8.9848	8.9554	9.774	9.750	9.809					
1880.0	18900	9.0006	8.9567	9.759	9.738	9.777					
1905.0	19150	9.0022	8.9616	9.840	9.784	9.792					

	LTE BAND 2 Channel bandwidth: 15MHz									
Freq.	Freq. CH	99% B\	N (MHz)	26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
1857.5	18675	13.469	13.444	14.924	17.499	15.015				
1880.0	18900	13.487	13.459	16.664	17.930	15.822				
1902.5	19125	13.493	13.483	17.337	17.221	17.290				

LTE BAND 2 Channel bandwidth: 20MHz										
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
1860.0	18700	18.161	17.890	19.075	19.340	19.480				
1880.0	18900	17.916	17.956	19.748	19.506	19.563				
1900.0	19100	17.929	17.992	20.541	19.433	20.003				

	LTE BAND 4 Channel bandwidth: 1.4MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	011	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
1710.7	19957	1.0937	1.0980	1.0955	1.235	1.243	1.238				
1732.5	20175	1.0927	1.0943	1.0969	1.235	1.241	1.230				
1754.3	20393	1.0937	1.0944	1.0959	1.236	1.230	1.236				

	LTE BAND 4 Channel bandwidth: 5MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
1712.5	19957	4.4999	4.5006	4.5098	4.964	4.953	4.995				
1732.5	20175	4.5050	4.5066	4.5139	4.994	4.973	4.967				
1752.5	20375	4.4945	4.5020	4.5063	4.981	4.969	4.984				

	LTE BAND 4 Channel bandwidth: 3MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
1711.5	19965	2.7007	2.6951	2.7073	2.985	3.015	2.981				
1732.5	20175	2.6973	2.7035	2.7009	3.004	2.992	2.986				
1753.5	20385	2.7003	2.7019	2.7006	2.998	3.002	3.020				
	-	-			-						

LTE BAND 4 Channel bandwidth: 10MHz								
Freq.	СН	99	9% BW (MI	Hz)	26	dB BW (M	Hz)	
(MHz)	011	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	
1715.0	20000	8.9862	8.9571	8.9841	9.820	9.770	9.772	
1732.5	20175	8.9999	8.9605	8.9633	9.793	9.781	9.762	
1750.0	20350	8.9635	8.9611	8.9640	9.804	9.802	9.787	

	LTE BAND 4 Channel bandwidth: 15MHz										
Freq.	СН	99	9% BW (MI	Hz)	26 dB BW (MHz)						
(MHz)	Сп	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
1717.5	20025	13.468	13.483	13.462	15.834	16.841	14.652				
1732.5	20175	13.475	13.457	13.457	16.968	15.018	17.134				
1747.5	20325	13.482	13.468	13.440	16.398	18.016	18.708				

LTE BAND 4 Channel bandwidth: 20MHz									
Freq.	Freq. CH 99% BW (MHz) 26 dB BW (
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM		
1720.0	20050	17.929	17.943	17.925	19.380	21.135	19.454		
1732.5	20175	17.914	17.945	17.938	21.158	19.415	19.808		
1745.0	20300	17.895	17.919	17.911	19.410	19.448	19.339		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新 北 市 五 股 區 新 北 產 業 園 區 五 工 路 134 號



	LTE BAND 5 Channel bandwidth: 1.4MHz									
Freq.	СН	99% B\	N (MHz)	Hz) 26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
824.7	20407	1.0969	1.0960	1.229	1.248	1.235				
836.5	20525	1.0901	1.0964	1.237	1.236	1.241				
848.3	20643	1.0948	1.0950	1.229	1.233	1.240				

	LT	E BAND 5	Channel ba	andwidth:	3MHz		
Freq.	СН	99% BV	V (MHz)	26	dB BW (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM	
825.5	20415	2.7001	2.6996	2.991	3.003	2.983	
836.5	20525	2.6989	2.6991	3.000	2.993	2.994	
847.5	20635	2.6972	2.6997	2.987	3.006	2.968	

	LTE BAND 5 Channel bandwidth: 5MHz									
Freq.	СН	99% B\	N (MHz)	26	dB BW (MHz)					
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
826.5	20425	4.5012	4.5034	4.976	4.966	4.941				
836.5	20525	4.4929	4.5003	4.967	4.985	4.958				
846.5	20625	4.5032	4.5067	4.962	4.930	4.980				

LTE BAND 5 Channel bandwidth: 10MHz								
Freq.	СН	99% BV	V (MHz)	26 dB BW (MHz)				
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM		
829.0	20450	8.9870	8.9633	9.821	9.770	9.804		
836.5	20525	8.9760	8.9457	9.722	9.790	9.724		
844.0	20600	8.9964	8.9584	9.768	9.821	9.758		

		LTE BA	ND 7 Char	nel bandwi	dth: 5MHz					LTE BA	ND 7 Chan	nel bandwid	dth: 10MHz		
Freq.	СН	9	9% BW (M⊦	Hz)	26	dB BW (M	Hz)	Freq.	СН	9	9% BW (Mł	Hz)	26	dB BW (M	Hz)
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
2502.5	20775	4.4976	4.5046	4.5015	4.979	4.993	4.957	2505.0	20800	8.9618	8.9551	8.9724	9.759	9.764	9.796
2535.0	21100	4.4949	4.5027	4.5136	4.982	4.975	4.996	2535.0	21100	9.0013	8.9605	8.9811	9.841	9.777	9.809
2567.5	21425	4.5011	4.5004	4.5110	4.947	4.936	4.990	2565.0	21400	8.9854	8.9489	8.9731	9.792	9.754	9.798
		LTE BA	ND 7 Chani	nelbandwio	dth: 15MHz	:				LTE BA	ND 7 Chan	nel bandwid	dth: 20MHz		
Freq.	СН	9	9% BW (MF	Hz)	26	dB BW (M	Hz)	Freq.	СН	9	9% BW (Mł	Hz)	26	dB BW (M	Hz)
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM	(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM
2507.5	20825	13.460	13.459	13.444	14.683	14.623	17.044	2510.0	20850	17.900	17.907	17.906	20.606	19.361	19.405
2535.0	21100	13.502	13.476	13.467	14.627	15.439	14.690	2535.0	21100	17.931	17.937	17.941	21.870	19.479	21.631
2562.5	21375	13.453	13.464	13.456	14.925	14.651	14.757	2560.0	21350	17.910	17.956	17.921	19.379	19.384	19.430

	LTE BAND 12 Channel bandwidth: 1.4MHz										
Freq. 99% BW (MHz) 26 dB BW (MHz)											
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM					
699.7	23017	1.0933	1.0927	1.240	1.210	1.232					
707.5	23095	1.0944	1.0966	1.240	1.238	1.233					
715.3	23173	1.0951	1.0971	1.235	1.242	1.224					

	LTE BAND 12 Channel bandwidth: 3MHz									
Freq.	СН	99% BV	99% BW (MHz) 26 dB BW (MHz)							
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
700.5	23025	2.6936	2.6990	2.987	3.004	3.003				
707.5	23095	2.6971	2.6952	2.995	3.000	2.990				
714.5	23165	2.6976	2.6977	3.000	3.012	2.989				

	LTE BAND 12 Channel bandwidth: 5MHz											
Freq.	СН	99% B\	W (MHz) 26 dB BW (MHz)			Hz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM						
701.5	23035	4.4994	4.5026	4.980	4.987	4.903						
707.5	23095	4.4997	4.5062	4.976	4.966	4.943						
713.5	23155	4.4990	4.4991	5.002	4.965	4.925						

	LTE BAND 12 Channel bandwidth: 10MHz									
Freq.	СН	99% BV	dB BW (M	(MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
704.0	23060	9.0029	8.9483	9.836	9.738	9.815				
707.5	23095	9.0026	8.9548	9.816	9.732	9.820				
711.0	23130	8.9981	8.9376	9.800	9.767	9.802				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



	LTE BAND 13 Channel bandwidth: 5MHz										
Freq.	СН	99	9% BW (MI	Hz)	26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
779.5	23205	4.4931	4.5009	4.5037	4.965	4.972	4.979				
782.0	23230	4.4990	4.5011	4.5001	4.985	4.991	4.965				
784.5	23255	4.5016	4.5072	4.5102	4.993	4.994	4.983				

	LTE BAND 13 Channel bandwidth: 10MHz										
Freq.	' CH	99% BW (MHz)			26 dB BW (MHz)						
(MHz)		QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
782.0	23230	8.943	8.950	8.955	9.721	9.725	9.782				

	LTE BAND 17 Channel bandwidth: 5MHz									
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
706.5	23755	4.5024	4.5063	4.993	4.964	4.988				
710.0	23790	4.4968	4.5000	5.013	4.940	4.951				
713.5	23825	4.4957	4.4992	4.967	4.979	4.987				

	LTE BAND 17 Channel bandwidth: 10MHz									
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)						
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM				
709.0	23780	8.9780	8.9474	9.785	9.774	9.785				
710.0	23790	8.9682	8.9463	9.751	9.790	9.793				
711.0	23800	9.0065	8.9447	9.771	9.752	9.812				

	LTE BAND 38 Channel bandwidth: 5MHz										
Freq.	СН	99	9% BW (MI	Hz)	26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
2572.5	37775	4.5018	4.5051	4.5099	4.973	4.981	4.947				
2595.0	38000	4.5069	4.4987	4.5134	4.960	4.953	4.939				
2617.5	38225	4.5004	4.5094	4.5095	4.948	4.950	4.924				

LTE BAND 38 Channel bandwidth: 10MHz										
Freq.	СН	99	9% BW (MI	Hz)	26 dB BW (MHz)					
(MHz)	СН	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM			
2575.0	37800	9.0024	8.9578	8.9634	9.708	9.747	9.693			
2595.0	38000	8.9660	8.9631	8.9604	9.678	9.717	9.696			
2615.0	38200	8.9809	8.9582	8.9747	9.778	9.782	9.782			

	LTE BAND 38 Channel bandwidth: 15MHz											
Freq.	СН	99	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	CIT	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM					
2577.5	37825	13.433	13.469	13.423	14.548	14.720	14.591					
2595.0	38000	13.448	13.480	13.415	14.647	14.560	14.594					
2612.5	38175	13.448	13.472	13.437	14.531	14.578	14.623					

	LTE BAND 38 Channel bandwidth: 20MHz										
Freq.	СН	99% BW (MHz)			26 dB BW (MHz)						
(MHz)	UII	QPSK	16QAM	64QAM	QPSK	16QAM	64QAM				
2580.0	37850	17.924	17.929	17.878	19.360	19.393	19.326				
2595.0	38000	17.877	17.884	17.894	19.354	19.517	19.255				
2610.0	38150	17.927	17.892	17.890	19.420	19.505	19.315				

	LTE BAND 41 Channel bandwidth: 5MHz									
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)						
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	64QAM				
2498.5	39675	4.5052	4.4985	4.981	4.916	4.872				
2593.0	40620	4.5066	4.5065	4.995	4.915	4.954				
2687.5	41565	4.5034	4.4902	4.956	4.890	4.916				

	LTE BAND 41 Channel bandwidth: 10MHz									
Freq. (MHz)	СН	99% BV	V (MHz)	26 dB BW (MHz)						
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM				
2501.0	39700	8.9687	8.9724	9.731	9.721	9.789				
2593.0	40620	8.9902	8.9611	9.678	9.748	9.798				
2685.0	41540	8.9730	8.9570	9.708	9.748	9.843				

	LTE BAND 41 Channel bandwidth: 15MHz										
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)							
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM					
2503.5	39725	13.487	13.474	14.470	14.611	14.715					
2593.0	40620	13.492	13.484	14.620	14.817	14.547					
2682.5	41515	13.449	13.461	14.635	14.693	14.739					

	LTE BAND 41 Channel bandwidth: 20MHz									
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)						
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM	64QAM				
2506.0	39750	17.905	17.898	19.259	19.383	19.548				
2593.0	40620	17.908	17.884	19.370	19.472	19.289				
2680.0	41490	17.877	17.840	19.274	19.205	19.516				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuckungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新 北市 五股 區 新北產業園 區 五工路 134 號



Report No.: ER/2019/C0150 Page 77 of 419


GSM_850MHz_LowCH128-824.2






GSM 850MHz MidCH190-836.6

GSM_850MHz_HighCH251-848.8




GPRS_850MHz_LowCH128-824.2





GPRS_850MHz__HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Re非另有説明,此報告結果僅對測試之様品頁者,同時此様品僅保留的方法。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 78 of 419


GSM_1900MHz_LowCH512-1850.2



GSM 1900MHz MidCH661-1880

Radio Std: None nter Freq 1.880000000 GHz Center Freq Trig: Free Ro Frequency Radio Device: BTS Ref Offset 14.7 dB Ref 30.00 dBm Center Fre Center 1.88 GH Span 1.5 MHz CF Ste #VBW 30 kHz Occupied Bandwidth **Total Powe** 36.5 dBm 240.24 kHz Freq Offs Transmit Freq Error 311 Hz % of OBW Powe 99.00 % 314.7 kHz x dB Bandwidth x dB -26.00 dB


GSM_1900MHz_HighCH810-1909.8



GPRS_1900MHz_LowCH512-1850.2



GPRS 1900MHz MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Re非另有説明,此報告結果僅對測試之様品頁者,同時此様品僅保留的方法。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 79 of 419

WCDMA_B2_LowCH9262-1852.4


Center Fre	50 D DC 9q 1.852400000	GHz MFGein:Low	Center Freq: 1 Trig: Free Run #Atten: 30 dB	852400000 GHz	d: 60/60	Radio Std: Radio Devi		Frequen	icy
10 dB/div	Ref Offset 14.7 dE Ref 30.00 dBm								
	-					~	_	Cente 1.85240000	
-20.0	~						him		
-50.0 -60.0									
Center 1.8 #Res BW 4			#VBW	150 kHz			an 6 MHz 2.6 ms	600.0	Step
Occup	ied Bandwidt			tal Power	31	.9 dBm		Auto	Man
	4. hit Freq Error andwidth	1342 MH 10.365 kH 4.702 MH	tz %	of OBW Pow IB		99.00 % 6.00 dB		Freq	Offset 0 Hz
50					inter	7148			

WCDMA B2 MidCH9400-1880 10:10:39 AM Jan 83 Radio Std: None ter Freq 1.880000000 GHz Center Freq: Trig: Free Ru Radio Device: BTS Ref Offset 14.7 dB Ref 30.00 dBm Center Fre Center 1.88 GH Span 6 MHz CF Ste #VBW 150 kHz s Occupied Bandwidth **Total Power** 32.1 dBm 4.1441 MHz Freq Offs Transmit Freg Error 10.581 kHz % of OBW Power 99.00 % 4.709 MHz x dB Bandwidth x dB -26.00 dB

WCDMA B2 HighCH9538-1907.6

enter Fre	nr 50 D DC	-	Senter Freq: 1,9076 Frig: Free Run Atten: 30 dB	Avg Hold: 50/5	Radio Std: None Radio Device: BT	Frequency
0 dB/div	Ref Offset 14.7 di Ref 30.00 dBn					
				*****	~	Center Fre 1.907600000 GH
во 0.0 п.0	~				h	~~~
enter 1.9 Res BW			#VBW 150	kHz	Span 6 Sweep 2.6	
Occup	ied Bandwidt 4.	h 1383 MH:	Total I	Power	31.7 dBm	FreqOffse
	it Freq Error andwidth	4.821 kH 4.705 MH		BW Power	99.00 % -26.00 dB	0 H
2					STATUS	

HSDPA_B2_LowCH9262-1852.4



HSDPA_B2_MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Re非另有説明,此報告結果僅對測試之様品頁者,同時此様品僅保留的方法。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 80 of 419

HSUPA_B2_LowCH9262-1852.4

Center Fr	eq 1.852400000		Center Freq: 1,852 Trig: Free Run #Atten: 30 dB	400000 GH± Avg Hold: 50	Radio Str	AM Jan 83, 2628 d: None vice: BTS	Frequency
10 dB/div	Ref Offset 14.7 dE Ref 30.00 dBm						
200 100 0.00 -100 -100 -100 -100 -100 -10						han	Center Frec 1.852400000 GHz
Center 1.9	47 kHz		#VBW 150	kHz	Swee	oan 6 MHz ep 2.6 ms	CF Step 600.000 kHz Auto Mar
Occup	led Bandwidt	1397 MH		Power	29.9 dBm		Freq Offse
	hit Freq Error andwidth	11.866 kH 4.666 MH		DBW Power	99.00 % -26.00 dB		0 H2
0					arana		


10:31:24 AM Jan 83 Radio Std: None ter Freq 1.880000000 GHz Center Freq Trig: Free Ro Radio Device: BTS Ref Offset 14.7 dB Ref 30.00 dBm Center Fre Center 1.88 GH Span 6 MHz CF Ste #VBW 150 kHz s **Occupied Bandwidth Total Power** 29.9 dBm 4.1306 MHz Freq Offs 01 Transmit Freg Error 4.604 kHz % of OBW Power 99.00 % 4.683 MHz x dB Bandwidth x dB -26.00 dB

HSUPA B2 MidCH9400-1880

HSUPA B2 HighCH9538-1907.6

Keynight Spect	trum Analyzer - Occupied BW								
Center Fre	nr 50 t2 DC 1 9q 1.907600000	GHz #FGain:Low	Center I	Freq: 1,90760 ee Run 30 dB	Avg Hold:	50/50	Radio Std		Frequency
10 dB/div	Ref Offset 14.7 dE Ref 30.00 dBm								
200 100					Anuto-ma		~		Center Free 1.907600000 GH
0.0	\checkmark							mon	
40.0 40.0 90.0									
enter 1.9							Sp	an 6 MHz	CF Ster
Occup	47 kHz ied Bandwidt	h	#V	BW 150 F		29.	9 dBm	p 2.6 ms	600.000 kH Auto Ma
	4. it Freq Error andwidth	1501 MH 845 4.668 M	Hz	% of OI x dB	BW Powe	· ·	9.00 % .00 dB		Freq Offse 0 H
0						STATE	15		

WCDMA_B4_LowCH1312-1712.4



WCDMA B4 MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6

Center Fr	eq 1.752600000	Tria	sense twi Inter Freq: 1.752600000 g: Free Run Av Iten: 30 dB	GHz g Hold: 50/50	Radio Std: None Radio Device: BTS	Frequency
10 dB/div	Ref Offset 14.7 dB Ref 30.00 dBm					
200 100 0.00					- mark	Center Fred 1,752600000 GH
-10.0	1				h	
45.0						-
Center 1.3 #Res BW			#VBW 150 kHz		Span 6 MH Sweep 2.6 m	
Occup	bied Bandwidth	h 1379 MHz	Total Powe	er 31	1.6 dBm	Auto Mar
	nit Freq Error andwidth	2.403 kHz 4.698 MHz	% of OBW x dB		99.00 % 6.00 dB	0H
490				STA	สามร	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Re非另有説明,此報告結果僅對測試之様品頁者,同時此様品僅保留的方法。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic In socument is issued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms_ano_conditions_inm_and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 81 of 419

HSDPA_B4_LowCH1312-1712.4

Center Fre	eq 1.712400000	GP112.	Senter Freq: 1.7124 Frig: Free Run Atten: 30 dB	00000 GHz Avg[Hold: 50/50	Radio Std: N Radio Devic	None	Frequency
10 dB/div	Ref Offset 14.7 dB Ref 30.00 dBm						
20 0 10 0 0 00					many -	_	Center Fr 1.712400000 G
an 0 20.0	1				1	~~	
пп пп пп							
enter 1.7 Res BW			#VBW 150	kHz		n 6 MHz 2.6 ms	CF Ste 600.000 kH
Occup	ied Bandwidth 4.1	314 MH	Total F	Power 3	0.7 dBm		Auto Mar Freq Offse
	it Freq Error andwidth	117 H 4.673 MH		BW Power	99.00 % 26.00 dB		он

10:49:31 AH Jan 03 Radio Std: None ter Freq 1.732600000 GHz Center Freq: 1.733 Trig: Free Run Radio Device: BTS Ref Offset 14.7 dB Ref 30.00 dBm Center Fre Center 1.733 GH Span 6 MH CF Ste #VBW 150 kHz S **Occupied Bandwidth Total Power** 30.7 dBm 4.1385 MHz Freq Offs 01 Transmit Freg Error 8.912 kHz % of OBW Power 99.00 % 4.671 MHz x dB Bandwidth x dB -26.00 dB

HSDPA B4 MidCH1413-1732.6

HSDPA_B4_HighCH1513-1752.6

RL	NF 50 D DC		SENSE:INT		10:51:08 AM		
Center Fre	eq 1.752600000	GHz #FGain:Low	Center Freq: 1.7 Trig: Free Run #Atten: 30 dB	52600000 GHz Avg Hold: 50	/50 Radio Std: Madio Devic		Frequency
10 dB/div	Ref Offset 14.7 dl Ref 30.00 dBn	B 1					
200	-				-		Center Fre
0.00 10.00 20.00	1			_	1		
30.0 Mar	~					\sim	
9.0 50.0							
enter 1.7 Res BW			#VBW 1	50 kHz		n 6 MHz 2.6 ms	CF Ste 600.000 kH
Occup	ied Bandwidt	h	Tota	Power	30.5 dBm	Au	
	4.	1255 MH	z				Freq Offse
	it Freq Error	-4.476 ki		OBW Power	99.00 %		0 H
X dB Ba	indwidth	4.670 MH	lz xdE		-26.00 dB		
90					STATUS	L	

HSUPA_B4_LowCH1312-1712.4



HSUPA_B4_MidCH1413-1732.6



HSUPA B4 HighCH1513-1752.6

Center Fr	eq 1.752600000	Trip	ter Freq: 1.752600000 Free Run Av en: 30 dB	GHz giHold: 60/50	Radio Std: N Radio Device	one	Frequency
10 dB/div	Ref Offset 14.7 dB Ref 30.00 dBm						
20.0 10.0							Center Fred 1,752600000 GH
-10.0	\checkmark					~	
-45.0							
Center 1.3 #Res BW			#VBW 150 kHz		Spar	6 MHz 2.6 ms	CF Step
Occup	bied Bandwidt	h 1329 MHz	Total Powe	er 30	.6 dBm		Auto Mar
	nit Freq Error andwidth	1.196 kHz 4.684 MHz	% of OBW x dB		99.00 % 6.00 dB		0 H2
M9G				STA	TUS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Re非另有説明,此報告結果僅對測試之様品頁者,同時此様品僅保留的方法。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic In socument is issued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms_ano_conditions_inm_and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 82 of 419

WCDMA_B5_LowCH4132-826.4




Radio Std: None nter Freq 836.600000 MHz Center Freq: 836.6 Frequency Radio Device: BTS Ref Offset 14.4 dB Ref 30.00 dBm Center Fre Span 6 MHz Center 836.6 MH CF Ste #VBW 150 kHz S Occupied Bandwidth **Total Power** 33.6 dBm 4.1458 MHz Freq Offs Transmit Freg Error 2.359 kHz % of OBW Power 99.00 % 4.695 MHz x dB Bandwidth x dB -26.00 dB

WCDMA B5 MidCH4183-836.6

WCDMA B5 HighCH4233-846.6

enter Fre	nr 50 D DC ng 846.600000 M	Trig	serese 111 ter Freq: 846,60000 : Free Run en: 30 dB	00 MHz AvgiHold: 50/50	Radio Std: None Radio Device: BT3	Frequency
dB/div	Ref Offset 14.4 dB Ref 30.00 dBm					
9 10 10 00		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~	Center Free 846.600000 MH
	\checkmark				h	~
0						
nter 84 es BW	6.6 MHz 47 kHz		#VBW 150 kH	z	Span 6 N Sweep 2.6	ms 600.000 kH
Occup	ied Bandwidt 4.	n 1409 MHz	Total Po	wer 3	3.4 dBm	Auto Mar Freq Offse
	nit Freq Error Andwidth	-4.141 kHz 4.701 MHz	% of OB x dB		99.00 % 26.00 dB	он
					ATUS	

HSDPA_B5_LowCH4132-826.4



HSDPA_B5_MidCH4183-836.6



HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

```
f (886-2) 2298-0488
```




Report No.: ER/2019/C0150 Page 83 of 419

HSUPA_B5_LowCH4132-826.4



HSUPA B5 MidCH4183-836.6



HSUPA B5 HighCH4233-846.6

RL	10F 50 D DC	L.		INSE-INT				AM Jan 83, 2626	Frequency
Center Fre	eq 846.600000	MHZ #FGein:Lnw			Avg Hold: 50	0/50	Radio St Radio De	d: None wice: BTS	Frequency
10 dB/div	Ref Offset 14.4 c Ref 30.00 dB								
20 0 TO 0						un,	-		Center Free 846.600000 MH
ND D 20 0	1								
30.0 40.0	V			-				v m	
50.0 60.0				-					
Res BW			#V	BW 150	Hz			pan 6 MHz ep 2.6 ms	CF Step 600.000 kH
Occup	ied Bandwid 4	th 1286 MH	łz	Total P	ower	31.8	dBm		Auto Mar
	it Freq Error andwidth	-8.708 k 4.683 M	Hz	% of O x dB	BW Power		00 %		0 H
50						STATUS	5		


Band2_1_4MHz_QPSK_6_0_Main_LowCH18607-1850.7

nter Freq	1.850700000 G	Trig:	FreeRun AvgiHold	Rad	02:58 PM Jan 04, 2620 lio Std: None	Frequency
		FGein:Low #Atte	n: 30 dB	Rad	to Device: BTS	
dB/div	Ref Offset 14.7 dB Ref 30.00 dBm					
9						Center Fred
0		mm	mon			1.850700000 GH
0		1	- A			
0		1		N		
0		4		handle		
0						
0						
0						
0						
es BW 30		4	VBW 91 kHz		Span 3 MHz Sweep 3.2 ms	CF Step 300.000 kH
Occupie	d Bandwidth		Total Power	29.4 dB	m	Auto Ma
	1.0	946 MHz				Freq Offse
Transmit	Freq Error	-1.910 kHz	% of OBW Pow	er 99.00	%	01
x dB Band	dwidth	1.235 MHz	x dB	-26.00 c	в	

Band2 1 4MHz QPSK 6 0 Main MidCH18900-1880



Band2_1_4MHz_QPSK_6_0_Main_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point In socument is issued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms_ano_conditions_inm_and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 84 of 419


Band2_1_4MHz_16QAM_6_0_Main_LowCH18607-1850.7



Band2 1 4MHz 16QAM 6 0 Main MidCH18900-1880



Band2_1_4MHz_16QAM_6_0_Main_HighCH19193-1909.3




Band2_1_4MHz_64QAM_6_0_Main_LowCH18607-1850.7

Frequency	34 PMJan 04, 2620 Std: None Device: BTS	Radio St	AvgiHold: 50/50	Freq: 1,85070 ee Run 30 dB	Center	ng 1.850700000 GH	Center Fre
						Ref Offset 14.7 dB Ref 30.00 dBm	10 dB/div
Center Fre	[20.0
1.850700000 GH							10.0
			N				0.00
							0.05
	mm	ma		-			10.0
							0.0
							93.0
							30.0
CF Ste 300.000 kH	Span 3 MHz reep 3.2 ms		łz	BW 91 kH	#1		Center 1.9 Res BW
Auto Ma	A	27.2 dBm	ower	Total P		ied Bandwidth	Occup
Freq Offse					2 MHz	1.09	
01		99.00 %	SW Power	% of OI	1.347 kHz	it Freq Error	Transm
		-26.00 dB		x dB	234 MHz	indwidth	

Band2 1 4MHz 64QAM 6 0 Main MidCH18900-1880



Band2_1_4MHz_64QAM_6_0_Main_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2019/C0150 Page 85 of 419


Band2_3MHz_QPSK_15_0_Main_LowCH18615-1851.5



Band2 3MHz QPSK 15 0 Main MidCH18900-1880




Band2_3MHz_QPSK_15_0_Main_HighCH19185-1908.5




Band2_3MHz_16QAM_15_0_Main_LowCH18615-1851.5

		0/50	Center Freq: 1.851500000 GHz Trig: Free Run AvgiHold: 50/50 #Atten: 30 dB			Trig			Center Fre	
	Ref Offset 14.7 dB 10 dB/div Ref 30.00 dBm									
					norm		/		09 200 100	
		1					1		0.00 10.0	
									0.0	
		-							90.0 20.0	
ter 1.852 GHz Span 6 MHz s BW 62 kHz #VBW 180 kHz Sweep 1.533 ms										
	Total Power 28.9 dBm 8 MHz	pied Bandwidth 2.6998 MHz								
	9.00 %		BW Power	% of OI		3.933 I	ror	it Freq En		
	an 6 MHz	Sweep 1.533 ms 9 dBm 9.00 %	Radio Device: BTS Radio Device: BTS Span 6 MHz Sweep 1.533 ms 28.9 dBm 99.00 %	AvglHold 50/80 Radio Device: BTS Radio Device: BTS Radio Device: BTS Span 6 MHz Span 6 MHz Sweep 1.533 ms ower 28.9 dBm BW Power 99.00 %	Avg/Hold: 50/80 Radio Device: BTS Radio Device: BTS Radio Device: BTS Span 6 MHz BW 180 kHz Sweep 1.533 ms Total Power 28.9 dBm % of OBW Power 99.00 %	Trig Free Run Avg/Hold: 50150 Radio Device: BTS Radio Device: BTS	AvgHold: 50/50 Radio Device: BTS Radio Device: B	ArgiHold: 5030 Reference of the first free Run argitant: 30 dB ArgiHold: 5030 Radio Device: BTS Radio D	Tright Free Run arr Guint Const Ref 30:00 dBm Ref 30:00 dBm 52 GHz 52 GHz 53 GHz 50 GHZ	

Band2 3MHz 16QAM 15 0 Main MidCH18900-1880



Band2_3MHz_16QAM_15_0_Main_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point In socument is issued by the Company subject to its General Conditions of service printed overlear, available on request or accessible at <u>www.sgs.com/terms_ano_conditions_inm_and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 86 of 419


Band2_3MHz_64QAM_15_0_Main_LowCH18615-1851.5




Band2 3MHz 64QAM 15 0 Main MidCH18900-1880



Band2_3MHz_64QAM_15_0_Main_HighCH19185-1908.5




Band2_5MHz_QPSK_25_0_Main_LowCH18625-1852.5



Band2 5MHz QPSK 25 0 Main MidCH18900-1880



Band2_5MHz_QPSK_25_0_Main_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 87 of 419


Band2_5MHz_16QAM_25_0_Main_LowCH18625-1852.5



Band2 5MHz 16QAM 25 0 Main MidCH18900-1880



Band2_5MHz_16QAM_25_0_Main_HighCH19175-1907.5



Band2_5MHz_64QAM_25_0_Main_LowCH18625-1852.5



Band2 5MHz 64QAM 25 0 Main MidCH18900-1880

Frequency	Strict::111 11:25:23 AM Jan 54, 2038 Center Freq: 1.880000000 GHz Radio Std: None Trig: Free Run Avg[Hold:>50/50 #Atten: 30 dB Radio Device: BTS				nr 30 p pc eq 1.880000000 GHz #FGeind.nw			Center Fre	
Center Free 1.880000000 GH	Ref Offset 14.7 dB								
		-				1		20 0 10 0	
		L						0 0 20 0	
								0.0 0.0 0.0	
CF Ste	Span 10 MHz Sweep 1 ms		00 kHz	#VB				enter 1.8 Res BW	
Auto Ma	9 dBm	27.	al Power			oied Ban			
Freq Offse 0 H	9.00 %	ver 9	f OBW Pow		6.868 k		nit Freq E	Transm	
	.00 dB	-26	в	Hz	4.959 M	h	andwidth	x dB Ba	

Band2_5MHz_64QAM_25_0_Main_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 88 of 419


Band2_10MHz_QPSK_50_0_Main_LowCH18650-1855



Band2 10MHz QPSK 50 0 Main MidCH18900-1880



Band2_10MHz_QPSK_50_0_Main_HighCH19150-1905




Band2_10MHz_16QAM_50_0_Main_LowCH18650-1855



Band2 10MHz 16QAM 50 0 Main MidCH18900-1880



Band2_10MHz_16QAM_50_0_Main_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.tw.sgs.com
```




Report No.: ER/2019/C0150 Page 89 of 419


Band2_10MHz_64QAM_50_0_Main_LowCH18650-1855



Band2 10MHz 64QAM 50 0 Main MidCH18900-1880




Band2_10MHz_64QAM_50_0_Main_HighCH19150-1905




Band2_15MHz_QPSK_75_0_Main_LowCH18675-1857.5



Band2 15MHz QPSK 75 0 Main MidCH18900-1880



Band2_15MHz_QPSK_75_0_Main_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Band2_15MHz_16QAM_75_0_Main_LowCH18675-1857.5



Band2 15MHz 16QAM 75 0 Main MidCH18900-1880




Band2_15MHz_16QAM_75_0_Main_HighCH19125-1902.5




Band2_15MHz_64QAM_75_0_Main_LowCH18675-1857.5



Band2 15MHz 64QAM 75 0 Main MidCH18900-1880



Band2_15MHz_64QAM_75_0_Main_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 91 of 419


Band2_20MHz_QPSK_100_0_Main_LowCH18700-1860




Band2 20MHz QPSK 100 0 Main MidCH18900-1880




Band2_20MHz_QPSK_100_0_Main_HighCH19100-1900




Band2_20MHz_16QAM_100_0_Main_LowCH18700-1860



Band2 20MHz 16QAM 100 0 Main MidCH18900-1880



Band2_20MHz_16QAM_100_0_Main_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Band2_20MHz_64QAM_100_0_Main_LowCH18700-1860



Band2 20MHz 64QAM 100 0 Main MidCH18900-1880




Band2_20MHz_64QAM_100_0_Main_HighCH19100-1900




Band4_1_4MHz_QPSK_6_0_Main_LowCH19957-1710.7



Band4 1 4MHz QPSK 6 0 Main MidCH20175-1732.5



Band4_1_4MHz_QPSK_6_0_Main_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point is test report point point in the test report point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Band4_1_4MHz_16QAM_6_0_Main_LowCH19957-1710.7



Band4 1 4MHz 16QAM 6 0 Main MidCH20175-1732.5



Band4_1_4MHz_16QAM_6_0_Main_HighCH20393-1754.3




Band4_1_4MHz_64QAM_6_0_Main_LowCH19957-1710.7



Band4 1 4MHz 64QAM 6 0 Main MidCH20175-1732.5



Band4_1_4MHz_64QAM_6_0_Main_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point in test report point point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 94 of 419


Band4_3MHz_QPSK_15_0_Main_LowCH19965-1711.5



Band4 3MHz QPSK 15 0 Main MidCH20175-1732.5



Band4_3MHz_QPSK_15_0_Main_HighCH20385-1753.5




Band4_3MHz_16QAM_15_0_Main_LowCH19965-1711.5



Band4 3MHz 16QAM 15 0 Main MidCH20175-1732.5



Band4_3MHz_16QAM_15_0_Main_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point in test report point point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 95 of 419


Band4_3MHz_64QAM_15_0_Main_LowCH19965-1711.5



Band4 3MHz 64QAM 15 0 Main MidCH20175-1732.5




Band4_3MHz_64QAM_15_0_Main_HighCH20385-1753.5




Band4_5MHz_QPSK_25_0_Main_LowCH19975-1712.5



Band4 5MHz QPSK 25 0 Main MidCH20175-1732.5



Band4_5MHz_QPSK_25_0_Main_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point in test report point point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 96 of 419


Band4_5MHz_16QAM_25_0_Main_LowCH19975-1712.5



Band4 5MHz 16QAM 25 0 Main MidCH20175-1732.5



Band4_5MHz_16QAM_25_0_Main_HighCH20375-1752.5



Band4_5MHz_64QAM_25_0_Main_LowCH19975-1712.5



Band4 5MHz 64QAM 25 0 Main MidCH20175-1732.5



Band4_5MHz_64QAM_25_0_Main_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points in the test report point in test report point point in test report point point in test report point in test report point format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 97 of 419


Band4_10MHz_QPSK_50_0_Main_LowCH20000-1715




Band4 10MHz QPSK 50 0 Main MidCH20175-1732.5



Band4_10MHz_QPSK_50_0_Main_HighCH20350-1750




Band4_10MHz_16QAM_50_0_Main_LowCH20000-1715



Band4 10MHz 16QAM 50 0 Main MidCH20175-1732.5



Band4_10MHz_16QAM_50_0_Main_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points of the chings of the ch format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Band4_10MHz_64QAM_50_0_Main_LowCH20000-1715



Band4 10MHz 64QAM 50 0 Main MidCH20175-1732.5




Band4_10MHz_64QAM_50_0_Main_HighCH20350-1750




Band4_15MHz_QPSK_75_0_Main_LowCH20025-1717.5



Band4 15MHz QPSK 75 0 Main MidCH20175-1732.5



Band4_15MHz_QPSK_75_0_Main_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points of the chings of the ch format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Band4_15MHz_16QAM_75_0_Main_LowCH20025-1717.5



Band4 15MHz 16QAM 75 0 Main MidCH20175-1732.5




Band4_15MHz_16QAM_75_0_Main_HighCH20325-1747.5




Band4_15MHz_64QAM_75_0_Main_LowCH20025-1717.5



Band4 15MHz 64QAM 75 0 Main MidCH20175-1732.5



Band4_15MHz_64QAM_75_0_Main_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points of the chings of the ch format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: ER/2019/C0150 Page 100 of 419


Band4_20MHz_QPSK_100_0_Main_LowCH20050-1720




Band4 20MHz QPSK 100 0 Main MidCH20175-1732.5




Band4_20MHz_QPSK_100_0_Main_HighCH20300-1745




Band4_20MHz_16QAM_100_0_Main_LowCH20050-1720



Band4 20MHz 16QAM 100 0 Main MidCH20175-1732.5



Band4_20MHz_16QAM_100_0_Main_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Chiefs So therms is stated in resolution in this test report report points of the chings of the ch format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488