

Page: 1 of 121

SAR TEST REPORT





The following samples were submitted and identified on behalf of the client as:

Product Name Tablet **Brand Name** SHARP

Prepared for SHARP CORPORATION

2-13-1, HACHIHONMATSU-IIDA,

Company Address HIGASHI-HIROSHIMA-SHI, HIROSHIMA PREFECTURE

739-0192, JAPAN

IEEE/ANSI C95.1-1992, IEEE 1528-2013,

KDB616217D04v01r02,KDB865664D01v01r04, KDB865664D02v01r02.KDB941225D01v03r01.

KDB941225D05v02r05,KDB447498D01v06,

KDB248227D01v02r02

FCC ID APYHRO00284 **Date of Receipt** May. 15, 2020

Date of Test(s) May. 19, 2020 ~ Jun. 06, 2020

Date of Issue Jun. 16, 2020

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

Standards

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

Signed on behalf of SGS

Clerk / Ruby Ou	Engineer / Bond Tsai	Asst. Manager / John Yeh
Ruby Ou	Bondisai	John Teh

Date: Jun. 16, 2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 2 of 121

Revision History

Report Number	Revision	Description	Issue Date
E5/2020/40009	Rev.00	Initial creation of document	Jun. 16, 2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起是结果成熟到这种是一名类,因此此类具体是现象的主,大规则主要的主义,不可如应特别。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 3 of 121

Contents

1. General Information	4
1.1 Testing Laboratory	4
1.2 Details of Applicant	4
1.3 Description of EUT	5
1.4 Test Environment	
1.5 Operation Description	
1.6 Proximity sensor operation description	
1.7 The SAR Measurement System	
1.8 System Components	
1.9 SAR System Verification	69
1.0 Tissue Simulant Fluid for the Frequency Band	
1.11 Evaluation Procedures	73
1.12 Probe Calibration Procedures	
1.13 Test Standards and Limits	
2. Summary of Results	79
2.1 Decision rules	
2.2 Summary of Results	
2.3 Reporting statements of conformity	83
3. Simultaneous Transmission Analysis	
3.1 Estimated SAR calculation	
3.2 SPLSR evaluation and analysis	85
4. Instruments List	
5. Measurements	
6. SAR System Performance Verification	
7. Uncertainty Budget	
Appendixes	
E5202040009 SAR_Appendix A Photographs	
E5202040009 SAR_Appendix A Photographs E5202040009 SAR_Appendix B DAE & Probe Cal. Certificate	
E5202040009 SAR_Appendix C Phantom Description & Dipole Cal. Certificate	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. We ## heat prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 4 of 121

1. General Information

1.1 Testing Laboratory

SGS Taiwan Ltd. Central RF Lab			
No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 33383, Taiwan			
Tel	+886-2-2299-3279		
+886-2-2298-0488			
Internet	http://www.tw.sgs.com/		

1.2 Details of Applicant

Company Name	SHARP CORPORATION
II Omnany Addrage	2-13-1, HACHIHONMATSU-IIDA, HIGASHI-HIROSHIMA-SHI, HIROSHIMA PREFECTURE 739-0192, JAPAN

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 5 of 121

1.3 Description of EUT

Product Name	Tablet				
Brand Name	SHARP				
FCC ID	APYHRO00284				
Mode of Operation	⊠WCDMA ⊠HSDPA ⊠HSUP ⊠WLAN802.11 a/b/g/n(20M)/ac(20M/ ⊠Bluetooth	_			
	WCDMA	1			
	LTE FDD	1			
Duty Cycle	WLAN802.11 a/b/g/n(20M/ac(20M/40M/80M)	Refer to page 33-37			
	Bluetooth	76.8%			
	WCDMA Band V	824 — 849			
	LTE FDD Band 5	824 — 849			
	WLAN802.11 b/g/n(20M)	2412 — 2462			
	WLAN802.11 a/n(20M)/ac(20M) 5.2G	5180 — 5240			
	WLAN802.11 n(40M)/ac(40M) 5.2G	5190 — 5230			
	WLAN802.11 ac(80M) 5.2G	5210			
TX Frequency Range (MHz)	WLAN802.11 a/n(20M)/ac(20M) 5.3G	5260 — 5320			
(141112)	WLAN802.11 n(40M)/ac(40M) 5.3G	5270 — 5310			
	WLAN802.11 ac(80M) 5.3G	5290			
	WLAN802.11 a/n/ac(20M) 5.6G	5500 — 5720			
	WLAN802.11 n/ac(40M) 5.6G	5510 — 5710			
	WLAN802.11 ac(80M) 5.6G	5530 — 5690			
	Bluetooth	2402 — 2480			
	WCDMA Band V	4132 — 4233			
Channel Number (ARFCN)	LTE FDD Band 5	20407 — 20643			
- /	WLAN802.11 b/g/n(20M)	1 – 11			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 6 of 121

	WLAN802.11 a/n(20M)/ac(20M) 5.2G	36	_	48
	WLAN802.11 n(40M)/ac(40M) 5.2G	38	_	46
	WLAN802.11 ac(80M) 5.2G		42	
	WLAN802.11 a/n(20M)/ac(20M) 5.3G	52	_	64
Channel Number (ARFCN)	WLAN802.11 n(40M)/ac(40M) 5.3G	54	_	62
	WLAN802.11 ac(80M) 5.3G		58	
	WLAN802.11 a/n/ac(20M) 5.6G	100	_	144
	WLAN802.11 n/ac(40M) 5.6G	102	_	142
	WLAN802.11 ac(80M) 5.6G	106	_	138
	Bluetooth	0	_	78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统计,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 121

Full power

•	Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position	
	WCDMA Band V	1.13	1.37	4233	Back side	
WWAN	LTE Band 5	1.13	1.13	20600	Back side	

	Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position	
	WLAN 802.11b	0.17	0.17	11	Back side	
	WLAN 802.11g	0.41	0.44	1	Back side	
	Bluetooth(GFSK)	0.00	0.00	78	Back side	
WIFI/BT	WLAN 802.11n(40M) 5.2G	1.09	1.25	46	Top side	
VVIFI/DI	WLAN 802.11ac(40M) 5.2G	0.91	1.07	46	Top side	
	WLAN 802.11n(40M) 5.3G	1.04	1.11	54	Top side	
	WLAN 802.11ac(40M) 5.3G	0.98	1.07	54	Top side	
	WLAN 802.11ac(80M) 5.6G	0.69	0.70	122	Top side	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 121

Reduced power

Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position
	WCDMA Band V	0.66	0.88	4233	Top side
WWAN	LTE Band 5	0.61	0.62	20600	Top side

	Max. SAR (1g) (Unit: W/Kg)					
Antenna	Band	Measured	Reported	Channel	Position	
	WLAN 802.11b	0.59	0.59	6	Back side	
	WLAN 802.11n(40M) 5.2G	0.78	0.80	46	Top side	
M/IEI/DT	WLAN 802.11ac(80M) 5.2G	0.81	0.84	42	Top side	
WIFI/BT	WLAN 802.11n(40M) 5.3G	0.73	0.76	62	Top side	
	WLAN 802.11ac(80M) 5.3G	0.83	0.86	58	Top side	
	WLAN 802.11ac(80M) 5.6G	0.37	0.38	138	Top side	

Simultaneous Transmission SAR (1g) (Unit: W/Kg)					
Antenna mode sum Scenarios					
	DSS	0.88	Back side of WCDMA Band V + Bluetooth		
WIFI/BT	DTS	1.57	Back side of LTE Band 5 + 2.4GHz WLAN		
	NII	1.48	Back side of LTE Band 5 + 5GHz WLAN		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 9 of 121

WCDMA Band V - HSDPA / HSUPA Conducted power table (Full power):

	Band		WCDMA V	
	TX Channel	4132	4183	4233
	Frequency (MHz)	826.4	836.6	846.6
Max. Rated Av	g. Power+Max. Tolerance (dBm)		25.00	
3GPP Rel 99	RMC 12.2Kbps	24.21	24.27	24.16
	HSDPA Subtest-1	21.18	21.25	21.07
3GPP Rel 5	HSDPA Subtest-2	21.22	21.23	21.10
JGFF Rei 5	HSDPA Subtest-3	21.20	21.28	21.13
	HSDPA Subtest-4	21.24	21.26	21.11
	HSUPA Subtest-1	21.24	21.25	21.13
	HSUPA Subtest-2	20.73	20.75	20.69
3GPP Rel 6	HSUPA Subtest-3	20.70	20.73	20.62
	HSUPA Subtest-4	20.79	20.74	20.70
	HSUPA Subtest-5	21.25	21.31	21.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 121

WCDMA Band V - HSDPA / HSUPA Conducted power table (Reduced power):

	Band		WCDMA V	
	TX Channel	4132	4183	4233
	Frequency (MHz)	826.4	836.6	846.6
Max. Rated Av	g. Power+Max. Tolerance (dBm)		16.50	
3GPP Rel 99	RMC 12.2Kbps	15.13	15.14	15.23
	HSDPA Subtest-1	12.09	12.07	12.07
3GPP Rel 5	HSDPA Subtest-2	12.11	12.07	12.16
SGFF Rei S	HSDPA Subtest-3	12.08	12.12	12.12
	HSDPA Subtest-4	12.13	12.05	12.14
	HSUPA Subtest-1	12.10	12.11	12.14
	HSUPA Subtest-2	11.61	11.61	11.69
3GPP Rel 6	HSUPA Subtest-3	11.59	11.57	11.61
	HSUPA Subtest-4	11.69	11.54	11.71
	HSUPA Subtest-5	12.08	12.14	12.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统计,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 11 of 121

LTE FDD Band 5 - conducted power table (Full power):

LTE FDD	Bana 5 -	conauct	ea powe			r):		
				FDD Band 5		1		
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				829	20450	24.91	25	0
			0	836.5	20525	24.93	25	0
				844	20600	24.99	25	0
				829	20450	24.95	25	0
		1 RB	25	836.5	20525	24.97	25	0
				844	20600	24.98	25	0
				829	20450	24.92	25	0
			49	836.5	20525	24.96	25	0
				844	20600	24.93	25	0
				829	20450	23.90	24	0-1
	QPSK		0	836.5	20525	23.94	24	0-1
				844	20600	23.92	24	0-1
				829	20450	23.91	24	0-1
		25 RB	12	836.5	20525	23.93	24	0-1
				844	20600	23.95	24	0-1
				829	20450	23.96	24	0-1
			25	836.5	20525	23.87	24	0-1
				844	20600	23.86	24	0-1
				829	20450	23.88	24	0-1
		50	RB	836.5	20525	23.91	24	0-1
10				844	20600	23.89	24	0-1
.0				829	20450	23.88	24	0-1
			0	836.5	20525	23.92	24	0-1
				844	20600	23.99	24	0-1
				829	20450	23.87	24	0-1
		1 RB	25	836.5	20525	23.97	24	0-1
				844	20600	23.96	24	0-1
				829	20450	23.85	24	0-1
			49	836.5	20525	23.98	24	0-1
				844	20600	23.81	24	0-1
				829	20450	22.95	23	0-2
	16-QAM		0	836.5	20525	22.99	23	0-2
				844	20600	22.91	23	0-2
				829	20450	22.97	23	0-2
		25 RB	12	836.5	20525	23.00	23	0-2
				844	20600	22.94	23	0-2
				829	20450	22.98	23	0-2
			25	836.5	20525	22.94	23	0-2
				844	20600	22.86	23	0-2
			829	20450	22.93	23	0-2	
		500)RB	836.5	20525	22.96	23	0-2
				844	20600	22.91	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 121

				FDD Band (5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				829	20450	23.98	24	0-1
			0	836.5	20525	23.90	24	0-1
				844	20600	23.90	24	0-1
				829	20450	23.77	24	0-1
	1 F	1 RB	25	836.5	20525	23.94	24	0-1
			844	20600	23.88	24	0-1	
				829	20450	23.80	24	0-1
			49	836.5	20525	23.90	24	0-1
				844	20600	23.81	24	0-1
				829	20450	22.85	23	0-2
10	64-QAM		0	836.5	20525	22.96	23	0-2
				844	20600	22.82	23	0-2
				829	20450	22.90	23	0-2
		25 RB	12	836.5	20525	22.99	23	0-2
				844	20600	22.91	23	0-2
				829	20450	22.89	23	0-2
			25	836.5	20525	22.88	23	0-2
				844	20600	22.77	23	0-2
				829	20450	22.91	23	0-2
	500)RB	836.5	20525	22.93	23	0-2	
				844	20600	22.82	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 121

Frequency Conducted Target MPR					FDD Band 5	5			
BW(Mhz) Modulation RB Size RB Offset Frequency (MHz) Channel					T DD Dana (
A	BW(Mhz)	Modulation	RB Size	RB Offset		Channel	pow er	Pow er + Max. Tolerance	Allow ed per
1 RB 12 846.5 20625 24.96 25 0 826.5 20425 24.88 25 0 826.5 20425 24.98 25 0 826.5 20425 24.98 25 0 826.5 20625 24.93 25 0 826.5 20425 24.93 25 0 826.5 20425 24.91 25 0 826.5 20425 24.91 25 0 826.5 20425 24.90 25 0 826.5 20425 24.90 25 0 826.5 20425 23.80 24 0-1 826.5 20625 23.86 24 0-1 826.5 20625 23.86 24 0-1 826.5 20625 23.86 24 0-1 826.5 20625 23.86 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.89 24 0-1 826.5 20625 23.92 24 0-1 826.5 20625 23.93 24 0-1 826.5 20625 23.93 24 0-1 826.5 20625 23.93 23 0-2 826.5 20625 22.99 23 0-2 826.5 20625 22.99 23 0-2 826.5 20625 22.99 23 0-2 826.5 20625 22.93 23 0-2 826.5 20625 22.93 23 0-2 826.5 20625 22.93 23 0-2 826.5					826.5	20425	24.90	25	0
1 RB 12 826.5 20425 24.88 25 0 836.5 20525 24.96 25 0 846.5 20625 24.91 25 0 826.5 20425 24.91 25 0 826.5 20425 24.91 25 0 826.5 20525 24.92 25 0 826.5 20525 24.92 25 0 826.5 20525 24.90 25 0 826.5 20525 24.90 25 0 826.5 20525 23.80 24 0-1 826.5 20525 23.80 24 0-1 826.5 20525 23.80 24 0-1 826.5 20525 23.80 24 0-1 826.5 20525 23.80 24 0-1 826.5 20525 23.83 24 0-1 826.5 20525 23.83 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.92 24 0-1 826.5 20525 23.92 24 0-1 826.5 20525 23.92 24 0-1 826.5 20525 23.99 24 0-1 826.5 20525 23.79 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.89 24 0-1 826.5 20525 23.92 23 0-2 826.5 20525 23.93 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.99 23 0-2 826.5 20525 22.90 23 0-2 826.5 20525 22.90 23 0-2 826.5				0	836.5	20525	24.89	25	0
APSK 1 RB 12 836.5 20525 24.96 24.92 24 836.5 20625 24.91 25 0 846.5 20625 24.92 25 0 846.5 20625 24.90 25 0 846.5 20625 24.90 25 0 836.5 20525 24.90 25 0 836.5 20525 24.90 25 0 836.5 20525 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.86 24 0-1 846.5 20625 23.86 24 0-1 846.5 20625 23.86 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.89 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.80 24 0-1 846.5 20625 23.90 24 0-1 0-1 846.5 20625 23.90 24 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-					846.5	20625	24.96	25	0
PSK Record Recor					826.5	20425	24.88	25	0
PSK Carry			1 RB	12					0
OPSIX OP									0
PSK OPSK O					826.5	20425	24.91		0
QPSK 12 RB				24			24.92		0
PARE A PA							24.90		
\$ 846.5 20625 23.83 24					-				
12 RB		QPSK		0					
12 RB									
Second									
13		12 RB	12 RB	6					
13 836.5 20525 23.79 24 0-1 846.5 20625 23.79 24 0-1 826.5 20425 23.83 24 0-1 826.5 20525 23.91 24 0-1 846.5 20525 23.91 24 0-1 846.5 20525 23.91 24 0-1 846.5 20525 23.86 24 0-1 846.5 20525 23.80 24 0-1 846.5 20525 23.80 24 0-1 846.5 20525 23.80 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.92 24 0-1 846.5 20525 23.96 24 0-1 846.5 20525 23.96 24 0-1 846.5 20525 23.87 24 0-1 846.5 20525 23.87 24 0-1 846.5 20525 23.87 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 23.97 24 0-1 846.5 20525 22.98 23 0-2 846.5 20525 22.98 23 0-2 846.5 20525 22.98 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20525 22.97 23 0-2 846.5 20525 22.97 23 0-2 846.5 20525 22.83 23 0-2 846.5 20525 22.83 23 0-2 846.5 20525 22.83 23 0-2 846.5 20525 22.83 23 0-2 846.5 20525 22.83 23 0-2 846.5 20525 22.83 23 0-2									
1 RB 12 836.5 20625 23.87 24 0-1 1 RB 12 836.5 20625 23.87 24 0-1 1 RB 12 836.5 20625 23.87 24 0-1 1 RB 14 826.5 20625 23.86 24 0-1 1 RB 15 826.5 20625 23.80 24 0-1 1 RB 16 826.5 20625 23.80 24 0-1 1 RB 17 82 826.5 20625 23.92 24 0-1 1 RB 18 826.5 20625 23.92 24 0-1 1 RB 19 826.5 20625 23.92 24 0-1 1 RB 10 826.5 20625 23.78 24 0-1 1 RB 826.5 20625 23.87 24 0-1 1 RB 826.5 20625 23.87 24 0-1 1 RB 836.5 20625 23.87 24 0-1 1 RB 836.5 20625 23.87 24 0-1 1 RB 836.5 20625 23.97 24 0-1 1 RB 836.5 20625 23.97 24 0-1 1 RB 836.5 20625 22.89 23 0-2 1 RB 836.5 20625 22.99 23 0-2 1 RB 836.5 20625 22.99 23 0-2 1 RB 836.5 20625 22.93 23 0-2 2 RB 826.5 20425 22.96 23 0-2 2 RB 826.5 20425 22.87 23 0-2 2 RB 826.5 20425 22.87 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 20625 22.87 23 0-2 2 RB 826.5 20625 22.87 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 20625 22.87 23 0-2 2 RB 826.5 20625 22.83 23 0-2 2 RB 826.5 206									
16-QAM 16-QAM 18B 826.5 20425 23.83 24 0-1 836.5 20525 23.91 24 0-1 846.5 20625 23.86 24 0-1 826.5 20425 23.80 24 0-1 826.5 20425 23.80 24 0-1 826.5 20425 23.80 24 0-1 826.5 20525 23.92 24 0-1 826.5 20625 23.92 24 0-1 826.5 20425 23.92 24 0-1 826.5 20425 23.96 24 0-1 826.5 20425 23.96 24 0-1 826.5 20425 23.96 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2				13					
16-QAM 1 RB 25RB 836.5 20525 23.91 24 0-1 846.5 20625 23.86 24 0-1 826.5 20425 23.80 24 0-1 836.5 20525 23.92 24 0-1 846.5 20625 23.92 24 0-1 846.5 20625 23.92 24 0-1 846.5 20625 23.92 24 0-1 826.5 20425 23.96 24 0-1 826.5 20425 23.97 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.83 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.83 23 0-2									
16-QAM 1 RB 1 RB			0555						
16-QAM 1 RB 1 RB			25	25RB					
16-QAM 1 RB 1 RB 10 836.5 20525 23.92 24 0-1 826.5 20425 23.78 24 0-1 826.5 20525 23.96 24 0-1 826.5 20525 23.96 24 0-1 826.5 20525 23.96 24 0-1 826.5 20525 23.97 24 0-1 826.5 20525 23.87 24 0-1 24 836.5 20525 23.87 24 0-1 826.5 20525 23.87 24 0-1 826.5 20525 23.97 24 0-1 826.5 20525 23.97 24 0-1 826.5 20525 23.97 24 0-1 826.5 20525 23.97 24 0-1 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.89 23 0-2 826.5 20525 22.87 23 0-2 826.5 20525 22.87 23 0-2 826.5 20525 22.87 23 0-2 826.5 20525 22.87 23 0-2 826.5 20525 22.87 23 0-2 826.5 20525 22.87 23 0-2	5			1					
1 RB				_					
16-QAM 1 RB 12 826.5 20425 23.78 24 0-1 846.5 20625 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20425 23.87 24 0-1 826.5 20525 23.97 24 0-1 846.5 20625 23.78 24 0-1 846.5 20625 23.78 24 0-1 846.5 20625 23.78 24 0-1 846.5 20625 23.78 24 0-1 826.5 20425 22.89 23 0-2 846.5 20525 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.83 23 0-2 826.5 20425 22.83 23 0-2 826.5 20425 22.83 23 0-2				Ü					
1 RB 12 836.5 20525 23.96 24 0-1 846.5 20625 23.87 24 0-1 826.5 20425 23.84 24 0-1 836.5 20525 23.97 24 0-1 846.5 20625 23.78 24 0-1 846.5 20625 23.78 24 0-1 846.5 20625 23.78 24 0-1 826.5 20425 22.89 23 0-2 846.5 20625 22.89 23 0-2 846.5 20625 22.89 23 0-2 846.5 20625 22.89 23 0-2 846.5 20625 22.89 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.99 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.83 23 0-2 826.5 20425 22.83 23 0-2									
16-QAM 16-QAM 1846.5			4.00	40					
16-QAM 16-QAM 1826.5			1 RB	12					
16-QAM 16-QAM 24 836.5 20525 23.97 24 0-1 826.5 20625 23.78 24 0-1 826.5 20425 22.89 23 0-2 846.5 20525 22.98 23 0-2 846.5 20625 22.89 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.99 23 0-2 846.5 20625 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2									
16-QAM 16-QAM 16-QAM 16-QAM 1846.5									
16-QAM 0 826.5 20425 22.89 23 0-2 846.5 20525 22.89 23 0-2 846.5 20625 22.89 23 0-2 826.5 20425 22.89 23 0-2 826.5 20425 22.88 23 0-2 826.5 20425 22.99 23 0-2 846.5 20525 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2 826.5 20425 22.87 23 0-2				24	-		 		
16-QAM 10 836.5 20525 22.98 23 0-2 846.5 20625 22.89 23 0-2 826.5 20425 22.88 23 0-2 826.5 20525 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.93 23 0-2 826.5 20425 22.96 23 0-2 826.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2									
846.5 20625 22.89 23 0-2 826.5 20425 22.88 23 0-2 12 RB 6 836.5 20525 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2		16 00 14		0					
12 RB 6 826.5 20425 22.88 23 0-2 836.5 20525 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2		16-QAW		U					
12 RB 6 836.5 20525 22.99 23 0-2 846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2									
846.5 20625 22.93 23 0-2 826.5 20425 22.96 23 0-2 13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2		12 RB	6						
826.5 20425 22.96 23 0-2 13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2			IZ KD	O					
13 836.5 20525 22.87 23 0-2 846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2									
846.5 20625 22.83 23 0-2 826.5 20425 22.92 23 0-2			12			1			
826.5 20425 22.92 23 0-2			13						
			25	RR					
846.5 20625 22.83 23 0-2			23	יעי					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 121

				FDD Band 8	5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				826.5	20425	23.97	24	0-1
			0	836.5	20525	23.89	24	0-1
				846.5	20625	23.90	24	0-1
				826.5	20425	23.70	24	0-1
		1 RB	12	836.5	20525	23.86	24	0-1
				846.5	20625	23.83	24	0-1
				826.5	20425	23.79	24	0-1
			24	836.5	20525	23.87	24	0-1
				846.5	20625	23.78	24	0-1
			0	826.5	20425	22.76	23	0-2
5	64-QAM			836.5	20525	22.91	23	0-2
				846.5	20625	22.79	23	0-2
				826.5	20425	22.82	23	0-2
		12 RB	6	836.5	20525	22.90	23	0-2
				846.5	20625	22.85	23	0-2
				826.5	20425	22.81	23	0-2
			13	836.5	20525	22.80	23	0-2
				846.5	20625	22.70	23	0-2
			826.5	20425	22.84	23	0-2	
	25	RB	836.5	20525	22.86	23	0-2	
				846.5	20625	22.77	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 15 of 121

				FDD Band 5	5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				825.5	20415	24.88	25	0
			0	836.5	20525	24.85	25	0
				847.5	20635	24.94	25	0
				825.5	20415	24.83	25	0
		1 RB	7	836.5	20525	24.91	25	0
				847.5	20635	24.88	25	0
				825.5	20415	24.85	25	0
			14	836.5	20525	24.84	25	0
				847.5	20635	24.86	25	0
				825.5	20415	23.75	24	0-1
	QPSK		0	836.5	20525	23.82	24	0-1
				847.5	20635	23.78	24	0-1
				825.5	20415	23.82	24	0-1
	3	8 RB	4	836.5	20525	23.85	24	0-1
				847.5	20635	23.82	24	0-1
				825.5	20415	23.85	24	0-1
			7	836.5	20525	23.78	24	0-1
				847.5	20635	23.73	24	0-1
			•	825.5	20415	23.83	24	0-1
		15	RB	836.5	20525	23.84	24	0-1
2				847.5	20635	23.85	24	0-1
3				825.5	20415	23.79	24	0-1
			0	836.5	20525	23.90	24	0-1
				847.5	20635	23.92	24	0-1
				825.5	20415	23.76	24	0-1
		1 RB	7	836.5	20525	23.91	24	0-1
				847.5	20635	23.86	24	0-1
				825.5	20415	23.76	24	0-1
			14	836.5	20525	23.95	24	0-1
				847.5	20635	23.70	24	0-1
				825.5	20415	22.82	23	0-2
	16-QAM		0	836.5	20525	22.93	23	0-2
				847.5	20635	22.82	23	0-2
				825.5	20415	22.86	23	0-2
		8 RB	4	836.5	20525	22.96	23	0-2
				847.5	20635	22.91	23	0-2
				825.5	20415	22.89	23	0-2
		7	836.5	20525	22.86	23	0-2	
				847.5	20635	22.76	23	0-2
			825.5	20415	22.90	23	0-2	
		15	RB	836.5	20525	22.85	23	0-2
				847.5	20635	22.79	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 121

				FDD Band 8	5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				825.5	20415	23.95	24	0-1
			0	836.5	20525	23.89	24	0-1
				847.5	20635	23.90	24	0-1
				825.5	20415	23.64	24	0-1
		1 RB	7	836.5	20525	23.84	24	0-1
			847.5	20635	23.80	24	0-1	
				825.5	20415	23.75	24	0-1
			14	836.5	20525	23.79	24	0-1
				847.5	20635	23.73	24	0-1
			0	825.5	20415	22.71	23	0-2
3	64-QAM			836.5	20525	22.88	23	0-2
				847.5	20635	22.78	23	0-2
				825.5	20415	22.81	23	0-2
		8 RB	4	836.5	20525	22.85	23	0-2
				847.5	20635	22.83	23	0-2
				825.5	20415	22.74	23	0-2
			7	836.5	20525	22.74	23	0-2
				847.5	20635	22.63	23	0-2
			825.5	20415	22.77	23	0-2	
	15	RB	836.5	20525	22.85	23	0-2	
				847.5	20635	22.72	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 17 of 121

				FDD Band 5	5			
				DD Dana (
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				824.7	20407	24.82	25	0
			0	836.5	20525	24.83	25	0
				848.3	20643	24.91	25	0
				824.7	20407	24.81	25	0
		1 RB	2	836.5	20525	24.89	25	0
				848.3	20643	24.87	25	0
				824.7	20407	24.87	25	0
			5	836.5	20525	24.88	25	0
				848.3	20643	24.83	25	0
				824.7	20407	23.73	24	0-1
	QPSK		0	836.5	20525	23.75	24	0-1
				848.3	20643	23.78	24	0-1
				824.7	20407	23.75	24	0-1
	3	3 RB	2	836.5	20525	23.80	24	0-1
				848.3	20643	23.79	24	0-1
				824.7	20407	23.81	24	0-1
			3	836.5	20525	23.74	24	0-1
				848.3	20643	23.71	24	0-1
		05-		824.7	20407	23.77	24	0-1
		6RI	RB	836.5 20525 23.82 24 848.3 20643 23.75 24				
1.4								0-1
				824.7	20407	23.70	24	0-1
			0	836.5	20525	23.85	24	0-1
				848.3	20643	23.83	24	0-1
				824.7	20407	23.73	24	0-1
		1 RB	2	836.5	20525	23.86	24	0-1
				848.3	20643	23.77	24	0-1
				824.7	20407	23.75	24	0-1
			5	836.5	20525	23.89	24	0-1
				848.3	20643	23.73	24	0-1
				824.7	20407	22.83	23	0-2
	16-QAM		0	836.5	20525	22.87	23	0-2
				848.3	20643	22.79	23	0-2
	3 RB			824.7	20407	22.80	23	0-2
		3 RB	2	836.5	20525	22.91	23	0-2
			848.3	20643	22.87	23	0-2	
			824.7	20407	22.85	23	0-2	
		3	836.5	20525	22.80	23	0-2	
				848.3	20643	22.71	23	0-2
				824.7	20407	22.84	23	0-2
		6F	RB	836.5 848.3	20525	22.77	23	0-2
			01.25		20643	22.78	23	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类里度保护的大型电流设置,不可如心控制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Talwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號**役份有限公司** t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 18 of 121

				FDD Band (5						
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)			
				824.7	20407	23.90	24	0-1			
			0	836.5	20525	23.78	24	0-1			
				848.3	20643	23.83	24	0-1			
				824.7	20407	23.66	24	0-1			
		1 RB	2	836.5	20525	23.77	24	0-1			
			848.3	20643	23.75	24	0-1				
				824.7	20407	23.74	24	0-1			
			5	836.5	20525	23.79	24	0-1			
				848.3	20643	23.69	24	0-1			
			0	824.7	20407	22.70	23	0-2			
1.4	64-QAM			836.5	20525	22.79	23	0-2			
				848.3	20643	22.72	23	0-2			
		1					824.7	20407	22.75	23	0-2
		3 RB	2	836.5	20525	22.86	23	0-2			
				848.3	20643	22.76	23	0-2			
				824.7	20407	22.75	23	0-2			
			3	836.5	20525	22.72	23	0-2			
				848.3	20643	22.62	23	0-2			
			824.7	20407	22.79	23	0-2				
	6F	₹B	836.5	20525	22.82	23	0-2				
				848.3	20643	22.66	23	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 121

LTE FDD Band 5 - conducted power table (Reduced power):

LIE FUU	Band 5 -	conauct	ea powe	r table (R		ower):		
				FDD Band 5)			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				829	20450	16.27	16.5	0
			0	836.5	20525	16.20	16.5	0
				844	20600	16.37	16.5	0
				829	20450	16.33	16.5	0
		1 RB	25	836.5	20525	16.36	16.5	0
				844	20600	16.39	16.5	0
				829	20450	16.38	16.5	0
			49	836.5	20525	16.34	16.5	0
				844	20600	16.28	16.5	0
				829	20450	16.03	16.5	0-1
	QPSK		0	836.5	20525	16.04	16.5	0-1
				844	20600	16.07	16.5	0-1
				829	20450	15.96	16.5	0-1
		25 RB	12	836.5	20525	16.07	16.5	0-1
				844	20600	16.08	16.5	0-1
			25 50RB	829	20450	16.05	16.5	0-1
			25	836.5	20525	15.99	16.5	0-1
				844	20600	16.02	16.5	0-1
				829	20450	16.02	16.5	0-1
		50	RB	836.5	20525	16.06	16.5	0-1
10				844	20600	15.99	16.5	0-1
10			0	829	20450	16.27	16.5	0-1
				836.5	20525	16.29	16.5	0-1
				844	20600	16.35	16.5	0-1
				829	20450	16.35	16.5	0-1
		1 RB	25	836.5	20525	16.33	16.5	0-1
				844	20600	16.29	16.5	0-1
				829	20450	16.36	16.5	0-1
			49	836.5	20525	16.32	16.5	0-1
				844	20600	16.22	16.5	0-1
			_	829	20450	16.13	16.5	0-2
	16-QAM		0	836.5	20525	16.16	16.5	0-2
				844	20600	16.17	16.5	0-2
			4-	829	20450	16.16	16.5	0-2
		25 RB	12	836.5	20525	16.17	16.5	0-2
				844	20600	16.16	16.5	0-2
			0-	829	20450	16.15	16.5	0-2
			25	836.5	20525	16.14	16.5	0-2
			844	20600	16.12	16.5	0-2	
				829	20450	16.13	16.5	0-2
		500	IKB	836.5	20525	16.18	16.5	0-2
				844	20600	16.16	16.5	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类里度保护的大型电流设置,不可如心控制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 121

				FDD Band (5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				829	20450	16.26	16.5	0-1
			0	836.5	20525	16.27	16.5	0-1
				844	20600	16.33	16.5	0-1
				829	20450	16.34	16.5	0-1
	1 RE	1 RB	25	836.5	20525	16.32	16.5	0-1
			844	20600	16.29	16.5	0-1	
				829	20450	16.31	16.5	0-1
			49	836.5	20525	16.31	16.5	0-1
				844	20600	16.20	16.5	0-1
			0	829	20450	16.13	16.5	0-2
10	64-QAM			836.5	20525	16.15	16.5	0-2
				844	20600	16.12	16.5	0-2
				829	20450	16.14	16.5	0-2
		25 RB	12	836.5	20525	16.15	16.5	0-2
				844	20600	16.16	16.5	0-2
				829	20450	16.14	16.5	0-2
			25	836.5	20525	16.11	16.5	0-2
				844	20600	16.08	16.5	0-2
				829	20450	16.09	16.5	0-2
		500)RB	836.5	20525	16.16	16.5	0-2
				844	20600	16.11	16.5	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 21 of 121

				FDD Band 5	5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				826.5	20425	16.22	16.5	0
			0	836.5	20525	16.15	16.5	0
				846.5	20625	16.33	16.5	0
				826.5	20425	16.29	16.5	0
		1 RB	12	836.5	20525	16.34	16.5	0
				846.5	20625	16.35	16.5	0
				826.5	20425	16.36	16.5	0
			24	836.5	20525	16.31	16.5	0
				846.5	20625	16.24	16.5	0
				826.5	20425	15.98	16.5	0-1
	QPSK		0	836.5	20525	16.03	16.5	0-1
				846.5	20625	16.05	16.5	0-1
		12 RB		826.5	20425	15.96	16.5	0-1
			6	836.5	20525	16.04	16.5	0-1
				846.5	20625	16.06	16.5	0-1
				826.5	20425	16.01	16.5	0-1
			13	836.5	20525	15.98	16.5	0-1
				846.5	20625	15.97	16.5	0-1
				826.5	20425	16.01	16.5	0-1
		25	RB	836.5	20525	16.05	16.5	0-1
5				846.5	20625	15.98	16.5	0-1
J				826.5	20425	16.24	16.5	0-1
			0	836.5	20525	16.25	16.5	0-1
				846.5	20625	16.31	16.5	0-1
				826.5	20425	16.33	16.5	0-1
		1 RB	12	836.5	20525	16.30	16.5	0-1
				846.5	20625	16.28	16.5	0-1
				826.5	20425	16.35	16.5	0-1
			24	836.5	20525	16.32	16.5	0-1
				846.5	20625	16.19	16.5	0-1
				826.5	20425	16.11	16.5	0-2
	16-QAM		0	836.5	20525	16.15	16.5	0-2
				846.5	20625	16.16	16.5	0-2
				826.5	20425	16.13	16.5	0-2
		12 RB	6	836.5	20525	16.16	16.5	0-2
				846.5	20625	16.14	16.5	0-2
				826.5	20425	16.11	16.5	0-2
			13	836.5	20525	16.12	16.5	0-2
				846.5	20625	16.09	16.5	0-2
				826.5	20425	16.10	16.5	0-2
		25	RB	836.5	20525	16.17	16.5	0-2
				846.5	20625	16.12	16.5	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 22 of 121

	FDD Band 5											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)				
				826.5	20425	16.25	16.5	0-1				
			0	836.5	20525	16.25	16.5	0-1				
				846.5	20625	16.29	16.5	0-1				
			826.5	20425	16.32	16.5	0-1					
		1 RB	12	836.5	20525	16.29	16.5	0-1				
				846.5	20625	16.28	16.5	0-1				
				826.5	20425	16.31	16.5	0-1				
			24	836.5	20525	16.27	16.5	0-1				
				846.5	20625	16.17	16.5	0-1				
			0	826.5	20425	16.09	16.5	0-2				
5	64-QAM			836.5	20525	16.10	16.5	0-2				
				846.5	20625	16.12	16.5	0-2				
				826.5	20425	16.12	16.5	0-2				
		12 RB	6	836.5	20525	16.13	16.5	0-2				
				846.5	20625	16.14	16.5	0-2				
				826.5	20425	16.13	16.5	0-2				
			13	836.5	20525	16.09	16.5	0-2				
				846.5	20625	16.05	16.5	0-2				
				826.5	20425	16.07	16.5	0-2				
		25	RB	836.5	20525	16.16	16.5	0-2				
				846.5	20625	16.08	16.5	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 23 of 121

	FDD Band 5											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)				
				825.5	20415	16.23	16.5	0				
			0	836.5	20525	16.19	16.5	0				
				847.5	20635	16.36	16.5	0				
				825.5	20415	16.33	16.5	0				
		1 RB	7	836.5	20525	16.33	16.5	0				
				847.5	20635	16.38	16.5	0				
				825.5	20415	16.34	16.5	0				
			14	836.5	20525	16.32	16.5	0				
				847.5	20635	16.27	16.5	0				
				825.5	20415	16.01	16.5	0-1				
	QPSK		0	836.5	20525	16.01	16.5	0-1				
				847.5	20635	16.04	16.5	0-1				
				825.5	20415	15.94	16.5	0-1				
		8 RB	4	836.5	20525	16.06	16.5	0-1				
				847.5	20635	16.08	16.5	0-1				
			7	825.5	20415	16.04	16.5	0-1				
				836.5	20525	15.95	16.5	0-1				
				847.5	20635	16.01	16.5	0-1				
		15RB		825.5	20415	16.00	16.5	0-1				
				836.5	20525	16.03	16.5	0-1				
3			_	847.5	20635	15.96	16.5	0-1				
Ü			0	825.5	20415	16.24	16.5	0-1				
				836.5	20525	16.25	16.5	0-1				
				847.5	20635	16.33	16.5	0-1				
				825.5	20415	16.30	16.5	0-1				
		1 RB	7	836.5	20525	16.29	16.5	0-1				
				847.5	20635	16.25	16.5	0-1				
				825.5	20415	16.32	16.5	0-1				
			14	836.5	20525	16.31	16.5	0-1				
				847.5	20635	16.19	16.5	0-1				
				825.5	20415	16.11	16.5	0-2				
	16-QAM		0	836.5	20525	16.12	16.5	0-2				
				847.5	20635	16.14	16.5	0-2				
				825.5	20415	16.13	16.5	0-2				
		8 RB	4	836.5	20525	16.13	16.5	0-2				
				847.5	20635	16.12	16.5	0-2				
			_	825.5	20415	16.13	16.5	0-2				
			7	836.5	20525	16.10	16.5	0-2				
				847.5	20635	16.10	16.5	0-2				
		·	DD	825.5	20415	16.11	16.5	0-2				
		15	RB	836.5	20525	16.15	16.5	0-2				
				847.5	20635	16.12	16.5	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类里度保护的大型电流设置,不可如心控制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 24 of 121

	FDD Band 5										
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)			
				825.5	20415	16.26	16.5	0-1			
			0	836.5	20525	16.23	16.5	0-1			
				847.5	20635	16.32	16.5	0-1			
			825.5	20415	16.34	16.5	0-1				
		1 RB	7	836.5	20525	16.31	16.5	0-1			
				847.5	20635	16.25	16.5	0-1			
				825.5	20415	16.27	16.5	0-1			
			14	836.5	20525	16.30	16.5	0-1			
				847.5	20635	16.16	16.5	0-1			
			0	825.5	20415	16.08	16.5	0-2			
3	64-QAM			836.5	20525	16.14	16.5	0-2			
				847.5	20635	16.11	16.5	0-2			
				825.5	20415	16.14	16.5	0-2			
		8 RB	4	836.5	20525	16.14	16.5	0-2			
				847.5	20635	16.13	16.5	0-2			
				825.5	20415	16.14	16.5	0-2			
			7	836.5	20525	16.08	16.5	0-2			
				847.5	20635	16.07	16.5	0-2			
				825.5	20415	16.07	16.5	0-2			
		15	RB	836.5	20525	16.12	16.5	0-2			
				847.5	20635	16.11	16.5	0-2			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 25 of 121

	FDD Band 5											
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)				
				824.7	20407	16.24	16.5	0				
			0	836.5	20525	16.17	16.5	0				
				848.3	20643	16.33	16.5	0				
				824.7	20407	16.33	16.5	0				
		1 RB	2	836.5	20525	16.34	16.5	0				
				848.3	20643	16.36	16.5	0				
				824.7	20407	16.33	16.5	0				
			5	836.5	20525	16.34	16.5	0				
				848.3	20643	16.25	16.5	0				
				824.7	20407	16.00	16.5	0-1				
	QPSK		0	836.5	20525	16.03	16.5	0-1				
				848.3	20643	16.02	16.5	0-1				
				824.7	20407	15.95	16.5	0-1				
		3 RB	2	836.5	20525	16.06	16.5	0-1				
				848.3	20643	16.06	16.5	0-1				
			3	824.7	20407	16.03	16.5	0-1				
				836.5	20525	15.98	16.5	0-1				
				848.3	20643	16.01	16.5	0-1				
				824.7	20407	16.00	16.5	0-1				
		6RB		836.5	20525	16.04	16.5	0-1				
1.4				848.3	20643	15.96	16.5	0-1				
			0	824.7	20407	16.26	16.5	0-1				
				836.5	20525	16.25	16.5	0-1				
				848.3	20643	16.32	16.5	0-1				
				824.7	20407	16.32	16.5	0-1				
		1 RB	2	836.5	20525	16.28	16.5	0-1				
				848.3	20643	16.29	16.5	0-1				
				824.7	20407	16.32	16.5	0-1				
			5	836.5	20525	16.27	16.5	0-1				
				848.3	20643	16.17	16.5	0-1				
				824.7	20407	16.10	16.5	0-2				
	16-QAM		0	836.5	20525	16.16	16.5	0-2				
				848.3	20643	16.12	16.5	0-2				
				824.7	20407	16.15	16.5	0-2				
		3 RB	2	836.5	20525	16.16	16.5	0-2				
				848.3	20643	16.15	16.5	0-2				
				824.7	20407	16.12	16.5	0-2				
			3	836.5	20525	16.11	16.5	0-2				
				848.3	20643	16.09	16.5	0-2				
				824.7	20407	16.13	16.5	0-2				
		6F	₹B	836.5	20525	16.15	16.5	0-2				
				848.3	20643	16.11	16.5	0-2				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 121

				FDD Band (5			
BW(Mhz)	Modulation	RB Size	RB Offset	Frequency (MHz)	Channel	Conducted pow er (dBm)	Target Pow er + Max. Tolerance (dBm)	MPR Allow ed per 3GPP(dB)
				824.7	20407	16.23	16.5	0-1
			0	836.5	20525	16.23	16.5	0-1
				848.3	20643	16.29	16.5	0-1
				824.7	20407	16.33	16.5	0-1
		1 RB	2	836.5	20525	16.30	16.5	0-1
				848.3	20643	16.27	16.5	0-1
			5	824.7	20407	16.29	16.5	0-1
				836.5	20525	16.27	16.5	0-1
				848.3	20643	16.17	16.5	0-1
			0	824.7	20407	16.12	16.5	0-2
1.4	64-QAM			836.5	20525	16.14	16.5	0-2
				848.3	20643	16.09	16.5	0-2
				824.7	20407	16.14	16.5	0-2
		3 RB	2	836.5	20525	16.13	16.5	0-2
				848.3	20643	16.16	16.5	0-2
				824.7	20407	16.09	16.5	0-2
			3	836.5	20525	16.10	16.5	0-2
				848.3	20643	16.04	16.5	0-2
				824.7	20407	16.06	16.5	0-2
		6F	₹B	836.5	20525	16.11	16.5	0-2
				848.3	20643	16.09	16.5	0-2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 121

WLAN802.11 a/b/g/n(20M)/ac(20M/40M/80M) conducted power table :

Full power:

		10	IIEI/DT							
WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)				
		1	2412		12.50	12.23				
	802.11b	6	2437	1Mbps	12.50	12.16				
		11	2462		14.50	14.36				
		1	2412		19.00	18.79				
2450 MHz	802.11g	6	2437	6Mbps	19.00	18.59				
		11	2462		18.00	17.57				
		1	2412		19.00	18.71				
	802.11n20-HT0	6	2437	MCS0	19.00	18.50				
		11	2462		17.50	17.44				

	WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		36	5180		19.00	18.98					
	802.11a	44	5220	6Mbps	19.00	18.80					
		48	5240		19.00	18.97					
	802.11n20-HT0	36	5180		19.00	18.97					
		44	5220	MCS0	19.00	18.61					
		48	5240		19.00	18.98					
5.15-5.25 GHz		36	5180		19.00	18.61					
0.10-0.20 0112	802.11ac20-VHT0	44	5220	MCS0	19.00	18.55					
		48	5240		19.00	18.86					
	802.11n40-HT0	38	5190	MCS0	12.50	12.31					
	002.111140-1110	46	5230	MCSO	19.00	18.45					
	802.11ac40-VHT0	38	5190	MCS0	12.50	12.17					
	002.11ac40-VH10	46	5230	IVICOU	19.00	18.33					
	802.11ac80-VHT0	42	5210	MCS0	11.50	11.49					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 121

	WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		52	5260		19.00	18.96					
	802.11a	60	5300	6Mbps	19.00	18.22					
		64	5320		19.00	18.86					
	802.11n20-HT0	52	5260		19.00	18.94					
		60	5300	MCS0	19.00	18.27					
		64	5320		19.00	18.75					
5.25-5.35 GHz		52	5260		19.00	18.90					
0.23-3.33 GHZ	802.11ac20-VHT0	60	5300	MCS0	19.00	18.06					
		64	5320		19.00	18.62					
	802.11n40-HT0	54	5270	MCS0	19.00	18.76					
	002.111140-1110	62	5310	MCSU	14.50	14.29					
	902 11aa40 V/UT0	54	5270	MCS0	19.00	18.67					
	802.11ac40-VHT0	62	5310	IVICOU	14.50	14.16					
	802.11ac80-VHT0	58	5290	MCS0	13.00	12.66					

	WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		100	5500		19.00	18.95					
	802.11a	116	5580	6Mbps	19.00	18.98					
	002.11a	140	5700	Olvibps	19.00	18.63					
		144	5720		19.00	18.99					
		100	5500		19.00	18.96					
	802.11n20-HT0	116	5580	MCS0	19.00	18.99					
	002.111120-H10	140	5700	IVICOU	19.00	18.51					
		144	5720		19.00	18.98					
	802.11ac20-VHT0	100	5500		19.00	18.85					
		116	5580	MCS0	19.00	18.93					
		140	5700		19.00	18.49					
5600 MHz		144	5720		19.00	18.94					
		102	5510		15.50	15.12					
	802.11n40-HT0	110	5550	MCS0	19.00	18.70					
	002.111140-1110	134	5670	IVICOU	19.00	18.62					
		142	5710		19.00	18.98					
		102	5510		15.00	14.99					
	802.11ac40-VHT0	110	5550	MCS0	19.00	18.67					
	002.114040-11110	134	5670	IVIOOU	19.00	18.55					
		142	5710		19.00	18.95					
		106	5530		14.00	13.54					
	802.11ac80-VHT0	122	5610	MCS0	19.00	18.98					
		138	5690		19.00	18.96					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 29 of 121

Reduced power:

	WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		1	2412		11.50	11.30					
	802.11b	6	2437	1Mbps	11.50	11.47					
		11	2462		11.50	11.33					
		1	2412		11.50	11.21					
2450 MHz	802.11g	6	2437	6Mbps	11.50	11.29					
		11	2462		11.50	11.32					
		1	2412		11.50	11.36					
	802.11n20-HT0	6	2437	MCS0	11.50	11.40					
		11	2462		11.50	11.41					

	WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)					
		36	5180		7.50	7.06					
	802.11a	44	5220	6Mbps	7.50	7.13					
		48	5240		7.50	7.09					
	802.11n20-HT0	36	5180		7.50	7.20					
		44	5220	MCS0	7.50	7.24					
		48	5240		7.50	7.33					
5.15-5.25 GHz		36	5180		7.50	7.36					
0.13-3.23 GHZ	802.11ac20-VHT0	44	5220	MCS0	7.50	7.15					
		48	5240		7.50	7.37					
	802.11n40-HT0	38	5190	MCS0	7.50	7.13					
	002.111140-1110	46	5230	IVICOU	7.50	7.45					
	802.11ac40-VHT0	38	5190	MCS0	7.50	7.27					
	002.11a040-VIII0	46	5230	IVICOU	7.50	7.21					
	802.11ac80-VHT0	42	5210	MCS0	7.50	7.43					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是结果做到的这种,他就是结果的。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 falwari Eta.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 30 of 121

WIFI/BT										
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)				
		52	5260		7.50	7.11				
	802.11a	60	5300	6Mbps	7.50	7.38				
		64	5320		7.50	7.40				
	802.11n20-HT0	52	5260		7.50	7.46				
		60	5300	MCS0	7.50	7.33				
		64	5320		7.50	7.31				
5.25-5.35 GHz		52	5260		7.50	7.22				
0.23-3.33 GHZ	802.11ac20-VHT0	60	5300	MCS0	7.50	7.26				
		64	5320		7.50	7.23				
	802.11n40-HT0	54	5270	MCS0	7.50	7.30				
	002.111140-1110	62	5310	MCSU	7.50	7.37				
	802.11ac40-VHT0	54	5270	MCS0	7.50	7.25				
	002.11a040-VH10	62	5310	IVICSU	7.50	7.28				
	802.11ac80-VHT0	58	5290	MCS0	7.50	7.40				

WIFI/BT									
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		100	5500		7.50	7.44			
	802.11a	116	5580	6Mbps	7.50	7.37			
	002.114	140	5700	Olvibps	7.50	7.10			
		144	5720		7.50	7.34			
		100	5500		7.50	7.27			
	802.11n20-HT0	116	5580	MCS0	7.50	7.21			
		140	5700	IVICOU	7.50	7.15			
		144	5720		7.50	7.17			
		100	5500		7.50	7.26			
	802.11ac20-VHT0	116	5580	MCS0	7.50	7.39			
		140	5700	WOOO	7.50	7.41			
5600 MHz		144	5720		7.50	7.32			
		102	5510		7.50	7.09			
	802.11n40-HT0	110	5550	MCS0	7.50	7.12			
	002.111140-1110	134	5670	WCGO	7.50	7.04			
		142	5710		7.50	7.31			
		102	5510		7.50	7.36			
	802.11ac40-VHT0	110	5550	MCS0	7.50	7.06			
	002.11ac+0-V1110	134	5670	WCGO	7.50	7.18			
		142	5710		7.50	7.22			
		106	5530		7.50	7.33			
	802.11ac80-VHT0	122	5610	MCS0	7.50	7.45			
		138	5690		7.50	7.49			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 31 of 121

Bluetooth conducted power table:


bluetootii conducted power table.													
Mode	Channel				Frequency (MHz)		Average power (dBm)					Max. Rated Avg. Power + Max.	
				(' /		1Mbps	2Mbps	3	Mbps	Tolerance (dBm)			
	CH 00		2	402		8.57	8.36		8.38				
BR/EDR	CH 39		2441			8.91	8.58	8.60		9.50			
	CH 78		2480			9.18	8.78		8.80				
Mada			Ohamaal Freq		ncy			G	FSK				
Mode		Channel		(MHz		Max. Rated Avg.Power + Max. Tolerance (dBm)			Average Output Power (dBm)				
		CH	CH 00 2402		2					4.14			
LE	C		LE		ł 19	2442	2		5			4.66	
		CH	1 39	2480)					4.99			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.



Page: 32 of 121



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有約明,此親先は田原釈師子之辞『台書,同時世経『原原の四千。大親先土徳大八司書帝統司,太司朝以海朝。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 33 of 121




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 34 of 121



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 35 of 121




PNO: Fast

Trig: Free Run #Atten: 20 dB

Avg Type: Voltage

TRACE 1 2 3 4 5 6
TYPE WWWWWWW
DET P NNNNN



MKR	MODE	TRC	SCL		X		Υ	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	^
1	Δ2	1	t	(Δ)	3.970 ms	(D)	6.04 dB				
2	F	1	t		4.860 ms		0.49 dBm				
3	Δ4	1	t	(Δ)	4.020 ms		-0.01 dB				
4	F	1	t		4.860 ms		0.49 dBm				
5											Ξ
6											
_ 7											
8											
9											
10											
11											+
4							III			•	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 36 of 121


5G ac40_duty(3.96/4.00=0.990) Center Freq 5.190000000 GHz

PNO: Fast

Trig: Free Run #Atten: 20 dB

Avg Type: Voltage

TRACE 1 2 3 4 5 6
TYPE WWWWWW
DET P N N N N N




MKR	MODE	TRC	SCL	. X	Υ	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	^
1	Δ2	1	t	(Δ) 3.960 ms	(Δ) 5.71 dB				
2	F	1	t	4.980 ms	1.07 dBm				
3	Δ4	1	t	(Δ) 4.000 ms					
4	F	1	t	4.980 ms	1.07 dBm				
5									Ξ
6									
7									
8									
9									
10									
11									+
4				'	""				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 37 of 121



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有铅明,此起华红用陈彤测过了薛里看来,同时此楼里陈尼阿四千。大起华土德大八司里看来可,不可测心掉剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 38 of 121

1.4 Test Environment

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

1.5 Operation Description

For WWAN, the EUT is controlled by using a Radio Communication Tester, and the communication between the EUT and the tester is established by air link. For WLAN, using chipset specific software to control the EUT, and makes it transmit in maximum power. The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged. For WWAN/WLAN, the device used the proximity sensor collocated with WWAN/WLAN antennas to reduce maximum output power.

WCDMA B V / LTE B5 / WLAN

Back/top 0mm with reduced power Back 11mm / top 7mm / edges 0mm with full power

Note:

802.11b DSSS SAR Test Requirements:

- 1. SAR is measured for 2.4 GHz 802.11b DSSS mode using the highest measured maximum output power channel, when the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration.
- 2. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.

802.11g/n OFDM SAR Test Exclusion Requirements:

3. SAR is not required for 802.11g/n since the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.sqs.com.tw



Page: 39 of 121

Initial Test Configuration:

- 4. An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band.
- 5. SAR is measured using the highest measured maximum output power channel. When the reported SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for the subsequent next highest measured output power channel(s) in the initial test configuration until the reported SAR is ≤ 1.2 W/kg or all required channels are tested.
- 6. When the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is > 1.2 W/kg, SAR is required for subsequent test configuration.
- 7. BT and WLAN use the same antenna path, but they can't transmit at the same time.
- 8. According to KDB447498 D01, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is \leq 0.8 W/kg, when the transmission band is \leq 100 MHz.
- 9. According to KDB865664 D01, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~10% from the 1-g SAR limit)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主極大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


台灣檢驗科技股份有限公司



Page: 40 of 121


1.6 Proximity sensor operation description

The P-sensor being used to reduce output power is capacitive in which when the object such as human body, metal or plastic is being approached, the sensing capacitance would be increased with the antenna pad. Once the capacitance is accumulated, and reached over the threshold as set in MCU of the microchip, the interruption signal is pulled low (High state without trigger) and further inform modem module of the transmitter to make power reduction.



1.6.1 Proximity sensor measurement procedure

- 1. The proximity sensors are collocated with WWAN/WLAN antennas.
- 2. Output power is measured, and monitored by using the communication tester. A RF cables with sufficient length was being attached from the antenna port of the module, and used for the measurement. The appropriate loss attenuated from cable is compensated in the communication tester.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 41 of 121

1.6.2 Trigger distances for back/top side

Test procedure:

- 1. The entire back surface or edge of the tablet is positioned below a flat phantom filled with the required tissue equivalent medium and positioned at least 20 mm further than the distance that triggers power reduction.
- 2. The back surface or edge is moved toward the phantom in 3 mm steps until the sensor triggers.
- 3. The back surface or edge is then moved back (further away) from the phantom until maximum output power is returned to the normal maximum level.
- 4. The back surface or edge is again moved toward the phantom, but in 1 mm steps, until it is at least 5 mm past the triggering point or touching the phantom
- 5. If the tablet is not touching the phantom, it is moved in 3 mm steps until it touches the phantom to confirm that the sensor remains triggered and the maximum power stays reduced.
- 6. The process is then reversed by moving the tablet away from the phantom to determine triggering release, until it is at least 10 mm beyond the point that triggers the return of normal maximum power.
- 7. The measured output power within ± 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom should be tabulated.
- 8. To ensure all production units are compliant, it is generally necessary to reduce the triggering distance determined from the triggering tests by 1 mm, or more if it is necessary, and use the smallest distance for movements to and from the phantom, minus 1 mm, as the sensor triggering distance for determining the SAR measurement distance.
- 9. For backside of WWAN/WLAN antennas, the trigger distance of proximity sensor is 12mm.
- 10. For top side of WWAN/WLAN antennas, the trigger distance of proximity sensor is 8mm, and we perform the 1.6.3 tilt angle testing in next step.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations up and the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 42 of 121

1.6.3 Tilt angle testing

Test procedure:

- 1. The influence of table tilt angles to proximity sensor triggering is determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at the smallest sensor triggering test distance determined in sections 1.6.2 by rotating the tablet around the edge next to the phantom in ≤ 10 deg increments until the tablet is +/- 45deg or more from the vertical position at 0 deg.
- 2. If sensor triggering is released and normal maximum output power is restored within the +/- 45deg range, the procedures in step 1) should be repeated by reducing the tablet to phantom separation distance by 1 mm until the proximity sensor no longer releases triggering, and maximum output power remains in the reduced mode.
- 3. The smallest separation distance determined in steps 1) and 2), minus 1 mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance determined in sections 1.6.2, 1.6.3 minus 1 mm should be used in the SAR measurements.
- 4. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning top side, please refer to table 1.6.5 and 1.6.6.
- 5. After the tilt angle testing for top side on WWAN/WLAN antennas, the sensor is not released during +/- 45deg, so 8-1=7mm is used for WWAN SAR measurement on top side.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有約明,此親史は田原釈師学文辞『台書・周郎世辞』孫尼のの子。大親史土徳大八司書帝統司,太司朝以海朝。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

台灣檢驗科技股份有限公司

prosecuted to the fullest extent of the law.



Page: 43 of 121

1.6.4 Proximity sensor coverage

The following procedures do not apply and are not required for configurations where the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor.

Test procedure:

- 1. The back surface or edges of the tablet is positioned at a test separation distance less than or equal to the distance required for back surface or edge triggering, with both the antenna and sensor pad located at least 20 mm laterally outside the edge (boundary) of the phantom, along the direction of maximum antenna and sensor offset.
- 2. The similar sequence of steps applied to determine sensor triggering distance in section 1.6.2 are used to verify back surface and edge sensor coverage by moving the tablet (sensor and antenna) horizontally toward the phantom while maintaining the same vertical separation between the back surface or edge and the phantom.
- 3. After the exact location where triggering of power reduction is determined, with respect to the sensor and antenna, the tablet movement should be continued, in 3 mm increments, until both the sensor and antenna(s) are fully under the phantom and at least 20 mm inside the phantom edge.
- 4. The process is then repeated from the other direction, at the opposite end of maximum antenna and sensor offset, by rotating the tablet 180 degrees.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 44 of 121

1.6.5 Results

The measured output power within \pm 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom is tabulated in the following.

Back side

Moving device toward the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主極大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 45 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 46 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有贵,同既此样只属是例如于。大规华工模大公司隶而实可,不可如公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 47 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 48 of 121



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此缘只属是2000子。太想华土领太公司事面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Talwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 49 of 121

Moving device away from the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主極大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 50 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。木数华土德木公司电荷连可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起是结果成熟到这种是一名类,因此此类具体是现象的主,大规则主要的主义。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 52 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此想华红用魔影测验之缘具色素,同时此楼里属是2000千。木梨华丰硕木八司丰面纯可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 53 of 121



For WWAN/WLAN back side, the worst trigger distance of proximity sensor is 12mm, and we test backside SAR in 11mm with full power and 0mm with reduced power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 54 of 121

Top side

Moving device toward the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有铅明,此起华红用陈彤测过了薛里看来,同时此楼里陈尼阿四千。大起华土德大八司里看来可,不可测心掉剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 55 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 56 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起是结果成熟到这种是一名类,因此此类具体是现象的主,大规则主要的主义。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 57 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 58 of 121



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此起是结果成熟到这种是一名类,因此此类具体是现象的主,大规则主要的主义。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 59 of 121

Moving device away from the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有铅明,此起华红用陈彤测过了薛里看来,同时此楼里陈尼阿四千。大起华土德大八司里看来可,不可测心掉剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 60 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 61 of 121




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有贵,同既此样只属是例如于。大规华工模大公司隶而实可,不可如公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 121



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 63 of 121




Table 1.6.5 Tilt angle test results for WWAN/WLAN top side

P-sensor	-50	-45	-40	-30	-20	-10	0	10	20	30	40	45	50
ON/OFF	deg												
8mm	ON												

During the tilt angle testing for WWAN/WLAN top side, the sensor is not released in 8mm, so 8-1=7mm is used in the SAR measurement.

Note:

- The triggering variations and hysteresis effect has been evaluated separately according to the tissue-equivalent medium required for each frequency band, and sensor triggering does not change with different tissue-equivalent media.
- 2. Conducted power is monitored qualitatively to identify the general triggering characteristics and recorded quantitatively, versus spacing.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 64 of 121

1.6.6 Operation description for P-sensor

Power Reduction Design Specification (for P-sensor)

The mechanism of power reduction is used for WWAN/WLAN. The reduced power scenario for each technology/band is defined in Table1-1. With P-sensor mechanism, please refer to WWAN/WLAN reduced power table in section 1.3 to be the WWAN/WLAN default power when P-sensor failure or malfunction.

Table1-1: The power reduction scenario table

Transmission mode	Band	Power Reduction
WWAN	WCDMA B V / LTE B5	YES
WLAN	All	YES

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 65 of 121

1.7 The SAR Measurement System

A block diagram of the SAR measurement System is given in Fig. a. This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (SPEAG DASY 5 professional system). The model EX3DV4 field probe is used to determine the internal electric fields. The SAR can be obtained from the equation SAR= σ (|Ei|²)/ ρ where σ and ρ are the conductivity and mass density of the tissue-simulant.

The DASY 5 system for performing compliance tests consists of the following items:

- 1. A standard high precision 6-axis robot (Staubli RX family) with controller, teach pendant and software. An arm extension is for accommodating the data acquisition electronics (DAE).
- 2. A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage intissue simulating liquid. The probe is equipped with an optical surface
- 3. A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.




Fig. a The block diagram of SAR system

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 66 of 121

- 4. The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
- 5. The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- 6. A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- 7. A computer operating Windows 7.
- 8. DASY 5 software.
- 9. Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- Tissue simulating liquid mixed according to the given recipes.
- 11. Validation dipole kits allowing to validate the proper functioning of the system.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主極大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

wan Ltd. _I No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 67 of 121

1.8 System Components

EX3DV4 E-Field Probe

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)						
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 835/2450/5200/5300/5600 MHz Additional CF for other liquids and frequencies upon request						
Frequency	10 MHz to > 6 GHz						
Directivity	± 0.3 dB in HSL (rotation around probe axis) ± 0.5 dB in tissue material (rotation normal to probe axis)						
Dynamic	10 μW/g to > 100 mW/g						
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)						
Dimensions	Tip diameter: 2.5 mm						
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 68 of 121

PHANTOM

PHANTOM							
Model	ELI						
Construction The ELI phantom is used for compliance testing of habody-mounted wireless devices in the frequency range to 6 GHz. ELI is fully compatible with the IEO standard and all known tissue simulating liquids. EL optimized regarding its performance and can be interested our standard phantom tables. A cover prevents evapor liquid. Reference markings on the phantom allow institute complete setup, including all predefined phantom and measurement grids, by teaching three points. The is compatible with all SPEAG dosimetric probes and described in the frequency range to the following standard phantom tables.							
Shell	2 ± 0.2 mm	/ Inches					
Thickness							
Filling Volume	Approx. 30 liters						
Dimensions	ons Major axis: 600 mm Minor axis: 400 mm						

DEVICE HOLDER

DEVICE HOLL		
Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin), which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 69 of 121

1.9 SAR System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values. These tests were done at 835/2450/5200/5300/5600 MHz. The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed in the table 1 (SAR values are normalized to 1W forward power delivered to the dipole). During the tests, the liquid depth above the ear reference points was ≥ 15 cm ± 5 mm (frequency ≤ 3 GHz) or ≥ 10 cm ± 5 mm (frequency > 3 G Hz) in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.




Fig. b The block diagram of system verification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 70 of 121

Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	pin=250mW Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W (mW/g)	Deviation (%)	Measured Date						
D835V2	4d063	835	Head	9.57	2.44	9.76	1.99%	May. 20, 2020						
D2450V2	727	2450	Head	52.6	13.30	53.2	1.14%	Jun. 04, 2020						
Validation Kit	S/N	Frequency (MHz)		1W Target SAR-1g (mW/g)	Pin=100mW Measured SAR-1g (mW/g)	Measured SAR-1g normalized to 1W (mW/g)	Deviation (%)	Measured Date						
								5200	Head	80.1	8.13	81.3	1.50%	Jun. 05, 2020
D5GHzV2	1023	5300	Head	82.8	8.25	82.5	-0.36%	Jun. 06, 2020						
		5600	Head	83.1	8.42	84.2	1.32%	May. 24, 2020						

Table 1. Results of system validation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format This document is issued by the Company subject to its General Conditions of Service prime developed, available of request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 71 of 121

1.0 Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this Head-simulant fluid were measured by using the Agilent Model 85070E Dielectric Probe (rates frequency band 200 MHz to 20 GHz) in conjunction with Network Analyzer.

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within \pm 5% of the target values.

The depth of the tissue simulant in the flat section of the phantom was ≥ 15 cm ± 5 mm (Frequency $\le 3G$) or ≥ 10 cm ± 5 mm (Frequency $\ge 3G$) during all tests. (Fig. 2)

111111 (1	requericy 30	$\frac{10}{10}$	0 0111 ± 0	min (i requ	citoy - oc	<i>)</i> daring an	10010. (1	<u> 19. <i>–)</i></u>
Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, Er	Target Conductivity, σ (S/m)	Measured Dielectric Constant, Er	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
		826.4	41.545	0.899	41.216	0.890	-0.79%	-1.04%
		829	41.531	0.900	41.199	0.891	-0.80%	-0.95%
		835	41.500	0.900	41.183	0.892	-0.76%	-0.89%
	May, 20. 2020	836.5	41.500	0.902	41.176	0.893	-0.78%	-0.96%
		836.6	41.500	0.902	41.156	0.892	-0.83%	-1.08%
		844	41.500	0.910	41.147	0.901	-0.85%	-0.96%
		846.6	41.500	0.912	41.189	0.903	-0.75%	-1.04%
	Jun, 04. 2020	2412	39.268	1.766	38.912	1.749	-0.91%	-0.98%
		2437	39.223	1.788	38.819	1.768	-1.03%	-1.14%
		2441	39.216	1.792	38.840	1.773	-0.96%	-1.06%
		2450	39.200	1.800	38.788	1.781	-1.05%	-1.06%
Head		2462	39.185	1.813	38.812	1.793	-0.95%	-1.11%
		5190	35.997	4.645	35.727	4.611	-0.75%	-0.73%
	Jun, 05. 2020	5200	35.986	4.655	35.698	4.623	-0.80%	-0.69%
	Juli, 05. 2020	5210	35.974	4.665	35.690	4.632	-0.79%	-0.71%
		5230	35.951	4.686	35.660	4.651	-0.81%	-0.74%
		5270	35.906	4.727	35.633	4.695	-0.76%	-0.67%
	Jun, 06. 2020	5290	35.883	4.747	35.589	4.716	-0.82%	-0.66%
	Juli, 06. 2020	5300	35.871	4.758	35.581	4.727	-0.81%	-0.64%
		5310	35.860	4.768	35.559	4.734	-0.84%	-0.71%
		5600	35.529	5.065	35.255	5.028	-0.77%	-0.73%
	May, 24. 2020	5610	35.517	5.075	35.247	5.041	-0.76%	-0.67%
		5690	35.426	5.157	35.132	5.123	-0.83%	-0.66%

Table 2. Dielectric Parameters of Tissue Simulant Fluid

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Talwari Eta.



Page: 72 of 121

The composition of the tissue simulating liquid:

										
	_			T ()						
	Frequency (MHz)	Mode	DGMBE	Water	Salt	Preventol D-7	Cellulose	Sugar	Total amount	
	850	Head	ı	532.98 g	18.3 g	2.4 g	3.2 g	766 g	1.3L(Kg)	
	2450	Head	550ml	450ml	_	_	1	-	1.0L(Kg)	

Simulating Liquids for 5 GHz, Manufactured by SPEAG:

Ingredients	Water	Esters, Emulsifiers, Inhibitors	Sodium and Salt
(% by weight)	60-80	20-40	0-1.5

Table 3. Recipes for tissue simulating liquid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 73 of 121

1.11 Evaluation Procedures

The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- 1. The extraction of the measured data (grid and values) from the Zoom Scan.
- 2. The calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- 3. The generation of a high-resolution mesh within the measured volume
- 4. The interpolation of all measured values from the measurement grid to the high-resolution grid
- 5. The extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- 6. The calculation of the averaged SAR within masses of 1g and 10g.

The probe is calibrated at the center of the dipole sensors that is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated. The angle between the probe axis and the surface normal line is less than 30 degree.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extreme of the SAR distribution. The uncertainty on the locations of the extreme is less than 1/20 of the grid size. Only local maximum within –2 dB of the global maximum are searched and passed for the Cube Scan measurement. In the Cube Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.

The maximum search is automatically performed after each area scan measurement. It is based on splines in two or three dimensions. The procedure can find the maximum for most SAR distributions even with relatively large grid spacing. After the area scanning measurement, the probe is automatically moved to a position at the interpolated maximum. The following scan can directly use this position for reference, e.g., for a finer resolution grid or the cube evaluations. The 1g and 10g peak evaluations are only available for the predefined cube 7x7x7 scans. The routines are verified and optimized for the grid dimensions used in these cube measurements.

The measured volume of 30x30x30mm contains about 30g of tissue.

The first procedure is an extrapolation (incl. Boundary correction) to get the points between the lowest measured plane and the surface. The next step uses 3D

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。太极生土概太公司电荷实可,因可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 74 of 121

interpolation to get all points within the measured volume. In the last step, a 1q cube is placed numerically into the volume and its averaged SAR is calculated. This cube is the moved around until the highest averaged SAR is found. If the highest SAR is found at the edge of the measured volume, the system will issue a warning: higher SAR values might be found outside of the measured volume. In that case the cube measurement can be repeated, using the new interpolated maximum as the center.

1.12 Probe Calibration Procedures

For the calibration of E-field probes in lossy liquids, an electric field with an accurately known field strength must be produced within the measured liquid. For standardization purposes it would be desirable if all measurements which are necessary to assess the correct field strength would be traceable to standardized measurement procedures. In the following two different calibration techniques are summarized:

1.12.1 Transfer Calibration with Temperature Probes

In lossy liquids the specific absorption rate (SAR) is related both to the electric field (E) and the temperature gradient ($\delta T / \delta t$) in the liquid.

$$SAR = C \frac{\delta T}{\delta t}$$
,

whereby σ is the conductivity, ρ the density and c the heat capacity of the liquid.

Hence, the electric field in lossy liquid can be measured indirectly by measuring the temperature gradient in the liquid. Non-disturbing temperature probes (optical probes or thermistor probes with resistive lines) with high spatial resolution (<1-2 mm) and fast reaction time (<1 s) are available and can be easily calibrated with high precision [1]. The setup and the exciting source have no influence on the calibration; only the relative positioning uncertainties of the standard temperature probe and the E-field probe to be calibrated must be considered. However, several problems limit the available accuracy of probe calibrations with temperature probes:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 121

- The temperature gradient is not directly measurable but must be evaluated from temperature measurements at different time steps. Special precaution is necessary to avoid measurement errors caused by temperature gradients due to energy equalizing effects or convection currents in the liquid. Such effects cannot be completely avoided, as the measured field itself destroys the thermal equilibrium in the liquid. With a careful setup these errors can be kept small.
- The measured volume around the temperature probe is not well defined. It is difficult to calculate the energy transfer from a surrounding gradient temperature field into the probe. These effects must be considered, since temperature probes are calibrated in liquid with homogeneous temperatures. There is no traceable standard for temperature rise measurements.
- The calibration depends on the assessment of the specific density, the heat capacity and the conductivity of the medium. While the specific density and heat capacity can be measured accurately with standardized procedures (~ 2% for c; much better for ρ), there is no standard for the measurement of the conductivity. Depending on the method and liquid, the error can well exceed ±5%.
- Temperature rise measurements are not very sensitive and therefore are often performed at a higher power level than the E-field measurements. The nonlinearities in the system (e.g., power measurements, different components, etc.) must be considered.

Considering these problems, the possible accuracy of the calibration of E-field probes with temperature gradient measurements in a carefully designed setup is about $\pm 10\%$ (RSS) [2]. Recently, a setup which is a combination of the waveguide techniques and the thermal measurements was presented in [3]. The estimated uncertainty of the setup is $\pm 5\%$ (RSS) when the same liquid is used for the calibration and for actual measurements and ± 7 -9% (RSS) when not, which is in good agreement with the estimates given in [2].

1.11.2 Calibration with Analytical Fields

In this method a technical setup is used in which the field can be calculated analytically from measurements of other physical magnitudes (e.g., input power). This corresponds to the standard field method for probe calibration in air; however, there is no standard defined for fields in lossy liquids. When using calculated fields in lossy liquids for probe calibration, several points must be considered in the assessment of the uncertainty:

- The setup must enable accurate determination of the incident power.
- The accuracy of the calculated field strength will depend on the assessment of the dielectric parameters of the liquid.
- Due to the small wavelength in liquids with high permittivity, even small

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 隆北무方와마,此茲史廷用儀影剛建之粹具名書,同時世撰具儀是例如王。太親生主標太八司東西姓可,天司如公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Ku

台灣檢驗科技股份有限公司



Page: 76 of 121

setups might be above the resonant cutoff frequencies. The field distribution in the setup must be carefully checked for conformity with the theoretical field distribution.

References

- 1. N. Kuster, Q. Balzano, and J.C. Lin, Eds., *Mobile Communications Safety*, Chapman & Hall, London, 1997.
- 2. K. Meier, M. Burkhardt, T. Schmid, and N. Kuster, \Broadband calibration of E-field probes in lossy media", *IEEE Transactions on Microwave Theory and Techniques*, vol. 44, no. 10, pp. 1954{1962, Oct. 1996.
- 3. K. Jokela, P. Hyysalo, and L. Puranen, \Calibration of specific absorption rate (SAR) probes in waveguide at 900 MHz", *IEEE Transactions on Instrumentation and Measurements*, vol. 47, no. 2, pp. 432{438, Apr. 1998.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺胺别对对格里名含,同时此样具属是例如于。大数型主流统大河电流统计,不可如必通制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 77 of 121

1.13 Test Standards and Limits

According to FCC 47CFR §2.1093(d) The limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate ("SAR") in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.1, By the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radio frequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5. Copyright NCRP, 1986, Bethesda, Maryland 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards. The criteria to be used are specified in paragraphs (d)(1) and (d)(2) of this section and shall apply for portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz are to be evaluated in terms of the MPE limits specified in § 1.1310 of this chapter. Measurements and calculations to demonstrate compliance with MPE field strength or power density limits for devices operating above 6 GHz should be made at a minimum distance of 5 cm from the radiating source.

- Limits for Occupational/Controlled exposure: 0.4 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 8 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 20 W/kg, as averaged over an 10 grams of tissue (defined as a tissue volume in the shape of a cube).
- Occupational/Controlled limits apply when persons are exposed as a consequence of their employment provided these persons are fully aware of and exercise control over their exposure. Awareness of exposure can be accomplished by use of warning labels or by specific training or education through appropriate means, such as an RF safety program in a work environment.
- Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations up and the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 78 of 121

exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section. (Table 4.)

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Spatial Peak SAR (Brain)	1.60 W/kg	8.00 W/kg
Spatial Average SAR (Whole Body)	0.08 W/kg	0.40 W/kg
Spatial Peak SAR (Hands/Feet/Ankle/Wrist)	4.00 W/kg	20.00 W/kg

Table 4. RF exposure limits

Notes:

- 1. Uncontrolled environments are defined as locations where there is potential exposure of individuals who have no knowledge or control of their potential exposure.
- 2. Controlled environments are defined as locations where there is potential exposure of individuals who have knowledge of their potential exposure and can exercise control over their exposure.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 121

2. Summary of Results

2.1 Decision rules

Reported measurement data comply with IEEE 1528-2013:

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

2.2 Summary of Results

Full power

WCDMA Band V

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max.Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged S (W/		Plot page
					Max. referance (abin)	(dBiii)		Measured	Reported	
	Back side	11	4132	826.4	25.0	24.21	119.95%	0.939	1.126	-
	Back side	11	4183	836.6	25.0	24.27	118.30%	1.110	1.313	-
	Back side	11	4233	846.6	25.0	24.16	121.34%	1.130	1.371	96
	Back side*	11	4233	846.6	25.0	24.16	121.34%	1.090	1.323	-
14/00144	Top side	7	4132	826.4	25.0	24.21	119.95%	0.795	0.954	-
WCDMA Band V	Top side	7	4183	836.6	25.0	24.27	118.30%	0.916	1.084	-
Bana v	Top side	7	4233	846.6	25.0	24.16	121.34%	0.834	1.012	-
	Top side*	7	4183	836.6	25.0	24.27	118.30%	0.911	1.078	-
	Bottom side	0	4183	836.6	25.0	24.27	118.30%	0.018	0.021	-
	Right side	0	4183	836.6	25.0	24.27	118.30%	0.085	0.101	-
	Left side	0	4183	836.6	25.0	24.27	118.30%	0.100	0.118	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 80 of 121

LTE FDD Band 5

Mode	Bandwidth (MHz) Modulation		RB Size	RB start	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged Sa (W/		Plot
	(**** =)					()		(Tolerance (dBm)	(dBm)		Measured	Reported	F-9-
					Back side	11	20600	844	25	24.99	100.23%	1.130	1.133	97
					Back side*	11	20600	844	25	24.99	100.23%	1.110	1.113	-
					Top side	7	20600	844	25	24.99	100.23%	1.000	1.002	-
				0	Top side*	7	20600	844	25	24.99	100.23%	0.989	0.991	-
					Bottom side	0	20600	844	25	24.99	100.23%	0.019	0.019	-
			1 RB		Right side	0	20600	844	25	24.99	100.23%	0.044	0.044	-
					Left side	0	20600	844	25	24.99	100.23%	0.106	0.106	-
					Back side	11	20450	829	25	24.95	101.16%	0.953	0.964	-
				25	Back side	11	20525	836.5	25	24.97	100.69%	0.962	0.969	-
					Top side	7	20450	829	25	24.95	101.16%	0.925	0.936	-
					Top side	7	20525	836.5	25	24.97	100.69%	0.974	0.981	-
				0	Back side	11	20525	836.5	24	23.94	101.39%	0.811	0.822	-
LTE Band 5	10MHz	QPSK		12	Back side	11	20600	844	24	23.95	101.16%	0.793	0.802	-
					Back side	11	20450	829	24	23.96	100.93%	0.828	0.836	-
			25 RB		Top side	7	20450	829	24	23.96	100.93%	0.758	0.765	-
				25	Bottom side	0	20450	829	24	23.96	100.93%	0.015	0.015	-
					Right side	0	20450	829	24	23.96	100.93%	0.040	0.040	-
					Left side	0	20450	829	24	23.96	100.93%	0.073	0.074	-
					Back side	11	20450	829	24	23.88	102.80%	0.893	0.918	-
					Back side	11	20525	836.5	24	23.91	102.09%	0.927	0.946	-
		50 R		Back side	11	20600	844	24	23.89	102.57%	0.902	0.925	-	
			0 RB	Top side	7	20525	836.5	24	23.91	102.09%	0.773	0.789	-	
					Bottom side	0	20525	836.5	24	23.91	102.09%	0.013	0.013	-
					Right side	0	20525	836.5	24	23.91	102.09%	0.039	0.040	-
					Left side	0	20525	836.5	24	23.91	102.09%	0.078	0.080	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format This document is issued by the Company subject to its General Conditions of Service prime developed, available of request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 81 of 121

WIFI/BT

Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty Cycle Scaling	Power Scaling	Averaged S (W/		Plot
		(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	Scaling		Measured	Reported	paye
	Back side	11	11	2462	14.50	14.36	1.005	103.28%	0.165	0.171	98
	Top side	7	11	2462	14.50	14.36	1.005	103.28%	0.060	0.062	-
WLAN 802.11b	Bottom side	0	11	2462	14.50	14.36	1.005	103.28%	0.001	0.001	-
	Right side	0	11	2462	14.50	14.36	1.005	103.28%	0.035	0.036	-
	Left side	0	11	2462	14.50	14.36	1.005	103.28%	0.016	0.017	T -
	Back side	11	1	2412	19.00	18.79	1.022	104.95%	0.406	0.435	99
	Top side	7	1	2412	19.00	18.79	1.022	104.95%	0.158	0.169	-
WLAN 802.11g	Bottom side	0	1	2412	19.00	18.79	1.022	104.95%	0.001	0.001	-
	Right side	0	1	2412	19.00	18.79	1.022	104.95%	0.097	0.104	-
	Left side	0	1	2412	19.00	18.79	1.022	104.95%	0.040	0.043	-
	Back side	0	78	2480	9.50	9.18	1.302	107.65%	0.002	0.002	100
	Top side	0	78	2480	9.50	9.18	1.302	107.65%	0.001	0.001	-
Bluetooth (GFSK)	Bottom side	0	78	2480	9.50	9.18	1.302	107.65%	0.001	0.001	-
(GI SK)	Right side	0	78	2480	9.50	9.18	1.302	107.65%	0.001	0.001	-
	Left side	0	78	2480	9.50	9.18	1.302	107.65%	0.001	0.001	-
	Back side	11	46	5230	19.00	18.45	1.013	113.50%	0.495	0.569	-
	Top side	7	46	5230	19.00	18.45	1.013	113.50%	1.090	1.253	101
MILANI 000 44-/40MD 5 00	Top side*	7	46	5230	19.00	18.45	1.013	113.50%	1.030	1.184	-
WLAN 802.11n(40M) 5.2G	Bottom side	0	46	5230	19.00	18.45	1.013	113.50%	0.029	0.033	-
	Right side	0	46	5230	19.00	18.45	1.013	113.50%	0.024	0.028	-
	Left side	0	46	5230	19.00	18.45	1.013	113.50%	0.007	0.008	-
N/I AN 000 44 - /40M 5 00	Top side	7	46	5230	19.00	18.33	1.010	116.68%	0.907	1.069	102
WLAN 802.11ac(40M) 5.2G	Top side*	7	46	5230	19.00	18.33	1.010	116.68%	0.903	1.064	-
	Back side	11	54	5270	19.00	18.76	1.013	105.68%	0.511	0.547	-
	Top side	7	54	5270	19.00	18.76	1.013	105.68%	1.040	1.113	103
M/I ANI 000 44~/40M/ F 20	Top side*	7	54	5270	19.00	18.76	1.013	105.68%	0.995	1.065	-
WLAN 802.11n(40M) 5.3G	Bottom side	0	54	5270	19.00	18.76	1.013	105.68%	0.027	0.029	-
	Right side	0	54	5270	19.00	18.76	1.013	105.68%	0.032	0.034	-
	Left side	0	54	5270	19.00	18.76	1.013	105.68%	0.009	0.009	-
MI AN 000 44 - /40M 5 00	Top side	7	54	5270	19.00	18.67	1.010	107.89%	0.984	1.072	104
WLAN 802.11ac(40M) 5.3G	Top side*	7	54	5270	19.00	18.67	1.010	107.89%	0.971	1.058	-
	Back side	11	122	5610	19.00	18.98	1.013	100.44%	0.377	0.383	-
	Top side	7	122	5610	19.00	18.98	1.013	100.44%	0.685	0.697	105
WLAN 802.11ac(80M) 5.6G	Bottom side	0	122	5610	19.00	18.98	1.013	100.44%	0.019	0.019	-
	Right side	0	122	5610	19.00	18.98	1.013	100.44%	0.016	0.016	-
	Left side	0	122	5610	19.00	18.98	1.013	100.44%	0.005	0.005	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. We ## heat prosecuted to the fullest extent of the law.



Page: 82 of 121

Reduced power

WCDMA Band V

Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max.Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged S (W/		Plot page
					max. referance (apm)	(42)		Measured	Reported	
	Back side	0	4132	826.4	16.5	15.13	137.09%	0.584	0.801	-
14/00144	Back side	0	4183	836.6	16.5	15.14	136.77%	0.614	0.840	-
WCDMA Band V	Back side	0	4233	846.6	16.5	15.23	133.97%	0.657	0.880	106
Band V	Back side*	0	4233	846.6	16.5	15.23	133.97%	0.652	0.873	-
	Top side	0	4183	836.6	16.5	15.14	136.77%	0.408	0.558	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

LTE FDD Band 5

Mode	Bandwidth (MHz)	I Modulation	RB Size	RB start	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling	Averaged S/		Plot																												
	, ,		0.20			()		()	Tolerance (dBm)	(dBm)		Measured	Reported	page																												
					Back side	0	20525	836.5	16.5	16.36	103.28%	0.574	0.593	-																												
		1 DD	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	1 RB	QPSK	25	Back side	0	20600	844	16.5	16.39	102.57%	0.605	0.621	107																	
															IND		TIND		TIND	TIND	IND		Top side	0	20600	844	16.5	16.39	102.57%	0.397	0.407	-										
LTE	10MHz	ODEK	ODSK	OBSK	OPSK	OPSK	OPSK	OPSK	OPSK	QPSK	QPSK	QPSK	QPSK		Dev	Dek	nek	ODEK	PSK	49	Back side	0	20450	829	16.5	16.38	102.80%	0.570	0.586	-												
Band 5	TUIVINZ							-		05.00	25 DD							25 PB	25 DD	25 DD	25 DD		25 DD	25 DD	25 DD	25 PR	25 DD	25 DD	25 DD	25 DD	25 DD	25 DD	10	Back side	0	20600	844	16.5	16.08	110.15%	0.494	0.544
	25 F	25 RB 12	Top side	0	20600	844	16.5	16.08	110.15%	0.369	0.406	-																														
			0 RB	Back side	0	20525	836.5	16.5	16.06	110.66%	0.466	0.516	-																													
			50	UND	Top side	0	20525	836.5	16.5	16.06	110.66%	0.355	0.393	-																												

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 83 of 121

WIFI/BT

Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty Cycle Scaling	Power Scaling		AR over 1g /kg)	Plot page
		` ′		, ,	Tolerance (dBm)	(dBm)	ŭ		Measured	Reported	
WI AN 000 44h	Back side	0	6	2437	11.50	11.47	1.005	100.69%	0.585	0.592	108
WLAN 802.11b	Top side	0	6	2437	11.50	11.47	1.005	100.69%	0.128	0.130	-
WLAN 802.11n(40M) 5.2G	Back side	0	46	5230	7.50	7.45	1.013	101.16%	0.781	0.800	109
	Back side	0	42	5210	7.50	7.43	1.013	101.62%	0.812	0.836	110
WLAN 802.11ac(80M) 5.2G	Back side*	0	42	5210	7.50	7.43	1.013	101.62%	0.799	0.822	-
	Top side	0	42	5210	7.50	7.43	1.013	101.62%	0.408	0.420	-
WLAN 802.11n(40M) 5.3G	Back side	0	62	5310	7.50	7.37	1.013	103.04%	0.726	0.757	111
	Back side	0	58	5290	7.50	7.40	1.013	102.33%	0.828	0.858	112
WLAN 802.11ac(80M) 5.3G	Back side*	0	58	5290	7.50	7.40	1.013	102.33%	0.811	0.840	-
	Top side	0	58	5290	7.50	7.40	1.013	102.33%	0.404	0.419	-
W/I ANI 902 11cc/90M) E 6C	Back side	0	138	5690	7.50	7.49	1.013	100.23%	0.370	0.376	113
WLAN 802.11ac(80M) 5.6G	Top side	0	138	5690	7.50	7.49	1.013	100.23%	0.176	0.179	-

^{* -} repeated at the highest SAR measurement according to the KDB 865664 D01

Note:

Power scaling =
$$\frac{\text{reported SAR}}{\text{measured SAR}} = \frac{P2(mW)}{P1(mW)} = 10^{\left(\frac{P2-P1}{10}\right)(dBm)}$$

Reported SAR = measured SAR * Power scaling * Duty cycle scaling Where P2 is maximum specified power, P1 is measured conducted power

2.3 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只有铅明,此起丛红用陈彤珊头之锋只有著,同既此锋只陈尺仞四千。大起丛土硬大八司隶五处可,不可如心掉剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 84 of 121

3. Simultaneous Transmission Analysis

Simultaneous Transmission Scenarios:

Simultaneous Transmit Configurations	Body
WWAN + 2.4GHz WLAN	Yes
WWAN + 5GHz WLAN	Yes
WWAN + BT	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 85 of 121

3.1 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

Estimated SAR =
$$\frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{\text{f(GHz)}}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

3.2 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by (SAR1 + SAR2)^1.5/Ri, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sqs.com.tw



Page: 86 of 121

	report	ted SAR WWA	N and 2.4 GHz	WLAN, ΣSAR e	valuation	
Frequency	Diti	Distance	SAR /	/ W/kg	7040	CDI CD
band	Position	(mm)	WWAN	WLAN	ΣSAR	SPLSR
	Back side	11	1.371	0.435	1.806	Analyzed as below
	Top side	7	1.084	0.169	1.253	ΣSAR<1.6, Not required
	Back side	0	0.880	0.592	1.472	ΣSAR<1.6, Not required
WCDMA Band V	Top side	0	0.558	0.13	0.688	ΣSAR<1.6, Not required
	Bottom side	0	0.021	0.001	0.022	ΣSAR<1.6, Not required
	Right side	0	0.101	0.104	0.205	ΣSAR<1.6, Not required
	Left side	0	0.118	0.043	0.161	ΣSAR<1.6, Not required
	Back side	11	1.133	0.435	1.568	ΣSAR<1.6, Not required
	Top side	7	1.002	0.169	1.171	ΣSAR<1.6, Not required
	Back side	0	0.621	0.592	1.213	ΣSAR<1.6, Not required
LTE FDD Band 5	Top side	0	0.407	0.13	0.537	ΣSAR<1.6, Not required
	Bottom side	0	0.019	0.001	0.020	ΣSAR<1.6, Not required
	Right side	0	0.044	0.104	0.148	ΣSAR<1.6, Not required
	Left side	0	0.106	0.043	0.149	ΣSAR<1.6, Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 87 of 121

WCDMA Band V + 2 4 GHz WI AN

	VOBINI/ Balla V · Z. 1 GHZ VVZ/NV												
Conditions I	Position / Distance	SAR Value	Cod	ordinates (d	cm)	ΣSAR	Peak Location Separation	SPLSR	Simultaneous Transmission				
	Distance	(W/kg)	х	у	Z	(W/kg)	Distance (mm)		SAR Test				
WCDMA Band V	Back side	1.371	7.90	-4.92	0.45	1.806	89.06	0.027	SPLSR<0.04,				
WIFI/BT	11mm	0.435	7.02	3.94	0.57	1.000	09.00	0.027	Not required				



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 88 of 121

	reported SAR WWAN and 5 GHz WLAN, ΣSAR evaluation																					
Frequency	Position	Distance	SAR	/ W/kg	ΣSAR	SPLSR																
band	Position	(mm)	WWAN	WLAN	ZSAR	SPLSK																
	Back side	11	1.371	0.569	1.940	Analyzed																
						as below																
	Top side	7	1.084	1.253	2.337	Analyzed																
	<u>'</u>					as below																
	Back side	0	0.880	0.858	1.738	Analyzed																
		-				as below																
WCDMA	Top side	0	0.558	0.420	0.978	ΣSAR<1.6,																
Band V						Not required																
	Bottom side	0	0.021	0.033	0.054	ΣSAR<1.6,																
		-				Not required																
	Right side	0	0.101	0.034	0.135	ΣSAR<1.6,																
	9		01.01	0.00.	000	Not required																
	Left side	0	0.118	0.009	0.127	ΣSAR<1.6,																
	Lon oldo		0.110	0.000	0.127	Not required																
	Back side	11	1.133	0.569	1.702	Analyzed																
	Buok oldo		1.100	0.000	1.702	as below																
	Top side	7	1.002	1.253	2.255	Analyzed																
	10p 3ldc	,	1.002	1.200	2.200	as below																
	Back side	0	0.621	0.858	1.479	ΣSAR<1.6,																
	Daok Side		0.021	0.000	1.470	Not required																
LTE FDD	Top side	0	0.407	0.420	0.827	ΣSAR<1.6,																
Band 5	Top side	0	0.407	0.420	0.021	Not required																
	Bottom side	0	0.019	0.033	0.052	ΣSAR<1.6,																
	Bottom side	0	0.013	0.000	0.002	Not required																
	Right side	0	0.044	0.034	0.078	ΣSAR<1.6,																
	ragin side	0	0.044	0.034	0.070	Not required																
	l eft side	0	0.106	0.009	0.115	ΣSAR<1.6,																
	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	Left side	U	0.100	0.003	0.113	Not required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 121

WCDMA Band V + 5 GHz WLAN

Conditions	Position / Distance	SAR Value	Cod	ordinates (d	cm)	ΣSAR (W/kg)	Peak Location Separation	SPLSR	Simultaneous Transmission	
	Distance	(W/kg)	х	у	Z	(VV/Kg)	Distance (mm)		SAR Test	
WCDMA Band V	Back side	1.371	7.90	-4.92	0.45	1.940	76.44	0.035	SPLSR<0.04,	
WIFI/BT	11mm	0.569	7.80	2.72	0.52	1.940	70.44	0.000	Not required	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 90 of 121

WCDMA Band V + 5 GHz WLAN									
Conditions	Position / Distance	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation	SPLSR	Simultaneous Transmission
			x	У	z	(VV/Kg)	Distance (mm)		SAR Test
WCDMA Band V	Top side	1.084	-0.95	-5.06	0.34	2.337	92.95	0.038	SPLSR<0.04, Not required
WIF/BT	7mm	1.253	-0.66	3.52	0.43	2.551			
- 9									
A									
					1				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 91 of 121

WCDMA Band V + 5 GHz WLAN

Conditions	Position / Distance	SAR Value (W/kg)	Coordinates (cm)			ΣSAR (W/kg)	Peak Location Separation	SPLSR	Simultaneous Transmission
			x	у	z	(VV/Kg)	Distance (mm)		SAR Test
WCDMA Band V	Back side	0.880	7.76	-4.40	0.48	1.738	63.04	0.036	SPLSR<0.04, Not required
WIFI/BT	0mm	0.858	7.60	1.90	0.59	1.730	03.04		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 92 of 121

LTE Band 5 + 5 GHz WLAN

Conditions	Position / Distance	SAR Value (W/kg)	Coordinates (cm)			ΣSAR	Peak Location Separation	SPLSR	Simultaneous Transmission
			x	У	Z	(W/kg)	Distance (mm)		SAR Test
LTE Band 5	Back side	1.133	7.90	-4.93	0.45	1.702	76.55	0.029	SPLSR<0.04, Not required
WIFI/BT	11mm	0.569	7.80	2.72	0.52	1.702		0.029	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 93 of 121

LTE Band 5 + 5 GHz WLAN

Conditions	Position / Distance	SAR Value (W/kg)	Coordinates (cm)			ΣSAR	Peak Location Separation	SPLSR	Simultaneous Transmission
			х	У	Z	(W/kg)	Distance (mm)		SAR Test
LTE Band 5	Top side	1.002	-0.95	-5.06	0.35	2.255	85.86	0.039	SPLSR<0.04, Not required
WIFI/BT	7mm	1.253	-0.66	3.52	0.43	2.233			



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be responsible to the full extent of the low. prosecuted to the fullest extent of the law.



Page: 94 of 121

reported SAR WWAN and Bluetooth, ΣSAR evaluation									
Frequency	Position	Distance	SAR	W/kg	ΣSAR	CDI CD			
band	Position	(mm)	WWAN	BT	ZSAK	SPLSR			
	Back side	0	0.880	0.002	0.882	ΣSAR<1.6,			
	Buok oldo		0.000	0.002	0.002	Not required			
	Top side	0	0.558	0.001	0.559	ΣSAR<1.6,			
	Top side	· ·	0.556	0.001	0.000	Not required			
WCDMA	Bottom side	0	0.021	0.001	0.022	ΣSAR<1.6,			
Band V	Dottom side				0.022	Not required			
	Right side	0	0.101	0.001	0.102	ΣSAR<1.6,			
	ragin side					Not required			
	Left side	0	0.118	0.001	0.119	ΣSAR<1.6,			
				0.001		Not required			
	Back side	0	0.621	0.002	0.623	ΣSAR<1.6,			
		U	0.021	0.002		Not required			
	Top side	0	0.407	0.001	0.408	ΣSAR<1.6,			
	Top side				0.400	Not required			
LTE FDD	Bottom side	0	0.019	0.001	0.020	ΣSAR<1.6,			
Band 5	Bottom side	O .	0.013	0.001	0.020	Not required			
	Right side	de 0	0.044	0.001	0.045	ΣSAR<1.6,			
	Tight Side			0.001	0.040	Not required			
	Left side	0	0.106	0.001	0.107	ΣSAR<1.6,			
	Loit side	3	0.100	0.001	0.107	Not required			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。木数华土德木公司电荷连可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 95 of 121

4. Instruments List

notiumento Elot									
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration				
SPEAG	Dosimetric E-Field Probe	EX3DV4	3665	Aug.30,2019	Aug.29,2020				
		D835V2	4d063	Aug.23,2019	Aug.22,2020				
SPEAG	System Validation Dipole	D2450V2	727	Apr.22,2020	Apr.21,2021				
		D5GHzV2	1023	Jan.28,2020	Jan.27,2021				
SPEAG	Data acquisition Electronics	DAE4	547	Mar.17,2020	Mar.16,2021				
SPEAG	Software	DASY 52 V52.10.3	N/A	Calibration not required	Calibration not required				
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required				
Agilent	Network Analyzer	E5071C	MY46100433	Dec.13,2019	Dec.12,2020				
Agilent	Dielectric Probe Kit	85070E	MY44300677	Calibration not required	Calibration not required				
Agilent	Dual-directional	772D	MY46151242	Jul.30,2019	Jul.29,2020				
Agilent	coupler	778D	MY48220468	Jul.30,2019	Jul.29,2020				
Agilent	Signal Generator	N5181A	MY50144142	Dec.12,2019	Dec.11,2020				
Agilent	Power Meter	ML2496A	1337004	Sep.19,2019	Sep.18,2020				
Agilent	Power Sensor	MA2411B	1306052	Sep.19,2019	Sep.18,2020				
Changzhou Xinwang	Digital thermometer	DTM-303A	TP190085	Dec.16,2019	Dec.15,2020				
Anritsu	Radio Communication Test	MT8820C	6201061049	Dec.08,2019	Dec.07,2020				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 121

5. Measurements

Date: 2020/5/20

Report No.: E5/2020/40009

WCDMA Band V_Body_Back side_CH 4233_11mm

Communication System: WCDMA; Frequency: 846.6 MHz; Duty Cycle: 1:1

Medium parameters used: f = 847 MHz; $\sigma = 0.903$ S/m; $\varepsilon_r = 41.189$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(9.47, 9.47, 9.47); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.61 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.288 V/m: Power Drift = -0.02 dB


Peak SAR (extrapolated) = 2.01 W/kg

SAR(1 g) = 1.13 W/kg; SAR(10 g) = 0.652 W/kg

Smallest distance from peaks to all points 3 dB below = 11.2 mm

Ratio of SAR at M2 to SAR at M1 = 60.2%

Maximum value of SAR (measured) = 1.62 W/kg



0 dB = 1.62 W/kg = 2.09 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 97 of 121

Date: 2020/5/20

Report No.: E5/2020/40009

LTE Band 5 (10MHz)_Body_Back side_CH 20600_QPSK_1-0_11mm

Communication System: LTE; Frequency: 844 MHz; Duty Cycle: 1:1

Medium parameters used: f = 844 MHz; $\sigma = 0.901$ S/m; $\varepsilon_r = 41.147$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(9.47, 9.47, 9.47); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 1.48 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.251 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 1.91 W/kg

SAR(1 g) = 1.13 W/kg; SAR(10 g) = 0.656 W/kg

Smallest distance from peaks to all points 3 dB below = 11.2 mm

Ratio of SAR at M2 to SAR at M1 = 60.8%

Maximum value of SAR (measured) = 1.52 W/kg



0 dB = 1.52 W/kg = 1.82 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 98 of 121

Date: 2020/6/4

Report No.: E5/2020/40009

WLAN 802.11b Body Back side CH 11 11mm WIFI BT

Communication System: WLAN; Frequency: 2462 MHz; Duty Cycle: 1:0.995

Medium parameters used: f = 2462 MHz; $\sigma = 1.793 \text{ S/m}$; $\varepsilon_r = 38.812$; $\rho = 3000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(7.36, 7.36, 7.36); Calibrated: 2019/8/3

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (71x91x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.210 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 1.992 V/m; Power Drift = -0.06 dB


Peak SAR (extrapolated) = 0.271 W/kg

SAR(1 g) = 0.165 W/kg; SAR(10 g) = 0.100 W/kg

Smallest distance from peaks to all points 3 dB below = 11.3 mm

Ratio of SAR at M2 to SAR at M1 = 53.2%

Maximum value of SAR (measured) = 0.199 W/kg



0 dB = 0.199 W/kg = -7.00 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 121

Date: 2020/6/4

Report No.: E5/2020/40009

WLAN 802.11g Body Back side CH 1 11mm WIFI BT

Communication System: WLAN; Frequency: 2412 MHz; Duty Cycle: 1:0.979

Medium parameters used: f = 2412 MHz; $\sigma = 1.749 \text{ S/m}$; $\varepsilon_r = 38.912$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(7.36, 7.36, 7.36); Calibrated: 2019/8/3

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (71x91x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.630 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.795 V/m; Power Drift = -0.02 dB


Peak SAR (extrapolated) = 0.813 W/kg

SAR(1 g) = 0.406 W/kg; SAR(10 g) = 0.207 W/kg

Smallest distance from peaks to all points 3 dB below = 10.3 mm

Ratio of SAR at M2 to SAR at M1 = 50.9%

Maximum value of SAR (measured) = 0.598 W/kg



0 dB = 0.598 W/kg = -2.23 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 121

Date: 2020/6/4

Report No.: E5/2020/40009

Bluetooth(GFSK) Body Back side CH 39 0mm WIFI BT

Communication System: Bluetooth; Frequency: 2441 MHz; Duty Cycle: 1:0.768 Medium parameters used: f = 2441 MHz; $\sigma = 1.773$ S/m; $\varepsilon_r = 38.84$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(7.36, 7.36, 7.36); Calibrated: 2019/8/3

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (91x91x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.00197 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm


Reference Value = 1.149 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 0.00376 W/kg

SAR(1 g) = 0.00163 W/kg; SAR(10 g) = 0.00124 W/kg

Ratio of SAR at M2 to SAR at M1 = 41.9%

Maximum value of SAR (measured) = 0.00271 W/kg



0 dB = 0.00271 W/kg = -25.66 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 101 of 121

Date: 2020/6/5

Report No.: E5/2020/40009

WLAN 802.11n(40M) 5.2G Body Top side CH 46 7mm WIFI BT

Communication System: WLAN; Frequency: 5230 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5230 MHz; $\sigma = 4.651 \text{ S/m}$; $\varepsilon_r = 35.66$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.28, 5.28, 5.28); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.00 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 7.465 V/m; Power Drift = -0.05 dB


Peak SAR (extrapolated) = 4.22 W/kg

SAR(1 g) = 1.09 W/kg; SAR(10 g) = 0.407 W/kg

Smallest distance from peaks to all points 3 dB below = 9.7 mm

Ratio of SAR at M2 to SAR at M1 = 52.7%

Maximum value of SAR (measured) = 1.99 W/kg



0 dB = 1.99 W/kg = 3.00 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sqs.com.tw



Page: 102 of 121

Date: 2020/6/5

Report No.: E5/2020/40009

WLAN 802.11ac(40M) 5.2G Body Top side CH 46 7mm WIFI BT

Communication System: WLAN; Frequency: 5230 MHz; Duty Cycle: 1:0.990

Medium parameters used: f = 5230 MHz; $\sigma = 4.651 \text{ S/m}$; $\varepsilon_r = 35.66$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.28, 5.28, 5.28); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x91x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.70 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 6.971 V/m; Power Drift = -0.03 dB


Peak SAR (extrapolated) = 3.41 W/kg

SAR(1 g) = 0.907 W/kg; SAR(10 g) = 0.338 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 52.4%

Maximum value of SAR (measured) = 1.64 W/kg



0 dB = 1.64 W/kg = 2.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279



Page: 103 of 121

Date: 2020/6/6

Report No.: E5/2020/40009

WLAN 802.11n(40M) 5.3G Body Top side CH 54 7mm WIFI BT

Communication System: WLAN; Frequency: 5270 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5270 MHz; σ = 4.695 S/m; ϵ_r = 35.633; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.18, 5.18, 5.18); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.22 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 7.725 V/m; Power Drift = -0.01 dB


Peak SAR (extrapolated) = 4.22 W/kg

SAR(1 g) = 1.04 W/kg; SAR(10 g) = 0.383 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 51.4%

Maximum value of SAR (measured) = 1.97 W/kg



0 dB = 1.97 W/kg = 2.94 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Report No.: E5/2020/40009 Page: 104 of 121

Date: 2020/6/6

Report No.: E5/2020/40009

WLAN 802.11ac(40M) 5.3G Body Top side CH 54 7mm WIFI BT

Communication System: WLAN; Frequency: 5270 MHz; Duty Cycle: 1:0.990

Medium parameters used: f = 5270 MHz; σ = 4.695 S/m; ϵ_r = 35.633; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.18, 5.18, 5.18); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.65 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 6.627 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 3.93 W/kg

SAR(1 g) = 0.984 W/kg; SAR(10 g) = 0.363 W/kg

Smallest distance from peaks to all points 3 dB below = 10.2 mm

Ratio of SAR at M2 to SAR at M1 = 51.8%

Maximum value of SAR (measured) = 1.88 W/kg



0 dB = 1.88 W/kg = 2.74 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: E5/2020/40009 Page: 105 of 121

Date: 2020/5/24

Report No.: E5/2020/40009

WLAN 802.11ac(80M) 5.6G Body Top side CH 122 7mm WIFI BT

Communication System: WLAN; Frequency: 5610 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5610 MHz; σ = 5.041 S/m; ϵ_r = 35.247; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(4.99, 4.99, 4.99); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.27 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 7.800 V/m; Power Drift = -0.05 dB


Peak SAR (extrapolated) = 3.14 W/kg

SAR(1 g) = 0.685 W/kg; SAR(10 g) = 0.255 W/kg

Smallest distance from peaks to all points 3 dB below = 9.3 mm

Ratio of SAR at M2 to SAR at M1 = 48%

Maximum value of SAR (measured) = 1.30 W/kg



0 dB = 1.30 W/kg = 1.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 106 of 121

Date: 2020/5/20

Report No.: E5/2020/40009

WCDMA Band V Body Back side CH 4233 0mm

Communication System: WCDMA; Frequency: 846.6 MHz; Duty Cycle: 1:1

Medium parameters used: f = 847 MHz; $\sigma = 0.903$ S/m; $\varepsilon_r = 41.189$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(9.47, 9.47, 9.47); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.893 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 0.7980 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 1.50 W/kg

SAR(1 g) = 0.657 W/kg; SAR(10 g) = 0.318 W/kg

Smallest distance from peaks to all points 3 dB below = 8.4 mm

Ratio of SAR at M2 to SAR at M1 = 42.5%

Maximum value of SAR (measured) = 1.10 W/kg



0 dB = 1.10 W/kg = 0.42 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 107 of 121

Date: 2020/5/20

Report No.: E5/2020/40009

LTE Band 5 (10MHz) Body Back side CH 20600 QPSK 1-25 0mm

Communication System: LTE; Frequency: 844 MHz; Duty Cycle: 1:1

Medium parameters used: f = 844 MHz; $\sigma = 0.901$ S/m; $\varepsilon_r = 41.147$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(9.47, 9.47, 9.47); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.817 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 0.9260 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 1.41 W/kg

SAR(1 g) = 0.605 W/kg; SAR(10 g) = 0.292 W/kg

Smallest distance from peaks to all points 3 dB below = 8.4 mm

Ratio of SAR at M2 to SAR at M1 = 45.2%

Maximum value of SAR (measured) = 1.03 W/kg



0 dB = 1.03 W/kg = 0.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 108 of 121

Date: 2020/6/4

Report No.: E5/2020/40009

WLAN 802.11b Body Back side CH 6 0mm WIFI BT

Communication System: WLAN; Frequency: 2437 MHz; Duty Cycle: 1:0.995

Medium parameters used: f = 2437 MHz; $\sigma = 1.768$ S/m; $\varepsilon_r = 38.819$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(7.36, 7.36, 7.36); Calibrated: 2019/8/3

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (71x81x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.04 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 0.7950 V/m; Power Drift = 0.01 dB


Peak SAR (extrapolated) = 1.71 W/kg

SAR(1 g) = 0.585 W/kg; SAR(10 g) = 0.223 W/kg

Smallest distance from peaks to all points 3 dB below = 8.7 mm

Ratio of SAR at M2 to SAR at M1 = 44.9%

Maximum value of SAR (measured) = 1.08 W/kg



0 dB = 1.08 W/kg = 0.34 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 109 of 121

Date: 2020/6/5

Report No.: E5/2020/40009

WLAN 802.11n(40M) 5.2G Body Back side CH 46 0mm WIFI BT

Communication System: WLAN; Frequency: 5230 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5230 MHz; $\sigma = 4.651 \text{ S/m}$; $\varepsilon_r = 35.66$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.28, 5.28, 5.28); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (81x101x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.86 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.654 V/m; Power Drift = -0.86 dB


Peak SAR (extrapolated) = 3.98 W/kg

SAR(1 g) = 0.781 W/kg; SAR(10 g) = 0.208 W/kg

Smallest distance from peaks to all points 3 dB below = 7.1 mm

Ratio of SAR at M2 to SAR at M1 = 52.8%

Maximum value of SAR (measured) = 1.73 W/kg



0 dB = 1.73 W/kg = 2.39 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 110 of 121

Date: 2020/6/5

Report No.: E5/2020/40009

WLAN 802.11ac(80M) 5.2G Body Back side CH 42 0mm WIFI BT

Communication System: WLAN; Frequency: 5210 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5210 MHz; $\sigma = 4.632 \text{ S/m}$; $\varepsilon_r = 35.69$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.28, 5.28, 5.28); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (81x101x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.12 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.679 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 4.34 W/kg

SAR(1 g) = 0.812 W/kg; SAR(10 g) = 0.240 W/kg

Smallest distance from peaks to all points 3 dB below = 7.1 mm

Ratio of SAR at M2 to SAR at M1 = 56.6%

Maximum value of SAR (measured) = 1.84 W/kg



0 dB = 1.84 W/kg = 2.66 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 111 of 121

Date: 2020/6/6

Report No.: E5/2020/40009

WLAN 802.11n(40M) 5.3G Body Back side CH 62 0mm WIFI BT

Communication System: WLAN; Frequency: 5310 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5310 MHz; σ = 4.734 S/m; ϵ_r = 35.559; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.18, 5.18, 5.18); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (81x101x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.72 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 1.456 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 3.98 W/kg

SAR(1 g) = 0.726 W/kg; SAR(10 g) = 0.190 W/kg

Smallest distance from peaks to all points 3 dB below = 8.1 mm

Ratio of SAR at M2 to SAR at M1 = 59.3%

Maximum value of SAR (measured) = 1.56 W/kg



0 dB = 1.56 W/kg = 1.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 112 of 121

Date: 2020/6/6

Report No.: E5/2020/40009

WLAN 802.11ac(80M) 5.3G Body Back side CH 58 0mm WIFI BT

Communication System: WLAN; Frequency: 5290 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5290 MHz; $\sigma = 4.716 \text{ S/m}$; $\varepsilon_r = 35.589$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.7°C

DASY5 Configuration:

- Probe: EX3DV4 SN3665; ConvF(5.18, 5.18, 5.18); Calibrated: 2019/8/30
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn547; Calibrated: 2020/3/17
- Phantom: ELI
- DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (81x101x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.04 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.079 V/m; Power Drift = -0.01 dB


Peak SAR (extrapolated) = 4.43 W/kg

SAR(1 g) = 0.828 W/kg; SAR(10 g) = 0.234 W/kg

Smallest distance from peaks to all points 3 dB below = 7.9 mm

Ratio of SAR at M2 to SAR at M1 = 55.2%

Maximum value of SAR (measured) = 1.88 W/kg



0 dB = 1.88 W/kg = 2.73 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 113 of 121

Date: 2020/5/24

Report No.: E5/2020/40009

WLAN 802.11ac(80M) 5.6G Body Back side CH 138 0mm WIFI BT

Communication System: WLAN; Frequency: 5690 MHz; Duty Cycle: 1:0.988

Medium parameters used: f = 5690 MHz; σ = 5.123 S/m; ϵ_r = 35.132; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(4.99, 4.99, 4.99); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (81x101x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.961 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.351 V/m; Power Drift = -0.01 dB


Peak SAR (extrapolated) = 3.08 W/kg

SAR(1 g) = 0.370 W/kg; SAR(10 g) = 0.096 W/kg

Smallest distance from peaks to all points 3 dB below = 7.6 mm

Ratio of SAR at M2 to SAR at M1 = 49.7%

Maximum value of SAR (measured) = 0.855 W/kg



0 dB = 0.855 W/kg = -0.68 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 114 of 121

6. SAR System Performance Verification

Date: 2020/5/20

Report No.: E5/2020/40009 Dipole 835 MHz_SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: f = 835 MHz; σ = 0.892 S/m; ε_r = 41.183; ρ = 1000 kg/m³

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.6°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(9.47, 9.47, 9.47); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (51x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 3.04 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 57.89 V/m; Power Drift = 0.01 dB


Peak SAR (extrapolated) = 3.64 W/kg

SAR(1 g) = 2.44 W/kg; SAR(10 g) = 1.6 W/kg

Smallest distance from peaks to all points 3 dB below = 8.8 mm

Ratio of SAR at M2 to SAR at M1 = 66.8%

Maximum value of SAR (measured) = 3.10 W/kg



0 dB = 3.10 W/kg = 4.91 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 115 of 121

Date: 2020/6/4

Report No.: E5/2020/40009 Dipole 2450 MHz SN:727

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2450 MHz; $\sigma = 1.781 \text{ S/m}$; $\epsilon_r = 38.788$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(7.36, 7.36, 7.36); Calibrated: 2019/8/3

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (71x91x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 21.1 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 107.2 V/m; Power Drift = -0.02 dB


Peak SAR (extrapolated) = 29.4 W/kg

SAR(1 g) = 13.3 W/kg; SAR(10 g) = 6.14 W/kg

Smallest distance from peaks to all points 3 dB below = 9.5 mm

Ratio of SAR at M2 to SAR at M1 = 43.6%

Maximum value of SAR (measured) = 20.7 W/kg



0 dB = 20.7 W/kg = 13.16 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 116 of 121

Date: 2020/6/5

Report No.: E5/2020/40009 **Dipole 5200 MHz SN:1023**

Communication System: CW; Frequency: 5200 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5200 MHz; $\sigma = 4.623 \text{ S/m}$; $\varepsilon_r = 35.698$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 21.8°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.28, 5.28, 5.28); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 18.7 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 62.01 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 37.8 W/kg

SAR(1 g) = 8.13 W/kg; SAR(10 g) = 2.31 W/kg

Smallest distance from peaks to all points 3 dB below = 7.4 mm

Ratio of SAR at M2 to SAR at M1 = 50.9%

Maximum value of SAR (measured) = 17.8 W/kg



0 dB = 17.8 W/kg = 12.51 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 117 of 121

Date: 2020/6/6

Report No.: E5/2020/40009 **Dipole 5300 MHz SN:1023**

Communication System: CW; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5300 MHz; $\sigma = 4.727 \text{ S/m}$; $\varepsilon_r = 35.581$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.7°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(5.18, 5.18, 5.18); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 18.6 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 56.87 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 37.0 W/kg

SAR(1 g) = 8.25 W/kg; SAR(10 g) = 2.31 W/kg

Smallest distance from peaks to all points 3 dB below = 8.5 mm

Ratio of SAR at M2 to SAR at M1 = 50.4%

Maximum value of SAR (measured) = 17.3 W/kg



0 dB = 17.3 W/kg = 12.37 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 118 of 121

Date: 2020/5/24

Report No.: E5/2020/40009 **Dipole 5600 MHz SN:1023**

Communication System: CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium parameters used: f = 5600 MHz; $\sigma = 5.028 \text{ S/m}$; $\varepsilon_r = 35.255$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.9°C

DASY5 Configuration:

Probe: EX3DV4 - SN3665; ConvF(4.99, 4.99, 4.99); Calibrated: 2019/8/30

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn547; Calibrated: 2020/3/17

Phantom: ELI

DASY52 52.10.3(1513); SEMCAD X 14.6.13(7474)

Area Scan (61x81x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 20.1 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 56.16 V/m; Power Drift = -0.03 dB


Peak SAR (extrapolated) = 41.6 W/kg

SAR(1 g) = 8.42 W/kg; SAR(10 g) = 2.34 W/kg

Smallest distance from peaks to all points 3 dB below = 7.1 mm

Ratio of SAR at M2 to SAR at M1 = 47.7%

Maximum value of SAR (measured) = 18.2 W/kg



0 dB = 18.2 W/kg = 12.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 119 of 121

7. Uncertainty Budget

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

	_	_	_		,	_	L * f / -	: * / -	1.
A	c Tolerance/	D Probability	е		T	g	h=c * f / e Standard	i=c * g / e Standard	k
Source of Uncertainty	Uncertainty	Distributio	Div	Div Value	ci (1g)	ci (10g)	uncertainty	uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
lsotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	0.84%	N	1	1	0.64	0.43	0.54%	0.36%	М
Liquid Conductivity (mea.)	0.74%	N	1	1	0.6	0.49	0.44%	0.36%	М
Combined standard uncertainty		RSS					11.74%	11.72%	
Expant uncertainty (95% confidence interval), K=2							23.47%	23.44%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 120 of 121

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

А	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	8
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	8
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	8
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	8
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	~
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	~
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	8
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	1.05%	N	1	1	0.64	0.43	0.67%	0.45%	М
Liquid Conductivity (mea.)	1.14%	N	1	1	0.6	0.49	0.68%	0.56%	М
Combined standard uncertainty		RSS					11.46%	11.43%	
Expant uncertainty (95% confidence interval), K=2							22.92%	22.86%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 121 of 121

Appendixes

Refer to separated files for the following appendixes.

E5202040009 SAR Appendix A Photographs

E5202040009 SAR_Appendix B DAE & Probe Cal. Certificate

E5202040009 SAR_Appendix C Phantom Description & Dipole Cal. Certificate

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.