



LTE\Band17_10MHz_QPSK_50_0_LowCH23780-709




LTE\Band17_10MHz_QPSK_50_0_HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Emission Mask Band38_20MHz_QPSK_1_0_CH37850



Band38_20MHz_QPSK_1_99_CH38150




Band38_20MHz_QPSK_100_0_CH37850




Band38_20MHz_QPSK_100_0_CH38150



Band41_20MHz_QPSK_1_0_CH39750




Band41_20MHz_QPSK_1_99_CH41490



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the






Band41_20MHz_QPSK_100_0_CH39750



Band41_20MHz_QPSK_100_0_CH41490



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Supurious Emission

30MHz~3GHz_GSM_850MHz_LowCH128-824.2



3GHz~10GHz_GSM_850MHz_LowCH128-824.2



30MHz~3GHz_GSM_850MHz_MidCH190-836.6




3GHz~10GHz_GSM_850MHz_MidCH190-836.6



30MHz~3GHz_GSM_850MHz_HighCH251-848.8




3GHz~10GHz_GSM_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司





30MHz~3GHz_GPRS_850MHz__LowCH128-824.2




3GHz~10GHz_GPRS_850MHz__LowCH128-824.2




30MHz~3GHz_GPRS_850MHz__MidCH190-836.6




3GHz~10GHz_GPRS_850MHz__MidCH190-836.6



30MHz~3GHz_GPRS_850MHz__HighCH251-848.8




3GHz~10GHz_GPRS_850MHz__HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司







30MHz~3GHz_GSM_1900MHz_LowCH512-1850.2



3GHz~10GHz_GSM_1900MHz_LowCH512-1850.2




30MHz~3GHz_GSM_1900MHz_MidCH661-1880



3GHz~10GHz_GSM_1900MHz_MidCH661-1880



30MHz~3GHz_GSM_1900MHz_HighCH810-1909.8




3GHz~10GHz_GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司






30MHz~3GHz_GPRS_1900MHz_LowCH512-1850.2



3GHz~10GHz_GPRS_1900MHz_LowCH512-1850.2




30MHz~3GHz_GPRS_1900MHz_MidCH661-1880




3GHz~10GHz_GPRS_1900MHz_MidCH661-1880



30MHz~3GHz_GPRS_1900MHz_HighCH810-1909.8




3GHz~10GHz_GPRS_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司





30MHz~3GHz_WCDMA_B5_LowCH4132-826.4



3GHz~10GHz_WCDMA_B5_LowCH4132-826.4




30MHz~3GHz_WCDMA_B5_MidCH4183-836.6



3GHz~10GHz_WCDMA_B5_MidCH4183-836.6



30MHz~3GHz_WCDMA_B5_HighCH4233-846.6




3GHz~10GHz_WCDMA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司







30MHz~3GHz_HSDPA_B5_LowCH4132-826.4




3GHz~10GHz_HSDPA_B5_LowCH4132-826.4



30MHz~3GHz_HSDPA_B5_MidCH4183-836.6



3GHz~10GHz_HSDPA_B5_MidCH4183-836.6



30MHz~3GHz_HSDPA_B5_HighCH4233-846.6




3GHz~10GHz_HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司






30MHz~3GHz_HSUPA_B5_LowCH4132-826.4




3GHz~10GHz_HSUPA_B5_LowCH4132-826.4



30MHz~3GHz_HSUPA_B5_MidCH4183-836.6




3GHz~10GHz_HSUPA_B5_MidCH4183-836.6



30MHz~3GHz_HSUPA_B5_HighCH4233-846.6




3GHz~10GHz_HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司






30MHz~3GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829



3GHz~10GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829



30MHz~3GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5




3GHz~10GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844




3GHz~10GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

台灣檢驗科技股份有限公司






30MHz~3GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704



3GHz~10GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704



30MHz~3GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5




3GHz~10GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711




3GHz~10GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司







30MHz~3GHz_Band17_10MHz_QPSK_1_0_LowCH23780-709




3GHz~10GHz_Band17_10MHz_QPSK_1_0_LowCH23780-709



30MHz~3GHz_Band17_10MHz_QPSK_1_0_MidCH23790-710



3GHz~10GHz_Band17_10MHz_QPSK_1_0_MidCH23790-710



30MHz~3GHz_Band17_10MHz_QPSK_1_0_HighCH23800-711




3GHz~10GHz_Band17_10MHz_QPSK_1_0_HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

台灣檢驗科技股份有限公司





30MHz~3GHz_Band38_20MHz_QPSK_1_0_LowCH37850-2580



3GHz~10GHz_Band38_20MHz_QPSK_1_0_LowCH37850-2580




30MHz~3GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595



30MHz~3GHz_Band38_20MHz_QPSK_1_0_HighCH38150-2610




3GHz~10GHz_Band38_20MHz_QPSK_1_0_HighCH38150-2610




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the







30MHz~3GHz_Band41_20MHz_QPSK_1_0_LowCH39750-2506



3GHz~10GHz_Band41_20MHz_QPSK_1_0_LowCH39750-2506




30MHz~3GHz_Band41_20MHz_QPSK_1_0_MidCH40620-2593



3GHz~10GHz_Band41_20MHz_QPSK_1_0_MidCH40620-2593



30MHz~3GHz_Band41_20MHz_QPSK_1_0_HighCH41490-2680



3GHz~10GHz_Band41_20MHz_QPSK_1_0_HighCH41490-2680



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the

台灣檢驗科技股份有限公司



Page 95 of 170

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(g) for LTE B12

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(m) (4) (6) for LTE B38, 41

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement nstrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page 96 of 170

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




9.2 **EUT Setup**

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page 98 of 170

9.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 99 of 170

Measurement Equipment Used: 9.4

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber								
EQUIPMENT	FOLIDMENT MODEL SEDIAL LAST							
TYPE	MFR	NUMBER	NUMBER	CAL.	CAL DUE.			
Bi-log Antenna	SCHWAZBECK	VULB9168	378	08/06/2020	08/05/2021			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	10/16/2020	10/15/2021			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2020	12/10/2021			
Horn Antenna	Schwarzbeck	BBHA9170	185	07/30/2020	07/29/2021			
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/20/2019	12/19/2020			
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT- N0555	01/13/2020	01/12/2021			
3m Site NSA	SGS	966 chamber	N/A	01/02/2020	01/01/2021			
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/21/2020	04/20/2021			
Signal Generator	Agilent	N5183A	MY50140591	12/20/2019	12/19/2020			
Pre-Amplifier	HP	8449B	3008A00578	01/02/2020	01/01/2021			
Pre-Amplifier	HP	8447D	2944A07676	01/02/2020	01/01/2021			
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2020	01/01/2021			
Filter 635-920	Micro-Tronics	WI	4	01/02/2020	01/01/2021			
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2020	01/01/2021			
Filter 1700-2000	Micro-Tronics	EWT	M3	01/02/2020	01/01/2021			
Filter 2240-2700	Micro-Tronics	WI	2	01/02/2020	01/01/2021			
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2020	01/01/2021			
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2020	01/01/2021			
High Pass Filter	WI	WHKX4.0/18G- 10SS	22	01/02/2020	01/01/2021			
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2020	01/01/2021			
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2020	01/01/2021			
Radio Communi- cation Analyzer	Anritsu	MT8820C	6200995019	04/01/2020	03/31/2021			
Radio Communi- cation Analyzer	Anritsu	MT8815B	6200711454	04/01/2020	03/31/2021			
Test Software	audix	e3	Ver. 6.11- 20180413	N.C.R	N.C.R			

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

www.sgs.com.tw



Page 100 of 170

9.5 Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :GSM 850 Test Date :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-80.49	-72.66	-6.94	-0.89	-13.00	-67.49
129.91	-81.67	-73.64	-7.05	-0.98	-13.00	-68.67
180.35	-78.44	-75.51	-1.70	-1.23	-13.00	-65.44
231.76	-77.79	-74.88	-1.47	-1.44	-13.00	-64.79
337.49	-77.72	-74.64	-1.26	-1.82	-13.00	-64.72
410.24	-77.91	-74.05	-1.98	-1.88	-13.00	-64.91
1648.40	-52.32	-58.35	9.89	-3.86	-13.00	-39.32
2472.60	-38.63	-44.45	10.59	-4.77	-13.00	-25.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Test Frequency

Report No.: ER/2020/B0118-01

Page 101 of 170

:Nick

Engineer


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :GSM 850

Test Mode :Tx CH Low Temp./Humi. :22.4/60

:824.2 MHz

EUT Pol :H Plane Antenna Pol. :HORIZONTAL



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
56.19	-74.52	-64.13	-9.70	-0.69	-13.00	-61.52
91.11	-82.57	-74.39	-7.27	-0.91	-13.00	-69.57
129.91	-80.80	-72.77	-7.05	-0.98	-13.00	-67.80
154.16	-81.86	-76.27	-4.37	-1.22	-13.00	-68.86
371.44	-77.69	-74.61	-1.33	-1.75	-13.00	-64.69
406.36	-77.45	-73.82	-1.76	-1.87	-13.00	-64.45
1648.40	-50.99	-57.02	9.89	-3.86	-13.00	-37.99
2472.60	-40.60	-46.42	10.59	-4.77	-13.00	-27.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 102 of 170

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :GSM 850

Test Mode :Tx CH Mid Temp./Humi. :22.4/60 **EUT Pol** :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :836.6 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
85.29	-80.76	-73.24	-6.64	-0.88	-13.00	-67.76
131.85	-80.73	-72.89	-6.84	-1.00	-13.00	-67.73
178.41	-77.62	-74.59	-1.80	-1.23	-13.00	-64.62
231.76	-77.37	-74.46	-1.47	-1.44	-13.00	-64.37
323.91	-77.97	-75.10	-1.20	-1.67	-13.00	-64.97
372.41	-77.36	-74.29	-1.31	-1.76	-13.00	-64.36
1673.20	-55.16	-61.21	9.95	-3.90	-13.00	-42.16
2509.80	-36.85	-42.77	10.74	-4.82	-13.00	-23.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 103 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :GSM 850

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :836.6 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
129.91	-80.72	-72.69	-7.05	-0.98	-13.00	-67.72
154.16	-81.61	-76.02	-4.37	-1.22	-13.00	-68.61
282.20	-82.17	-79.04	-1.56	-1.57	-13.00	-69.17
371.44	-77.20	-74.12	-1.33	-1.75	-13.00	-64.20
403.45	-77.24	-73.72	-1.65	-1.87	-13.00	-64.24
471.35	-76.55	-73.51	-1.01	-2.03	-13.00	-63.55
1673.20	-53.72	-59.77	9.95	-3.90	-13.00	-40.72
2509.80	-39.14	-45.06	10.74	-4.82	-13.00	-26.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 104 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :GSM 850

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :848.8 MHz Engineer :Nick



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		•
dBm	dBm	dBi/dBd	dB	dBm	dB
-79.94	-72.58	-6.50	-0.86	-13.00	-66.94
-79.76	-71.73	-7.05	-0.98	-13.00	-66.76
-78.35	-74.23	-2.86	-1.26	-13.00	-65.35
-77.92	-75.06	-1.43	-1.43	-13.00	-64.92
-77.96	-75.04	-1.28	-1.64	-13.00	-64.96
-76.98	-74.07	-1.10	-1.81	-13.00	-63.98
-53.90	-59.97	10.00	-3.93	-13.00	-40.90
-38.78	-44.81	10.89	-4.86	-13.00	-25.78
	-79.94 -79.76 -78.35 -77.92 -77.96 -76.98 -53.90	Output Level dBm -79.94 -79.76 -79.76 -71.73 -78.35 -74.23 -77.92 -75.06 -77.96 -76.98 -74.07 -53.90 Output Level dBm -72.58 -72.58 -74.73 -75.96 -75.04 -76.98 -74.07	dBm Output Level dBm Gain dBi/dBd -79.94 -72.58 -6.50 -79.76 -71.73 -7.05 -78.35 -74.23 -2.86 -77.92 -75.06 -1.43 -77.96 -75.04 -1.28 -76.98 -74.07 -1.10 -53.90 -59.97 10.00	dBm Output Level dBm Gain dBi/dBd Loss dB -79.94 -72.58 -6.50 -0.86 -79.76 -71.73 -7.05 -0.98 -78.35 -74.23 -2.86 -1.26 -77.92 -75.06 -1.43 -1.43 -77.96 -75.04 -1.28 -1.64 -76.98 -74.07 -1.10 -1.81 -53.90 -59.97 10.00 -3.93	dBm Output Level dBm Gain dBi/dBd Loss dBm -79.94 -72.58 -6.50 -0.86 -13.00 -79.76 -71.73 -7.05 -0.98 -13.00 -78.35 -74.23 -2.86 -1.26 -13.00 -77.92 -75.06 -1.43 -1.43 -13.00 -77.96 -75.04 -1.28 -1.64 -13.00 -76.98 -74.07 -1.10 -1.81 -13.00 -53.90 -59.97 10.00 -3.93 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 105 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :GSM 850

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :848.8 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
61.04	-80.34	-71.28	-8.31	-0.75	-13.00	-67.34
128.94	-79.98	-71.87	-7.12	-0.99	-13.00	-66.98
149.31	-80.32	-74.27	-4.84	-1.21	-13.00	-67.32
241.46	-83.71	-80.34	-1.89	-1.48	-13.00	-70.71
451.95	-76.94	-74.07	-1.06	-1.81	-13.00	-63.94
537.31	-76.36	-73.45	-1.01	-1.90	-13.00	-63.36
1697.60	-53.18	-59.25	10.00	-3.93	-13.00	-40.18
2546.40	-41.48	-47.51	10.89	-4.86	-13.00	-28.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 106 of 170

Radiated Spurious Emission Measurement Result: GSM 1900 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :GSM 1900 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

:1850.2 MHz **Test Frequency** Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	['] dBm	dBi/dBd	dB	dBm	dB
66.86	-79.99	-72.06	-7.14	-0.79	-13.00	-66.99
125.06	-81.33	-73.02	-7.29	-1.02	-13.00	-68.33
168.71	-78.02	-73.98	-2.78	-1.26	-13.00	-65.02
231.76	-77.65	-74.74	-1.47	-1.44	-13.00	-64.65
374.35	-77.67	-74.64	-1.26	-1.77	-13.00	-64.67
442.25	-77.21	-74.12	-1.20	-1.89	-13.00	-64.21
3700.40	-52.64	-59.18	12.40	-5.86	-13.00	-39.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 107 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :GSM 1900 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :1850.2 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-81.04	-73.21	-6.94	-0.89	-13.00	-68.04
128.94	-81.47	-73.36	-7.12	-0.99	-13.00	-68.47
167.74	-77.68	-73.56	-2.86	-1.26	-13.00	-64.68
233.70	-78.18	-75.18	-1.55	-1.45	-13.00	-65.18
367.56	-77.96	-74.76	-1.47	-1.73	-13.00	-64.96
459.71	-77.40	-74.35	-1.17	-1.88	-13.00	-64.40
3700.40	-52.67	-59.21	12.40	-5.86	-13.00	-39.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 108 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :GSM 1900 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :1880 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	I.D.	Output Level	Gain	Loss	ı.D.	ı.D.
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.89	-80.53	-72.39	-7.35	-0.79	-13.00	-67.53
125.06	-81.41	-73.10	-7.29	-1.02	-13.00	-68.41
178.41	-78.23	-75.20	-1.80	-1.23	-13.00	-65.23
233.70	-77.68	-74.68	-1.55	-1.45	-13.00	-64.68
322.94	-77.73	-74.87	-1.20	-1.66	-13.00	-64.73
547.01	-73.06	-69.87	-1.07	-2.12	-13.00	-60.06
3760.00	-52.35	-59.01	12.40	-5.74	-13.00	-39.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 109 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :GSM 1900 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :1880 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
85.29	-80.24	-72.72	-6.64	-0.88	-13.00	-67.24
128.94	-81.41	-73.30	-7.12	-0.99	-13.00	-68.41
178.41	-78.53	-75.50	-1.80	-1.23	-13.00	-65.53
231.76	-77.87	-74.96	-1.47	-1.44	-13.00	-64.87
330.70	-77.76	-74.88	-1.17	-1.71	-13.00	-64.76
403.45	-77.37	-73.85	-1.65	-1.87	-13.00	-64.37
3760.00	-52.43	-59.09	12.40	-5.74	-13.00	-39.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 110 of 170

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :GSM 1900 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60 **EUT Pol** :H Plane Antenna Pol. :VERTICAL

Test Frequency :1909.8 MHz Engineer :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
71.71	-80.71	-73.05	-6.84	-0.82	-13.00	-67.71
131.85	-81.85	-74.01	-6.84	-1.00	-13.00	-68.85
177.44	-78.40	-75.26	-1.90	-1.24	-13.00	-65.40
230.79	-77.79	-74.93	-1.43	-1.43	-13.00	-64.79
522.76	-73.34	-70.41	-0.86	-2.07	-13.00	-60.34
624.61	-71.30	-68.60	-0.52	-2.18	-13.00	-58.30
3819.60	-52.39	-59.00	12.40	-5.79	-13.00	-39.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



EUT Pol

Report No.: ER/2020/B0118-01

:HORIZONTAL

Page 111 of 170

Antenna Pol.


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :GSM 1900 Test Date :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

Test Frequency :1909.8 MHz Engineer :Nick

:H Plane



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-80.39	-72.56	-6.94	-0.89	-13.00	-67.39
129.91	-81.78	-73.75	-7.05	-0.98	-13.00	-68.78
154.16	-78.80	-73.21	-4.37	-1.22	-13.00	-65.80
167.74	-78.05	-73.93	-2.86	-1.26	-13.00	-65.05
235.64	-77.91	-74.82	-1.63	-1.46	-13.00	-64.91
325.85	-78.06	-75.20	-1.18	-1.68	-13.00	-65.06
3819.60	-53.61	-60.22	12.40	-5.79	-13.00	-40.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 112 of 170

Radiated Spurious Emission Measurement Result: WCMDA Band 5 Mode


Report Number :ER-2020-B0118 :SAC III Chamber **Test Site**

Test Date :2020-12-17 **Operation Mode** :WCDMA B5

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :826.4 MHz Engineer :Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
	42	<u> </u>	45,7454	45	45	42
68.80	-80.13	-72.25	-7.07	-0.81	-13.00	-67.13
129.91	-80.68	-72.65	-7.05	-0.98	-13.00	-67.68
173.56	-77.66	-74.17	-2.24	-1.25	-13.00	-64.66
230.79	-77.71	-74.85	-1.43	-1.43	-13.00	-64.71
322.94	-77.65	-74.79	-1.20	-1.66	-13.00	-64.65
498.51	-73.08	-70.01	-0.84	-2.23	-13.00	-60.08
1652.80	-56.87	-62.91	9.91	-3.87	-13.00	-43.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 113 of 170


Report Number :ER-2020-B0118 **Test Site** :SAC III Chamber

Operation Mode Test Date :2020-12-17 :WCDMA B5

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane :HORIZONTAL Antenna Pol.

Test Frequency :826.4 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-80.54	-72.66	-7.07	-0.81	-13.00	-67.54
129.91	-81.90	-73.87	-7.05	-0.98	-13.00	-68.90
180.35	-77.99	-75.06	-1.70	-1.23	-13.00	-64.99
228.85	-78.49	-75.75	-1.32	-1.42	-13.00	-65.49
332.64	-77.73	-74.80	-1.19	-1.74	-13.00	-64.73
384.05	-77.16	-74.14	-1.22	-1.80	-13.00	-64.16
1652.80	-56.33	-62.37	9.91	-3.87	-13.00	-43.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 114 of 170

Report Number :ER-2020-B0118 **Test Site** :SAC III Chamber

Operation Mode :WCDMA B5 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60 **EUT Pol** :H Plane :VERTICAL Antenna Pol.

Test Frequency :836.6 MHz Engineer :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	I.D.	Output Level	Gain	Loss		15
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
74.62	-80.40	-72.96	-6.61	-0.83	-13.00	-67.40
107.60	-79.16	-69.98	-8.19	-0.99	-13.00	-66.16
175.50	-77.58	-74.30	-2.04	-1.24	-13.00	-64.58
235.64	-77.59	-74.50	-1.63	-1.46	-13.00	-64.59
299.66	-77.68	-74.67	-1.39	-1.62	-13.00	-64.68
532.46	-72.05	-69.30	-0.90	-1.85	-13.00	-59.05
1673.20	-58.07	-64.12	9.95	-3.90	-13.00	-45.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 115 of 170


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :WCDMA B5 Test Date :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :836.6 MHz Engineer :Nick



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-80.29	-72.75	-6.66	-0.88	-13.00	-67.29
-82.02	-73.99	-7.05	-0.98	-13.00	-69.02
-78.03	-75.00	-1.80	-1.23	-13.00	-65.03
-77.81	-74.81	-1.55	-1.45	-13.00	-64.81
-77.45	-74.21	-1.51	-1.73	-13.00	-64.45
-76.71	-73.64	-1.16	-1.91	-13.00	-63.71
-56.28	-62.33	9.95	-3.90	-13.00	-43.28
	-80.29 -82.02 -78.03 -77.81 -77.45 -76.71	Output Level dBm -80.29	Output Level Gain dBm dBi/dBd -80.29 -72.75 -6.66 -82.02 -73.99 -7.05 -78.03 -75.00 -1.80 -77.81 -74.81 -1.55 -77.45 -74.21 -1.51 -76.71 -73.64 -1.16	dBm Output Level dBm Gain dBi/dBd Loss dB -80.29 -72.75 -6.66 -0.88 -82.02 -73.99 -7.05 -0.98 -78.03 -75.00 -1.80 -1.23 -77.81 -74.81 -1.55 -1.45 -77.45 -74.21 -1.51 -1.73 -76.71 -73.64 -1.16 -1.91	dBm Output Level dBm Gain dBi/dBd Loss dBm -80.29 -72.75 -6.66 -0.88 -13.00 -82.02 -73.99 -7.05 -0.98 -13.00 -78.03 -75.00 -1.80 -1.23 -13.00 -77.81 -74.81 -1.55 -1.45 -13.00 -77.45 -74.21 -1.51 -1.73 -13.00 -76.71 -73.64 -1.16 -1.91 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 116 of 170


:SAC III Chamber Report Number :ER-2020-B0118 **Test Site**

Operation Mode Test Date :2020-12-17 :WCDMA B5

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane :VERTICAL Antenna Pol.

Test Frequency :846.6 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-79.77	-71.94	-6.94	-0.89	-13.00	-66.77
128.94	-81.18	-73.07	-7.12	-0.99	-13.00	-68.18
177.44	-77.73	-74.59	-1.90	-1.24	-13.00	-64.73
231.76	-77.78	-74.87	-1.47	-1.44	-13.00	-64.78
308.39	-78.05	-75.14	-1.31	-1.60	-13.00	-65.05
381.14	-77.31	-74.27	-1.23	-1.81	-13.00	-64.31
1693.20	-56.90	-62.97	9.99	-3.92	-13.00	-43.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 117 of 170


Report Number :ER-2020-B0118 **Test Site** :SAC III Chamber

Operation Mode Test Date :2020-12-17 :WCDMA B5

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane :HORIZONTAL Antenna Pol.

Test Frequency :846.6 MHz Engineer :Nick



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	_	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-81.02	-73.19	-6.94	-0.89	-13.00	-68.02
-81.49	-73.46	-7.05	-0.98	-13.00	-68.49
-78.38	-75.57	-1.57	-1.24	-13.00	-65.38
-77.86	-75.00	-1.43	-1.43	-13.00	-64.86
-77.97	-75.11	-1.17	-1.69	-13.00	-64.97
-72.65	-69.49	-0.76	-2.40	-13.00	-59.65
-56.06	-62.13	9.99	-3.92	-13.00	-43.06
	-81.02 -81.49 -78.38 -77.86 -77.97 -72.65	Output Level dBm -81.02 -73.19 -81.49 -73.46 -78.38 -75.57 -77.86 -75.00 -77.97 -75.11 -72.65 -69.49	Output Level Gain dBm dBi/dBd -81.02 -73.19 -6.94 -81.49 -73.46 -7.05 -78.38 -75.57 -1.57 -77.86 -75.00 -1.43 -77.97 -75.11 -1.17 -72.65 -69.49 -0.76	dBm Output Level dBm Gain dBi/dBd Loss dB -81.02 -73.19 -6.94 -0.89 -81.49 -73.46 -7.05 -0.98 -78.38 -75.57 -1.57 -1.24 -77.86 -75.00 -1.43 -1.43 -77.97 -75.11 -1.17 -1.69 -72.65 -69.49 -0.76 -2.40	dBm Output Level dBm Gain dBi/dBd Loss dBm -81.02 -73.19 -6.94 -0.89 -13.00 -81.49 -73.46 -7.05 -0.98 -13.00 -78.38 -75.57 -1.57 -1.24 -13.00 -77.86 -75.00 -1.43 -1.43 -13.00 -77.97 -75.11 -1.17 -1.69 -13.00 -72.65 -69.49 -0.76 -2.40 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 118 of 170

Radiated Spurious Emission Measurement Result: LTE Band 5 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B5 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :829 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.86	-80.04	-72.11	-7.14	-0.79	-13.00	-67.04
125.06	-80.98	-72.67	-7.29	-1.02	-13.00	-67.98
175.50	-77.92	-74.64	-2.04	-1.24	-13.00	-64.92
230.79	-78.12	-75.26	-1.43	-1.43	-13.00	-65.12
274.44	-79.40	-76.09	-1.77	-1.54	-13.00	-66.40
316.15	-77.73	-74.77	-1.33	-1.63	-13.00	-64.73
1658.00	-56.93	-62.97	9.92	-3.88	-13.00	-43.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.sgs.com.tw



:829 MHz

Test Frequency

Report No.: ER/2020/B0118-01

Page 119 of 170

:Nick


Engineer

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B5 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
_						
88.20	-80.55	-72.72	-6.94	-0.89	-13.00	-67.55
129.91	-81.18	-73.15	-7.05	-0.98	-13.00	-68.18
173.56	-78.09	-74.60	-2.24	-1.25	-13.00	-65.09
235.64	-78.16	-75.07	-1.63	-1.46	-13.00	-65.16
288.99	-78.87	-75.77	-1.49	-1.61	-13.00	-65.87
449.04	-76.41	-73.50	-1.10	-1.81	-13.00	-63.41
1658.00	-56.28	-62.32	9.92	-3.88	-13.00	-43.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 120 of 170

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B5 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60 **EUT Pol** :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :836.5 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
83.35	-79.83	-72.48	-6.48	-0.87	-13.00	-66.83
138.64	-74.17	-67.00	-6.09	-1.08	-13.00	-61.17
173.56	-77.47	-73.98	-2.24	-1.25	-13.00	-64.47
233.70	-78.19	-75.19	-1.55	-1.45	-13.00	-65.19
362.71	-77.60	-74.25	-1.64	-1.71	-13.00	-64.60
524.70	-72.60	-69.77	-0.83	-2.00	-13.00	-59.60
1673.00	-57.46	-63.51	9.95	-3.90	-13.00	-44.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 121 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B5 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :836.5 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-81.12	-73.24	-7.07	-0.81	-13.00	-68.12
128.94	-82.23	-74.12	-7.12	-0.99	-13.00	-69.23
177.44	-77.66	-74.52	-1.90	-1.24	-13.00	-64.66
233.70	-77.64	-74.64	-1.55	-1.45	-13.00	-64.64
463.59	-76.59	-73.56	-1.10	-1.93	-13.00	-63.59
531.49	-72.79	-70.07	-0.88	-1.84	-13.00	-59.79
1673.00	-56.70	-62.75	9.95	-3.90	-13.00	-43.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 122 of 170


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B5 Test Date :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :844 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-80.47	-72.93	-6.71	-0.83	-13.00	-67.47
125.06	-81.03	-72.72	-7.29	-1.02	-13.00	-68.03
175.50	-77.12	-73.84	-2.04	-1.24	-13.00	-64.12
233.70	-77.47	-74.47	-1.55	-1.45	-13.00	-64.47
362.71	-77.72	-74.37	-1.64	-1.71	-13.00	-64.72
612.00	-70.32	-67.71	-0.63	-1.98	-13.00	-57.32
1688.00	-57.74	-63.80	9.98	-3.92	-13.00	-44.74
175.50 233.70 362.71 612.00	-77.12 -77.47 -77.72 -70.32	-73.84 -74.47 -74.37 -67.71	-2.04 -1.55 -1.64 -0.63	-1.24 -1.45 -1.71 -1.98	-13.00 -13.00 -13.00 -13.00	-64.12 -64.47 -64.72 -57.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明 * 近報告話术性質測紙之様品具質 * 同時記樣品程体留別犬 * 多報告末趣本公司書面計刊 * 不可能分複製 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 123 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B5 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :844 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable	Limit	Margin
N 41 I-	al Duca	Output Level	_	Loss	alD	٩D
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.77	-80.85	-73.24	-6.80	-0.81	-13.00	-67.85
173.56	-77.81	-74.32	-2.24	-1.25	-13.00	-64.81
233.70	-77.22	-74.22	-1.55	-1.45	-13.00	-64.22
321.00	-77.57	-74.69	-1.22	-1.66	-13.00	-64.57
384.05	-77.05	-74.03	-1.22	-1.80	-13.00	-64.05
400.54	-77.04	-73.57	-1.60	-1.87	-13.00	-64.04
1688.00	-57.18	-63.24	9.98	-3.92	-13.00	-44.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 124 of 170

Radiated Spurious Emission Measurement Result: LTE Band 12 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :704 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-80.16	-72.62	-6.71	-0.83	-13.00	-67.16
125.06	-80.62	-72.31	-7.29	-1.02	-13.00	-67.62
173.56	-78.41	-74.92	-2.24	-1.25	-13.00	-65.41
226.91	-77.92	-75.31	-1.20	-1.41	-13.00	-64.92
328.76	-77.87	-75.02	-1.16	-1.69	-13.00	-64.87
410.24	-77.40	-73.54	-1.98	-1.88	-13.00	-64.40
1408.00	-56.13	-60.50	7.95	-3.58	-13.00	-43.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 125 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :704 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-81.02	-73.14	-7.07	-0.81	-13.00	-68.02
129.91	-81.73	-73.70	-7.05	-0.98	-13.00	-68.73
172.59	-78.36	-74.77	-2.33	-1.26	-13.00	-65.36
231.76	-77.91	-75.00	-1.47	-1.44	-13.00	-64.91
377.26	-77.60	-74.57	-1.24	-1.79	-13.00	-64.60
575.14	-73.00	-69.88	-0.74	-2.38	-13.00	-60.00
1408.00	-56.01	-60.38	7.95	-3.58	-13.00	-43.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:H Plane

EUT Pol

Report No.: ER/2020/B0118-01

Page 126 of 170

:VERTICAL


Antenna Pol.

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

Engineer **Test Frequency** :707.5 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	I.D.	Output Level	Gain	Loss	ID.	ı.
MHz	dBm	dBm	dBi/dBd	dB	dBm	<u>dB</u>
71.71	-80.70	-73.04	-6.84	-0.82	-13.00	-67.70
125.06	-81.35	-73.04	-7.29	-1.02	-13.00	-68.35
177.44	-78.39	-75.25	-1.90	-1.24	-13.00	-65.39
230.79	-77.15	-74.29	-1.43	-1.43	-13.00	-64.15
343.31	-77.37	-74.17	-1.35	-1.85	-13.00	-64.37
442.25	-77.25	-74.16	-1.20	-1.89	-13.00	-64.25
1415.00	-56.34	-60.74	7.99	-3.59	-13.00	-43.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 127 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :707.5 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.86	-80.85	-72.92	-7.14	-0.79	-13.00	-67.85
127.00	-81.18	-72.92	-7.25	-1.01	-13.00	-68.18
185.20	-78.26	-75.46	-1.55	-1.25	-13.00	-65.26
228.85	-78.00	-75.26	-1.32	-1.42	-13.00	-65.00
357.86	-77.38	-73.98	-1.67	-1.73	-13.00	-64.38
444.19	-76.95	-73.84	-1.24	-1.87	-13.00	-63.95
1415.00	-55.01	-59.41	7.99	-3.59	-13.00	-42.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:711 MHz

Test Frequency

Report No.: ER/2020/B0118-01

Page 128 of 170

:Nick


Engineer

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-79.68	-72.14	-6.71	-0.83	-13.00	-66.68
125.06	-80.44	-72.13	-7.29	-1.02	-13.00	-67.44
170.65	-78.01	-74.16	-2.58	-1.27	-13.00	-65.01
238.55	-78.27	-75.04	-1.76	-1.47	-13.00	-65.27
327.79	-77.83	-74.97	-1.17	-1.69	-13.00	-64.83
539.25	-73.12	-70.14	-1.06	-1.92	-13.00	-60.12
1422.00	-55.97	-60.41	8.03	-3.59	-13.00	-42.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 129 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B12 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :711 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
83.35	-80.75	-73.40	-6.48	-0.87	-13.00	-67.75
128.94	-81.70	-73.59	-7.12	-0.99	-13.00	-68.70
173.56	-78.31	-74.82	-2.24	-1.25	-13.00	-65.31
238.55	-78.48	-75.25	-1.76	-1.47	-13.00	-65.48
353.01	-77.58	-74.24	-1.55	-1.79	-13.00	-64.58
401.51	-77.01	-73.53	-1.61	-1.87	-13.00	-64.01
1422.00	-56.24	-60.68	8.03	-3.59	-13.00	-43.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 130 of 170

Radiated Spurious Emission Measurement Result: LTE Band 17 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :709 MHz Engineer :Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
-			<u> </u>			
76.56	-81.06	-73.62	-6.60	-0.84	-13.00	-68.06
129.91	-80.43	-72.40	-7.05	-0.98	-13.00	-67.43
175.50	-77.38	-74.10	-2.04	-1.24	-13.00	-64.38
225.94	-77.56	-75.02	-1.14	-1.40	-13.00	-64.56
345.25	-78.21	-74.99	-1.37	-1.85	-13.00	-65.21
424.79	-77.99	-74.19	-1.67	-2.13	-13.00	-64.99
1418.00	-53.29	-57.71	8.01	-3.59	-13.00	-40.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.sgs.com.tw



Page 131 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :709 MHz :Nick



EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
-81.26	-73.89	-6.52	-0.85	-13.00	-68.26
-82.42	-74.31	-7.12	-0.99	-13.00	-69.42
-78.40	-74.91	-2.24	-1.25	-13.00	-65.40
-78.41	-75.32	-1.63	-1.46	-13.00	-65.41
-77.58	-74.38	-1.47	-1.73	-13.00	-64.58
-73.80	-70.35	-1.07	-2.38	-13.00	-60.80
-54.73	-59.15	8.01	-3.59	-13.00	-41.73
	-81.26 -82.42 -78.40 -78.41 -77.58 -73.80	Output Level dBm -81.26	Output Level Gain dBm dBi/dBd -81.26 -73.89 -6.52 -82.42 -74.31 -7.12 -78.40 -74.91 -2.24 -78.41 -75.32 -1.63 -77.58 -74.38 -1.47 -73.80 -70.35 -1.07	dBm Output Level dBm Gain dBi/dBd Loss dB -81.26 -73.89 -6.52 -0.85 -82.42 -74.31 -7.12 -0.99 -78.40 -74.91 -2.24 -1.25 -78.41 -75.32 -1.63 -1.46 -77.58 -74.38 -1.47 -1.73 -73.80 -70.35 -1.07 -2.38	dBm Output Level dBm Gain dBi/dBd Loss dBm -81.26 -73.89 -6.52 -0.85 -13.00 -82.42 -74.31 -7.12 -0.99 -13.00 -78.40 -74.91 -2.24 -1.25 -13.00 -78.41 -75.32 -1.63 -1.46 -13.00 -77.58 -74.38 -1.47 -1.73 -13.00 -73.80 -70.35 -1.07 -2.38 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:710 MHz

Test Frequency

Report No.: ER/2020/B0118-01

Page 132 of 170

:Nick


Engineer

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
71.71	-80.92	-73.26	-6.84	-0.82	-13.00	-67.92
125.06	-80.68	-72.37	-7.29	-1.02	-13.00	-67.68
175.50	-77.95	-74.67	-2.04	-1.24	-13.00	-64.95
233.70	-78.24	-75.24	-1.55	-1.45	-13.00	-65.24
323.91	-77.90	-75.03	-1.20	-1.67	-13.00	-64.90
430.61	-77.43	-73.91	-1.36	-2.16	-13.00	-64.43
1420.00	-51.30	-55.73	8.02	-3.59	-13.00	-38.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 133 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :710 MHz :Nick



Freq.	EIRP/ERP	SG Output Lovel	Antenna Gain	Cable	Limit	Margin
MHz	al Duna	Output Level		Loss	al Duna	٩D
IVITZ	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-80.48	-72.65	-6.94	-0.89	-13.00	-67.48
127.00	-81.83	-73.57	-7.25	-1.01	-13.00	-68.83
178.41	-78.64	-75.61	-1.80	-1.23	-13.00	-65.64
216.24	-78.74	-76.39	-0.98	-1.37	-13.00	-65.74
328.76	-76.90	-74.05	-1.16	-1.69	-13.00	-63.90
372.41	-77.77	-74.70	-1.31	-1.76	-13.00	-64.77
1420.00	-54.81	-59.24	8.02	-3.59	-13.00	-41.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 134 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Test Frequency :711 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
83.35	-80.21	-72.86	-6.48	-0.87	-13.00	-67.21
125.06	-80.92	-72.61	-7.29	-1.02	-13.00	-67.92
170.65	-78.22	-74.37	-2.58	-1.27	-13.00	-65.22
233.70	-78.79	-75.79	-1.55	-1.45	-13.00	-65.79
361.74	-76.99	-73.62	-1.66	-1.71	-13.00	-63.99
449.04	-77.65	-74.74	-1.10	-1.81	-13.00	-64.65
1422.00	-57.06	-61.50	8.03	-3.59	-13.00	-44.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 135 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B17 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :711 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
86.26	-80.61	-73.07	-6.66	-0.88	-13.00	-67.61
143.49	-81.34	-74.71	-5.49	-1.14	-13.00	-68.34
173.56	-77.86	-74.37	-2.24	-1.25	-13.00	-64.86
235.64	-78.24	-75.15	-1.63	-1.46	-13.00	-65.24
390.84	-77.96	-74.82	-1.34	-1.80	-13.00	-64.96
563.50	-73.19	-70.07	-0.84	-2.28	-13.00	-60.19
1422.00	-56.34	-60.78	8.03	-3.59	-13.00	-43.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告題未達對測試之樣品具質,同時起樣品程序留別大。本報告未經本公司書面計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 136 of 170

Radiated Spurious Emission Measurement Result: LTE Band 38 Mode


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B38 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :2580 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.89	-80.91	-72.77	-7.35	-0.79	-25.00	-55.91
125.06	-80.17	-71.86	-7.29	-1.02	-25.00	-55.17
168.71	-77.53	-73.49	-2.78	-1.26	-25.00	-52.53
221.09	-78.26	-75.89	-1.00	-1.37	-25.00	-53.26
456.80	-77.68	-74.73	-1.10	-1.85	-25.00	-52.68
529.55	-73.13	-70.45	-0.84	-1.84	-25.00	-48.13
5160.00	-48.69	-54.24	12.56	-7.01	-25.00	-23.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 137 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :LTE B38

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2580 MHz :Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
IVII IZ	чын	иып	ubi/ubu	ub	UDIII	uБ
71.71	-81.00	-73.34	-6.84	-0.82	-25.00	-56.00
128.94	-81.49	-73.38	-7.12	-0.99	-25.00	-56.49
177.44	-78.57	-75.43	-1.90	-1.24	-25.00	-53.57
235.64	-78.63	-75.54	-1.63	-1.46	-25.00	-53.63
447.10	-77.21	-74.20	-1.18	-1.83	-25.00	-52.21
524.70	-73.65	-70.82	-0.83	-2.00	-25.00	-48.65
5160.00	-49.91	-55.46	12.56	-7.01	-25.00	-24.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 138 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :LTE B38

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :2595 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-79.71	-72.17	-6.71	-0.83	-25.00	-54.71
125.06	-80.54	-72.23	-7.29	-1.02	-25.00	-55.54
177.44	-77.28	-74.14	-1.90	-1.24	-25.00	-52.28
233.70	-77.41	-74.41	-1.55	-1.45	-25.00	-52.41
303.54	-78.84	-75.88	-1.35	-1.61	-25.00	-53.84
388.90	-77.31	-74.22	-1.29	-1.80	-25.00	-52.31
5190.00	-50.74	-56.35	12.74	-7.13	-25.00	-25.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 139 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :LTE B38

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2595 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-80.85	-73.02	-6.94	-0.89	-25.00	-55.85
175.50	-78.33	-75.05	-2.04	-1.24	-25.00	-53.33
235.64	-78.22	-75.13	-1.63	-1.46	-25.00	-53.22
288.99	-78.88	-75.78	-1.49	-1.61	-25.00	-53.88
314.21	-78.31	-75.34	-1.35	-1.62	-25.00	-53.31
463.59	-77.40	-74.37	-1.10	-1.93	-25.00	-52.40
5190.00	-50.37	-55.98	12.74	-7.13	-25.00	-25.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 140 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :LTE B38

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :2610 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-80.25	-72.37	-7.07	-0.81	-25.00	-55.25
125.06	-80.14	-71.83	-7.29	-1.02	-25.00	-55.14
168.71	-78.46	-74.42	-2.78	-1.26	-25.00	-53.46
226.91	-77.63	-75.02	-1.20	-1.41	-25.00	-52.63
369.50	-77.56	-74.44	-1.38	-1.74	-25.00	-52.56
505.30	-74.95	-71.66	-0.97	-2.32	-25.00	-49.95
5220.00	-49.97	-55.72	12.92	-7.17	-25.00	-24.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 141 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode Test Date :2020-12-17 :LTE B38

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2610 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-81.12	-73.29	-6.94	-0.89	-25.00	-56.12
128.94	-81.23	-73.12	-7.12	-0.99	-25.00	-56.23
175.50	-77.49	-74.21	-2.04	-1.24	-25.00	-52.49
235.64	-78.37	-75.28	-1.63	-1.46	-25.00	-53.37
329.73	-78.31	-75.45	-1.16	-1.70	-25.00	-53.31
445.16	-77.04	-73.94	-1.25	-1.85	-25.00	-52.04
5220.00	-50.60	-56.35	12.92	-7.17	-25.00	-25.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 142 of 170

Radiated Spurious Emission Measurement Result: LTE Band 41 Mode Main


Report Number :ER-2020-B0118 Test Site :SAC III Chamber

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :2506 MHz Engineer :Nick



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
	45	<u> </u>	45,,454		45	42
65.89	-80.36	-72.22	-7.35	-0.79	-25.00	-55.36
125.06	-80.38	-72.07	-7.29	-1.02	-25.00	-55.38
177.44	-77.86	-74.72	-1.90	-1.24	-25.00	-52.86
233.70	-78.50	-75.50	-1.55	-1.45	-25.00	-53.50
350.10	-77.81	-74.53	-1.45	-1.83	-25.00	-52.81
395.69	-77.17	-73.82	-1.51	-1.84	-25.00	-52.17
5012.00	-49.73	-55.37	12.50	-6.86	-25.00	-24.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 143 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2506 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-81.37	-73.54	-6.94	-0.89	-25.00	-56.37
129.91	-81.98	-73.95	-7.05	-0.98	-25.00	-56.98
178.41	-77.68	-74.65	-1.80	-1.23	-25.00	-52.68
238.55	-77.69	-74.46	-1.76	-1.47	-25.00	-52.69
367.56	-77.16	-73.96	-1.47	-1.73	-25.00	-52.16
445.16	-76.43	-73.33	-1.25	-1.85	-25.00	-51.43
5012.00	-49.12	-54.76	12.50	-6.86	-25.00	-24.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 144 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :2593 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-79.59	-72.05	-6.71	-0.83	-25.00	-54.59
129.91	-80.78	-72.75	-7.05	-0.98	-25.00	-55.78
172.59	-77.82	-74.23	-2.33	-1.26	-25.00	-52.82
233.70	-78.46	-75.46	-1.55	-1.45	-25.00	-53.46
400.54	-77.63	-74.16	-1.60	-1.87	-25.00	-52.63
437.40	-77.10	-73.86	-1.26	-1.98	-25.00	-52.10
5186.00	-51.03	-56.64	12.72	-7.11	-25.00	-26.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 145 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2593 MHz :Nick



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
88.20	-80.53	-72.70	-6.94	-0.89	-25.00	-55.53
128.94	-82.37	-74.26	-7.12	-0.99	-25.00	-57.37
175.50	-76.96	-73.68	-2.04	-1.24	-25.00	-51.96
231.76	-77.71	-74.80	-1.47	-1.44	-25.00	-52.71
401.51	-77.52	-74.04	-1.61	-1.87	-25.00	-52.52
621.70	-71.35	-68.63	-0.62	-2.10	-25.00	-46.35
5186.00	-51.46	-57.07	12.72	-7.11	-25.00	-26.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 146 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :2680 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
91.11	-81.19	-73.01	-7.27	-0.91	-25.00	-56.19
125.06	-80.20	-71.89	-7.29	-1.02	-25.00	-55.20
170.65	-78.58	-74.73	-2.58	-1.27	-25.00	-53.58
225.94	-77.09	-74.55	-1.14	-1.40	-25.00	-52.09
328.76	-78.21	-75.36	-1.16	-1.69	-25.00	-53.21
522.76	-71.88	-68.95	-0.86	-2.07	-25.00	-46.88
5360.00	-49.76	-56.00	13.28	-7.04	-25.00	-24.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 147 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2680 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.77	-81.47	-73.86	-6.80	-0.81	-25.00	-56.47
129.91	-82.80	-74.77	-7.05	-0.98	-25.00	-57.80
173.56	-78.52	-75.03	-2.24	-1.25	-25.00	-53.52
233.70	-78.56	-75.56	-1.55	-1.45	-25.00	-53.56
303.54	-78.76	-75.80	-1.35	-1.61	-25.00	-53.76
516.94	-73.19	-70.00	-0.96	-2.23	-25.00	-48.19
5360.00	-49.95	-56.19	13.28	-7.04	-25.00	-24.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 148 of 170

Radiated Spurious Emission Measurement Result: LTE Band 41 Mode Sub


Report Number :ER-2020-B0118-01 Test Site :SAC III Chamber

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :VERTICAL :H Plane Antenna Pol.

Test Frequency :2506 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
71.71	-80.73	-73.07	-6.84	-0.82	-25.00	-55.73
131.85	-81.24	-73.40	-6.84	-1.00	-25.00	-56.24
172.59	-78.57	-74.98	-2.33	-1.26	-25.00	-53.57
236.61	-79.17	-76.03	-1.68	-1.46	-25.00	-54.17
337.49	-77.94	-74.86	-1.26	-1.82	-25.00	-52.94
447.10	-77.38	-74.37	-1.18	-1.83	-25.00	-52.38
5012.00	-49.85	-55.49	12.50	-6.86	-25.00	-24.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

除非方角就明・近報告話未復對測試之樣品具質,同時起樣品程体留別犬。本報告未整本公司書面計引,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 149 of 170


Report Number :ER-2020-B0118-01 Test Site :SAC III Chamber

Operation Mode :LTE B41 Test Date :2020-12-17

Test Mode :Tx CH Low Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2506 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-81.53	-73.65	-7.07	-0.81	-25.00	-56.53
128.94	-82.23	-74.12	-7.12	-0.99	-25.00	-57.23
167.74	-78.60	-74.48	-2.86	-1.26	-25.00	-53.60
228.85	-78.61	-75.87	-1.32	-1.42	-25.00	-53.61
403.45	-77.84	-74.32	-1.65	-1.87	-25.00	-52.84
451.95	-77.08	-74.21	-1.06	-1.81	-25.00	-52.08
5012.00	-49.11	-54.75	12.50	-6.86	-25.00	-24.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Frequency

Report No.: ER/2020/B0118-01

Page 150 of 170

:Nick

30000

Engineer

24006.

Report Number **Test Site** :SAC III Chamber :ER-2020-B0118-01

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

:2593 MHz

6024.

EUT Pol :H Plane Antenna Pol. :VERTICAL



Frequency (MHz)

12018.

Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
86.26	-80.95	-73.41	-6.66	-0.88	-25.00	-55.95
125.06	-80.83	-72.52	-7.29	-1.02	-25.00	-55.83
174.53	-78.26	-74.87	-2.14	-1.25	-25.00	-53.26
211.39	-79.05	-76.41	-1.27	-1.37	-25.00	-54.05
371.44	-77.96	-74.88	-1.33	-1.75	-25.00	-52.96
451.95	-77.46	-74.59	-1.06	-1.81	-25.00	-52.46
5186.00	-50.03	-55.64	12.72	-7.11	-25.00	-25.03

18012.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 151 of 170


Report Number :ER-2020-B0118-01 Test Site :SAC III Chamber

Operation Mode :LTE B41 Test Date :2020-12-17

Test Mode :Tx CH Mid Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Test Frequency :2593 MHz Engineer :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
87.23	-80.91	-73.24	-6.78	-0.89	-25.00	-55.91
114.39	-83.36	-74.33	-8.00	-1.03	-25.00	-58.36
172.59	-78.37	-74.78	-2.33	-1.26	-25.00	-53.37
233.70	-77.93	-74.93	-1.55	-1.45	-25.00	-52.93
369.50	-77.96	-74.84	-1.38	-1.74	-25.00	-52.96
526.64	-73.29	-70.52	-0.83	-1.94	-25.00	-48.29
5186.00	-50.52	-56.13	12.72	-7.11	-25.00	-25.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明 * 近報告話术性質測紙之様品具質 * 同時記樣品程体留別犬 * 多報告末趣本公司書面計刊 * 不可能分複製 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 152 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118-01

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :VERTICAL

Engineer **Test Frequency** :2680 MHz :Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
73.65	-81.23	-73.69	-6.71	-0.83	-25.00	-56.23
129.91	-80.97	-72.94	-7.05	-0.98	-25.00	-55.97
177.44	-78.97	-75.83	-1.90	-1.24	-25.00	-53.97
233.70	-78.37	-75.37	-1.55	-1.45	-25.00	-53.37
319.06	-78.24	-75.34	-1.25	-1.65	-25.00	-53.24
610.06	-71.73	-69.15	-0.62	-1.96	-25.00	-46.73
5360.00	-48.76	-55.00	13.28	-7.04	-25.00	-23.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 153 of 170


Report Number **Test Site** :SAC III Chamber :ER-2020-B0118-01

Operation Mode :LTE B41 **Test Date** :2020-12-17

Test Mode :Tx CH High Temp./Humi. :22.4/60

EUT Pol :H Plane Antenna Pol. :HORIZONTAL

Engineer **Test Frequency** :2680 MHz :Nick



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-81.51	-73.68	-6.94	-0.89	-25.00	-56.51
-82.85	-74.59	-7.25	-1.01	-25.00	-57.85
-79.07	-76.14	-1.70	-1.23	-25.00	-54.07
-78.80	-75.94	-1.43	-1.43	-25.00	-53.80
-78.62	-75.76	-1.20	-1.66	-25.00	-53.62
-76.34	-73.14	-1.10	-2.10	-25.00	-51.34
-49.91	-56.15	13.28	-7.04	-25.00	-24.91
	-81.51 -82.85 -79.07 -78.80 -78.62 -76.34	Output Level dBm -81.51	Output Level Gain dBm dBi/dBd -81.51 -73.68 -6.94 -82.85 -74.59 -7.25 -79.07 -76.14 -1.70 -78.80 -75.94 -1.43 -78.62 -75.76 -1.20 -76.34 -73.14 -1.10	dBm Output Level dBm Gain dBi/dBd Loss dB -81.51 -73.68 -6.94 -0.89 -82.85 -74.59 -7.25 -1.01 -79.07 -76.14 -1.70 -1.23 -78.80 -75.94 -1.43 -1.43 -78.62 -75.76 -1.20 -1.66 -76.34 -73.14 -1.10 -2.10	dBm Output Level dBm Gain dBi/dBd Loss dBm -81.51 -73.68 -6.94 -0.89 -25.00 -82.85 -74.59 -7.25 -1.01 -25.00 -79.07 -76.14 -1.70 -1.23 -25.00 -78.80 -75.94 -1.43 -1.43 -25.00 -78.62 -75.76 -1.20 -1.66 -25.00 -76.34 -73.14 -1.10 -2.10 -25.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 154 of 170


10 FREQUENCY STABILITY MEASUREMENT

Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 **Test Set-up**





Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3 **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page 155 of 170

Measurement Equipment Used 10.4

Co	Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/21/2020	04/20/2021					
DC Power Supply	Agilent	E3640A	MY40000811	12/23/2019	12/22/2020					
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2020	03/31/2021					
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021					
Temperature Chamber	TERCHY	MHG-120LF	911009	05/20/2020	05/19/2021					
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021					
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021					
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-018	01/02/2020	01/01/2021					

10.5 **Measurement Result**

Note: The battery is rated 3.85V dc.


GPRS 850 Mid Channel 836.6 MHz								
Limit: +/- 2.5 ppm								
Vdc	Temp. ($^{\circ}$ C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
-	FREQUEN	ICY ERROR vs.	VOLTAGE					
4.235	20	836.599994	-6	2091				
3.85	20	836.600003	3	2091				
3.465	20	836.599991	-9	2091				
3.1 (End point)	20	836.600007	7	2091				
	FREQUENCY ERROR vs. Temp.							
3.85	50	836.600004	4	2091				
3.85	40	836.599998	-2	2091				
3.85	30	836.599993	-7	2091				
3.85	20	836.600006	6	2091				
3.85	10	836.599991	-9	2091				
3.85	0	836.600005	5	2091				
3.85	-10	836.60001	10	2091				
3.85	-20	836.599999	-1	2091				
3.85	-30	836.600004	4	2091				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






GPRS 1900 Mid Channel 1880 MHz								
Limit: +/- 2.5 ppm								
Vdc	Temp. ($^{\circ}\!$	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUEN	ICY ERROR vs.	VOLTAGE					
4.235	20	1879.999994	-6	4700				
3.85	20	1879.999997	-3	4700				
3.465	20	1879.99999	-10	4700				
3.1 (End point)	20	1880.000001	1	4700				
	FREQUENCY ERROR vs. Temp.							
3.85	50	1879.999996	-4	4700				
3.85	40	1880.000009	9	4700				
3.85	30	1879.999991	-9	4700				
3.85	20	1879.999997	-3	4700				
3.85	10	1879.99999	-10	4700				
3.85	0	1879.999998	-2	4700				
3.85	-10	1879.999996	-4	4700				
3.85	-20	1879.999997	-3	4700				
3.85	-30	1880.000008	8	4700				

WCDMA V Mid Channel 836.6 MHz								
Limit: +/- 2.5 ppm								
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)				
	FREQUEN	ICY ERROR vs.	VOLTAGE					
4.235	20	836.599996	-4	2091				
3.85	20	836.60001	10	2091				
3.465	20	836.600007	7	2091				
3.1 (End point)	20	836.600002	2	2091				
	FREQUENCY ERROR vs. Temp.							
3.85	50	836.600001	1	2091				
3.85	40	836.600006	6	2091				
3.85	30	836.599996	-4	2091				
3.85	20	836.599993	-7	2091				
3.85	10	836.59999	-10	2091				
3.85	0	836.599991	-9	2091				
3.85	-10	836.600008	8	2091				
3.85	-20	836.600005	5	2091				
3.85	-30	836.599999	-1	2091				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Freq.:	eference Freq.:		836.5	MHz 10M QPSK CH 20525				
Troforonoe Froq.:	Channel							
Power Supply Vdc	Temp. (°C)	•	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
Freq. ERROR vs. VOLTAGE								
4.235	25	836.499997	-3	2091				
3.85	25	836.499992	-8	2091				
3.465	25	836.500001	1	2091				
3.1 (End Point)	25	836.500009	9	2091				
	Fre	eq. ERROR vs.	Temp.					
3.85	-30	836.499990	-10	2091				
3.85	-20	836.499994	-6	2091				
3.85	-10	836.500004	4	2091				
3.85	0	836.499993	-7	2091				
3.85	10	836.499998	-2	2091				
3.85	20	836.500006	6	2091				
3.85	30	836.500004	4	2091				
3.85	40	836.500003	3	2091				
3.85	50	836.499995	-5	2091				
Reference Freg.:	LTE B12 Mid		707.5	MHz 10M QPSK CH 23095				
Reference Freq	Channel		707.5	WITE TOWN QT SIX CIT 23073				
Power Supply Vdc	Temp. (°C)	•	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
	Freq	. ERROR vs. Vo	OLTAGE					
4.235	25	707.500006	6	1769				
3.85	25	707.499992	-8	1769				
3.465	25	707.500002	2	1769				
3.1	25	707.499990	-10	1769				
(End Point)				1707				
	Fre	eq. ERROR vs.	Temp.					
3.85	-30	707.499994	-6	1769				
3.85	-20	707.499997	-3	1769				
3.85	-10	707.500002	2	1769				
3.85	0	707.500007	7	1769				
3.85	10	707.499990	-10	1769				
3.85	20	707.500009	9	1769				
3.85	30	707.500003	3	1769				
3.85	40	707.499996	-4	1769				
3.85	50	707.499995	-5	1769				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Reference Freq.:	LTE B17 Mid		710	MHz 10M QPSK CH 23790	
	Channel		D 11 (11)	1	
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
4.005		ERROR vs. VO		4775	
4.235	25	709.999997	-3	1775	
3.85	25	709.999993	-7	1775	
3.465	25	709.999995	-5	1775	
3.1 (End Point)	25	710.000008	8	1775	
	Fre	q. ERROR vs. 1	Ге тр .		
3.85	-30	709.999992	-8	1775	
3.85	-20	709.999995	-5	1775	
3.85	-10	710.000002	2	1775	
3.85	0	710.000003	3	1775	
3.85	10	709.999991	-9	1775	
3.85	20	709.999995	-5	1775	
3.85	30	710.000010	10	1775	
3.85	40	710.000005	5	1775	
3.85	50	709.999996	-4	1775	
Reference Freq.:	LTE B38 Mid		2595	MHz 10M QPSK CH 38000	
Reference Freq	Channel		2070	WITE TOWN OF SK CIT 30000	
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
	Freq.	ERROR vs. VO	LTAGE		
4.235	25	2595.000008	8	6488	
3.85	25	2595.000002	2	6488	
3.465	25	2595.000001	1	6488	
3.1	25	2594.999991	-9	6488	
(End Point)	23	2374.777771	- 7	0400	
	Fre	q. ERROR vs. 1	Temp.		
3.85	-30	2595.000001	1	6488	
3.85	-20	2595.000008	8	6488	
3.85	-10	2595.000007	7	6488	
3.85	0	2595.000009	9	6488	
3.85	10	2594.999995	-5	6488	
3.85	20	2594.999994	-6	6488	
3.85	30	2594.999992	-8	6488	
3.85	40	2594.999990	-10	6488	
3.85	50	2594.999999	-1	6488	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Freq.:	LTE B41 Mid Channel		2593	MHz 10M QPSK CH 40620					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)					
	Freq. ERROR vs. VOLTAGE								
4.235	25	2593.000001	1	6483					
3.85	25	2593.000002	2	6483					
3.465	25	2593.000006	6	6483					
3.1 (End Point)	25	2592.999994	-6	6483					
	Freq. ERROR vs. Temp.								
3.85	-30	2593.000010	10	6483					
3.85	-20	2592.999998	-2	6483					
3.85	-10	2593.000007	7	6483					
3.85	0	2593.000006	6	6483					
3.85	10	2592.999995	-5	6483					
3.85	20	2593.000009	9	6483					
3.85	30	2592.999993	-7	6483					
3.85	40	2592.999997	-3	6483					
3.85	50	2593.000008	8	6483					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref Raf Right Righ except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 160 of 170

11 PEAK TO AVERAGE RATIO

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 Measurement Equipment Used

Con	Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/21/2020	04/20/2021					
DC Power Supply	Agilent	E3640A	MY40000811	12/23/2019	12/22/2020					
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2020	03/31/2021					
Radio Communication Analyzer	Anritsu	MT8821C	6261786084	01/18/2020	01/17/2021					
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021					
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021					
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412- 018	01/02/2020	01/01/2021					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279





11.5

Measurement Result

Erog		Peak-to-Average		
Freq. (MHz)	CH	GSM	GPRS	
(IVITIZ)		1900	1900	
1850.2	512	9.59	9.42	
1880	661	9.55	9.33	
1909.8	810	9.44	9.49	

	LTE BAND 12								
Channel bandwidth: 1.4MHz				Char	nnel band	dwidth: 3N	1Hz		
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
(MHz)	Сп	64QAM	Limit	(MHz)	СН	64QAM	Limit		
699.7	23017	6.28	13	700.5	23025	6.24	13		
707.5	23095	6.66	13	707.5	23095	6.44	13		
715.3	23173	6.53	13	714.5	23165	6.63	13		

LTE BAND 12 Channel bandwidth: 5MHz Channel bandwidth: 10MHz									
Fred PAPR (dR)			Freq.		PAPR (dB)				
(MHz)	СН	64QAM	Limit	(MHz)	СН	64QAM	Limit		
701.5	23035	6.37	13	704.0	23060	6.52	13		
707.5	23095	6.47	13	707.5	23095	6.38	13		
713.5	23155	6.42	13	711.0	23130	6.32	13		

LTE BAND 17									
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz					
Freq.	Freq. CH		PAPR (dB)		СН	PAPR (dB)			
(MHz)	G	64QAM	Limit	(MHz)	СП	64QAM	Limit		
706.5	23755	6.50	13	709.0	23780	6.27	13		
710.0	23790	6.34	13	710.0	23790	6.21	13		
713.5	23825	6.46	13	711.0	23800	6.14	13		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref. 8月 有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document to anot be reproduced the company of the compan except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





LTE BAND 38 Channel bandwidth: 5MHz Channel bandwidth: 10MHz PAPR (dB) PAPR (dB) Freq. Freq. CH CH (MHz) 64QAM Limit (MHz) 64QAM Limit 2572.5 37775 9.00 13 2575 37800 8.96 13 2595.0 38000 9.15 13 2595 38000 12.13 13 2617.5 38225 12.06 13 38200 10.33 13 2615


LTE BAND 38									
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz					
Freq. CH		PAPR (dB)		Freq.	СН	PAPR (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit		
2577.5	37825	12.87	13	2580.0	37850	10.07	13		
2595.0	38000	10.42	13	2595.0	38000	9.39	13		
2612.5	38175	8.57	13	2610.0	38150	9.64	13		

LTE BAND 41									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz					
Freq. (MHz)	PAPR (dB)		Freq.	СН	PAPR (dB)				
	Сп	64QAM	Limit	(MHz)	Сп	64QAM	Limit		
2498.5	39675	12.36	13	2501.0	39700	11.17	13		
2593.0	40620	11.32	13	2593.0	40620	8.71	13		
2687.5	41565	11.94	13	2685.0	41540	10.63	13		

LTE BAND 41									
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz					
Freq.	' I (Н	PAPR (dB)		Freq.	СН	PAPR (dB)			
(MHz)		64QAM	Limit	(MHz)	Сп	64QAM	Limit		
2503.5	39725	12.41	13	2506.0	39750	10.36	13		
2593.0	40620	11.70	13	2593.0	40620	8.84	13		
2682.5	41515	8.74	13	2680.0	41490	11.27	13		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







GSM_1900MHz_LowCH512-1850.2



GSM 1900MHz MidCH661-1880




GSM_1900MHz_HighCH810-1909.8




GPRS 1900MHz LowCH512-1850.2



GPRS 1900MHz MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the







LTE Band12 1 4MHz 64QAM 6 0 LowCH23017-699.7




LTE Band12 1 4MHz 64QAM 6 0 MidCH23095-707.5




LTE_Band12_1_4MHz_64QAM_6_0_HighCH23173-715.3




LTE_Band12_3MHz_64QAM_15_0_LowCH23025-700.5



LTE_Band12_3MHz_64QAM_15_0_MidCH23095-707.5



LTE_Band12_3MHz_64QAM_15_0_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the







LTE_Band12_5MHz_64QAM_25_0_LowCH23035-701.5




LTE Band12 5MHz 64QAM 25 0 MidCH23095-707.5




LTE_Band12_5MHz_64QAM_25_0_HighCH23155-713.5




LTE_Band12_10MHz_64QAM_50_0_LowCH23060-704



LTE_Band12_10MHz_64QAM_50_0_MidCH23095-707.5



LTE_Band12_10MHz_64QAM_50_0_HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the







LTE_Band17_5MHz_64QAM_25_0_LowCH23755-706.5




LTE_Band17_5MHz_64QAM_25_0_MidCH23790-710




LTE_Band17_5MHz_64QAM_25_0_HighCH23825-713.5




LTE_Band17_10MHz_64QAM_50_0_LowCH23780-709



LTE_Band17_10MHz_64QAM_50_0_MidCH23790-710



LTE_Band17_10MHz_64QAM_50_0_HighCH23800-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the







LTE Band38 5MHz 64QAM 25 0 LowCH37775-2572.5




LTE_Band38_5MHz_64QAM_25_0_MidCH38000-2595




LTE_Band38_5MHz_64QAM_25_0_HighCH38225-2617.5




LTE_Band38_10MHz_64QAM_50_0_LowCH37800-2575



LTE_Band38_10MHz_64QAM_50_0_MidCH38000-2595



LTE_Band38_10MHz_64QAM_50_0_HighCH38200-2615



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488

www.sgs.com.tw







LTE_Band38_15MHz_64QAM_75_0_LowCH37825-2577.5




LTE_Band38_15MHz_64QAM_75_0_MidCH38000-2595




LTE_Band38_15MHz_64QAM_75_0_HighCH38175-2612.5




LTE_Band38_20MHz_64QAM_100_0_LowCH37850-2580



LTE_Band38_20MHz_64QAM_100_0_MidCH38000-2595



LTE_Band38_20MHz_64QAM_100_0_HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the


SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488






LTE Band41 5MHz 64QAM 25 0 LowCH39675-2498.5




LTE_Band41_5MHz_64QAM_25_0_MidCH40620-2593




LTE_Band41_5MHz_64QAM_25_0_HighCH41565-2687.5




LTE Band41 10MHz 64QAM 50 0 LowCH39700-2501



LTE_Band41_10MHz_64QAM_50_0_MidCH40620-2593



LTE_Band41_10MHz_64QAM_50_0_HighCH41540-2685



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the


SGS Taiwan Ltd. Np.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

www.sgs.com.tw







LTE_Band41_15MHz_64QAM_75_0_LowCH39725-2503.5




LTE_Band41_15MHz_64QAM_75_0_MidCH40620-2593



LTE_Band41_15MHz_64QAM_75_0_HighCH41515-2682.5




LTE_Band41_20MHz_64QAM_100_0_LowCH39750-2506



LTE_Band41_20MHz_64QAM_100_0_MidCH40620-2593



LTE_Band41_20MHz_64QAM_100_0_HighCH41490-2680



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced. except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the