

Page: 1 of 206

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

FCC Applicant: Sharp Corporation, Mobile Communication B.U.

2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi, Hiroshima,

739-0192, Japan

FCC Manufacturer: Sharp Corporation

1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

Product Name: Smart phone Report Number: ER/2020/C0014

FCC ID APYHRO00293

FCC Rule Part: §15.407, Cat: U-NII Issue Date: January 20, 2021

Date of Test: November 17, 2020 - December 16, 2020 (Original),

December 9, 2020 - January 14, 2021 (Spot check)

Date of EUT Received: November 17, 2020 (Original),

December 9, 2020 (Spot check)

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Approved By:

Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 2 of 206

Revision History				
Report Number	Revision	Description	Issue Date	Remark
ER/2020/C0014	Rev.00	Original.	January 20, 2021	Revised By: Karen Huang

Note:

- 1 . Test data is referenced from cross authorization(s) Measurement results in the original test report ER/2020/B0093 under FCC ID: APY-HRO00291 are fully leveraged in this test report with spot check on page 148-155 to demonstrate compliance.
- 2 · Disclaimer Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined this documents, issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ electronic Documents at http://www.sgs.com.tw/<a href="htt



Page: 3 of 206

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULT	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	15
6	CONDUCTED EMISSION TEST	16
7	DUTY CYCLE TEST SIGNAL	20
8	26dB &6dB EMISSION BANDWIDTH MEASUREMENT	23
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	35
10	MAXIMUM POWER SPECTRAL DENSITY	38
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	50
12	TRANSMISSION IN THE ABSENCE OF DATA	202
13	FREQUENCY STABILITY	203
11	ANTENNA DECILIDEMENT	206

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 4 of 206

GENERAL INFORMATION

1.1 **Product Description**

Product Name: Smart phone			
Hardware Version: DVT			
Software Version: N/A			
Power Supply: 3.85 Vdc from Rechargeable Li-polymer Battery		ole Li-polymer Battery	
Modulation type 64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
Inverted-F Antenna, 5150~5250MHz Gain: -2.20dBi Antenna Designation: 5250~5350MHz Gain: -2.20dBi 5470~5725MHz Gain: -2.40dBi 5725~5850MHz Gain: -5.10dBi		20dBi I0dBi	
Transition Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 - 150.0Mbps		802.11 ac_20MHz: 6.5 -86.7Mbps 802.11 ac_40MHz: 13.5 -200.0Mbps 802.11 ac_80MHz: 29.3 - 433.3Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 5 of 206

1.2 **FCC** worst power

Wi-Fi 802.11	Frequency Range(MHz)	Channels	Rated Power (Avg.) (dBm) (Worst case)	Modulation Technology
	5150~5250	4	11.85	
	5250~5350	4	11.84	OFDM
а	5470~5725	12	11.91	OFDM
	5725-5850	5	11.81	
	5150~5250	4	HT: 11.92 (Worst Case)	
n_HT	5250~5350	4	HT: 11.82 (Worst Case)	OFDM
ac_VHT 20M	5470~5725	12	HT: 11.91 (Worst Case)	OI DIVI
	5725-5850	5	HT: 11.74 (Worst Case)	
	5150~5250	2	HT: 11.77 (Worst Case)	
n_HT ac_VHT	5250~5350	2	HT: 11.72 (Worst Case)	OFDM
40M	5470~5725	5	HT: 11.82 (Worst Case)	OI DIVI
	5725-5850	2	HT: 10.56 (Worst Case)	
	5150~5250	1	11.92	
ac_VHT 80M	5250~5350	1	11.96	OFDM
	5470~5725	2	11.98	OI DIVI
	5725-5850	1	11.65	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 6 of 206

1.3 **Test Methodology of Applied Standards**

FCC Part 15, Subpart E §15.407 FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01 ANSI C63.10:2013

1.4 **Test Facility**

SGS Taiwan Ltd. Central RF Lab (TAF code 3702) No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

FCC Designation number: TW0027

1.5 **Special Accessories**

There are no special accessories used while test was conducted.

Equipment Modifications 1.6

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.uw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 7 of 206

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

EUT Exercise 2.2

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 **Conducted Emissions**

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 **Radiated Emissions**

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions. sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 8 of 206

Measurement Results Explanation Example 2.4

Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz 2.4.1

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined this documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.wvTerms-and-Conditions. Attention is drawn to the limitation of liability, independent on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings at the time of its intervention only and within the limits of Client's instructions. sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 9 of 206

2.5 **Configuration of Tested System**

Fig. 2-1 Radiated Emission Configuration



Fig. 2-2 Conducted (Antenna Port) Emission Configuration




Fig. 2-3 Conducted (AC powerline) **Emission Configuration**



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	PK-126TN	N/A	N/A
3.	Notebook	Lenovo	X250	PC-06A4E7	N/A	N/A
4.	Adapter	Sharp	XN-2QC25	NA	N/A	N/A
5.	Headphone	Panasonic	RP-HJS150-K	NA	N/A	N/A
6.	DC Power Sup- ply	Agilent	E3640A	MY40000811	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined this documents, issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ electronic Documents at http://www.sgs.com.tw/<a href="htt



Page: 10 of 206

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.205 §15.209 §15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 11 of 206

DESCRIPTION OF TEST MODES

4.1 802.11a/n/ac operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz.

2	20 M		
СН	Freq (MHz)		
36	5180		
40	5200		
44	5220		
48	5240		

	1411 12.		
	40 M		
	СН	Freq	
	СП	(MHz)	
	38	5190	
	46	5230	
•			

80	M
CH	Freq (MHz)
42	5210

Operated band in 5250 MHz ~5350 MHz:

	-	
20 M		
СН	Freq (MHz)	
52	5260	
56	5280	
60	5300	
64	5320	

40 M		
СН	Freq (MHz)	
54	5270	
62	5310	

80 M		
СН	Freq (MHz)	
58	5290	

Operated band in 5470 MHz ~5725 MHz:

20 M					
СН	Freq (MHz)				
100	5500				
104	5520				
108	5540				
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
144	5720				

4	0 M
СН	Freq (MHz)
102	5510
110	5550
118	5590
126	5630
134	5670
142	5710

80 M					
СН	Freq (MHz)				
106	5530				
122	5610				
138	5690				

Operated band in 5745 MHz ~5850

20 M						
Freq MHz)						
5745						
5765						
5785						
5805						
5825						

MHZ:					
4	40 M				
CH Freq (MHz)					
151	5755				
159	5795				

	1					
	80 M					
	СН	Freq				
		(MHz)				
	155	5775				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined this documents, issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ electronic Documents at http://www.sgs.com.tw/<a href="htt

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 12 of 206

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case. The gevin UE is pre-scanned among below modes.

Modulation	Tı	ransmiss	sion Chair	า	Single Transmission Spatial	Multiple Transmission Spatial
⊠ 802.11 a	⊠ Ch0	☐ Ch1	☐ Ch2	□ Ch3	⊠ 1TX	□ 2TX
⊠ 802.11 n	⊠ Ch0	☐ Ch1	☐ Ch2	□ Ch3	⊠ SISO	☐ MIMO
⊠ 802.11 ac	⊠ Ch0	□ Ch1	☐ Ch2	□ Ch3	⊠ SISO	☐ MIMO

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.uw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 13 of 206

RADIATED EMISSION TEST:

	RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA
WIODE	BAND (MHz)	CHANNEL	CHANNEL	INIODOLATION	(Mbps)	PORT
	5180~5240	36 to 48	44			
802.11a	5260~5320	52 to 64	4 60 OFDM 6	OEDM	6	ch0
002.11a	5500~5720	100 to 144	116	OFDIVI	0	CHO
	5745~5825	149 to 165	157			

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

	RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA
IVIODE	BAND (MHz)	CHANNEL	CHANNEL	WIODULATION	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48			
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	ch0
002.11a	5500~5720	100 to 144	100,116,140,144	OI DIVI	O	CHO
	5745~5825	149 to 165	149,157,165			
	5180~5240	36 to 48	36,44,48		MCS0	ch0
802.11n HT20	5260~5320	52 to 64	52,60,64	OFDM		
002.1111_11120	5500~5720	100 to 144	100,116,140,144			
	5745~5825	149 to 165	149,157,165			
	5190~5230	38 to 46	38,46		MCS0	ch0
802.11n HT40	5270~5310	54 to 62	54,62	OFDM		
002.1111_11140	5510~5670	102 to 142	102,110,134,142	OI DIW		
	5755~5795	151 to 159	151,159			
	5210	42	42	OFDM	1 MCS0	ch0
802.11ac_VHT80	5290	58	58			
002.11ac_v11100	5530~5610	106 to 138	106,122,138			CITO
	5775	155	155			

For spot check,

RADIATED EMISSION TEST (ABOVE 1 GHz)						
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA
IVIODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mbps)	PORT
802.11a	5260~5320	52 to 64	52	OFDM	6	ch0
002.11a	5745~5825	149 to 165	157	OI DIVI	U	CITO
802.11n_HT20	5180~5240	36 to 48	44	OFDM	MCS0	ch0
802.11ac_VHT80	5530~5610	106 to 138	138	OFDM	MCS0	ch0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.uw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 14 of 206

ANTENNA PORT CONDUCTED MEASUREMENT: 4.2.2

	CONDUCTED TEST					
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA
IVIODL	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48			
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	ch0
002.11a	5500~5720	100 to 144	100,116,140,144	OI DIVI	U	CHO
	5745~5825	149 to 165	149,157,165			
	5180~5240	36 to 48	36,44,48		MCS0	ch0
802.11n_HT20	5260~5320	52 to 64	52,60,64	OFDM		
002.1111_11120	5500~5720	100 to 144	100,116,140,144			
	5745~5825	149 to 165	149,157,165			
	5190~5230	38 to 46	38,46		MCS0	ch0
802.11n HT40	5270~5310	54 to 62	54,62	OFDM		
002.1111_11140	5510~5670	102 to 142	102,110,134,142	OI DIVI		
	5755~5795	151 to 159	151,159			
	5210	42	42			ch0
802.11ac_VHT80	5290	58	58	OFDM	MCS0	
002.11a0_V11100	5530~5610	106 to 138	106,122,138	OI DIVI		CITO
	5775	155	155			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 15 of 206

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Meas- urement	+/- 0.96 dB
Peak Power Spectral Density Meas- urement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission Measurement Uncertainty						
	9kHz~30MHz: +-2.3dB					
	30MHz - 180MHz: +/- 3.37dB					
Polarization: Vertical	180MHz -417MHz: +/- 3.19dB					
Polarization: Vertical	0.417GHz-1GHz: +/- 3.19dB					
	1GHz - 18GHz: +/- 4.04dB					
	18GHz - 40GHz: +/- 4.04dB					
	9kHz~30MHz: +-2.3dB					
	30MHz - 167MHz: +/- 4.22dB					
Polorization: Harizantal	167MHz -500MHz: +/- 3.44dB					
Polarization: Horizontal	0.5GHz-1GHz: +/- 3.39dB					
	1GHz - 18GHz: +/- 4.08dB					
	18GHz - 40GHz: +/- 4.08dB					

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined this documents, issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ electronic Documents at http://www.sgs.com.tw/<a href="htt



Page: 16 of 206

CONDUCTED EMISSION TEST

Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak Average				
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

6.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
EMI Test Receiver	R&S	ESCI 7	100759	07/13/2020	07/12/2021			
LISN	SCHWARZBECK	NSLK 8127	8127-465	04/09/2020	04/08/2021			
Coaxial Cables	N/A	Coaxial Cable	161207	12/07/2019	12/06/2020			
Test Software	audix	e3	Ver. 6.11- 20180413	N.C.R	N.C.R			

6.3 **EUT Setup**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the


^{1.} The lower limit shall apply at the transition frequencies

^{2.}The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Page: 17 of 206

6.4 **Test SET-UP**



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

Measurement Result 6.6

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 18 of 206

AC POWER LINE CONDUCTED EMISSION TEST DATA


Report Number **Test Site** :Conduction 6F :ER-2020-B0093

:2020-12-05 **Test Mode** :WLAN 5G **Test Date**

:AC 120V/60Hz :23.7/56 Power Temp./Humi.

Probe :L Engineer :Neo

Note:



		rrequency (in	1112)			
Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.16	Average	38.47	2.14	40.61	55.69	-15.08
0.16	QP	39.14	2.14	41.28	65.69	-24.41
0.21	Average	39.27	2.14	41.41	53.40	-11.99
0.21	QP	39.68	2.14	41.82	63.40	-21.58
0.22	Peak	45.20	2.14	47.34	62.79	-15.45
0.26	Peak	42.44	2.14	44.58	61.29	-16.71
7.69	Peak	40.27	2.72	42.99	60.00	-17.01
14.21	Peak	41.49	2.96	44.45	60.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 206


Report Number **Test Site** :Conduction 6F :ER-2020-B0093

Test Mode :WLAN 5G :2020-12-05 **Test Date**

Power :AC 120V/60Hz Temp./Humi. :23.7/56

Probe :N Engineer :Neo

Note:



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.16	Peak	47.40	2.21	49.61	65.47	-15.86
0.20	Peak	47.06	2.21	49.27	63.62	-14.35
0.28	Peak	41.77	2.21	43.98	60.85	-16.87
2.35	Average	28.02	2.32	30.34	46.00	-15.66
2.35	QP	28.67	2.32	30.99	56.00	-25.01
3.19	Average	28.40	2.37	30.77	46.00	-15.23
3.19	QP	29.03	2.37	31.40	56.00	-24.60
9.25	Average	29.85	2.67	32.52	50.00	-17.48
9.25	QP	31.77	2.67	34.44	60.00	-25.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 206

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

7.1 **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	98.00	0.09	0.49	0.01
802.11n_20	98.00	0.09	0.53	0.01
802.11n_40	96.00	0.18	1.08	2.00
802.11ac_80	93.00	0.32	2.19	3.00

Duty Cycle Factor: $10 * \log(1/0.98) = 0.09$ Duty Cycle Factor: $10 * \log(1/0.98) = 0.09$ Duty Cycle Factor: $10 * \log(1/0.96) = 0.18$ Duty Cycle Factor: $10 * \log(1/0.93) = 0.32$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.uw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 21 of 206

7.2 **DUTY CYCLE TEST SIGNAL MEASUREMENT RESULT**

802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ are accessible at http://www.sgs.com.tw/<a href="http fullest extent of the law.


SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 22 of 206

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format Inis document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at https://www.sgs.com.tw/ refreshed-Conditions and or electronic format or documents, a valuable on request or accessible at https://www.sgs.com.tw/ refreshed-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 23 of 206

26DB &6DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - 3.a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto,

Detector = Peak,

Trace Mode = Max Hold.

Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.

- 3.b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as

RBW = 100 kHz

VBW = 3*RBW.

Span = 30M/50MHz,

Detector=Peak,

Sweep=auto

- b. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 24 of 206

Measurement Equipment Used 8.3

SGS Conducted Room									
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
DC Power Supply	Agilent	E3640A	MY40000811	12/23/2019	12/22/2020				
EXM Spectrum Analyzer	KEYSIGHT	N9010B	MY59071571	06/27/2020	06/26/2021				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021				

8.4 **Test Set-up**



8.5 **Measurement Result**

8.5.1 FCC 26dB Bandwidth

802.11a_Ch0

802.11n_HT20_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	22.52	13.530	5180	22.98	13.610
5220	21.81	13.390	5220	22.74	13.570
5240	21.91	13.410	5240	23.00	13.620
5260	21.78	13.380	5260	23.09	13.630
5300	21.97	13.420	5300	22.89	13.600
5320	21.72	13.370	5320	22.67	13.550
5500	21.87	13.400	5500	22.94	13.610
5580	21.89	13.400	5580	22.85	13.590
5700	22.25	13.470	5700	22.58	13.540
5720	21.99	13.420	5720	22.73	13.570

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 25 of 206

802.11n _HT40_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)	802.11ac _VHT80_C	:h0	
5190	42.40	16.270	Evo «	26dB	40 L (D)
5230	42.74	16.310	Freq. (MHz)	BW	10 Log (B) (dB)
5270	42.40	16.270		(MHz)	(42)
5310	41.99	16.230	5210	85.40	19.310
5510	41.91	16.220	5290	84.46	19.270
5550	42.43	16.280	5530	85.74	19.330
5670	42.15	16.250	5610	85.21	19.300
5710	42.44	16.280	5690	85.11	19.300

6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC 8.5.2

802.11a_Ch0

802.11n_HT20_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.39	12.150	5745	17.62	12.460
5785	16.40	12.150	5785	17.63	12.460
5825	16.39	12.150	5825	17.64	12.460

802.11n_HT40_Ch0

	6dB		802.11ac _VHT80_C	h0	
Freq. (MHz)	BW (MHz)	10 Log (B) (dB)	Freq. (MHz)	6dB BW	10 Log (B) (dB)
5755	36.39	15.610	((MHz)	(42)
5795	36.40	15.610	5775	76.34	18.830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 26 of 206

8.5.1 26dB BW Verification for DFS Function

802.11a_Ch0

802.11n_HT20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)	Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.35	< 5250	5240	5248.94	< 5250
5745	5736.74	> 5725	5745	5736.13	> 5725

802.11n _HT40_Ch0

802.11ac _VHT80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)	Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.24	< 5250	5210	5248.06	< 5250
5755	5736.86	> 5725	5775	5737.15	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 27 of 206


FCC 802.11a 20MHz Chain0 5180MHz




FCC 802.11a 20MHz Chain0 5220MHz




FCC 802.11a 20MHz Chain0 5240MHz




FCC 802.11a 20MHz Chain0 5260MHz



FCC 802.11a 20MHz Chain0 5300MHz



FCC 802.11a 20MHz Chain0 5320MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law




Page: 28 of 206


FCC 802.11a 20MHz Chain0 5500MHz




FCC 802.11a 20MHz Chain0 5580MHz




FCC 802.11a 20MHz Chain0 5700MHz




FCC 802.11a 20MHz Chain0 5720MHz



FCC 802.11a 20MHz Chain0 5745MHz



FCC 802.11a 20MHz Chain0 5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 29 of 206


FCC 802.11a 20MHz Chain0 5825MHz




FCC 802.11n 20MHz Chain0 5180MHz




FCC 802.11n 20MHz Chain0 5220MHz




FCC 802.11n 20MHz Chain0 5240MHz



FCC 802.11n 20MHz Chain0 5260MHz



FCC 802.11n 20MHz Chain0 5300MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law




Page: 30 of 206


FCC 802.11n 20MHz Chain0 5320MHz




FCC 802.11n 20MHz Chain0 5500MHz




FCC 802.11n 20MHz Chain0 5580MHz




FCC 802.11n 20MHz Chain0 5700MHz



FCC 802.11n 20MHz Chain0 5720MHz



FCC 802.11n 20MHz Chain0 5745MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 31 of 206


FCC 802.11n 20MHz Chain0 5785MHz




FCC 802.11n 20MHz Chain0 5825MHz



FCC 802.11n 40MHz Chain0 5190MHz




FCC 802.11n 40MHz Chain0 5230MHz



FCC 802.11n 40MHz Chain0 5270MHz



FCC 802.11n 40MHz Chain0 5310MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law




Page: 32 of 206


FCC 802.11n 40MHz Chain0 5510MHz




FCC 802.11n 40MHz Chain0 5550MHz




FCC 802.11n 40MHz Chain0 5670MHz




FCC 802.11n 40MHz Chain0 5710MHz



FCC 802.11n 40MHz Chain0 5755MHz



FCC 802.11n 40MHz Chain0 5795MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law




Page: 33 of 206


FCC 802.11ac 80MHz Chain0 5210MHz




FCC 802.11ac 80MHz Chain0 5290MHz




FCC 802.11ac 80MHz Chain0 5530MHz




FCC 802.11ac 80MHz Chain0 5610MHz



FCC 802.11ac 80MHz Chain0 5690MHz



FCC 802.11ac 80MHz Chain0 5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1erms-and-Conditions, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the content or appearance or t fullest extent of the law



Page: 34 of 206

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 35 of 206

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
		Access Point (Master device)	1 Watt(30dBm)
U-NII-1		Fixed point-to-point Access Ponit	1 Watt(30dBm)
	V	Mobile and portable client device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C			250mW(23.98dBm) or 11dBm+10 log B
U-NII-3			1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

9.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port 3. to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 4.
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

9.3 **Measurement Equipment Used**

SGS Conducted Room								
Name of Equipment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due			
Power Meter	Anritsu	ML2496A	1804001	02/20/2020	02/19/2021			
Power Sensor	Anritsu	MA2411B	1726104	02/20/2020	02/19/2021			
Power Sensor	Anritsu	MA2411B	1726107	02/20/2020	02/19/2021			
DC Power Supply	Agilent	E3640A	MY40000811	12/23/2019	12/22/2020			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the



Page: 36 of 206

9.4 **Test Set-up**



9.5 **Measurement Result**

Conducted output power (FCC) 9.5.1

802 11a Ch0

)2.11a_			TOTAL	TOTAL		DECLUBED		1
СН	Frequency (MHz)	Data Rate	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	((dBm)	(mW)		(dBm)		
36	5180	6	10.71	11.770		23.98		PASS
44	5220	6	11.85	15.303		23.98		PASS
48	5240	6	11.80	15.128		23.98		PASS
52	5260	6	11.84	15.268	23.98	or 11+10log(B) =	24.38	PASS
60	5300	6	11.61	14.480	23.98	or 11+10log(B) =	24.42	PASS
64	5320	6	10.60	11.476	23.98	or 11+10log(B) =	24.37	PASS
100	5500	6	10.67	11.662	23.98	or 11+10log(B) =	24.40	PASS
116	5580	6	11.91	15.516	23.98	or 11+10log(B) =	24.40	PASS
140	5700	6	10.98	12.525	23.98	or 11+10log(B) =	24.47	PASS
144	5720(U-NII 2C)	6	11.81	15.16	23.98	or 11+10log(B) =	24.42	PASS
144	5720 (U-NII 3)	6	11.81	15.16		30		PASS
149	5745	6	10.72	11.797		30		PASS
157	5785	6	11.81	15.163		30		PASS
165	5825	6	10.80	12.016		30		PASS

802.11n_HT20_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	10.67	11.662		23.98		PASS
44	5220	MCS0	11.92	15.552		23.98		PASS
48	5240	MCS0	11.86	15.338		23.98		PASS
52	5260	MCS0	11.82	15.198	23.98	or 11+10log(B) =	24.63	PASS
60	5300	MCS0	11.55	14.282	23.98	or 11+10log(B) =	24.60	PASS
64	5320	MCS0	10.96	12.467	23.98	or 11+10log(B) =	24.55	PASS
100	5500	MCS0	10.65	11.608	23.98	or 11+10log(B) =	24.61	PASS
116	5580	MCS0	11.91	15.516	23.98	or 11+10log(B) =	24.59	PASS
140	5700	MCS0	10.90	12.296	23.98	or 11+10log(B) =	24.54	PASS
144	5720(U-NII 2C)	MCS0	11.80	15.13	23.98	or 11+10log(B) =	24.57	PASS
144	5720 (U-NII 3)	MCS0	11.80	15.13		30		PASS
149	5745	MCS0	10.76	11.906		30		PASS
157	5785	MCS0	11.74	14.920	30		PASS	
165	5825	MCS0	10.66	11.635		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 37 of 206

802.11n_HT40_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	10.97	12.495		23.98		PASS
46	5230	MCS0	11.77	15.022		23.98		PASS
54	5270	MCS0	11.72	14.850	23.98	or 11+10log(B) =	27.27	PASS
62	5310	MCS0	10.80	12.015	23.98	or 11+10log(B) =	27.23	PASS
102	5510	MCS0	10.81	12.043	23.98	or 11+10log(B) =	27.22	PASS
110	5550	MCS0	11.60	14.445	23.98	or 11+10log(B) =	27.28	PASS
134	5670	MCS0	10.56	11.369	23.98	or 11+10log(B) =	27.25	PASS
142	5710(U-NII 2C)	MCS0	11.82	15.20	23.98	or 11+10log(B) =	27.28	PASS
142	5710 (U-NII 3)	MCS0	11.82	15.20		30		PASS
151	5755	MCS0	10.51	11.239		30		PASS
159	5795	MCS0	10.56	11.369		30		PASS

802.11ac VHT80 Ch0

<u></u>								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	11.92	15.542		23.98		PASS
58	5290	MCS0	11.69	14.741	23.98	or 11+10log(B) =	30.27	PASS
106	5530	MCS0	11.91	15.507	23.98	or 11+10log(B) =	30.33	PASS
122	5610	MCS0	11.59	14.405	23.98	or 11+10log(B) =	30.30	PASS
138	5690(U-NII 2C)	MCS0	11.98	15.76	23.98	or 11+10log(B) =	30.30	PASS
138	5690 (U-NII 3)	MCS0	11.98	15.76		30		PASS
155	5775	MCS0	11.65	14.606		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 38 of 206

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
		Access Point (Master device)	17dBm/ MHz
U-NII-1		Fixed point-to-point Access Ponit	17 dBitt/ Wit IZ
	√	Mobile and portable client device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C	√		11dBm/ MHz
U-NII-3	V		30dBm/ 500kHz

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=300kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

Set RBW=500kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic formal Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://w documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/1 erms-and-Conditions. Attention is drawn to the ilmitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the




Page: 39 of 206

Measurement Equipment Used 10.3

	SGS Conducted Room								
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
DC Power Sup- ply	Agilent	E3640A	MY40000811	12/23/2019	12/22/2020				
EXM Spectrum Analyzer	KEYSIGHT	N9010B	MY59071571	06/27/2020	06/26/2021				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2020	01/01/2021				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2020	01/01/2021				

10.4 **Test Set-up**



10.5 **Measurement Result**

10.5.1 **Power spectral density**

F	POWER DENSITY 802.11a MODE								
Frequency (MHz)	ch0 meas PSD	Maxmum Corr'd PSD	Limit	Margin (dB)					
5180.00	-2.17	-2.17	11.00 dBm/MHz	-13.17					
5220.00	-1.79	-1.79	11.00 dBm/MHz	-12.79					
5240.00	-1.57	-1.57	11.00 dBm/MHz	-12.57					
5260.00	-1.83	-1.83	11.00 dBm/MHz	-12.83					
5300.00	-1.87	-1.87	11.00 dBm/MHz	-12.87					
5320.00	-1.96	-1.96	11.00 dBm/MHz	-12.96					
5500.00	-2.15	-2.15	11.00 dBm/MHz	-13.15					
5580.00	-1.88	-1.88	11.00 dBm/MHz	-12.88					
5700.00	-1.90	-1.90	11.00 dBm/MHz	-12.90					
5720 (U-NII 2C)	-1.99	-1.99	11.00 dBm/MHz	-12.99					
5720 (U-NII 3)	-5.23	-5.23	30.00 dBm/500kHz	-35.23					
5745.00	-4.52	-4.52	30.00 dBm/500kHz	-34.52					
5785.00	-4.80	-4.80	30.00 dBm/500kHz	-34.80					
5825.00	-4.69	-4.69	30.00 dBm/500kHz	-34.69					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 40 of 206

PO	WER DENSIT	Y 802.11n H	T20 MODE	
Frequency (MHz)	ch0 meas PSD	Maxmum Corr'd PSD	Limit	Margin (dB)
5180.00	-1.98	-1.98	11.00 dBm/MHz	-12.98
5220.00	-2.30	-2.30	11.00 dBm/MHz	-13.30
5240.00	-1.93	-1.93	11.00 dBm/MHz	-12.93
5260.00	-2.19	-2.19	11.00 dBm/MHz	-13.19
5300.00	-2.16	-2.16	11.00 dBm/MHz	-13.16
5320.00	-2.14	-2.14	11.00 dBm/MHz	-13.14
5500.00	-2.14	-2.14	11.00 dBm/MHz	-13.14
5580.00	-2.43	-2.43	11.00 dBm/MHz	-13.43
5700.00	-2.09	-2.09	11.00 dBm/MHz	-13.09
5720 (U-NII 2C)	-1.61	-1.61	11.00 dBm/MHz	-12.61
5720 (U-NII 3)	-5.43	-5.43	30.00 dBm/500kHz	-35.43
5745.00	-5.56	-5.56	30.00 dBm/500kHz	-35.56
5785.00	-5.03	-5.03	30.00 dBm/500kHz	-35.03
5825.00	-5.13	-5.13	30.00 dBm/500kHz	-35.13

POV	POWER DENSITY 802.11n HT40 MODE								
Frequency (MHz)	ch0 meas PSD	Maxmum Corr'd PSD	Limit	Margin (dB)					
5190.00	-6.37	-6.19	11.00 dBm/MHz	-17.19					
5230.00	-5.99	-5.81	11.00 dBm/MHz	-16.81					
5270.00	-6.02	-5.84	11.00 dBm/MHz	-16.84					
5310.00	-5.18	-5.00	11.00 dBm/MHz	-16.00					
5510.00	-5.80	-5.62	11.00 dBm/MHz	-16.62					
5550.00	-6.03	-5.85	11.00 dBm/MHz	-16.85					
5670.00	-6.24	-6.06	11.00 dBm/MHz	-17.06					
5710 (U-NII 2C)	-5.83	-5.65	11.00 dBm/MHz	-16.65					
5710 (U-NII 3)	-10.08	-9.90	30.00 dBm/500kHz	-39.90					
5755.00	-8.81	-8.63	30.00 dBm/500kHz	-38.63					
5795.00	-8.21	-8.03	30.00 dBm/500kHz	-38.03					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **



Page: 41 of 206

POWER DENSITY 802.11ac VHT80 MODE				
Frequency (MHz)	ch0 meas PSD	Maxmum Corr'd PSD	Limit	Margin (dB)
5210.00	-10.38	-10.06	11.00 dBm/MHz	-21.06
5290.00	-10.06	-9.74	11.00 dBm/MHz	-20.74
5530.00	-9.71	-9.39	11.00 dBm/MHz	-20.39
5610.00	-10.12	-9.80	11.00 dBm/MHz	-20.80
5690 (U-NII 2C)	-9.99	-9.67	11.00 dBm/MHz	-20.67
5690 (U-NII 3)	-14.39	-14.07	30.00 dBm/500kHz	-44.07
5775.00	-12.97	-12.65	30.00 dBm/500kHz	-42.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SCS Televan Let ** No. 124 We Kung Read New Tripsi Industrial Park Welland District New Tripsi City Televan Let ** Televan Let **




Page: 42 of 206


802.11a 20MHz 5180MHz




802.11a 20MHz 5220MHz




802.11a 20MHz 5240MHz




802.11a 20MHz 5260MHz



802.11a_20MHz_5300MHz



802.11a 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information containined hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 43 of 206


802.11a 20MHz 5500MHz




802.11a 20MHz 5580MHz



802.11a 20MHz 5700MHz




802.11a 20MHz 5720MHz



802.11a_20MHz\5720MHz



802.11a 20MHz 5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ are accessible at http://www.sgs.com.tw/<a href="http fullest extent of the law



Page: 44 of 206

802.11a 20MHz 5785MHz



802.11a 20MHz 5825MHz




802.11n 20MHz 5180MHz




802.11n 20MHz 5220MHz



802.11n 20MHz 5240MHz



802.11n 20MHz 5260MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ are accessible at http://www.sgs.com.tw/<a href="http fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 45 of 206


802.11n 20MHz 5300MHz




802.11n 20MHz 5320MHz




802.11n 20MHz 5500MHz




802.11n 20MHz 5580MHz



802.11n 20MHz 5700MHz



802.11n 20MHz 5720MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ are accessible at http://www.sgs.com.tw/<a href="http fullest extent of the law

SGS Taiwan Ltd. Nq.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 46 of 206


802.11n 20MHz 5720MHz




802.11n 20MHz 5745MHz



802.11n 20MHz 5785MHz



802.11n 20MHz 5825MHz



802.11n 40MHz 5190MHz



802.11n 40MHz 5230MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format this document, is issued by the Company subject to its General Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/ are accessible at http://www.sgs.com.tw/<a href="http fullest extent of the law