

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Emission Band Edge

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (83.71 dBuV/m) = (35.91 dBμV) + (12.4 dB) + (34.5 dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	83.71	35.91	N/A	N/A	12.40	35.40
2	5150	37.49	-10.31	-30.71	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.06	34.26	N/A	N/A	12.40	35.40
2	5150	37.20	-10.60	-31.00	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	79.78	31.98	N/A	N/A	12.40	35.40
2	5150	32.46	-15.34	-21.54	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	77.31	29.51	N/A	N/A	12.40	35.40
2	5150	31.80	-16.00	-22.20	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:\Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	80.71	32.71	N/A	N/A	12.60	35.40
2	5340	36.62	-11.38	-31.58	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	79.10	31.10	N/A	N/A	12.60	35.40
2	5340	37.21	-10.79	-30.99	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:\Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	76.64	28.64	N/A	N/A	12.60	35.40
2	5340	31.81	-16.19	-22.19	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	74.11	26.11	N/A	N/A	12.60	35.40
2	5340	31.07	-16.93	-22.93	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.:36
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.82	37.02	N/A	N/A	12.40	35.40
2	5150	37.60	-10.20	-30.60	68.20	12.40	35.40

Carrier frequency (MHz): 5180
 Channel No.:36
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.19	34.39	N/A	N/A	12.40	35.40
2	5150	37.31	-10.49	-30.89	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.07	30.27	N/A	N/A	12.40	35.40
2	5150	32.87	-14.93	-21.13	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.07	30.27	N/A	N/A	12.40	35.40
2	5150	32.87	-14.93	-21.13	54.00	12.40	35.40

1	5180	75.20	27.40	N/A	N/A	12.40	35.40
2	5150	33.30	-14.50	-20.70	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	80.53	32.53	N/A	N/A	12.60	35.40
2	5340	36.89	-11.11	-31.31	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	78.68	30.68	N/A	N/A	12.60	35.40
2	5340	36.75	-11.25	-31.45	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	75.03	27.03	N/A	N/A	12.60	35.40
2	5340	32.27	-15.73	-21.73	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	72.89	24.89	N/A	N/A	12.60	35.40
2	5340	31.59	-16.41	-22.41	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36
 Test Mode: 802.11ac (VHT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.87	37.07	N/A	N/A	12.40	35.40
2	5150	36.44	-11.36	-31.76	68.20	12.40	35.40

Carrier frequency (MHz): 5180
 Channel No.:36
 Test Mode: 802.11ac (VHT20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.21	34.41	N/A	N/A	12.40	35.40
2	5150	35.93	-11.87	-32.27	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11ac (VHT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	79.51	31.71	N/A	N/A	12.40	35.40
2	5150	31.22	-16.58	-22.78	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11ac (VHT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.14	30.34	N/A	N/A	12.40	35.40
2	5150	31.63	-16.17	-22.37	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11ac (VHT20)
 Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	80.03	32.03	N/A	N/A	12.60	35.40
2	5340	37.58	-10.42	-30.62	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	78.12	30.12	N/A	N/A	12.60	35.40
2	5340	37.87	-10.13	-30.33	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	76.59	28.59	N/A	N/A	12.60	35.40
2	5340	32.56	-15.44	-21.44	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	73.80	25.80	N/A	N/A	12.60	35.40
2	5340	32.97	-15.03	-21.03	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11ax (HE20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)

		(dBuV/m)					
1	5180	84.94	37.14	N/A	N/A	12.40	35.40
2	5150	36.53	-11.27	-31.67	68.20	12.40	35.40

Carrier frequency (MHz): 5180
 Channel No.:36
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	83.04	35.24	N/A	N/A	12.40	35.40
2	5150	36.53	-11.27	-31.67	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.12	30.32	N/A	N/A	12.40	35.40
2	5150	32.13	-15.67	-21.87	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
 Channel No.: 36
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	75.98	28.18	N/A	N/A	12.40	35.40
2	5150	32.15	-15.65	-21.85	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	81.48	33.48	N/A	N/A	12.60	35.40

2	5340	37.16	-10.84	-31.04	68.20	12.60	35.40
---	------	-------	--------	--------	-------	-------	-------

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	78.72	30.72	N/A	N/A	12.60	35.40
2	5340	37.91	-10.09	-30.29	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	76.46	28.46	N/A	N/A	12.60	35.40
2	5340	31.29	-16.71	-22.71	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
 Channel No.:64
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	73.48	25.48	N/A	N/A	12.60	35.40
2	5340	32.01	-15.99	-21.99	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11n (HT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	84.31	36.51	N/A	N/A	12.40	35.40
2	5150	36.90	-10.90	-31.30	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	82.15	34.35	N/A	N/A	12.40	35.40
2	5150	37.52	-10.28	-30.68	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	79.03	31.23	N/A	N/A	12.40	35.40
2	5150	31.58	-16.22	-22.42	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz

Channel No.:38

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	77.99	30.19	N/A	N/A	12.40	35.40
2	5150	31.62	-16.18	-22.38	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	80.38	32.38	N/A	N/A	12.60	35.40
2	5350	37.18	-10.82	-31.02	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz

Channel No.:62

Test Mode: 802.11n (HT40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	77.99	29.99	N/A	N/A	12.60	35.40
2	5350	36.47	-11.53	-31.73	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11n (HT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	75.60	27.60	N/A	N/A	12.60	35.40
2	5350	31.76	-16.24	-22.24	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11n (HT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	74.54	26.54	N/A	N/A	12.60	35.40
2	5350	31.13	-16.87	-22.87	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.66	35.86	N/A	N/A	12.40	35.40
2	5150	36.60	-11.20	-31.60	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.66	35.86	N/A	N/A	12.40	35.40
2	5150	36.60	-11.20	-31.60	68.20	12.40	35.40

1	5190	81.26	33.46	N/A	N/A	12.40	35.40
2	5150	37.24	-10.56	-30.96	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	78.72	30.92	N/A	N/A	12.40	35.40
2	5150	31.62	-16.18	-22.38	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	76.11	28.31	N/A	N/A	12.40	35.40
2	5150	31.64	-16.16	-22.36	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	80.67	32.67	N/A	N/A	12.60	35.40
2	5350	37.81	-10.19	-30.39	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	79.31	31.31	N/A	N/A	12.60	35.40
2	5350	37.89	-10.11	-30.31	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	76.95	28.95	N/A	N/A	12.60	35.40
2	5350	31.81	-16.19	-22.19	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	75.25	27.25	N/A	N/A	12.60	35.40
2	5350	31.46	-16.54	-22.54	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ax (HE40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.04	35.24	N/A	N/A	12.40	35.40
2	5150	37.37	-10.43	-30.83	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	80.80	33.00	N/A	N/A	12.40	35.40
2	5150	38.02	-9.78	-30.18	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ax (HE40)

Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	79.11	31.31	N/A	N/A	12.40	35.40
2	5150	31.34	-16.46	-22.66	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
 Channel No.:38
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	76.97	29.17	N/A	N/A	12.40	35.40
2	5150	30.50	-17.30	-23.50	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ax (HE40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	80.08	32.08	N/A	N/A	12.60	35.40
2	5350	37.00	-11.00	-31.20	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	78.38	30.38	N/A	N/A	12.60	35.40
2	5350	36.60	-11.40	-31.60	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ax (HE40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	76.99	28.99	N/A	N/A	12.60	35.40
2	5350	31.17	-16.83	-22.83	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
 Channel No.:62
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	75.48	27.48	N/A	N/A	12.60	35.40
2	5350	31.87	-16.13	-22.13	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	83.75	35.95	N/A	N/A	12.40	35.40
2	5150	36.59	-11.21	-31.61	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ac (VHT80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	81.49	33.69	N/A	N/A	12.40	35.40
2	5150	36.75	-11.05	-31.45	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	81.49	33.69	N/A	N/A	12.40	35.40
2	5150	36.75	-11.05	-31.45	68.20	12.40	35.40

1	5210	79.02	31.22	N/A	N/A	12.40	35.40
2	5150	31.06	-16.74	-22.94	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ac (VHT80)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	76.44	28.64	N/A	N/A	12.40	35.40
2	5150	31.05	-16.75	-22.95	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ax (HE80)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	83.89	36.09	N/A	N/A	12.40	35.40
2	5150	37.52	-10.28	-30.68	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	81.26	33.46	N/A	N/A	12.40	35.40
2	5150	37.20	-10.60	-31.00	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ax (HE80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	78.85	31.05	N/A	N/A	12.40	35.40
2	5150	32.88	-14.92	-21.12	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz
 Channel No.:42
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	77.39	29.59	N/A	N/A	12.40	35.40
2	5150	33.46	-14.34	-20.54	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz
 Channel No.:58
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	80.17	32.17	N/A	N/A	12.60	35.40
2	5210	36.07	-11.93	-32.13	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
 Channel No.:58
 Test Mode: 802.11ac (VHT80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	77.94	29.94	N/A	N/A	12.60	35.40
2	5210	35.44	-12.56	-32.76	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
 Channel No.:58
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	75.91	27.91	N/A	N/A	12.60	35.40
2	5210	32.48	-15.52	-21.52	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz
 Channel No.:58
 Test Mode: 802.11ac (VHT80)

Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	72.97	24.97	N/A	N/A	12.60	35.40
2	5210	31.68	-16.32	-22.32	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ax (HE80)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	80.69	32.69	N/A	N/A	12.60	35.40
2	5210	37.94	-10.06	-30.26	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ax (HE80)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	78.83	30.83	N/A	N/A	12.60	35.40
2	5210	38.28	-9.72	-29.92	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ax (HE80)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	76.77	28.77	N/A	N/A	12.60	35.40
2	5210	31.14	-16.86	-22.86	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz

Channel No.:58

Test Mode: 802.11ax (HE80)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	74.79	26.79	N/A	N/A	12.60	35.40
2	5210	32.14	-15.86	-21.86	54.00	12.60	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ac (VHT160)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	73.95	26.15	N/A	N/A	12.40	35.40
2	5150	36.62	-11.18	-31.58	68.20	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ac (VHT160)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	72.84	25.04	N/A	N/A	12.40	35.40
2	5150	37.42	-10.38	-30.78	68.20	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ac (VHT160)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	69.77	21.97	N/A	N/A	12.40	35.40
2	5150	31.49	-16.31	-22.51	54.00	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ac (VHT160)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	69.77	21.97	N/A	N/A	12.40	35.40
2	5150	31.49	-16.31	-22.51	54.00	12.40	35.40

1	5250	67.83	20.03	N/A	N/A	12.40	35.40
2	5150	31.07	-16.73	-22.93	54.00	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ax (HE160)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	73.62	25.82	N/A	N/A	12.40	35.40
2	5150	36.01	-11.79	-32.19	68.20	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ax (HE160)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	71.53	23.73	N/A	N/A	12.40	35.40
2	5150	35.55	-12.25	-32.65	68.20	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ax (HE160)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	69.77	21.97	N/A	N/A	12.40	35.40
2	5150	32.65	-15.15	-21.35	54.00	12.40	35.40

Carrier frequency (MHz): 5250 MHz
 Channel No.:50
 Test Mode: 802.11ax (HE160)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5250	66.86	19.06	N/A	N/A	12.40	35.40
2	5150	31.66	-16.14	-22.34	54.00	12.40	35.40

Carrier frequency (MHz): 5500 MHz

Channel No.:100
 Test Mode: 802.11a
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	80.30	33.00	N/A	N/A	12.70	34.60
2	5480	37.07	-10.23	-31.13	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11a
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	77.43	30.13	N/A	N/A	12.70	34.60
2	5480	37.43	-9.87	-30.77	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11a
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.89	29.59	N/A	N/A	12.70	34.60
2	5480	31.30	-16.00	-22.70	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11a
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	74.17	26.87	N/A	N/A	12.70	34.60
2	5480	31.24	-16.06	-22.76	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11a
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	83.76	36.16	N/A	N/A	12.90	34.70
2	5845	36.76	-10.84	-31.44	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11a
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	81.94	34.34	N/A	N/A	12.90	34.70
2	5845	36.91	-10.69	-31.29	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11a
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.29	30.69	N/A	N/A	12.90	34.70
2	5845	31.31	-16.29	-22.69	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11a
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	76.81	29.21	N/A	N/A	12.90	34.70
2	5845	32.10	-15.50	-21.90	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	80.55	33.25	N/A	N/A	12.70	34.60

2	5480	36.62	-10.68	-31.58	68.20	12.70	34.60
---	------	-------	--------	--------	-------	-------	-------

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	78.59	31.29	N/A	N/A	12.70	34.60
2	5480	36.87	-10.43	-31.33	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.59	29.29	N/A	N/A	12.70	34.60
2	5480	32.41	-14.89	-21.59	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.51	28.21	N/A	N/A	12.70	34.60
2	5480	33.21	-14.09	-20.79	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	83.47	35.87	N/A	N/A	12.90	34.70
2	5845	37.51	-10.09	-30.69	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	81.36	33.76	N/A	N/A	12.90	34.70
2	5845	37.23	-10.37	-30.97	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11n (HT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	79.39	31.79	N/A	N/A	12.90	34.70
2	5845	32.49	-15.11	-21.51	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11n (HT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.20	30.60	N/A	N/A	12.90	34.70
2	5845	31.87	-15.73	-22.13	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ac (VHT20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	80.92	33.62	N/A	N/A	12.70	34.60
2	5480	37.54	-9.76	-30.66	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ac (VHT20)
 Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	79.82	32.52	N/A	N/A	12.70	34.60
2	5480	36.58	-10.72	-31.62	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.05	28.75	N/A	N/A	12.70	34.60
2	5480	31.77	-15.53	-22.23	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz

Channel No.:100

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	74.83	27.53	N/A	N/A	12.70	34.60
2	5480	32.17	-15.13	-21.83	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11ac (VHT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	84.80	37.20	N/A	N/A	12.90	34.70
2	5845	37.38	-10.22	-30.82	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11ac (VHT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level	Reading Level	Over Limit	Limit (dBuV/m)	cable loss	antenna factor

		(dBuV/m)	(dBuV)	(dB)		(dB)	(dB)
1	5825	82.36	34.76	N/A	N/A	12.90	34.70
2	5845	38.37	-9.23	-29.83	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11ac (VHT20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.63	31.03	N/A	N/A	12.90	34.70
2	5845	31.92	-15.68	-22.08	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11ac (VHT20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	76.47	28.87	N/A	N/A	12.90	34.70
2	5845	31.24	-16.36	-22.76	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	81.57	34.27	N/A	N/A	12.70	34.60
2	5480	37.84	-9.46	-30.36	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	79.24	31.94	N/A	N/A	12.70	34.60

2	5480	37.05	-10.25	-31.15	68.20	12.70	34.60
---	------	-------	--------	--------	-------	-------	-------

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.84	28.54	N/A	N/A	12.70	34.60
2	5480	32.48	-14.82	-21.52	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
 Channel No.:100
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	74.42	27.12	N/A	N/A	12.70	34.60
2	5480	33.35	-13.95	-20.65	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11ax (HE20)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	84.13	36.53	N/A	N/A	12.90	34.70
2	5845	37.59	-10.01	-30.61	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165
 Test Mode: 802.11ax (HE20)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.46	34.86	N/A	N/A	12.90	34.70
2	5845	37.63	-9.97	-30.57	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
 Channel No.:165

Test Mode: 802.11ax (HE20)

Polarity: Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	79.86	32.26	N/A	N/A	12.90	34.70
2	5845	32.61	-14.99	-21.39	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz

Channel No.: 165

Test Mode: 802.11ax (HE20)

Polarity: Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	77.73	30.13	N/A	N/A	12.90	34.70
2	5845	33.06	-14.54	-20.94	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz

Channel No.: 102

Test Mode: 802.11n (HT40)

Polarity: Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.49	33.19	N/A	N/A	12.70	34.60
2	5470	37.64	-9.66	-30.56	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.: 102

Test Mode: 802.11n (HT40)

Polarity: Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	79.03	31.73	N/A	N/A	12.70	34.60
2	5470	38.31	-8.99	-29.89	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.: 102

Test Mode: 802.11n (HT40)

Polarity: Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	76.77	29.47	N/A	N/A	12.70	34.60
2	5470	31.68	-15.62	-22.32	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
 Channel No.:102
 Test Mode: 802.11n (HT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	74.93	27.63	N/A	N/A	12.70	34.60
2	5470	32.47	-14.83	-21.53	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11n (HT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	84.26	36.66	N/A	N/A	12.90	34.70
2	5835	37.50	-10.10	-30.70	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11n (HT40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.26	35.66	N/A	N/A	12.90	34.70
2	5835	37.23	-10.37	-30.97	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11n (HT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.26	35.66	N/A	N/A	12.90	34.70
2	5835	37.23	-10.37	-30.97	68.20	12.90	34.70

1	5795	78.73	31.13	N/A	N/A	12.90	34.70
2	5835	31.31	-16.29	-22.69	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11n (HT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	77.46	29.86	N/A	N/A	12.90	34.70
2	5835	31.77	-15.83	-22.23	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
 Channel No.:102
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.32	33.02	N/A	N/A	12.70	34.60
2	5470	36.96	-10.34	-31.24	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
 Channel No.:102
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	78.04	30.74	N/A	N/A	12.70	34.60
2	5470	37.96	-9.34	-30.24	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
 Channel No.:102
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	75.65	28.35	N/A	N/A	12.70	34.60
2	5470	32.47	-14.83	-21.53	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
 Channel No.:102
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	73.00	25.70	N/A	N/A	12.70	34.60
2	5470	32.51	-14.79	-21.49	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	84.97	37.37	N/A	N/A	12.90	34.70
2	5835	37.73	-9.87	-30.47	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ac (VHT40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.55	35.95	N/A	N/A	12.90	34.70
2	5835	37.16	-10.44	-31.04	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ac (VHT40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	78.68	31.08	N/A	N/A	12.90	34.70
2	5835	31.44	-16.16	-22.56	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ac (VHT40)

Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	76.42	28.82	N/A	N/A	12.90	34.70
2	5835	31.89	-15.71	-22.11	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11ax (HE40)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	81.08	33.78	N/A	N/A	12.70	34.60
2	5470	36.58	-10.72	-31.62	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11ax (HE40)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	78.20	30.90	N/A	N/A	12.70	34.60
2	5470	36.28	-11.02	-31.92	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11ax (HE40)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	75.16	27.86	N/A	N/A	12.70	34.60
2	5470	32.69	-14.61	-21.31	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz

Channel No.:102

Test Mode: 802.11ax (HE40)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	73.80	26.50	N/A	N/A	12.70	34.60
2	5470	31.81	-15.49	-22.19	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ax (HE40)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	83.18	35.58	N/A	N/A	12.90	34.70
2	5835	37.57	-10.03	-30.63	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	81.35	33.75	N/A	N/A	12.90	34.70
2	5835	37.70	-9.90	-30.50	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ax (HE40)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	78.41	30.81	N/A	N/A	12.90	34.70
2	5835	32.74	-14.86	-21.26	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
 Channel No.:159
 Test Mode: 802.11ax (HE40)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	78.41	30.81	N/A	N/A	12.90	34.70
2	5835	32.74	-14.86	-21.26	54.00	12.90	34.70

1	5795	75.44	27.84	N/A	N/A	12.90	34.70
2	5835	33.24	-14.36	-20.76	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	81.22	33.92	N/A	N/A	12.70	34.60
2	5450	36.13	-11.17	-32.07	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ac (VHT80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	79.99	32.69	N/A	N/A	12.70	34.60
2	5450	36.45	-10.85	-31.75	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	75.06	27.76	N/A	N/A	12.70	34.60
2	5450	32.33	-14.97	-21.67	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ac (VHT80)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	72.79	25.49	N/A	N/A	12.70	34.60
2	5450	32.13	-15.17	-21.87	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz

Channel No.:106
 Test Mode: 802.11ax (HE80)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	81.96	34.66	N/A	N/A	12.70	34.60
2	5450	37.91	-9.39	-30.29	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	79.63	32.33	N/A	N/A	12.70	34.60
2	5450	38.63	-8.67	-29.57	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ax (HE80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	75.55	28.25	N/A	N/A	12.70	34.60
2	5450	32.98	-14.32	-21.02	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz
 Channel No.:106
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	73.60	26.30	N/A	N/A	12.70	34.60
2	5450	33.83	-13.47	-20.17	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz
 Channel No.:155
 Test Mode: 802.11ac (VHT80)
 Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	83.35	35.75	N/A	N/A	12.90	34.70
2	5695	36.28	-11.32	-31.92	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz

Channel No.:155

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	81.64	34.04	N/A	N/A	12.90	34.70
2	5695	35.88	-11.72	-32.32	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz

Channel No.:155

Test Mode: 802.11ac (VHT80)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	79.63	32.03	N/A	N/A	12.90	34.70
2	5695	32.05	-15.55	-21.95	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz

Channel No.:155

Test Mode: 802.11ac (VHT80)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	77.86	30.26	N/A	N/A	12.90	34.70
2	5695	32.92	-14.68	-21.08	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz

Channel No.:155

Test Mode: 802.11ax (HE80)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)

		(dBuV/m)					
1	5775	83.47	35.87	N/A	N/A	12.90	34.70
2	5695	37.30	-10.30	-30.90	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
 Channel No.:155
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	81.36	33.76	N/A	N/A	12.90	34.70
2	5695	38.18	-9.42	-30.02	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
 Channel No.:155
 Test Mode: 802.11ax (HE80)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	78.37	30.77	N/A	N/A	12.90	34.70
2	5695	32.63	-14.97	-21.37	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz
 Channel No.:155
 Test Mode: 802.11ax (HE80)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	77.26	29.66	N/A	N/A	12.90	34.70
2	5695	33.56	-14.04	-20.44	54.00	12.90	34.70

Carrier frequency (MHz): 5570 MHz
 Channel No.:114
 Test Mode: 802.11ac (VHT160)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	74.00	26.70	N/A	N/A	12.70	34.60

2	5450	36.04	-11.26	-32.16	68.20	12.70	34.60
---	------	-------	--------	--------	-------	-------	-------

Carrier frequency (MHz): 5570 MHz
 Channel No.:114
 Test Mode: 802.11ac (VHT160)
 Polarity:Horizontal
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	72.27	24.97	N/A	N/A	12.70	34.60
2	5450	36.78	-10.52	-31.42	68.20	12.70	34.60

Carrier frequency (MHz): 5570 MHz
 Channel No.:114
 Test Mode: 802.11ac (VHT160)
 Polarity:Vertical
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	69.39	22.09	N/A	N/A	12.70	34.60
2	5450	31.18	-16.12	-22.82	54.00	12.70	34.60

Carrier frequency (MHz): 5570 MHz
 Channel No.:114
 Test Mode: 802.11ac (VHT160)
 Polarity:Horizontal
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	67.59	20.29	N/A	N/A	12.70	34.60
2	5450	30.61	-16.69	-23.39	54.00	12.70	34.60

Carrier frequency (MHz): 5570 MHz
 Channel No.:114
 Test Mode: 802.11ax (HE160)
 Polarity:Vertical
 Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	74.44	27.14	N/A	N/A	12.70	34.60
2	5450	36.69	-10.61	-31.51	68.20	12.70	34.60

Carrier frequency (MHz): 5570 MHz
 Channel No.:114

Test Mode: 802.11ax (HE160)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	71.89	24.59	N/A	N/A	12.70	34.60
2	5450	37.40	-9.90	-30.80	68.20	12.70	34.60

Carrier frequency (MHz): 5570 MHz

Channel No.:114

Test Mode: 802.11ax (HE160)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	69.80	22.50	N/A	N/A	12.70	34.60
2	5450	32.11	-15.19	-21.89	54.00	12.70	34.60

Carrier frequency (MHz): 5570 MHz

Channel No.:114


Test Mode: 802.11ax (HE160)

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5570	68.04	20.74	N/A	N/A	12.70	34.60
2	5450	31.15	-16.15	-22.85	54.00	12.70	34.60

Copy of 002C_FCC



Radiated Emission Band Edge for 5260MHz

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(21.81 \text{ dB}\mu\text{V/m}) = (34.01 \text{ dB}\mu\text{V}) + (-12.2 \text{ dB/m})$, the corresponding frequency is 30.5335MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.5335	21.81	-12.2	34.01	Vertical	40
84.126	30.06	-22.6	52.66	Vertical	40
137.088	20.33	-22	42.33	Vertical	43.5
194.609	22.79	-22.2	44.99	Vertical	43.5
312.658	17.57	-17.5	35.07	Vertical	46
939.6175	18.28	-3.6	21.88	Vertical	46

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.6975	20.79	-12.9	33.69	Vertical	40
84.32	29.78	-22.6	52.38	Vertical	40
138.349	19.8	-22.1	41.9	Vertical	43.5
193.4935	23.52	-22.2	45.72	Vertical	43.5
320.03	17.16	-17.3	34.46	Vertical	46
935.98	18.2	-3.7	21.9	Vertical	46

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.3395	21.32	-12.1	33.42	Vertical	40
83.738	30.02	-22.6	52.62	Vertical	40
134.8085	19.92	-21.8	41.72	Vertical	43.5
193.2995	23.34	-22.2	45.54	Vertical	43.5
317.799	17.51	-17.4	34.91	Vertical	46
931.615	18.23	-3.7	21.93	Vertical	46

For 802.11ax(HE20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.03	-12.2	32.23	Vertical	40
82.4285	27.42	-22.7	50.12	Vertical	40

132.5775	19.64	-21.6	41.24	Vertical	43.5
187.4795	22.62	-22.1	44.72	Vertical	43.5
311.106	15.2	-17.6	32.8	Vertical	46
944.322	18.21	-3.6	21.81	Vertical	46

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.81	-12.2	33.01	Vertical	40
83.7865	30.05	-22.6	52.65	Vertical	40
135.245	19.78	-21.9	41.68	Vertical	43.5
190.632	23.73	-22.2	45.93	Vertical	43.5
316.9745	17.63	-17.4	35.03	Vertical	46
922.6425	17.84	-3.9	21.74	Vertical	46

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.566	20.39	-16	36.39	Vertical	40
83.5925	29.94	-22.7	52.64	Vertical	40
136.7485	19.99	-22	41.99	Vertical	43.5
190.923	24	-22.2	46.2	Vertical	43.5
345.8805	12.5	-16.5	29	Vertical	46
863.327	16.55	-4.8	21.35	Vertical	46

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.6	-12	33.6	Vertical	40
83.641	30.01	-22.7	52.71	Vertical	40
134.178	19.77	-21.7	41.47	Vertical	43.5
190.6805	23.94	-22.2	46.14	Vertical	43.5
315.374	16.99	-17.4	34.39	Vertical	46
917.0165	17.78	-3.9	21.68	Vertical	46

For 802.11ax(HE20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.312	18.35	-16.9	35.25	Vertical	40
83.4955	29.91	-22.7	52.61	Vertical	40
134.566	19.89	-21.8	41.69	Vertical	43.5
190.8745	23.94	-22.2	46.14	Vertical	43.5
316.053	17.04	-17.4	34.44	Vertical	46
943.9825	18.32	-3.6	21.92	Vertical	46

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.0325	19.69	-15.8	35.49	Vertical	40
83.3985	29.9	-22.7	52.6	Vertical	40
134.9055	20.81	-21.8	42.61	Vertical	43.5
189.08	23.92	-22.1	46.02	Vertical	43.5
314.016	17.27	-17.5	34.77	Vertical	46
952.276	18.23	-3.4	21.63	Vertical	46

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
36.208	18.48	-15.3	33.78	Vertical	40
84.029	29.73	-22.6	52.33	Vertical	40
134.9055	19.85	-21.8	41.65	Vertical	43.5
189.177	23.99	-22.1	46.09	Vertical	43.5
314.5495	17.45	-17.5	34.95	Vertical	46
867.0615	16.58	-4.8	21.38	Vertical	46

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194	21.05	-12.1	33.15	Vertical	40
83.4955	30.02	-22.7	52.72	Vertical	40
134.566	20.04	-21.8	41.84	Vertical	43.5
189.662	23.53	-22.1	45.63	Vertical	43.5
314.3555	17.44	-17.5	34.94	Vertical	46
938.1625	18.34	-3.6	21.94	Vertical	46

For 802.11ax(HE20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.25	-12.2	32.45	Vertical	40
84.902	28.98	-22.6	51.58	Vertical	40
134.4205	19.99	-21.8	41.79	Vertical	43.5
189.0315	24.08	-22.1	46.18	Vertical	43.5
312.852	17.49	-17.5	34.99	Vertical	46
957.1745	18.39	-3.4	21.79	Vertical	46

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	19.96	-12.2	32.16	Vertical	40

83.641	29.85	-22.7	52.55	Vertical	40
134.0325	19.49	-21.7	41.19	Vertical	43.5
188.7405	23.73	-22.1	45.83	Vertical	43.5
312.27	17.12	-17.5	34.62	Vertical	46
939.278	18.29	-3.6	21.89	Vertical	46

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.5035	18.55	-12.8	31.35	Vertical	40
83.6895	29.83	-22.6	52.43	Vertical	40
136.312	19.69	-22	41.69	Vertical	43.5
189.468	23.62	-22.1	45.72	Vertical	43.5
313.531	17.37	-17.5	34.87	Vertical	46
940.7815	18.28	-3.6	21.88	Vertical	46

For 802.11ax(HE40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.15	-12.2	32.35	Vertical	40
83.447	29.92	-22.7	52.62	Vertical	40
134.8085	19.85	-21.8	41.65	Vertical	43.5
189.0315	24.02	-22.1	46.12	Vertical	43.5
312.852	17.47	-17.5	34.97	Vertical	46
950.2875	18.3	-3.5	21.8	Vertical	46

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.746	19.34	-12.9	32.24	Vertical	40
83.641	29.95	-22.7	52.65	Vertical	40
134.6145	19.96	-21.8	41.76	Vertical	43.5
189.0315	24	-22.1	46.1	Vertical	43.5
314.1615	16.92	-17.5	34.42	Vertical	46
897.0345	17.13	-4.3	21.43	Vertical	46

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
37.3235	20.04	-15.9	35.94	Vertical	40
83.8835	29.87	-22.6	52.47	Vertical	40
136.4575	19.77	-22	41.77	Vertical	43.5
189.3225	23.92	-22.1	46.02	Vertical	43.5
312.173	17.28	-17.5	34.78	Vertical	46
916.095	17.7	-4	21.7	Vertical	46

For 802.11ax(HE40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.13	-12	33.13	Vertical	40
83.835	29.89	-22.6	52.49	Vertical	40
135.0995	19.59	-21.8	41.39	Vertical	43.5
190.3895	23.55	-22.2	45.75	Vertical	43.5
345.153	9.21	-16.5	25.71	Vertical	46
959.842	18.43	-3.3	21.73	Vertical	46

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.5035	18.72	-12.8	31.52	Vertical	40
83.3985	29.87	-22.7	52.57	Vertical	40
134.663	19.93	-21.8	41.73	Vertical	43.5
188.789	23.88	-22.1	45.98	Vertical	43.5
313.143	17.26	-17.5	34.76	Vertical	46
931.6635	18.23	-3.7	21.93	Vertical	46

For 802.11ax(HE80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097	20.89	-12	32.89	Vertical	40
83.2045	29.73	-22.7	52.43	Vertical	40
134.8085	19.86	-21.8	41.66	Vertical	43.5
189.4195	23.77	-22.1	45.87	Vertical	43.5
312.367	17.23	-17.5	34.73	Vertical	46
933.167	18.21	-3.7	21.91	Vertical	46

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.843	19.15	-13	32.15	Vertical	40
83.447	29.9	-22.7	52.6	Vertical	40
134.7115	19.91	-21.8	41.71	Vertical	43.5
189.371	23.81	-22.1	45.91	Vertical	43.5
313.628	16.89	-17.5	34.39	Vertical	46
907.171	17.52	-4.1	21.62	Vertical	46

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
----------------	----------------	-----------	---------------	----------	----------------

30.291	20.81	-12.1	32.91	Vertical	40
83.4955	27.65	-22.7	50.35	Vertical	40
133.014	19.88	-21.6	41.48	Vertical	43.5
188.0615	22.66	-22.1	44.76	Vertical	43.5
313.1915	14.37	-17.5	31.87	Vertical	46
934.137	18.28	-3.7	21.98	Vertical	46

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.6005	19.7	-12.8	32.5	Vertical	40
83.6895	27.51	-22.6	50.11	Vertical	40
97.609	19.34	-21.7	41.04	Vertical	43.5
188.11	22.52	-22.1	44.62	Vertical	43.5
312.1245	15.66	-17.6	33.26	Vertical	46
948.6385	18.38	-3.5	21.88	Vertical	46

For 802.11ax(HE20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	20.28	-12.2	32.48	Vertical	40
78.306	27.23	-23	50.23	Vertical	40
132.238	19.99	-21.6	41.59	Vertical	43.5
188.498	22.59	-22.1	44.69	Vertical	43.5
311.0575	16.53	-17.6	34.13	Vertical	46
953.6825	18.29	-3.4	21.69	Vertical	46

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.75	-12	33.75	Vertical	40
83.6895	27.48	-22.6	50.08	Vertical	40
97.609	19.59	-21.7	41.29	Vertical	43.5
188.401	22.7	-22.1	44.8	Vertical	43.5
325.8985	15.64	-17.1	32.74	Vertical	46
927.347	18.24	-3.8	22.04	Vertical	46

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.2425	20.93	-12.1	33.03	Vertical	40
78.4515	27.29	-23	50.29	Vertical	40
115.36	15.92	-20.7	36.62	Vertical	43.5
188.3525	22.55	-22.1	44.65	Vertical	43.5
326.0925	15.63	-17.1	32.73	Vertical	46

896.986	17.19	-4.3	21.49	Vertical	46
---------	-------	------	-------	----------	----

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.69	-12	33.69	Vertical	40
78.8395	27.3	-22.9	50.2	Vertical	40
130.5405	19.58	-21.4	40.98	Vertical	43.5
188.401	22.47	-22.1	44.57	Vertical	43.5
310.7665	16.61	-17.6	34.21	Vertical	46
915.6585	17.63	-4	21.63	Vertical	46

For 802.11ax(HE20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.1455	21.04	-12	33.04	Vertical	40
83.3985	27.17	-22.7	49.87	Vertical	40
97.609	19.34	-21.7	41.04	Vertical	43.5
187.1885	22.09	-22.1	44.19	Vertical	43.5
325.0255	15.34	-17.2	32.54	Vertical	46
958.7265	18.41	-3.3	21.71	Vertical	46

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	19.92	-12.2	32.12	Vertical	40
83.35	26.97	-22.7	49.67	Vertical	40
132.723	19.81	-21.6	41.41	Vertical	43.5
187.3825	21.78	-22.1	43.88	Vertical	43.5
324.492	15.2	-17.2	32.4	Vertical	46
958.1445	18.38	-3.3	21.68	Vertical	46

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.53	-12	33.53	Vertical	40
84.2715	26.51	-22.6	49.11	Vertical	40
131.4135	19.57	-21.5	41.07	Vertical	43.5
187.0915	22.09	-22.1	44.19	Vertical	43.5
325.1225	15.09	-17.2	32.29	Vertical	46
950.5785	18.18	-3.5	21.68	Vertical	46

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit
----------------	----------------	------	------	----------	-------

		(dB)	(dBuV/m)		(dBuV/m)
30	21.68	-12	33.68	Vertical	40
82.5255	27.41	-22.7	50.11	Vertical	40
133.111	19.8	-21.6	41.4	Vertical	43.5
186.8975	22.21	-22.1	44.31	Vertical	43.5
311.009	15.73	-17.6	33.33	Vertical	46
913.67	17.75	-4	21.75	Vertical	46

For 802.11ax(HE20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.5035	18.72	-12.8	31.52	Vertical	40
84.0775	27.05	-22.6	49.65	Vertical	40
97.609	19.19	-21.7	40.89	Vertical	43.5
188.304	22	-22.1	44.1	Vertical	43.5
324.589	15.4	-17.2	32.6	Vertical	46
952.9065	18.28	-3.4	21.68	Vertical	46

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.2425	20.8	-12.1	32.9	Vertical	40
78.791	27.32	-22.9	50.22	Vertical	40
132.432	19.86	-21.6	41.46	Vertical	43.5
188.595	22.16	-22.1	44.26	Vertical	43.5
325.8985	15.07	-17.1	32.17	Vertical	46
927.8805	18.16	-3.8	21.96	Vertical	46

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.67	-12	33.67	Vertical	40
83.5925	27.29	-22.7	49.99	Vertical	40
97.7545	19.06	-21.6	40.66	Vertical	43.5
188.7405	22.11	-22.1	44.21	Vertical	43.5
311.009	15.77	-17.6	33.37	Vertical	46
950.3845	18.24	-3.5	21.74	Vertical	46

For 802.11ax(HE40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194	21.01	-12.1	33.11	Vertical	40
83.35	27.11	-22.7	49.81	Vertical	40
97.512	19.18	-21.7	40.88	Vertical	43.5
188.3525	22.05	-22.1	44.15	Vertical	43.5

324.2495	15.09	-17.2	32.29	Vertical	46
909.79	17.61	-4.1	21.71	Vertical	46

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097	21.28	-12	33.28	Vertical	40
79.179	27.1	-22.9	50	Vertical	40
96.9785	18.6	-21.7	40.3	Vertical	43.5
188.5465	22.14	-22.1	44.24	Vertical	43.5
311.397	15.07	-17.6	32.67	Vertical	46
913.5245	17.71	-4	21.71	Vertical	46

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.55	-12	33.55	Vertical	40
78.597	27.17	-23	50.17	Vertical	40
133.1595	19.69	-21.7	41.39	Vertical	43.5
187.043	22.2	-22.1	44.3	Vertical	43.5
310.815	15.74	-17.6	33.34	Vertical	46
914.446	17.7	-4	21.7	Vertical	46

For 802.11ax(HE40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	18.14	-12	30.14	Vertical	40
78.7425	24.78	-22.9	47.68	Vertical	40
132.141	17.47	-21.6	39.07	Vertical	43.5
188.498	20.07	-22.1	42.17	Vertical	43.5
311.0575	13.64	-17.6	31.24	Vertical	46
930.6935	17.54	-3.7	21.24	Vertical	46

For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.62	-12	33.62	Vertical	40
78.8395	27.23	-22.9	50.13	Vertical	40
132.82	19.87	-21.6	41.47	Vertical	43.5
187.14	22.28	-22.1	44.38	Vertical	43.5
323.522	14.2	-17.2	31.4	Vertical	46
913.767	17.69	-4	21.69	Vertical	46

For 802.11ax(HE80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit
----------------	----------------	------	------	----------	-------

		(dB)	(dBuV/m)		(dBuV/m)
30.1455	20.92	-12	32.92	Vertical	40
83.835	27.06	-22.6	49.66	Vertical	40
97.3665	18.83	-21.7	40.53	Vertical	43.5
187.2855	22.13	-22.1	44.23	Vertical	43.5
311.397	14.94	-17.6	32.54	Vertical	46
919.4415	17.67	-3.9	21.57	Vertical	46

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.59	-12	33.59	Vertical	40
82.5255	27.42	-22.7	50.12	Vertical	40
132.917	19.88	-21.6	41.48	Vertical	43.5
188.6435	21.96	-22.1	44.06	Vertical	43.5
323.4735	14.19	-17.2	31.39	Vertical	46
958.0475	18.36	-3.3	21.66	Vertical	46

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097	21.22	-12	33.22	Vertical	40
82.6225	27.3	-22.7	50	Vertical	40
115.457	15.22	-20.7	35.92	Vertical	43.5
188.1585	21.41	-22.1	43.51	Vertical	43.5
324.88	15.02	-17.2	32.22	Vertical	46
936.562	18.24	-3.6	21.84	Vertical	46

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.72	-12	33.72	Vertical	40
82.3315	27.43	-22.7	50.13	Vertical	40
133.402	19.71	-21.7	41.41	Vertical	43.5
187.14	22.44	-22.1	44.54	Vertical	43.5
311.1545	15.27	-17.6	32.87	Vertical	46
925.019	18.04	-3.8	21.84	Vertical	46

For 802.11ax(HE20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.723	15.99	-15.1	31.09	Vertical	40
82.574	27.47	-22.7	50.17	Vertical	40
131.656	19.84	-21.5	41.34	Vertical	43.5
188.1585	21.49	-22.1	43.59	Vertical	43.5

311.106	15.38	-17.6	32.98	Vertical	46
958.7265	18.36	-3.3	21.66	Vertical	46

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.65	-12	33.65	Vertical	40
84.126	27	-22.6	49.6	Vertical	40
132.432	19.7	-21.6	41.3	Vertical	43.5
188.8375	22.06	-22.1	44.16	Vertical	43.5
311.1545	15.29	-17.6	32.89	Vertical	46
954.701	18.24	-3.4	21.64	Vertical	46

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.3395	20.43	-12.1	32.53	Vertical	40
82.3315	27.48	-22.7	50.18	Vertical	40
131.0255	19.74	-21.4	41.14	Vertical	43.5
186.8975	22.14	-22.1	44.24	Vertical	43.5
311.106	15.38	-17.6	32.98	Vertical	46
945.486	18.31	-3.6	21.91	Vertical	46

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.69	-12	33.69	Vertical	40
82.283	27.43	-22.7	50.13	Vertical	40
133.111	19.93	-21.6	41.53	Vertical	43.5
188.3525	21.58	-22.1	43.68	Vertical	43.5
311.1545	15.24	-17.6	32.84	Vertical	46
948.3475	18.32	-3.5	21.82	Vertical	46

For 802.11ax(HE20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.09	-12.2	32.29	Vertical	40
83.835	27.19	-22.6	49.79	Vertical	40
132.917	19.96	-21.6	41.56	Vertical	43.5
187.528	22.53	-22.1	44.63	Vertical	43.5
310.7665	15.69	-17.6	33.29	Vertical	46
926.377	18.1	-3.8	21.9	Vertical	46

For 802.11a Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.51	-12	33.51	Vertical	40
83.544	27.11	-22.7	49.81	Vertical	40
97.706	19.03	-21.6	40.63	Vertical	43.5
188.5465	21.84	-22.1	43.94	Vertical	43.5
324.5405	14.9	-17.2	32.1	Vertical	46
944.613	18.28	-3.6	21.88	Vertical	46

For 802.11n(HT20) Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.1455	21.18	-12	33.18	Vertical	40
82.5255	27.5	-22.7	50.2	Vertical	40
133.3535	19.79	-21.7	41.49	Vertical	43.5
187.625	22.41	-22.1	44.51	Vertical	43.5
324.686	14.99	-17.2	32.19	Vertical	46
924.534	17.89	-3.8	21.69	Vertical	46

For 802.11ac(VHT20) Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.164	18.18	-12.6	30.78	Vertical	40
83.932	27.16	-22.6	49.76	Vertical	40
97.415	18.86	-21.7	40.56	Vertical	43.5
188.595	21.99	-22.1	44.09	Vertical	43.5
310.9605	15.57	-17.6	33.17	Vertical	46
938.696	18.28	-3.6	21.88	Vertical	46

For 802.11ax(HE20) Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	20.14	-12.2	32.34	Vertical	40
82.7195	27.41	-22.7	50.11	Vertical	40
133.2565	19.89	-21.7	41.59	Vertical	43.5
187.6735	22.39	-22.1	44.49	Vertical	43.5
324.88	15.06	-17.2	32.26	Vertical	46
928.4625	18.14	-3.8	21.94	Vertical	46

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.71	-12	33.71	Vertical	40
82.962	27.19	-22.7	49.89	Vertical	40
131.5105	19.94	-21.5	41.44	Vertical	43.5

187.3825	22.65	-22.1	44.75	Vertical	43.5
325.4135	15.05	-17.1	32.15	Vertical	46
946.4075	18.33	-3.5	21.83	Vertical	46

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.2425	20.73	-12.1	32.83	Vertical	40
83.738	27.03	-22.6	49.63	Vertical	40
133.208	19.84	-21.7	41.54	Vertical	43.5
187.819	22.14	-22.1	44.24	Vertical	43.5
324.7345	14.86	-17.2	32.06	Vertical	46
915.9495	17.66	-4	21.66	Vertical	46

For 802.11ax(HE40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	19.93	-12.2	32.13	Vertical	40
82.671	27.29	-22.7	49.99	Vertical	40
96.833	18.25	-21.7	39.95	Vertical	43.5
186.849	21.85	-22.1	43.95	Vertical	43.5
323.716	14.35	-17.2	31.55	Vertical	46
946.747	18.22	-3.5	21.72	Vertical	46

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.0185	18.16	-12.5	30.66	Vertical	40
83.9805	27.11	-22.6	49.71	Vertical	40
97.9	18.9	-21.6	40.5	Vertical	43.5
187.2855	22.6	-22.1	44.7	Vertical	43.5
311.0575	15.35	-17.6	32.95	Vertical	46
934.8645	18.27	-3.7	21.97	Vertical	46

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	19.11	-12	31.11	Vertical	40
84.4655	25.42	-22.6	48.02	Vertical	40
131.171	19.17	-21.5	40.67	Vertical	43.5
187.237	22.08	-22.1	44.18	Vertical	43.5
311.2515	14.67	-17.6	32.27	Vertical	46
926.1345	17.98	-3.8	21.78	Vertical	46

For 802.11ax(HE40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.2425	20.76	-12.1	32.86	Vertical	40
82.38	27.43	-22.7	50.13	Vertical	40
133.2565	19.83	-21.7	41.53	Vertical	43.5
187.4795	22.59	-22.1	44.69	Vertical	43.5
311.009	15.38	-17.6	32.98	Vertical	46
875.9855	16.71	-4.6	21.31	Vertical	46

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.388	20.34	-12.2	32.54	Vertical	40
82.574	27.51	-22.7	50.21	Vertical	40
132.82	19.9	-21.6	41.5	Vertical	43.5
187.043	22.33	-22.1	44.43	Vertical	43.5
325.074	15.06	-17.2	32.26	Vertical	46
944.7585	18.28	-3.6	21.88	Vertical	46

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.6305	18.89	-12.3	31.19	Vertical	40
83.8835	26.62	-22.6	49.22	Vertical	40
96.6875	18.02	-21.7	39.72	Vertical	43.5
187.3825	22.13	-22.1	44.23	Vertical	43.5
325.8015	14.29	-17.1	31.39	Vertical	46
958.096	18.18	-3.3	21.48	Vertical	46

For 802.11ax(HE40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.53	-12	33.53	Vertical	40
82.2345	27.32	-22.7	50.02	Vertical	40
131.5105	19.89	-21.5	41.39	Vertical	43.5
187.6735	22.47	-22.1	44.57	Vertical	43.5
325.2195	14.99	-17.1	32.09	Vertical	46
952.761	18.11	-3.4	21.51	Vertical	46

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.43	-12	33.43	Vertical	40
83.544	26.92	-22.7	49.62	Vertical	40

133.402	19.66	-21.7	41.36	Vertical	43.5
187.8675	22.06	-22.1	44.16	Vertical	43.5
312.1245	13.63	-17.6	31.23	Vertical	46
951.112	18.2	-3.5	21.7	Vertical	46

For 802.11ax(HE80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.5335	19.35	-12.2	31.55	Vertical	40
82.9135	26.78	-22.7	49.48	Vertical	40
133.2565	19.42	-21.7	41.12	Vertical	43.5
187.431	22.22	-22.1	44.32	Vertical	43.5
311.203	14.8	-17.6	32.4	Vertical	46
859.544	16.37	-4.8	21.17	Vertical	46

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582	19.38	-12.3	31.68	Vertical	40
78.7425	27	-22.9	49.9	Vertical	40
97.7545	18.66	-21.6	40.26	Vertical	43.5
187.5765	22.36	-22.1	44.46	Vertical	43.5
324.0555	14.33	-17.2	31.53	Vertical	46
942.285	18.19	-3.6	21.79	Vertical	46

For 802.11ax(HE80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.1455	21	-12	33	Vertical	40
83.544	26.94	-22.7	49.64	Vertical	40
97.803	18.83	-21.6	40.43	Vertical	43.5
187.5765	22.57	-22.1	44.67	Vertical	43.5
325.5105	14.87	-17.1	31.97	Vertical	46
914.2035	17.79	-4	21.79	Vertical	46

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	19.96	-12.2	32.16	Vertical	40
82.477	27.41	-22.7	50.11	Vertical	40
131.4135	19.83	-21.5	41.33	Vertical	43.5
187.722	22.41	-22.1	44.51	Vertical	43.5
311.0575	15.29	-17.6	32.89	Vertical	46
941.7515	18.23	-3.6	21.83	Vertical	46

For 802.11ax(HE80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.3395	20.29	-12.1	32.39	Vertical	40
82.38	27.33	-22.7	50.03	Vertical	40
132.9655	19.79	-21.6	41.39	Vertical	43.5
187.6735	22.45	-22.1	44.55	Vertical	43.5
311.009	15.22	-17.6	32.82	Vertical	46
926.5225	18.09	-3.8	21.89	Vertical	46

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	20.03	-12.2	32.23	Vertical	40
82.477	27.38	-22.7	50.08	Vertical	40
131.3165	19.8	-21.5	41.3	Vertical	43.5
188.4495	21.96	-22.1	44.06	Vertical	43.5
324.3465	15.03	-17.2	32.23	Vertical	46
944.613	18.29	-3.6	21.89	Vertical	46

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.39	-12	33.39	Vertical	40
83.156	27.01	-22.7	49.71	Vertical	40
132.9655	19.9	-21.6	41.5	Vertical	43.5
186.8975	22.18	-22.1	44.28	Vertical	43.5
325.1225	15.2	-17.2	32.4	Vertical	46
942.8185	18.32	-3.6	21.92	Vertical	46

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.61	-12	33.61	Vertical	40
83.835	27.2	-22.6	49.8	Vertical	40
133.305	19.64	-21.7	41.34	Vertical	43.5
187.043	22.28	-22.1	44.38	Vertical	43.5
325.365	15.08	-17.1	32.18	Vertical	46
941.5575	18.25	-3.6	21.85	Vertical	46

For 802.11ax(HE20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.33	-12	33.33	Vertical	40
83.835	27.2	-22.6	49.8	Vertical	40
132.82	19.89	-21.6	41.49	Vertical	43.5

188.692	22.06	-22.1	44.16	Vertical	43.5
311.203	15.31	-17.6	32.91	Vertical	46
921.236	17.8	-3.9	21.7	Vertical	46

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.71	-12	33.71	Vertical	40
82.3315	27.44	-22.7	50.14	Vertical	40
133.402	19.63	-21.7	41.33	Vertical	43.5
188.886	22.02	-22.1	44.12	Vertical	43.5
325.0255	15.26	-17.2	32.46	Vertical	46
952.3245	18.27	-3.4	21.67	Vertical	46

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.41	-12	33.41	Vertical	40
79.1305	27	-22.9	49.9	Vertical	40
132.7715	19.77	-21.6	41.37	Vertical	43.5
188.304	21.51	-22.1	43.61	Vertical	43.5
325.0255	15.16	-17.2	32.36	Vertical	46
954.992	18.37	-3.4	21.77	Vertical	46

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582	19.35	-12.3	31.65	Vertical	40
83.6895	26.93	-22.6	49.53	Vertical	40
132.917	19.67	-21.6	41.27	Vertical	43.5
187.237	22.16	-22.1	44.26	Vertical	43.5
310.912	15.37	-17.6	32.97	Vertical	46
918.3745	17.6	-3.9	21.5	Vertical	46

For 802.11ax(HE20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.43	-12	33.43	Vertical	40
83.3985	26.97	-22.7	49.67	Vertical	40
97.609	19.03	-21.7	40.73	Vertical	43.5
188.1585	21.41	-22.1	43.51	Vertical	43.5
310.8635	15.57	-17.6	33.17	Vertical	46
951.888	18.21	-3.4	21.61	Vertical	46

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.3395	20.33	-12.1	32.43	Vertical	40
79.1305	27.03	-22.9	49.93	Vertical	40
97.2695	18.75	-21.7	40.45	Vertical	43.5
187.2855	22.27	-22.1	44.37	Vertical	43.5
311.2515	15.23	-17.6	32.83	Vertical	46
954.41	18.21	-3.4	21.61	Vertical	46

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.64	-12	33.64	Vertical	40
83.4955	27.14	-22.7	49.84	Vertical	40
133.208	19.83	-21.7	41.53	Vertical	43.5
188.692	22.08	-22.1	44.18	Vertical	43.5
310.912	15.6	-17.6	33.2	Vertical	46
923.7095	17.81	-3.9	21.71	Vertical	46

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.53	-12	33.53	Vertical	40
82.3315	27.34	-22.7	50.04	Vertical	40
97.3665	18.83	-21.7	40.53	Vertical	43.5
188.886	21.93	-22.1	44.03	Vertical	43.5
310.9605	15.5	-17.6	33.1	Vertical	46
933.2155	18.21	-3.7	21.91	Vertical	46

For 802.11ax(HE20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.34	-12	33.34	Vertical	40
82.574	27.39	-22.7	50.09	Vertical	40
97.8515	18.86	-21.6	40.46	Vertical	43.5
188.6435	21.96	-22.1	44.06	Vertical	43.5
325.4135	15.02	-17.1	32.12	Vertical	46
934.234	18.19	-3.7	21.89	Vertical	46

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
----------------	----------------	-----------	---------------	----------	----------------

31.5035	18.5	-12.8	31.3	Vertical	40
80.149	26.61	-22.8	49.41	Vertical	40
132.432	19.58	-21.6	41.18	Vertical	43.5
187.334	22.22	-22.1	44.32	Vertical	43.5
311.591	14.7	-17.6	32.3	Vertical	46
904.455	17.29	-4.2	21.49	Vertical	46

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.5335	18.07	-12.2	30.27	Vertical	40
83.3985	25.27	-22.7	47.97	Vertical	40
130.977	17.94	-21.4	39.34	Vertical	43.5
187.431	20.59	-22.1	42.69	Vertical	43.5
324.7345	13.48	-17.2	30.68	Vertical	46
953.246	17.68	-3.4	21.08	Vertical	46

For 802.11ax(HE40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	20.94	-12	32.94	Vertical	40
83.5925	26.65	-22.7	49.35	Vertical	40
97.0755	18.11	-21.7	39.81	Vertical	43.5
186.849	21.62	-22.1	43.72	Vertical	43.5
324.2495	14.5	-17.2	31.7	Vertical	46
953.8765	18.02	-3.4	21.42	Vertical	46

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30	21.66	-12	33.66	Vertical	40
82.4285	27.46	-22.7	50.16	Vertical	40
132.9655	19.94	-21.6	41.54	Vertical	43.5
186.8005	22.03	-22.1	44.13	Vertical	43.5
325.7045	14.9	-17.1	32	Vertical	46
947.6685	18.2	-3.5	21.7	Vertical	46

For 802.11ac(VHT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.4365	20.12	-12.2	32.32	Vertical	40
83.835	27.18	-22.6	49.78	Vertical	40
133.693	19.3	-21.7	41	Vertical	43.5
188.692	22.03	-22.1	44.13	Vertical	43.5
310.7665	15.7	-17.6	33.3	Vertical	46

914.7855	17.7	-4	21.7	Vertical	46
----------	------	----	------	----------	----

For 802.11ax(HE40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.1455	20.99	-12	32.99	Vertical	40
84.126	26.89	-22.6	49.49	Vertical	40
131.5105	19.76	-21.5	41.26	Vertical	43.5
186.8975	22.11	-22.1	44.21	Vertical	43.5
324.492	14.82	-17.2	32.02	Vertical	46
889.8565	16.93	-4.4	21.33	Vertical	46

For 802.11ac(VHT80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.2425	20.74	-12.1	32.84	Vertical	40
82.2345	27.3	-22.7	50	Vertical	40
97.124	18.54	-21.7	40.24	Vertical	43.5
188.886	21.92	-22.1	44.02	Vertical	43.5
310.7665	15.67	-17.6	33.27	Vertical	46
957.999	18.33	-3.3	21.63	Vertical	46

For 802.11aX(HE80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485	20.03	-12.2	32.23	Vertical	40
82.186	27.32	-22.7	50.02	Vertical	40
131.7045	19.77	-21.5	41.27	Vertical	43.5
187.6735	22.19	-22.1	44.29	Vertical	43.5
310.912	15.48	-17.6	33.08	Vertical	46
951.0635	18.27	-3.5	21.77	Vertical	46

For 802.11ac(VHT160) Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.5035	18.72	-12.8	31.52	Vertical	40
79.47	26.88	-22.9	49.78	Vertical	40
133.208	19.85	-21.7	41.55	Vertical	43.5
189.1285	21.86	-22.1	43.96	Vertical	43.5
310.7665	15.76	-17.6	33.36	Vertical	46
908.238	17.48	-4.1	21.58	Vertical	46

For 802.11aX(HE160) Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
----------------	----------------	-----------	---------------	----------	----------------

31.746	19.15	-12.9	32.05	Vertical	40
78.9365	27.18	-22.9	50.08	Vertical	40
133.1595	19.84	-21.7	41.54	Vertical	43.5
187.334	22.58	-22.1	44.68	Vertical	43.5
324.88	14.85	-17.2	32.05	Vertical	46
945.001	18.2	-3.6	21.8	Vertical	46

For 802.11ac(VHT160) Channel No.:114


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.0485	21.49	-12	33.49	Vertical	40
83.156	27.08	-22.7	49.78	Vertical	40
133.4505	19.79	-21.7	41.49	Vertical	43.5
187.625	22.72	-22.1	44.82	Vertical	43.5
311.494	14.87	-17.6	32.47	Vertical	46
921.624	17.81	-3.9	21.71	Vertical	46

For 802.11aX(HE160) Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097	21.29	-12	33.29	Vertical	40
78.597	27.17	-23	50.17	Vertical	40
131.85	19.82	-21.5	41.32	Vertical	43.5
187.528	22.73	-22.1	44.83	Vertical	43.5
324.0555	14.57	-17.2	31.77	Vertical	46
893.494	17.1	-4.4	21.5	Vertical	46

Carrier frequency (MHz): 5180
 Channel No.:36


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- * Final_Result PK+
- ◆ Final_Result AVG
- AV54

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- * Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220
 Channel No.:44


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 3GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- * Final_Result PK+
- ◆ Final_Result AVG
- AV54

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5240
Channel No.:48


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- * Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AVG AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- * Critical_Freqs AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190
Channel No.:38


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)


Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AV54
* Critical_Freqs PK+ — PK.74 ◆ Final_Result PK+
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5230
Channel No.:46




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- ◆ Final_Result AVG
- * Critical_Freqs AVG
- AV54
- ◆ Final_Result PK+

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AV54
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AVG
◆ Final_Result PK+

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5210
Channel No.:42


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT80)


Full Spectrum



Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+ Preview Result 1-PK+ PK.74 Final_Result AVG Critical_Freqs AVG AV54


Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT80)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- PK.74
- AV54
- * Critical_Freqs PK+
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- * Critical_Freqs AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT80)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE80)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG


Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE80)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG
- * Critical_Freqs AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5260
Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK+ ◆ AV54
◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK+ ◆ AV54
◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5300
Channel No.:60


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ Final_Result PK+ Final_Result AVG AV54

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK+ ◆ AV54
◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK+ ◆ AV54
◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG
Critical_Freqs PK+
Final_Result PK+

Preview Result 1-PK+
PK.74
Final_Result AVG

Critical_Freqs AVG
AV54

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG
Critical_Freqs PK+
Final_Result PK+

Preview Result 1-PK+
PK.74
Final_Result AVG

Critical_Freqs AVG
AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5320
Channel No.:64


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+
Preview Result 1-PK+ PK.74 Final_Result AVG
Critical_Freqs AVG AV54

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Preview Result 2-AVG Critical_Freqs PK+ Final_Result PK+
Preview Result 1-PK+ PK.74 Final_Result AVG
Critical_Freqs AVG AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ PK.74 AV54
Final_Result PK+ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5270
Channel No.:54


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
Critical_Freqs PK+ Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 1-PK+ FCC PART15 Final_Result QPK

Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ Critical_Freqs AVG
 Critical_Freqs PK+ PK.74 AV54
 Final_Result PK+ Final_Result AVG

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)