

Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1860	18700	20	1	0	Fig.1
	1880	18900		1	0	Fig.2
	1900	19100		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1850.7	18607	1.4	1	0	Fig.1
				6	0	Fig.2
	1909.3	19193		1	5	Fig.3
				6	0	Fig.4
	1851.5	18615	3	1	0	Fig.5
				15	0	Fig.6
	1908.5	19185		1	14	Fig.7
				15	0	Fig.8
	1852.5	18625	5	1	0	Fig.9
				25	0	Fig.10
	1907.5	19175		1	24	Fig.11
				25	0	Fig.12
	1855	18650	10	1	0	Fig.13
				50	0	Fig.14
	1905	19150		1	49	Fig.15
				50	0	Fig.16
	1857.5	18675	15	1	0	Fig.17
				75	0	Fig.18
	1902.5	19125		1	74	Fig.19
				75	0	Fig.20
	1860	18700	20	1	0	Fig.21
				100	0	Fig.22
	1900	19100		1	99	Fig.23
				100	0	Fig.24




Fig.1




Fig.2



Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15



Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band2 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	0.001	0.004	-0.004	0.001	-0.002	-0.001
-20	NV	-0.007	0.001	-0.003	-0.001	-0.003	0.005
-10	NV	-0.001	0.003	0.004	-0.004	-0.003	-0.002
0	NV	0.003	0.002	0.000	-0.001	-0.005	0.006
+10	NV	0.002	0.003	0.004	-0.002	-0.005	-0.001
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	0.001	0.004	-0.004	0.001	-0.002	-0.001
+40	NV	-0.002	0.004	-0.001	0.004	0.001	0.000
+50	NV	-0.009	-0.002	-0.005	0.003	-0.002	0.005
+20	LV	-0.012	-0.004	0.002	0.001	-0.003	0.005
+20	HV	0.007	-0.004	0.000	-0.003	0.001	-0.002

Temperature(°C)	Voltage	Test Result (ppm) Band2 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.009	0.003	-0.002	0.002	0.005	0.004
-20	NV	0.010	-0.004	0.002	-0.001	0.001	-0.002
-10	NV	0.001	-0.001	0.003	0.005	0.001	-0.001
0	NV	0.006	0.001	-0.003	-0.002	0.000	0.002
+10	NV	-0.011	0.003	-0.003	0.006	0.003	0.001
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.009	0.003	-0.002	0.002	0.005	0.004
+40	NV	0.002	-0.003	-0.002	0.005	0.002	-0.003
+50	NV	-0.003	0.001	0.000	-0.003	0.005	0.003
+20	LV	-0.010	0.001	-0.004	-0.002	0.002	0.003
+20	HV	0.008	0.001	-0.003	0.000	0.001	0.003

Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1850.7	18607	1.4	1	0	22.56	20.86	0.122
				1	3	22.57	20.87	0.122
				1	5	22.52	20.82	0.121
				3	0	22.59	20.89	0.123
				3	1	22.60	20.90	0.123
				3	3	22.59	20.89	0.123
	1880	18900		6	0	21.70	20.00	0.100
				1	0	22.20	20.50	0.112
				1	3	22.28	20.58	0.114
				1	5	22.24	20.54	0.113
				3	0	22.27	20.57	0.114
				3	1	22.28	20.58	0.114
	1909.3	19193		3	3	22.25	20.55	0.114
				6	0	21.28	19.58	0.091
				1	0	22.58	20.88	0.122
				1	3	22.53	20.83	0.121
				1	5	22.53	20.83	0.121
				3	0	22.46	20.76	0.119
16QAM	1850.7	18607	3	1	22.43	20.73	0.118	
			3	3	22.45	20.75	0.119	
			6	0	21.49	19.79	0.095	
			1	0	21.87	20.17	0.104	
			1	3	21.74	20.04	0.101	
			1	5	21.83	20.13	0.103	
	1880	18900	3	0	21.73	20.03	0.101	
			3	1	21.75	20.05	0.101	
			3	3	21.73	20.03	0.101	
			6	0	20.58	18.88	0.077	
			1	0	21.30	19.60	0.091	
			1	3	21.34	19.64	0.092	
	1909.3	19193	1	5	21.44	19.74	0.094	
			3	0	21.66	19.96	0.099	
			3	1	21.69	19.99	0.100	
			3	3	21.60	19.90	0.098	
			6	0	20.27	18.57	0.072	
			1	0	21.59	19.89	0.097	
			1	3	21.60	19.90	0.098	
			1	5	21.73	20.03	0.101	
			3	0	21.42	19.72	0.094	
			3	1	21.57	19.87	0.097	
			3	3	21.50	19.80	0.095	
			6	0	20.56	18.86	0.077	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1850.7	18607	1.4	1	0	20.58	18.88	0.077
				1	3	20.51	18.81	0.076
				1	5	20.54	18.84	0.077
				3	0	20.54	18.84	0.077
				3	1	20.47	18.77	0.075
				3	3	20.59	18.89	0.077
	1880	18900		1	0	20.33	18.63	0.073
				1	3	20.53	18.83	0.076
				1	5	20.30	18.60	0.072
				3	0	20.26	18.56	0.072
				3	1	20.32	18.62	0.073
				3	3	20.36	18.66	0.073
	1909.3	19193		6	0	19.36	17.66	0.058
				1	0	20.66	18.96	0.079
				1	3	20.67	18.97	0.079
				1	5	20.57	18.87	0.077
				3	0	20.57	18.87	0.077
				3	1	20.58	18.88	0.077
				3	3	20.64	18.94	0.078
				6	0	19.42	17.72	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1851.5	18615	3	1	0	20.51	18.81	0.076
				1	8	20.56	18.86	0.077
				1	14	20.52	18.82	0.076
				8	0	19.70	18.00	0.063
				8	4	19.68	17.98	0.063
				8	7	19.65	17.95	0.062
	15	0		18.68	16.98	0.050		
	1880	18900		1	0	20.41	18.71	0.074
				1	8	20.55	18.85	0.077
				1	14	20.55	18.85	0.077
				8	0	19.58	17.88	0.061
				8	4	19.65	17.95	0.062
				8	7	19.64	17.94	0.062
	15	0		18.64	16.94	0.049		
	1908.5	19185		1	0	20.63	18.93	0.078
1			8	20.69	18.99	0.079		
1			14	20.75	19.05	0.080		
8			0	19.80	18.10	0.065		
8			4	19.84	18.14	0.065		
8			7	19.74	18.04	0.064		
15	0	18.57	16.87	0.049				
16QAM	1851.5	18615	1	0	20.55	18.85	0.077	
			1	8	20.33	18.63	0.073	
			1	14	20.39	18.69	0.074	
			8	0	19.08	17.38	0.055	
			8	4	19.11	17.41	0.055	
			8	7	19.11	17.41	0.055	
	15	0	18.23	16.53	0.045			
	1880	18900	1	0	19.71	18.01	0.063	
			1	8	19.77	18.07	0.064	
			1	14	19.87	18.17	0.066	
			8	0	18.44	16.74	0.047	
			8	4	18.56	16.86	0.049	
			8	7	18.44	16.74	0.047	
	15	0	17.55	15.85	0.038			
	1908.5	19185	1	0	19.64	17.94	0.062	
1			8	20.02	18.32	0.068		
1			14	19.95	18.25	0.067		
8			0	18.82	17.12	0.052		
8			4	18.92	17.22	0.053		
8			7	18.91	17.21	0.053		
15	0	18.02	16.32	0.043				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1851.5	18615	3	1	0	20.75	19.05	0.080
				1	8	20.91	19.21	0.083
				1	14	20.81	19.11	0.081
				8	0	19.84	18.14	0.065
				8	4	19.83	18.13	0.065
				8	7	19.83	18.13	0.065
				15	0	19.32	17.62	0.058
	1880	18900		1	0	20.42	18.72	0.074
				1	8	20.29	18.59	0.072
				1	14	20.32	18.62	0.073
				8	0	19.39	17.69	0.059
				8	4	19.43	17.73	0.059
				8	7	19.33	17.63	0.058
				15	0	19.33	17.63	0.058
	1908.5	19185		1	0	20.73	19.03	0.080
				1	8	20.66	18.96	0.079
				1	14	20.69	18.99	0.079
				8	0	19.73	18.03	0.064
				8	4	19.66	17.96	0.063
				8	7	19.70	18.00	0.063
				15	0	19.45	17.75	0.060

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1852.5	18625	5	1	0	22.35	20.65	0.116
				1	12	22.37	20.67	0.117
				1	24	22.4	20.70	0.117
				12	0	21.32	19.62	0.092
				12	7	21.35	19.65	0.092
				12	13	21.39	19.69	0.093
	25	0		20.56	18.86	0.077		
	1880	18900		1	0	22.29	20.59	0.115
				1	12	22.24	20.54	0.113
				1	24	22.36	20.66	0.116
				12	0	21.33	19.63	0.092
				12	7	21.38	19.68	0.093
				12	13	21.42	19.72	0.094
	25	0		20.51	18.81	0.076		
	1907.5	19175		1	0	22.44	20.74	0.119
				1	12	22.49	20.79	0.120
				1	24	22.55	20.85	0.122
				12	0	21.54	19.84	0.096
12			7	21.61	19.91	0.098		
12			13	21.64	19.94	0.099		
25	0	20.78	19.08	0.081				
16QAM	1852.5	18625	1	0	21.53	19.83	0.096	
			1	12	21.81	20.11	0.103	
			1	24	21.72	20.02	0.100	
			12	0	20.79	19.09	0.081	
			12	7	20.73	19.03	0.080	
			12	13	20.72	19.02	0.080	
	25	0	19.87	18.17	0.066			
	1880	18900	1	0	21.73	20.03	0.101	
			1	12	21.67	19.97	0.099	
			1	24	21.61	19.91	0.098	
			12	0	20.39	18.69	0.074	
			12	7	20.54	18.84	0.077	
			12	13	20.51	18.81	0.076	
	25	0	19.56	17.86	0.061			
	1907.5	19175	1	0	21.66	19.96	0.099	
			1	12	21.82	20.12	0.103	
			1	24	21.79	20.09	0.102	
			12	0	20.53	18.83	0.076	
12			7	20.69	18.99	0.079		
12			13	20.63	18.93	0.078		
25	0	19.63	17.93	0.062				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1852.5	18625	5	1	0	20.81	19.11	0.081
				1	12	20.84	19.14	0.082
				1	24	20.73	19.03	0.080
				12	0	19.76	18.06	0.064
				12	7	19.72	18.02	0.063
				12	13	19.77	18.07	0.064
				25	0	19.56	17.86	0.061
	1880	18900		1	0	20.41	18.71	0.074
				1	12	20.42	18.72	0.074
				1	24	20.35	18.65	0.073
				12	0	19.42	17.72	0.059
				12	7	19.35	17.65	0.058
				12	13	19.44	17.74	0.059
				25	0	19.78	18.08	0.064
	1907.5	19175		1	0	20.59	18.89	0.077
				1	12	20.53	18.83	0.076
				1	24	20.65	18.95	0.079
				12	0	19.61	17.91	0.062
				12	7	19.66	17.96	0.063
				12	13	19.66	17.96	0.063
				25	0	19.87	18.17	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1855	18650	10	1	0	22.45	20.75	0.119
				1	25	22.38	20.68	0.117
				1	49	22.42	20.72	0.118
				25	0	21.37	19.67	0.093
				25	12	21.35	19.65	0.092
				25	25	21.37	19.67	0.093
	50	0		20.44	18.74	0.075		
	1880	18900		1	0	22.41	20.71	0.118
				1	25	22.39	20.69	0.117
				1	49	22.48	20.78	0.120
				25	0	21.37	19.67	0.093
				25	12	21.46	19.76	0.095
				25	25	21.43	19.73	0.094
	1905	19150		50	0	20.37	18.67	0.074
				1	0	22.35	20.65	0.116
1			25	22.48	20.78	0.120		
1			49	22.60	20.90	0.123		
25			0	21.48	19.78	0.095		
25			12	21.71	20.01	0.100		
16QAM	1855	18650	25	25	21.65	19.95	0.099	
			50	0	20.87	19.17	0.083	
			1	0	22.41	20.71	0.118	
			1	25	22.05	20.35	0.108	
			1	49	22.17	20.47	0.111	
			25	0	20.80	19.10	0.081	
	1880	18900	25	12	20.79	19.09	0.081	
			25	25	20.80	19.10	0.081	
			50	0	19.98	18.28	0.067	
			1	0	21.58	19.88	0.097	
			1	25	21.62	19.92	0.098	
			1	49	21.49	19.79	0.095	
	1905	19150	25	0	20.38	18.68	0.074	
			25	12	20.51	18.81	0.076	
			25	25	20.51	18.81	0.076	
50			0	19.64	17.94	0.062		
1			0	21.60	19.90	0.098		
1			25	21.70	20.00	0.100		
			1	49	21.74	20.04	0.101	
			25	0	20.59	18.89	0.077	
			25	12	20.80	19.10	0.081	
			25	25	20.80	19.10	0.081	
			50	0	19.97	18.27	0.067	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1855	18650	10	1	0	20.74	19.04	0.080
				1	25	20.74	19.04	0.080
				1	49	20.74	19.04	0.080
				25	0	19.79	18.09	0.064
				25	12	19.67	17.97	0.063
				25	25	19.74	18.04	0.064
				50	0	19.87	18.17	0.066
	1880	18900		1	0	20.48	18.78	0.076
				1	25	20.49	18.79	0.076
				1	49	20.49	18.79	0.076
				25	0	19.47	17.77	0.060
				25	12	19.49	17.79	0.060
				25	25	19.49	17.79	0.060
				50	0	19.57	17.87	0.061
	1905	19150		1	0	20.60	18.90	0.078
				1	25	20.57	18.87	0.077
				1	49	20.55	18.85	0.077
				25	0	19.59	17.89	0.062
				25	12	19.61	17.91	0.062
				25	25	19.65	17.95	0.062
				50	0	19.87	18.17	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1857.5	18675	15	1	0	22.42	20.72	0.118
				1	37	22.41	20.71	0.118
				1	74	22.39	20.69	0.117
				36	0	21.41	19.71	0.094
				36	29	21.37	19.67	0.093
				36	30	21.37	19.67	0.093
				75	0	20.57	18.87	0.077
	1880	18900		1	0	22.46	20.76	0.119
				1	37	22.42	20.72	0.118
				1	74	22.36	20.66	0.116
				36	0	21.42	19.72	0.094
				36	29	21.44	19.74	0.094
				36	30	21.48	19.78	0.095
				75	0	20.56	18.86	0.077
	1902.5	19125		1	0	22.37	20.67	0.117
1			37	22.54	20.84	0.121		
1			74	22.46	20.76	0.119		
36			0	21.45	19.75	0.094		
36			29	21.66	19.96	0.099		
36			30	21.63	19.93	0.098		
75			0	20.78	19.08	0.081		
16QAM	1857.5	18675	1	0	22.26	20.56	0.114	
			1	37	22.05	20.35	0.108	
			1	74	22.11	20.41	0.110	
			36	0	20.73	19.03	0.080	
			36	29	20.69	18.99	0.079	
			36	30	20.65	18.95	0.079	
			75	0	19.78	18.08	0.064	
	1880	18900	1	0	21.57	19.87	0.097	
			1	37	21.57	19.87	0.097	
			1	74	21.54	19.84	0.096	
			36	0	20.37	18.67	0.074	
			36	29	20.51	18.81	0.076	
			36	30	20.51	18.81	0.076	
			75	0	19.56	17.86	0.061	
	1902.5	19125	1	0	21.91	20.21	0.105	
1			37	22.11	20.41	0.110		
1			74	21.98	20.28	0.107		
36			0	20.47	18.77	0.075		
36			29	20.68	18.98	0.079		
36			30	20.66	18.96	0.079		
75			0	19.78	18.08	0.064		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1857.5	18675	15	1	0	20.72	19.02	0.080
				1	37	20.72	19.02	0.080
				1	74	20.71	19.01	0.080
				36	0	19.71	18.01	0.063
				36	29	19.71	18.01	0.063
				36	30	19.71	18.01	0.063
				75	0	19.87	18.17	0.066
	1880	18900		1	0	20.46	18.76	0.075
				1	37	20.46	18.76	0.075
				1	74	20.46	18.76	0.075
				36	0	19.51	17.81	0.060
				36	29	19.46	17.76	0.060
				36	30	19.46	17.76	0.060
				75	0	19.65	17.95	0.062
	1902.5	19125		1	0	20.46	18.76	0.075
				1	37	20.51	18.81	0.076
				1	74	20.52	18.82	0.076
				36	0	19.43	17.73	0.059
				36	29	19.52	17.82	0.061
				36	30	19.46	17.76	0.060
				75	0	19.63	17.93	0.062

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1860	18700	20	1	0	22.45	20.75	0.119
				1	49	22.43	20.73	0.118
				1	99	22.44	20.74	0.119
				50	0	21.38	19.68	0.093
				50	24	21.42	19.72	0.094
				50	50	21.39	19.69	0.093
	100	0		20.67	18.97	0.079		
	1880	18900		1	0	22.48	20.78	0.120
				1	49	22.41	20.71	0.118
				1	99	22.32	20.62	0.115
				50	0	21.37	19.67	0.093
				50	24	21.45	19.75	0.094
				50	50	21.45	19.75	0.094
	100	0		20.65	18.95	0.079		
	1900	19100		1	0	22.47	20.77	0.119
1			49	22.55	20.85	0.122		
1			99	22.45	20.75	0.119		
50			0	21.53	19.83	0.096		
50			24	21.65	19.95	0.099		
50			50	21.66	19.96	0.099		
100	0	20.78	19.08	0.081				
16QAM	1860	18700	1	0	22.15	20.45	0.111	
			1	49	21.63	19.93	0.098	
			1	99	21.77	20.07	0.102	
			50	0	20.67	18.97	0.079	
			50	24	20.56	18.86	0.077	
			50	50	20.55	18.85	0.077	
	100	0	19.87	18.17	0.066			
	1880	18900	1	0	21.69	19.99	0.100	
			1	49	21.66	19.96	0.099	
			1	99	21.63	19.93	0.098	
			50	0	20.39	18.69	0.074	
			50	24	20.37	18.67	0.074	
			50	50	20.43	18.73	0.075	
	100	0	19.62	17.92	0.062			
	1900	19100	1	0	21.85	20.15	0.104	
			1	49	22.14	20.44	0.111	
			1	99	22.23	20.53	0.113	
			50	0	20.54	18.84	0.077	
50			24	20.68	18.98	0.079		
50			50	20.65	18.95	0.079		
100	0	19.87	18.17	0.066				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1860	18700	20	1	0	20.68	18.98	0.079
				1	49	20.67	18.97	0.079
				1	99	20.67	18.97	0.079
				50	0	19.67	17.97	0.063
				50	24	19.67	17.97	0.063
				50	50	19.67	17.97	0.063
				100	0	19.87	18.17	0.066
	1880	18900		1	0	20.45	18.75	0.075
				1	49	20.48	18.78	0.076
				1	99	20.47	18.77	0.075
				50	0	19.51	17.81	0.060
				50	24	19.45	17.75	0.060
				50	50	19.52	17.82	0.061
				100	0	19.62	17.92	0.062
	1900	19100		1	0	20.55	18.85	0.077
				1	49	20.52	18.82	0.076
				1	99	20.55	18.85	0.077
				50	0	19.58	17.88	0.061
				50	24	19.56	17.86	0.061
				50	50	19.55	17.85	0.061
				100	0	19.87	18.17	0.066