Test Mode:802.11ax HE80(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5210	0.02	Ant7	0.179
		Ant8	-0.889
		Ant7+Ant8	2.688

Test Mode:802. 11ax HE80 Ant7	Test Mode:802. 11ax HE80 Ant8

Test Mode:802.11ax HE80(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5210	0.02	Ant7	-2.838
		Ant8	-3.857
		Ant7+Ant8	-0.307

Test Mode:802. 11ax HE80 Ant7	Test Mode:802. 11ax HE80 Ant8

Test Mode:802.11ax HE80(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5210	0.02	Ant7	-6.534
		Ant8	-7.546
		Ant7+Ant8	-4.000

Test Mode:802. 11ax HE80 Ant7	Test Mode:802. 11ax HE80 Ant8

Test Mode:802.11ax HE80(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5210	0.02	Ant7	-12.052
		Ant8	-13.125
		Ant7+Ant8	-9.545

Test Mode:802. 11ax HE80 Ant7	Test Mode:802. 11ax HE80 Ant8

Test Mode:802.11ax HE80(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5210	0.02	Ant7	-10.124
		Ant8	-9.750
		Ant7+Ant8	-6.923

Test Mode:802. 11ax HE80 Ant7	Test Mode:802. 11ax HE80 Ant8

Test Mode:802.11ax HE160(26T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	2.274
		Ant8	3.514
		Ant7+Ant8	5.948

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(52T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	0.399
		Ant8	0.890
		Ant7+Ant8	3.662

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(106T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-2.755
		Ant8	-2.961
		Ant7+Ant8	0.154

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(242T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-6.183
		Ant8	-5.989
		Ant7+Ant8	-3.075

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(484T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-9.386
		Ant8	-8.981
		Ant7+Ant8	-6.168

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-12.594
		Ant8	-12.225
		Ant7+Ant8	-9.395

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Test Mode:802.11ax HE160(1992T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-11.545
		Ant8	-11.591
		Ant7+Ant8	-8.558

Test Mode:802. 11ax HE160 Ant7	Test Mode:802. 11ax HE160 Ant8

Frequency Stability

NII1

Mode	Data Rate	Ant	Center Frequency (MHz)	Measured Frequency (MHz)	Frequency Stability (ppm)	Voltage (V)	Temperature (°C)
802.11a	6Mbps	Ant7	5180	5184.07815	2.69	HV	+20
			5180	5180.2924	2.65	LV	+20
			5180	5179.04839	2.74	NV	+30
			5180	5180.304	2.83	NV	+50
			5180	5184.32739	2.79	NV	+40
			5180	5181.54962	2.59	NV	-10
			5180	5178.38081	2.25	NV	-20
			5180	5184.32739	2.79	NV	-30
			5180	5181.54903	2.40	NV	+20
			5180	5175.60806	2.53	NV	+10
			5180	5177.55587	2.47	NV	0
		Ant8	5180	5178.09857	2.07	HV	+20
			5180	5182.19515	2.77	LV	+20
			5180	5177.83516	2.92	NV	+20
			5180	5179.68526	2.76	NV	+50
			5180	5175.35225	2.25	NV	+40
			5180	5183.74016	2.04	NV	+30
			5180	5177.18101	2.21	NV	-30
			5180	5179.68526	2.76	NV	-20
			5180	5178.09769	2.24	NV	-10
			5180	5178.09761	2.26	NV	+10
			5180	5175.58559	2.20	NV	0