

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Emission Band Edge

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (90.77 dBuV/m) = (42.97 dBuV) + (12.4 dB) + (35.40dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.77	42.97	N/A	N/A	12.40	35.40
2	5150	50.96	3.16	-17.24	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.72	38.92	N/A	N/A	12.40	35.40
2	5150	47.92	0.12	-20.28	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.46	34.66	N/A	N/A	12.40	35.40
2	5150	39.34	-8.46	-14.66	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.13	30.33	N/A	N/A	12.40	35.40
2	5150	35.01	-12.79	-18.99	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	90.75	42.75	N/A	N/A	12.60	35.40
2	5340	51.01	3.01	-17.19	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	88.01	40.01	N/A	N/A	12.60	35.40
2	5340	45.67	-2.33	-22.53	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.47	35.47	N/A	N/A	12.60	35.40
2	5340	40.34	-7.66	-13.66	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	79.68	31.68	N/A	N/A	12.60	35.40
2	5340	34.71	-13.29	-19.29	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.44	42.64	N/A	N/A	12.40	35.40
2	5150	49.88	2.08	-18.32	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	85.73	37.93	N/A	N/A	12.40	35.40
2	5150	46.57	-1.23	-21.63	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.64	34.84	N/A	N/A	12.40	35.40
2	5150	39.81	-7.99	-14.19	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	78.63	30.83	N/A	N/A	12.40	35.40
2	5150	36.14	-11.66	-17.86	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	90.28	42.28	N/A	N/A	12.60	35.40
2	5340	50.25	2.25	-17.95	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.81	38.81	N/A	N/A	12.60	35.40
2	5340	45.62	-2.38	-22.58	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.44	35.44	N/A	N/A	12.60	35.40
2	5340	40.51	-7.49	-13.49	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	77.64	29.64	N/A	N/A	12.60	35.40
2	5340	35.27	-12.73	-18.73	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.39	42.59	N/A	N/A	12.40	35.40
2	5150	50.57	2.77	-17.63	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	84.60	36.80	N/A	N/A	12.40	35.40
2	5150	45.85	-1.95	-22.35	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	83.17	35.37	N/A	N/A	12.40	35.40
2	5150	40.16	-7.64	-13.84	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	79.27	31.47	N/A	N/A	12.40	35.40
2	5150	36.07	-11.73	-17.93	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.85	41.85	N/A	N/A	12.60	35.40
2	5340	50.02	2.02	-18.18	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	85.73	37.73	N/A	N/A	12.60	35.40
2	5340	44.24	-3.76	-23.96	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	82.40	34.40	N/A	N/A	12.60	35.40
2	5340	41.67	-6.33	-12.33	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	78.62	30.62	N/A	N/A	12.60	35.40
2	5340	35.96	-12.04	-18.04	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	88.20	40.40	N/A	N/A	12.40	35.40
2	5150	49.99	2.19	-18.21	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	84.59	36.79	N/A	N/A	12.40	35.40
2	5150	45.11	-2.69	-23.09	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	81.75	33.95	N/A	N/A	12.40	35.40
2	5150	40.58	-7.22	-13.42	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	78.03	30.23	N/A	N/A	12.40	35.40
2	5150	35.86	-11.94	-18.14	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	86.33	38.33	N/A	N/A	12.60	35.40
2	5350	51.61	3.61	-16.59	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	82.11	34.11	N/A	N/A	12.60	35.40
2	5350	45.87	-2.13	-22.33	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	80.62	32.62	N/A	N/A	12.60	35.40
2	5350	40.35	-7.65	-13.65	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	76.92	28.92	N/A	N/A	12.60	35.40
2	5350	35.50	-12.50	-18.50	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	87.85	40.05	N/A	N/A	12.40	35.40
2	5150	49.23	1.43	-18.97	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	84.75	36.95	N/A	N/A	12.40	35.40
2	5150	45.85	-1.95	-22.35	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	81.35	33.55	N/A	N/A	12.40	35.40
2	5150	39.37	-8.43	-14.63	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	77.58	29.78	N/A	N/A	12.40	35.40
2	5150	35.80	-12.00	-18.20	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	87.28	39.28	N/A	N/A	12.60	35.40
2	5350	50.89	2.89	-17.31	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	83.37	35.37	N/A	N/A	12.60	35.40
2	5350	46.14	-1.86	-22.06	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	81.22	33.22	N/A	N/A	12.60	35.40
2	5350	40.43	-7.57	-13.57	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	77.40	29.40	N/A	N/A	12.60	35.40
2	5350	36.08	-11.92	-17.92	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	84.79	36.99	N/A	N/A	12.40	35.40
2	5150	49.80	2.00	-18.40	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	80.63	32.83	N/A	N/A	12.40	35.40
2	5150	45.34	-2.46	-22.86	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	76.38	28.58	N/A	N/A	12.40	35.40
2	5150	39.84	-7.96	-14.16	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	73.29	25.49	N/A	N/A	12.40	35.40
2	5150	35.99	-11.81	-18.01	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	84.86	36.86	N/A	N/A	12.60	35.40
2	5210	51.23	3.23	-16.97	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	80.63	32.63	N/A	N/A	12.60	35.40
2	5210	47.22	-0.78	-20.98	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	77.19	29.19	N/A	N/A	12.60	35.40
2	5210	41.74	-6.26	-12.26	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	72.31	24.31	N/A	N/A	12.60	35.40
2	5210	36.00	-12.00	-18.00	54.00	12.60	35.40

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.20	37.90	N/A	N/A	12.70	34.60
2	5480	51.60	4.30	-16.60	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.23	34.93	N/A	N/A	12.70	34.60
2	5480	48.15	0.85	-20.05	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	78.81	31.51	N/A	N/A	12.70	34.60
2	5480	40.79	-6.51	-13.21	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.87	28.57	N/A	N/A	12.70	34.60
2	5480	36.19	-11.11	-17.81	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	84.32	36.72	N/A	N/A	12.90	34.70
2	5845	52.81	5.21	-15.39	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	79.48	31.88	N/A	N/A	12.90	34.70
2	5845	49.67	2.07	-18.53	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	76.76	29.16	N/A	N/A	12.90	34.70
2	5845	40.10	-7.50	-13.90	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	74.38	26.78	N/A	N/A	12.90	34.70
2	5845	35.21	-12.39	-18.79	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.65	38.35	N/A	N/A	12.70	34.60
2	5480	51.08	3.78	-17.12	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.52	35.22	N/A	N/A	12.70	34.60
2	5480	46.63	-0.67	-21.57	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	78.43	31.13	N/A	N/A	12.70	34.60
2	5480	41.77	-5.53	-12.23	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.92	28.62	N/A	N/A	12.70	34.60
2	5480	38.63	-8.67	-15.37	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	84.60	37.00	N/A	N/A	12.90	34.70
2	5845	52.08	4.48	-16.12	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	79.65	32.05	N/A	N/A	12.90	34.70
2	5845	48.47	0.87	-19.73	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.18	30.58	N/A	N/A	12.90	34.70
2	5845	40.53	-7.07	-13.47	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	76.12	28.52	N/A	N/A	12.90	34.70
2	5845	35.80	-11.80	-18.20	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	85.11	37.81	N/A	N/A	12.70	34.60
2	5480	52.14	4.84	-16.06	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	81.29	33.99	N/A	N/A	12.70	34.60
2	5480	47.27	-0.03	-20.93	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	78.76	31.46	N/A	N/A	12.70	34.60
2	5480	41.81	-5.49	-12.19	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.02	28.72	N/A	N/A	12.70	34.60
2	5480	37.42	-9.88	-16.58	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	85.21	37.61	N/A	N/A	12.90	34.70
2	5845	52.95	5.35	-15.25	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	81.80	34.20	N/A	N/A	12.90	34.70
2	5845	48.08	0.48	-20.12	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.07	30.47	N/A	N/A	12.90	34.70
2	5845	41.87	-5.73	-12.13	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	75.54	27.94	N/A	N/A	12.90	34.70
2	5845	38.64	-8.96	-15.36	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	82.88	35.58	N/A	N/A	12.70	34.60
2	5470	51.12	3.82	-17.08	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	79.03	31.73	N/A	N/A	12.70	34.60
2	5470	46.30	-1.00	-21.90	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	74.42	27.12	N/A	N/A	12.70	34.60
2	5470	40.75	-6.55	-13.25	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	72.34	25.04	N/A	N/A	12.70	34.60
2	5470	36.87	-10.43	-17.13	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	81.78	34.18	N/A	N/A	12.90	34.70
2	5835	52.03	4.43	-16.17	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	76.87	29.27	N/A	N/A	12.90	34.70
2	5835	48.96	1.36	-19.24	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	74.83	27.23	N/A	N/A	12.90	34.70
2	5835	41.40	-6.20	-12.60	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	72.39	24.79	N/A	N/A	12.90	34.70
2	5835	38.04	-9.56	-15.96	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	82.73	35.43	N/A	N/A	12.70	34.60
2	5470	52.89	5.59	-15.31	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	79.77	32.47	N/A	N/A	12.70	34.60
2	5470	48.49	1.19	-19.71	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	75.03	27.73	N/A	N/A	12.70	34.60
2	5470	40.10	-7.20	-13.90	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	71.29	23.99	N/A	N/A	12.70	34.60
2	5470	35.51	-11.79	-18.49	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	82.84	35.24	N/A	N/A	12.90	34.70
2	5835	51.81	4.21	-16.39	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	80.66	33.06	N/A	N/A	12.90	34.70
2	5835	47.85	0.25	-20.35	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	73.46	25.86	N/A	N/A	12.90	34.70
2	5835	40.36	-7.24	-13.64	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	70.94	23.34	N/A	N/A	12.90	34.70
2	5835	36.63	-10.97	-17.37	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	80.76	33.46	N/A	N/A	12.70	34.60
2	5450	52.29	4.99	-15.91	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	78.75	31.45	N/A	N/A	12.70	34.60
2	5450	48.46	1.16	-19.74	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	74.08	26.78	N/A	N/A	12.70	34.60
2	5450	41.12	-6.18	-12.88	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	70.84	23.54	N/A	N/A	12.70	34.60
2	5450	37.28	-10.02	-16.72	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	79.60	32.00	N/A	N/A	12.90	34.70
2	5695	52.73	5.13	-15.47	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak


No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	76.58	28.98	N/A	N/A	12.90	34.70
2	5695	48.54	0.94	-19.66	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	74.12	26.52	N/A	N/A	12.90	34.70
2	5695	41.85	-5.75	-12.15	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	69.90	22.30	N/A	N/A	12.90	34.70
2	5695	38.72	-8.88	-15.28	54.00	12.90	34.70



Radiated Emission Band Edge for 5180MHz

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(14.62 \text{ dB}\mu\text{V/m}) = (32.52 \text{ dB}\mu\text{V}) + (-17.9 \text{ dB/m})$, the corresponding frequency is 45.132000MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
45.132000	14.62	-17.9	32.52	Vertical	40.00
55.365500	12.59	-18.2	30.79	Vertical	40.00
123.168500	9.74	-21.7	31.44	Vertical	43.50
174.190500	4.83	-21.4	26.23	Vertical	43.50
518.928500	15.23	-10.4	25.63	Vertical	46.00
799.986000	23.82	-5.2	29.02	Vertical	46.00

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.263500	13.97	-18.7	32.67	Vertical	40.00
54.638000	12.07	-18.1	30.17	Vertical	40.00
162.308000	8.75	-22.0	30.75	Vertical	43.50
188.983000	7.61	-19.7	27.31	Vertical	43.50
518.443500	14.98	-10.4	25.38	Vertical	46.00
799.986000	23.84	-5.2	29.04	Vertical	46.00

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.612500	18.76	-17.6	36.36	Vertical	40.00
54.298500	15.76	-18.1	33.86	Vertical	40.00
121.471000	18.89	-21.5	40.39	Vertical	43.50
202.805500	15.11	-19.0	34.11	Vertical	43.50
556.710000	13.51	-9.5	23.01	Vertical	46.00
799.986000	23.84	-5.2	29.04	Vertical	46.00

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.903500	18.19	-17.6	35.79	Vertical	40.00
54.201500	15.39	-18.1	33.49	Vertical	40.00
115.845000	18.31	-20.7	39.01	Vertical	43.50
175.257500	15.42	-21.3	36.72	Vertical	43.50
499.092000	12.26	-10.8	23.06	Vertical	46.00
799.986000	23.87	-5.2	29.07	Vertical	46.00

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.224500	18.17	-17.5	35.67	Vertical	40.00
54.395500	15.36	-18.1	33.46	Vertical	40.00
117.106000	17.81	-20.9	38.71	Vertical	43.50
173.948000	14.12	-21.4	35.52	Vertical	43.50
518.104000	15.01	-10.4	25.41	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
51.000500	9.24	-17.6	26.84	Vertical	40.00
54.395500	8.99	-18.1	27.09	Vertical	40.00
120.598000	14.02	-21.4	35.42	Vertical	43.50
184.181500	12.64	-20.4	33.04	Vertical	43.50
515.097000	12.57	-10.5	23.07	Vertical	46.00
799.986000	21.65	-5.2	26.85	Vertical	46.00

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.661000	18.57	-17.6	36.17	Vertical	40.00
54.298500	14.97	-18.1	33.07	Vertical	40.00
120.889000	19.38	-21.5	40.88	Vertical	43.50
184.181500	16.69	-20.4	37.09	Vertical	43.50
499.092000	12.21	-10.8	23.01	Vertical	46.00
921.284500	18.75	-3.0	21.75	Vertical	46.00

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.758000	18.26	-17.6	35.86	Vertical	40.00
53.910500	14.52	-18.0	32.52	Vertical	40.00
121.131500	19.06	-21.5	40.56	Vertical	43.50
175.160500	15.11	-21.3	36.41	Vertical	43.50
522.857000	14.53	-10.4	24.93	Vertical	46.00
799.986000	23.85	-5.2	29.05	Vertical	46.00

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.612500	18.51	-17.6	36.11	Vertical	40.00
54.250000	14.74	-18.1	32.84	Vertical	40.00
120.743500	19.46	-21.5	40.96	Vertical	43.50
184.036000	16.32	-20.4	36.72	Vertical	43.50
524.700000	14.31	-10.3	24.61	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.273000	18.44	-17.5	35.94	Vertical	40.00
54.250000	14.60	-18.1	32.70	Vertical	40.00
120.840500	19.18	-21.5	40.68	Vertical	43.50
183.357000	15.73	-20.6	36.33	Vertical	43.50
515.194000	14.64	-10.5	25.14	Vertical	46.00
799.986000	23.87	-5.2	29.07	Vertical	46.00

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.467000	18.49	-17.6	36.09	Vertical	40.00
54.104500	14.45	-18.1	32.55	Vertical	40.00
116.427000	17.85	-20.8	38.65	Vertical	43.50
250.044500	11.63	-17.1	28.73	Vertical	46.00
541.287000	13.40	-9.9	23.30	Vertical	46.00
583.482000	13.90	-8.6	22.50	Vertical	46.00

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.030500	17.91	-17.5	35.41	Vertical	40.00
53.959000	14.35	-18.0	32.35	Vertical	40.00
120.743500	19.29	-21.5	40.79	Vertical	43.50
182.872000	14.78	-20.6	35.38	Vertical	43.50
518.055500	15.10	-10.4	25.50	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.467000	18.49	-17.6	36.09	Vertical	40.00
54.298500	14.10	-18.1	32.20	Vertical	40.00
120.695000	19.18	-21.5	40.68	Vertical	43.50
181.756500	15.32	-20.8	36.12	Vertical	43.50
518.201000	15.04	-10.4	25.44	Vertical	46.00
799.986000	23.86	-5.2	29.06	Vertical	46.00

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.273000	18.53	-17.5	36.03	Vertical	40.00
54.153000	14.27	-18.1	32.37	Vertical	40.00
121.422500	18.62	-21.5	40.12	Vertical	43.50
203.824000	13.55	-19.0	32.55	Vertical	43.50
521.887000	14.57	-10.4	24.97	Vertical	46.00
799.986000	23.87	-5.2	29.07	Vertical	46.00

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.176000	18.39	-17.5	35.89	Vertical	40.00
54.104500	14.26	-18.1	32.36	Vertical	40.00
118.270000	17.88	-21.1	38.98	Vertical	43.50
181.756500	15.16	-20.8	35.96	Vertical	43.50
523.778500	14.48	-10.3	24.78	Vertical	46.00
799.986000	23.89	-5.2	29.09	Vertical	46.00

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.176000	18.39	-17.5	35.89	Vertical	40.00
54.104500	14.26	-18.1	32.36	Vertical	40.00
118.270000	17.88	-21.1	38.98	Vertical	43.50
181.756500	15.16	-20.8	35.96	Vertical	43.50
523.778500	14.48	-10.3	24.78	Vertical	46.00
799.986000	23.89	-5.2	29.09	Vertical	46.00

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.127500	18.37	-17.5	35.87	Vertical	40.00
54.104500	14.18	-18.1	32.28	Vertical	40.00
116.621000	18.02	-20.8	38.82	Vertical	43.50
181.659500	15.06	-20.8	35.86	Vertical	43.50
516.067000	14.82	-10.4	25.22	Vertical	46.00
799.986000	23.89	-5.2	29.09	Vertical	46.00

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.224500	18.51	-17.5	36.01	Vertical	40.00
54.104500	14.16	-18.1	32.26	Vertical	40.00
120.355500	18.38	-21.4	39.78	Vertical	43.50
181.805000	14.98	-20.8	35.78	Vertical	43.50
554.382000	13.49	-9.6	23.09	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.321500	18.58	-17.5	36.08	Vertical	40.00
54.395500	13.54	-18.1	31.64	Vertical	40.00
118.997500	17.75	-21.2	38.95	Vertical	43.50
183.502500	14.24	-20.5	34.74	Vertical	43.50
521.644500	14.71	-10.4	25.11	Vertical	46.00
799.986000	23.87	-5.2	29.07	Vertical	46.00

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.709500	17.79	-17.6	35.39	Vertical	40.00
54.056000	14.18	-18.1	32.28	Vertical	40.00
120.695000	19.07	-21.5	40.57	Vertical	43.50
205.182000	13.96	-18.9	32.86	Vertical	43.50
515.291000	14.62	-10.5	25.12	Vertical	46.00
799.986000	23.90	-5.2	29.10	Vertical	46.00

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.079000	18.24	-17.5	35.74	Vertical	40.00
53.862000	14.13	-18.0	32.13	Vertical	40.00
116.087500	17.48	-20.7	38.18	Vertical	43.50
174.772500	13.31	-21.4	34.71	Vertical	43.50
518.395000	15.01	-10.4	25.41	Vertical	46.00
799.986000	23.85	-5.2	29.05	Vertical	46.00

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.564000	18.23	-17.6	35.83	Vertical	40.00
53.910500	14.16	-18.0	32.16	Vertical	40.00
120.113000	18.24	-21.4	39.64	Vertical	43.50
179.331500	14.13	-21.1	35.23	Vertical	43.50
518.395000	15.02	-10.4	25.42	Vertical	46.00
799.986000	23.85	-5.2	29.05	Vertical	46.00

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.370000	18.58	-17.6	36.18	Vertical	40.00
60.603500	11.27	-19.0	30.27	Vertical	40.00
120.743500	19.05	-21.5	40.55	Vertical	43.50
175.354500	12.95	-21.3	34.25	Vertical	43.50
465.433000	13.13	-11.7	24.83	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.515500	18.34	-17.6	35.94	Vertical	40.00
54.007500	14.17	-18.0	32.17	Vertical	40.00
117.688000	17.87	-21.0	38.87	Vertical	43.50
205.909500	13.22	-18.9	32.12	Vertical	43.50
515.048500	14.51	-10.5	25.01	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
49.788000	17.19	-17.5	34.69	Vertical	40.00
54.007500	14.15	-18.0	32.15	Vertical	40.00
120.549500	18.45	-21.4	39.85	Vertical	43.50
204.018000	14.13	-19.0	33.13	Vertical	43.50
517.570500	14.98	-10.4	25.38	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.321500	18.61	-17.5	36.11	Vertical	40.00
53.910500	14.11	-18.0	32.11	Vertical	40.00
119.385500	17.08	-21.3	38.38	Vertical	43.50
177.488500	13.96	-21.2	35.16	Vertical	43.50
524.700000	14.27	-10.3	24.57	Vertical	46.00
883.503000	17.84	-3.6	21.44	Vertical	46.00

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.515500	18.52	-17.6	36.12	Vertical	40.00
54.104500	14.08	-18.1	32.18	Vertical	40.00
120.501000	18.43	-21.4	39.83	Vertical	43.50
174.336000	13.71	-21.4	35.11	Vertical	43.50
516.115500	14.88	-10.4	25.28	Vertical	46.00
799.986000	23.88	-5.2	29.08	Vertical	46.00

For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.370000	18.64	-17.6	36.24	Vertical	40.00
53.862000	13.88	-18.0	31.88	Vertical	40.00
121.034500	18.60	-21.5	40.10	Vertical	43.50
181.902000	14.46	-20.8	35.26	Vertical	43.50
522.711500	14.62	-10.4	25.02	Vertical	46.00
799.986000	23.89	-5.2	29.09	Vertical	46.00

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.224500	18.50	-17.5	36.00	Vertical	40.00
54.007500	14.05	-18.0	32.05	Vertical	40.00
120.743500	18.66	-21.5	40.16	Vertical	43.50
179.962000	14.57	-21.0	35.57	Vertical	43.50
514.515000	14.40	-10.5	24.90	Vertical	46.00
799.986000	23.86	-5.2	29.06	Vertical	46.00

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
50.079000	18.12	-17.5	35.62	Vertical	40.00
54.492500	13.17	-18.1	31.27	Vertical	40.00
116.475500	18.07	-20.8	38.87	Vertical	43.50
180.495500	14.46	-21.0	35.46	Vertical	43.50
529.938000	13.66	-10.2	23.86	Vertical	46.00
799.986000	23.85	-5.2	29.05	Vertical	46.00

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.891500	16.49	-20.8	37.29	Vertical	40.00
73.747000	20.08	-23.0	43.08	Vertical	40.00
172.105000	26.96	-21.5	48.46	Vertical	43.50
173.269000	26.23	-21.5	47.73	Vertical	43.50
317.799000	15.75	-15.5	31.25	Vertical	46.00
951.451500	19.64	-2.7	22.34	Vertical	46.00

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.104000	16.04	-20.4	36.44	Vertical	40.00
75.202000	20.34	-23.3	43.64	Vertical	40.00
173.123500	25.71	-21.5	47.21	Vertical	43.50
173.220500	25.52	-21.5	47.02	Vertical	43.50
313.967500	16.99	-15.6	32.59	Vertical	46.00
927.250000	19.48	-2.9	22.38	Vertical	46.00

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.589000	15.31	-20.3	35.61	Vertical	40.00
75.250500	20.20	-23.3	43.50	Vertical	40.00
170.359000	26.08	-21.7	47.78	Vertical	43.50
174.142000	24.94	-21.4	46.34	Vertical	43.50
313.822000	16.30	-15.6	31.90	Vertical	46.00
923.709500	19.23	-3.0	22.23	Vertical	46.00

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.145500	14.23	-21.2	35.43	Vertical	40.00
72.437500	20.21	-22.7	42.91	Vertical	40.00
172.250500	26.41	-21.5	47.91	Vertical	43.50
173.705500	24.75	-21.4	46.15	Vertical	43.50
314.404000	14.57	-15.6	30.17	Vertical	46.00
916.434500	19.05	-3.0	22.05	Vertical	46.00

For 802.11a Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.697500	14.28	-20.8	35.08	Vertical	40.00
70.837000	19.53	-22.3	41.83	Vertical	40.00
75.153500	20.30	-23.3	43.60	Vertical	40.00
172.056500	26.12	-21.5	47.62	Vertical	43.50
173.802500	24.15	-21.4	45.55	Vertical	43.50
954.846500	19.36	-2.7	22.06	Vertical	46.00

For 802.11n(HT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.395000	14.58	-20.4	34.98	Vertical	40.00
70.934000	19.68	-22.3	41.98	Vertical	40.00
75.105000	20.26	-23.3	43.56	Vertical	40.00
171.620000	25.79	-21.6	47.39	Vertical	43.50
185.976000	24.45	-20.2	44.65	Vertical	43.50
941.266500	19.42	-2.8	22.22	Vertical	46.00

For 802.11ac(VHT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.074000	14.33	-20.2	34.53	Vertical	40.00
70.740000	19.79	-22.3	42.09	Vertical	40.00
75.153500	19.56	-23.3	42.86	Vertical	40.00
171.232000	20.31	-21.6	41.91	Vertical	43.50
184.812000	26.83	-20.3	47.13	Vertical	43.50
883.066500	18.00	-3.6	21.60	Vertical	46.00

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.910000	13.29	-20.5	33.79	Vertical	40.00
71.661500	19.31	-22.5	41.81	Vertical	40.00
72.631500	19.37	-22.7	42.07	Vertical	40.00
169.195000	20.90	-21.7	42.60	Vertical	43.50
183.454000	27.21	-20.5	47.71	Vertical	43.50
928.656500	19.30	-2.9	22.20	Vertical	46.00

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.492000	14.74	-20.3	35.04	Vertical	40.00
70.740000	19.69	-22.3	41.99	Vertical	40.00
73.068000	19.01	-22.8	41.81	Vertical	40.00
172.590000	21.30	-21.5	42.80	Vertical	43.50
173.366000	23.05	-21.4	44.45	Vertical	43.50
912.360500	18.84	-3.1	21.94	Vertical	46.00

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.637500	15.03	-20.3	35.33	Vertical	40.00
69.964000	18.49	-22.1	40.59	Vertical	40.00
72.389000	18.92	-22.7	41.62	Vertical	40.00
173.026500	26.62	-21.5	48.12	Vertical	43.50
182.823500	24.04	-20.6	44.64	Vertical	43.50
614.473500	14.17	-8.0	22.17	Vertical	46.00

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.395000	14.07	-20.4	34.47	Vertical	40.00
70.303500	17.77	-22.2	39.97	Vertical	40.00
74.911000	17.99	-23.3	41.29	Vertical	40.00
173.123500	26.12	-21.5	47.62	Vertical	43.50
174.239000	24.66	-21.4	46.06	Vertical	43.50
921.672500	18.95	-3.0	21.95	Vertical	46.00

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.649000	12.07	-20.8	32.87	Vertical	40.00
69.721500	17.06	-22.0	39.06	Vertical	40.00
72.437500	16.90	-22.7	39.60	Vertical	40.00
172.396000	25.80	-21.5	47.30	Vertical	43.50
173.754000	23.98	-21.4	45.38	Vertical	43.50
806.533500	16.66	-5.1	21.76	Vertical	46.00

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.589000	12.64	-20.3	32.94	Vertical	40.00
70.934000	16.02	-22.3	38.32	Vertical	40.00
75.444500	17.61	-23.4	41.01	Vertical	40.00
171.620000	24.80	-21.6	46.40	Vertical	43.50
173.269000	23.03	-21.5	44.53	Vertical	43.50
939.326500	19.22	-2.8	22.02	Vertical	46.00

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.122500	11.17	-20.2	31.37	Vertical	40.00
70.643000	15.56	-22.3	37.86	Vertical	40.00
73.456000	16.10	-22.9	39.00	Vertical	40.00
172.881000	22.45	-21.5	43.95	Vertical	43.50
174.287500	18.65	-21.4	40.05	Vertical	43.50
918.035000	18.82	-3.0	21.82	Vertical	46.00

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
44.453000	12.52	-18.0	30.52	Vertical	40.00
65.550500	15.62	-20.7	36.32	Vertical	40.00
74.717000	17.31	-23.2	40.51	Vertical	40.00
170.116500	21.34	-21.7	43.04	Vertical	43.50
184.763500	25.83	-20.3	46.13	Vertical	43.50
945.195000	19.23	-2.8	22.03	Vertical	46.00

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
44.744000	11.93	-18.0	29.93	Vertical	40.00
67.878500	12.66	-21.4	34.06	Vertical	40.00
74.765500	17.22	-23.2	40.42	Vertical	40.00
170.407500	14.29	-21.7	35.99	Vertical	43.50
184.278500	25.25	-20.4	45.65	Vertical	43.50
940.587500	19.25	-2.8	22.05	Vertical	46.00

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.637500	12.14	-20.3	32.44	Vertical	40.00
72.049500	15.63	-22.6	38.23	Vertical	40.00
74.571500	16.96	-23.2	40.16	Vertical	40.00
172.784000	22.99	-21.5	44.49	Vertical	43.50
181.320000	24.64	-20.9	45.54	Vertical	43.50
931.518000	19.10	-2.9	22.00	Vertical	46.00

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.395000	11.81	-20.4	32.21	Vertical	40.00
71.661500	15.18	-22.5	37.68	Vertical	40.00
75.590000	16.64	-23.4	40.04	Vertical	40.00
171.571500	22.36	-21.6	43.96	Vertical	43.50
182.629500	22.94	-20.7	43.64	Vertical	43.50
887.722500	18.04	-3.5	21.54	Vertical	46.00

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.813000	10.66	-20.5	31.16	Vertical	40.00
65.841500	12.84	-20.8	33.64	Vertical	40.00
75.153500	16.98	-23.3	40.28	Vertical	40.00
172.881000	23.54	-21.5	45.04	Vertical	43.50
183.987500	17.49	-20.5	37.99	Vertical	43.50
944.031000	19.14	-2.8	21.94	Vertical	46.00

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.104000	11.42	-20.4	31.82	Vertical	40.00
71.710000	14.51	-22.5	37.01	Vertical	40.00
74.523000	17.04	-23.2	40.24	Vertical	40.00
172.881000	23.95	-21.5	45.45	Vertical	43.50
173.657000	23.21	-21.4	44.61	Vertical	43.50
928.705000	19.10	-2.9	22.00	Vertical	46.00

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
44.453000	11.64	-18.0	29.64	Vertical	40.00
71.758500	15.45	-22.5	37.95	Vertical	40.00
72.631500	16.42	-22.7	39.12	Vertical	40.00
172.202000	24.08	-21.5	45.58	Vertical	43.50
173.899500	22.87	-21.4	44.27	Vertical	43.50
923.564000	18.82	-3.0	21.82	Vertical	46.00

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
44.210500	11.39	-18.0	29.39	Vertical	40.00
72.049500	18.79	-22.6	41.39	Vertical	40.00
74.911000	19.38	-23.3	42.68	Vertical	40.00
171.523000	23.38	-21.6	44.98	Vertical	43.50
182.193000	25.20	-20.7	45.90	Vertical	43.50
930.790500	19.16	-2.9	22.06	Vertical	46.00

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.037000	10.56	-20.7	31.26	Vertical	40.00
72.049500	15.82	-22.6	38.42	Vertical	40.00
73.698500	15.78	-23.0	38.78	Vertical	40.00
172.784000	20.10	-21.5	41.60	Vertical	43.50
184.569500	22.43	-20.4	42.83	Vertical	43.50
905.522000	18.41	-3.2	21.61	Vertical	46.00

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
44.453000	11.33	-18.0	29.33	Vertical	40.00
71.855500	15.48	-22.5	37.98	Vertical	40.00
72.098000	15.61	-22.6	38.21	Vertical	40.00
167.303500	21.48	-21.8	43.28	Vertical	43.50
183.793500	16.63	-20.5	37.13	Vertical	43.50
926.765000	19.13	-2.9	22.03	Vertical	46.00

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.074000	9.92	-20.2	30.12	Vertical	40.00
71.370500	15.27	-22.4	37.67	Vertical	40.00
74.765500	15.24	-23.2	38.44	Vertical	40.00
169.098000	20.33	-21.7	42.03	Vertical	43.50
182.193000	23.38	-20.7	44.08	Vertical	43.50
906.637500	18.56	-3.2	21.76	Vertical	46.00

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
47.023500	9.94	-17.7	27.64	Vertical	40.00
70.400500	15.02	-22.2	37.22	Vertical	40.00
75.493000	15.12	-23.4	38.52	Vertical	40.00
168.710000	18.98	-21.7	40.68	Vertical	43.50
183.260000	22.78	-20.6	43.38	Vertical	43.50
931.954500	19.14	-2.9	22.04	Vertical	46.00

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
45.471500	10.49	-17.9	28.39	Vertical	40.00
71.613000	14.79	-22.5	37.29	Vertical	40.00
75.444500	15.06	-23.4	38.46	Vertical	40.00
169.098000	16.66	-21.7	38.36	Vertical	43.50
180.447000	23.03	-21.0	44.03	Vertical	43.50
923.903500	18.79	-3.0	21.79	Vertical	46.00

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.603000	9.82	-18.6	28.42	Vertical	40.00
71.370500	14.55	-22.4	36.95	Vertical	40.00
74.474500	14.67	-23.2	37.87	Vertical	40.00
171.474500	15.57	-21.6	37.17	Vertical	43.50
182.775000	21.28	-20.6	41.88	Vertical	43.50
909.014000	18.67	-3.1	21.77	Vertical	46.00


For 802.11ac(VHT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
46.635500	9.81	-17.8	27.61	Vertical	40.00
72.049500	14.56	-22.6	37.16	Vertical	40.00
74.474500	14.63	-23.2	37.83	Vertical	40.00
164.927000	17.37	-21.9	39.27	Vertical	43.50
179.234500	22.66	-21.1	43.76	Vertical	43.50
937.726000	19.20	-2.8	22.00	Vertical	46.00


For 802.11ac(VHT80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
70.158000	14.35	-22.1	36.45	Vertical	40.00
73.019500	14.09	-22.8	36.89	Vertical	40.00
169.437500	12.58	-21.7	34.28	Vertical	43.50
183.599500	19.99	-20.5	40.49	Vertical	43.50
737.275500	15.12	-5.8	20.92	Vertical	46.00
952.712500	19.08	-2.7	21.78	Vertical	46.00

Carrier frequency (MHz): 5180
 Channel No.:36




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- ♦ Final_Result AVG
- AV54
- ♦ Final_Result PK+


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5200

Channel No.:40




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- ◆ Preview Result 2-AVG
- ◆ Preview Result 1-PK+
- ◆ Critical_Freqs PK+
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- ◆ Critical_Freqs AVG
- ◆ AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result PK+
- Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240

Channel No.:48




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result AVG
- * Final_Result PK+
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- * PK.74
- * AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AV54
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5230
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



- ◆ Preview Result 2-AVG
- ◆ Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- ◆ AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AV54
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- ♦ Final_Result AVG
- AV54
- ♦ Final_Result PK+


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5260

Channel No.:52




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5300
 Channel No.:60




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AV54
* Critical_Freqs PK+ — PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result AVG
- AV54
- ♦ Final_Result PK+

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5320
Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- * Final_Result PK+
- ◆ Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result PK+
- Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result AVG
- ♦ Final_Result PK+
- AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5270
Channel No.:54




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- ◆ Final_Result PK+
- ◆ Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




* Preview Result 2-AVG * Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ * PK.74 * AV54
♦ Final_Result PK+ ♦ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5310
Channel No.:62

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result PK+
- Final_Result AVG
- AV54

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5290
Channel No.:58

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5500

Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK+ ◆ Final_Result AVG
◆ Final_Result PK+ ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5600
 Channel No.:120

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- * Critical_Freqs AVG
- * Final_Result PK+
- ◆ Final_Result AVG
- AV54


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5720

Channel No.:144




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- * Final_Result AV54
- ♦ Final_Result PK+
- ♦ Final_Result AVG


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- * Critical_Freqs PK+
- PK.74
- Critical_Freqs AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ — PK.74 — AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5510
Channel No.:102




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AVG
- * Critical_Freqs PK+
- PK.74
- AV54
- ◆ Final_Result PK+
- ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5590


Channel No.:118

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



- * Preview Result 2-AVG
- * Preview Result 1-PK+
- * Critical_Freqs AV54
- * Critical_Freqs PK+
- PK.74
- ♦ Final_Result AVG
- ♦ Final_Result PK+


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




◆ Preview Result 2-AVG ◆ Preview Result 1-PK+ * Critical_Freqs AVG
* Critical_Freqs PK+ ◆ Final_Result PK.74 ◆ Final_Result AV54
◆ Final_Result PK+ ◆ Final_Result AVG

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5710
Channel No.:142

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)