

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	22.33
QPSK	1850.7	18607	1.4	1	3	22.39
QPSK	1850.7	18607	1.4	1	5	22.35
QPSK	1850.7	18607	1.4	3	0	22.49
QPSK	1850.7	18607	1.4	3	1	22.34
QPSK	1850.7	18607	1.4	3	3	22.41
QPSK	1850.7	18607	1.4	6	0	21.41
QPSK	1880	18900	1.4	1	0	22.33
QPSK	1880	18900	1.4	1	3	22.51
QPSK	1880	18900	1.4	1	5	22.45
QPSK	1880	18900	1.4	3	0	22.43
QPSK	1880	18900	1.4	3	1	22.55
QPSK	1880	18900	1.4	3	3	22.46
QPSK	1880	18900	1.4	6	0	21.45
QPSK	1909.3	19193	1.4	1	0	22.40
QPSK	1909.3	19193	1.4	1	3	22.59
QPSK	1909.3	19193	1.4	1	5	22.50
QPSK	1909.3	19193	1.4	3	0	22.60
QPSK	1909.3	19193	1.4	3	1	22.47
QPSK	1909.3	19193	1.4	3	3	22.55
QPSK	1909.3	19193	1.4	6	0	21.50

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	21.85
16QAM	1850.7	18607	1.4	1	3	21.73
16QAM	1850.7	18607	1.4	1	5	21.19
16QAM	1850.7	18607	1.4	3	0	21.60
16QAM	1850.7	18607	1.4	3	1	21.46
16QAM	1850.7	18607	1.4	3	3	21.23
16QAM	1850.7	18607	1.4	6	0	20.41
16QAM	1880	18900	1.4	1	0	22.18
16QAM	1880	18900	1.4	1	3	21.82
16QAM	1880	18900	1.4	1	5	21.83
16QAM	1880	18900	1.4	3	0	21.75
16QAM	1880	18900	1.4	3	1	21.61
16QAM	1880	18900	1.4	3	3	21.53
16QAM	1880	18900	1.4	6	0	20.59
16QAM	1909.3	19193	1.4	1	0	21.70
16QAM	1909.3	19193	1.4	1	3	21.98
16QAM	1909.3	19193	1.4	1	5	22.07

16QAM	1909.3	19193	1.4	3	0	21.73
16QAM	1909.3	19193	1.4	3	1	21.59
16QAM	1909.3	19193	1.4	3	3	21.60
16QAM	1909.3	19193	1.4	6	0	20.79
64QAM	1850.7	18607	1.4	1	0	21.40
64QAM	1850.7	18607	1.4	1	3	21.73
64QAM	1850.7	18607	1.4	1	5	21.35
64QAM	1850.7	18607	1.4	3	0	21.48
64QAM	1850.7	18607	1.4	3	1	21.51
64QAM	1850.7	18607	1.4	3	3	21.20
64QAM	1850.7	18607	1.4	6	0	20.46
64QAM	1880	18900	1.4	1	0	21.97
64QAM	1880	18900	1.4	1	3	21.65
64QAM	1880	18900	1.4	1	5	21.64
64QAM	1880	18900	1.4	3	0	21.37
64QAM	1880	18900	1.4	3	1	21.52
64QAM	1880	18900	1.4	3	3	21.60
64QAM	1880	18900	1.4	6	0	20.34
64QAM	1909.3	19193	1.4	1	0	21.96
64QAM	1909.3	19193	1.4	1	3	21.58
64QAM	1909.3	19193	1.4	1	5	21.30
64QAM	1909.3	19193	1.4	3	0	21.82
64QAM	1909.3	19193	1.4	3	1	21.42
64QAM	1909.3	19193	1.4	3	3	21.77
64QAM	1909.3	19193	1.4	6	0	20.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	22.38
QPSK	1851.5	18615	3	1	8	22.43
QPSK	1851.5	18615	3	1	14	22.53
QPSK	1851.5	18615	3	8	0	21.48
QPSK	1851.5	18615	3	8	4	21.49
QPSK	1851.5	18615	3	8	7	21.43
QPSK	1851.5	18615	3	15	0	21.45
QPSK	1880	18900	3	1	0	22.32
QPSK	1880	18900	3	1	8	22.54
QPSK	1880	18900	3	1	14	22.39
QPSK	1880	18900	3	8	0	21.53
QPSK	1880	18900	3	8	4	21.62
QPSK	1880	18900	3	8	7	21.48
QPSK	1880	18900	3	15	0	21.53
QPSK	1908.5	19185	3	1	0	22.45
QPSK	1908.5	19185	3	1	8	22.59
QPSK	1908.5	19185	3	1	14	22.44
QPSK	1908.5	19185	3	8	0	21.53
QPSK	1908.5	19185	3	8	4	21.65
QPSK	1908.5	19185	3	8	7	21.53
QPSK	1908.5	19185	3	15	0	21.51

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	21.55
16QAM	1851.5	18615	3	1	8	22.03
16QAM	1851.5	18615	3	1	14	21.40
16QAM	1851.5	18615	3	8	0	20.36
16QAM	1851.5	18615	3	8	4	20.58
16QAM	1851.5	18615	3	8	7	20.53
16QAM	1851.5	18615	3	15	0	20.53
16QAM	1880	18900	3	1	0	21.70
16QAM	1880	18900	3	1	8	21.60
16QAM	1880	18900	3	1	14	21.70
16QAM	1880	18900	3	8	0	20.65
16QAM	1880	18900	3	8	4	20.62
16QAM	1880	18900	3	8	7	20.36
16QAM	1880	18900	3	15	0	20.59
16QAM	1908.5	19185	3	1	0	21.16
16QAM	1908.5	19185	3	1	8	21.96
16QAM	1908.5	19185	3	1	14	21.57
16QAM	1908.5	19185	3	8	0	20.76
16QAM	1908.5	19185	3	8	4	20.55

16QAM	1908.5	19185	3	8	7	20.65
16QAM	1908.5	19185	3	15	0	20.59
64QAM	1851.5	18615	3	1	0	21.10
64QAM	1851.5	18615	3	1	8	21.76
64QAM	1851.5	18615	3	1	14	21.85
64QAM	1851.5	18615	3	8	0	20.52
64QAM	1851.5	18615	3	8	4	20.46
64QAM	1851.5	18615	3	8	7	20.34
64QAM	1851.5	18615	3	15	0	20.52
64QAM	1880	18900	3	1	0	21.37
64QAM	1880	18900	3	1	8	22.04
64QAM	1880	18900	3	1	14	21.69
64QAM	1880	18900	3	8	0	20.43
64QAM	1880	18900	3	8	4	20.51
64QAM	1880	18900	3	8	7	20.48
64QAM	1880	18900	3	15	0	20.52
64QAM	1908.5	19185	3	1	0	21.62
64QAM	1908.5	19185	3	1	8	21.54
64QAM	1908.5	19185	3	1	14	21.66
64QAM	1908.5	19185	3	8	0	20.71
64QAM	1908.5	19185	3	8	4	20.67
64QAM	1908.5	19185	3	8	7	20.57
64QAM	1908.5	19185	3	15	0	20.54

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	22.40
QPSK	1852.5	18625	5	1	12	22.73
QPSK	1852.5	18625	5	1	24	22.32
QPSK	1852.5	18625	5	12	0	21.42
QPSK	1852.5	18625	5	12	7	21.54
QPSK	1852.5	18625	5	12	13	21.45
QPSK	1852.5	18625	5	25	0	21.50
QPSK	1880	18900	5	1	0	22.32
QPSK	1880	18900	5	1	12	22.53
QPSK	1880	18900	5	1	24	22.44
QPSK	1880	18900	5	12	0	21.50
QPSK	1880	18900	5	12	7	21.56
QPSK	1880	18900	5	12	13	21.54
QPSK	1880	18900	5	25	0	21.59
QPSK	1907.5	19175	5	1	0	22.53
QPSK	1907.5	19175	5	1	12	22.60
QPSK	1907.5	19175	5	1	24	22.52
QPSK	1907.5	19175	5	12	0	21.58
QPSK	1907.5	19175	5	12	7	21.62
QPSK	1907.5	19175	5	12	13	21.59

QPSK	1907.5	19175	5	25	0	21.63
------	--------	-------	---	----	---	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	21.50
16QAM	1852.5	18625	5	1	12	21.62
16QAM	1852.5	18625	5	1	24	21.68
16QAM	1852.5	18625	5	12	0	20.58
16QAM	1852.5	18625	5	12	7	20.48
16QAM	1852.5	18625	5	12	13	20.62
16QAM	1852.5	18625	5	25	0	20.48
16QAM	1880	18900	5	1	0	22.04
16QAM	1880	18900	5	1	12	21.60
16QAM	1880	18900	5	1	24	21.71
16QAM	1880	18900	5	12	0	20.53
16QAM	1880	18900	5	12	7	20.64
16QAM	1880	18900	5	12	13	20.66
16QAM	1880	18900	5	25	0	20.54
16QAM	1907.5	19175	5	1	0	21.76
16QAM	1907.5	19175	5	1	12	21.82
16QAM	1907.5	19175	5	1	24	21.76
16QAM	1907.5	19175	5	12	0	20.60
16QAM	1907.5	19175	5	12	7	20.64
16QAM	1907.5	19175	5	12	13	20.63
16QAM	1907.5	19175	5	25	0	20.48
64QAM	1852.5	18625	5	1	0	21.44
64QAM	1852.5	18625	5	1	12	21.98
64QAM	1852.5	18625	5	1	24	21.36
64QAM	1852.5	18625	5	12	0	20.49
64QAM	1852.5	18625	5	12	7	20.66
64QAM	1852.5	18625	5	12	13	20.62
64QAM	1852.5	18625	5	25	0	20.54
64QAM	1880	18900	5	1	0	21.58
64QAM	1880	18900	5	1	12	21.63
64QAM	1880	18900	5	1	24	21.69
64QAM	1880	18900	5	12	0	20.52
64QAM	1880	18900	5	12	7	20.55
64QAM	1880	18900	5	12	13	20.56
64QAM	1880	18900	5	25	0	20.48
64QAM	1907.5	19175	5	1	0	21.64
64QAM	1907.5	19175	5	1	12	21.62
64QAM	1907.5	19175	5	1	24	21.25
64QAM	1907.5	19175	5	12	0	20.57
64QAM	1907.5	19175	5	12	7	20.59
64QAM	1907.5	19175	5	12	13	20.63
64QAM	1907.5	19175	5	25	0	20.54

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	22.28
QPSK	1855	18650	10	1	25	22.45
QPSK	1855	18650	10	1	49	22.49
QPSK	1855	18650	10	25	0	21.51
QPSK	1855	18650	10	25	12	21.50
QPSK	1855	18650	10	25	25	21.52
QPSK	1855	18650	10	50	0	21.49
QPSK	1880	18900	10	1	0	22.48
QPSK	1880	18900	10	1	25	22.48
QPSK	1880	18900	10	1	49	22.42
QPSK	1880	18900	10	25	0	21.59
QPSK	1880	18900	10	25	12	21.59
QPSK	1880	18900	10	25	25	21.48
QPSK	1880	18900	10	50	0	21.52
QPSK	1905	19150	10	1	0	22.50
QPSK	1905	19150	10	1	25	22.46
QPSK	1905	19150	10	1	49	22.52
QPSK	1905	19150	10	25	0	21.53
QPSK	1905	19150	10	25	12	21.57
QPSK	1905	19150	10	25	25	21.62
QPSK	1905	19150	10	50	0	21.58

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	21.50
16QAM	1855	18650	10	1	25	22.02
16QAM	1855	18650	10	1	49	22.18
16QAM	1855	18650	10	25	0	20.64
16QAM	1855	18650	10	25	12	20.56
16QAM	1855	18650	10	25	25	20.52
16QAM	1855	18650	10	50	0	20.45
16QAM	1880	18900	10	1	0	21.60
16QAM	1880	18900	10	1	25	21.70
16QAM	1880	18900	10	1	49	21.70
16QAM	1880	18900	10	25	0	20.54
16QAM	1880	18900	10	25	12	20.67
16QAM	1880	18900	10	25	25	20.50
16QAM	1880	18900	10	50	0	20.56
16QAM	1905	19150	10	1	0	22.04
16QAM	1905	19150	10	1	25	21.85
16QAM	1905	19150	10	1	49	21.78
16QAM	1905	19150	10	25	0	20.59
16QAM	1905	19150	10	25	12	20.67

16QAM	1905	19150	10	25	25	20.68
16QAM	1905	19150	10	50	0	20.57
64QAM	1855	18650	10	1	0	21.56
64QAM	1855	18650	10	1	25	21.81
64QAM	1855	18650	10	1	49	21.43
64QAM	1855	18650	10	25	0	20.43
64QAM	1855	18650	10	25	12	20.45
64QAM	1855	18650	10	25	25	20.59
64QAM	1855	18650	10	50	0	20.49
64QAM	1880	18900	10	1	0	21.55
64QAM	1880	18900	10	1	25	21.47
64QAM	1880	18900	10	1	49	21.42
64QAM	1880	18900	10	25	0	20.55
64QAM	1880	18900	10	25	12	20.59
64QAM	1880	18900	10	25	25	20.51
64QAM	1880	18900	10	50	0	20.52
64QAM	1905	19150	10	1	0	21.98
64QAM	1905	19150	10	1	25	21.46
64QAM	1905	19150	10	1	49	21.52
64QAM	1905	19150	10	25	0	20.49
64QAM	1905	19150	10	25	12	20.65
64QAM	1905	19150	10	25	25	20.63
64QAM	1905	19150	10	50	0	20.54

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	22.19
QPSK	1857.5	18675	15	1	37	22.42
QPSK	1857.5	18675	15	1	74	22.37
QPSK	1857.5	18675	15	36	0	21.36
QPSK	1857.5	18675	15	36	29	21.39
QPSK	1857.5	18675	15	36	30	21.48
QPSK	1857.5	18675	15	75	0	21.42
QPSK	1880	18900	15	1	0	22.28
QPSK	1880	18900	15	1	37	22.31
QPSK	1880	18900	15	1	74	22.35
QPSK	1880	18900	15	36	0	21.30
QPSK	1880	18900	15	36	29	21.36
QPSK	1880	18900	15	36	30	21.47
QPSK	1880	18900	15	75	0	21.25
QPSK	1902.5	19125	15	1	0	22.27
QPSK	1902.5	19125	15	1	37	22.48
QPSK	1902.5	19125	15	1	74	22.63
QPSK	1902.5	19125	15	36	0	21.44
QPSK	1902.5	19125	15	36	29	21.46
QPSK	1902.5	19125	15	36	30	21.48
QPSK	1902.5	19125	15	75	0	21.50

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	21.21
16QAM	1857.5	18675	15	1	37	21.91
16QAM	1857.5	18675	15	1	74	21.85
16QAM	1857.5	18675	15	36	0	20.45
16QAM	1857.5	18675	15	36	29	20.35
16QAM	1857.5	18675	15	36	30	20.46
16QAM	1857.5	18675	15	75	0	20.46
16QAM	1880	18900	15	1	0	21.89
16QAM	1880	18900	15	1	37	21.67
16QAM	1880	18900	15	1	74	21.73
16QAM	1880	18900	15	36	0	20.31
16QAM	1880	18900	15	36	29	20.43
16QAM	1880	18900	15	36	30	20.43
16QAM	1880	18900	15	75	0	20.25
16QAM	1902.5	19125	15	1	0	21.69
16QAM	1902.5	19125	15	1	37	21.41
16QAM	1902.5	19125	15	1	74	21.55
16QAM	1902.5	19125	15	36	0	20.36
16QAM	1902.5	19125	15	36	29	20.47

16QAM	1902.5	19125	15	36	30	20.51
16QAM	1902.5	19125	15	75	0	20.36
64QAM	1857.5	18675	15	1	0	21.81
64QAM	1857.5	18675	15	1	37	21.40
64QAM	1857.5	18675	15	1	74	21.33
64QAM	1857.5	18675	15	36	0	20.36
64QAM	1857.5	18675	15	36	29	20.41
64QAM	1857.5	18675	15	36	30	20.39
64QAM	1857.5	18675	15	75	0	20.39
64QAM	1880	18900	15	1	0	21.14
64QAM	1880	18900	15	1	37	21.16
64QAM	1880	18900	15	1	74	22.10
64QAM	1880	18900	15	36	0	20.28
64QAM	1880	18900	15	36	29	20.39
64QAM	1880	18900	15	36	30	20.39
64QAM	1880	18900	15	75	0	20.39
64QAM	1902.5	19125	15	1	0	21.25
64QAM	1902.5	19125	15	1	37	21.16
64QAM	1902.5	19125	15	1	74	21.76
64QAM	1902.5	19125	15	36	0	20.41
64QAM	1902.5	19125	15	36	29	20.44
64QAM	1902.5	19125	15	36	30	20.32
64QAM	1902.5	19125	15	75	0	20.53

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	22.32
QPSK	1860	18700	20	1	49	22.31
QPSK	1860	18700	20	1	99	22.37
QPSK	1860	18700	20	50	0	21.34
QPSK	1860	18700	20	50	24	21.37
QPSK	1860	18700	20	50	50	21.39
QPSK	1860	18700	20	100	0	21.48
QPSK	1880	18900	20	1	0	22.38
QPSK	1880	18900	20	1	49	22.51
QPSK	1880	18900	20	1	99	22.42
QPSK	1880	18900	20	50	0	21.32
QPSK	1880	18900	20	50	24	21.42
QPSK	1880	18900	20	50	50	21.52
QPSK	1880	18900	20	100	0	21.32
QPSK	1900	19100	20	1	0	22.23
QPSK	1900	19100	20	1	49	22.37
QPSK	1900	19100	20	1	99	22.66
QPSK	1900	19100	20	50	0	21.38
QPSK	1900	19100	20	50	24	21.51
QPSK	1900	19100	20	50	50	21.45

QPSK	1900	19100	20	100	0	21.43
------	------	-------	----	-----	---	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	21.75
16QAM	1860	18700	20	1	49	21.36
16QAM	1860	18700	20	1	99	21.49
16QAM	1860	18700	20	50	0	20.45
16QAM	1860	18700	20	50	24	20.44
16QAM	1860	18700	20	50	50	20.47
16QAM	1860	18700	20	100	0	20.46
16QAM	1880	18900	20	1	0	21.89
16QAM	1880	18900	20	1	49	21.45
16QAM	1880	18900	20	1	99	21.60
16QAM	1880	18900	20	50	0	20.37
16QAM	1880	18900	20	50	24	20.56
16QAM	1880	18900	20	50	50	20.46
16QAM	1880	18900	20	100	0	20.37
16QAM	1900	19100	20	1	0	21.60
16QAM	1900	19100	20	1	49	21.82
16QAM	1900	19100	20	1	99	21.96
16QAM	1900	19100	20	50	0	20.51
16QAM	1900	19100	20	50	24	20.51
16QAM	1900	19100	20	50	50	20.59
16QAM	1900	19100	20	100	0	20.57
64QAM	1860	18700	20	1	0	20.88
64QAM	1860	18700	20	1	49	21.57
64QAM	1860	18700	20	1	99	21.53
64QAM	1860	18700	20	50	0	20.33
64QAM	1860	18700	20	50	24	20.50
64QAM	1860	18700	20	50	50	20.41
64QAM	1860	18700	20	100	0	20.39
64QAM	1880	18900	20	1	0	20.89
64QAM	1880	18900	20	1	49	21.36
64QAM	1880	18900	20	1	99	21.85
64QAM	1880	18900	20	50	0	20.23
64QAM	1880	18900	20	50	24	20.41
64QAM	1880	18900	20	50	50	20.37
64QAM	1880	18900	20	100	0	20.39
64QAM	1900	19100	20	1	0	21.90
64QAM	1900	19100	20	1	49	21.22
64QAM	1900	19100	20	1	99	21.64
64QAM	1900	19100	20	50	0	20.32
64QAM	1900	19100	20	50	24	20.51
64QAM	1900	19100	20	50	50	20.42
64QAM	1900	19100	20	100	0	20.51


2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.079	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.077	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.073	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.680	Fig.4
2	QPSK	1880	18900	3	15	0	2.671	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.681	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.454	Fig.7
2	QPSK	1880	18900	5	25	0	4.457	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.454	Fig.9
2	QPSK	1855	18650	10	50	0	8.946	Fig.10
2	QPSK	1880	18900	10	50	0	8.926	Fig.11
2	QPSK	1905	19150	10	50	0	8.920	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.342	Fig.13
2	QPSK	1880	18900	15	75	0	13.315	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.347	Fig.15
2	QPSK	1860	18700	20	100	0	17.824	Fig.16
2	QPSK	1880	18900	20	100	0	17.843	Fig.17
2	QPSK	1900	19100	20	100	0	17.809	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.077	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.079	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.076	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.682	Fig.22
2	16QAM	1880	18900	3	15	0	2.675	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.682	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.459	Fig.25
2	16QAM	1880	18900	5	25	0	4.460	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.467	Fig.27
2	16QAM	1855	18650	10	50	0	8.913	Fig.28
2	16QAM	1880	18900	10	50	0	8.870	Fig.29
2	16QAM	1905	19150	10	50	0	8.930	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.380	Fig.31
2	16QAM	1880	18900	15	75	0	13.326	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.375	Fig.33
2	16QAM	1860	18700	20	100	0	17.859	Fig.34
2	16QAM	1880	18900	20	100	0	17.846	Fig.35
2	16QAM	1900	19100	20	100	0	17.867	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.082	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.076	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.075	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.687	Fig.40
2	64QAM	1880	18900	3	15	0	2.668	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.675	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.455	Fig.43
2	64QAM	1880	18900	5	25	0	4.469	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.473	Fig.45
2	64QAM	1855	18650	10	50	0	8.943	Fig.46
2	64QAM	1880	18900	10	50	0	8.902	Fig.47
2	64QAM	1905	19150	10	50	0	8.871	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.309	Fig.49
2	64QAM	1880	18900	15	75	0	13.305	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.341	Fig.51
2	64QAM	1860	18700	20	100	0	17.821	Fig.52
2	64QAM	1880	18900	20	100	0	17.882	Fig.53
2	64QAM	1900	19100	20	100	0	17.812	Fig.54

Test Mode: QPSK






Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42