

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 2

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1850.7	18607	1.4	1	0	22.45
QPSK	1850.7	18607	1.4	1	3	22.62
QPSK	1850.7	18607	1.4	1	5	22.49
QPSK	1850.7	18607	1.4	3	0	22.50
QPSK	1850.7	18607	1.4	3	1	22.59
QPSK	1850.7	18607	1.4	3	3	22.47
QPSK	1850.7	18607	1.4	6	0	21.57
QPSK	1880	18900	1.4	1	0	22.78
QPSK	1880	18900	1.4	1	3	22.75
QPSK	1880	18900	1.4	1	5	22.66
QPSK	1880	18900	1.4	3	0	22.72
QPSK	1880	18900	1.4	3	1	22.66
QPSK	1880	18900	1.4	3	3	22.65
QPSK	1880	18900	1.4	6	0	21.65
QPSK	1909.3	19193	1.4	1	0	22.38
QPSK	1909.3	19193	1.4	1	3	22.52
QPSK	1909.3	19193	1.4	1	5	22.34
QPSK	1909.3	19193	1.4	3	0	22.40
QPSK	1909.3	19193	1.4	3	1	22.39
QPSK	1909.3	19193	1.4	3	3	22.35
QPSK	1909.3	19193	1.4	6	0	21.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1850.7	18607	1.4	1	0	21.62
16QAM	1850.7	18607	1.4	1	3	21.62
16QAM	1850.7	18607	1.4	1	5	21.52
16QAM	1850.7	18607	1.4	3	0	21.68
16QAM	1850.7	18607	1.4	3	1	21.89
16QAM	1850.7	18607	1.4	3	3	21.47
16QAM	1850.7	18607	1.4	6	0	20.59
16QAM	1880	18900	1.4	1	0	22.01
16QAM	1880	18900	1.4	1	3	22.15
16QAM	1880	18900	1.4	1	5	21.97
16QAM	1880	18900	1.4	3	0	21.73
16QAM	1880	18900	1.4	3	1	21.71
16QAM	1880	18900	1.4	3	3	21.67
16QAM	1880	18900	1.4	6	0	20.74
16QAM	1909.3	19193	1.4	1	0	21.78
16QAM	1909.3	19193	1.4	1	3	21.67
16QAM	1909.3	19193	1.4	1	5	21.74
16QAM	1909.3	19193	1.4	3	0	21.36
16QAM	1909.3	19193	1.4	3	1	21.44
16QAM	1909.3	19193	1.4	3	3	21.17
16QAM	1909.3	19193	1.4	6	0	20.56
64QAM	1850.7	18607	1.4	1	0	21.27
64QAM	1850.7	18607	1.4	1	3	21.26
64QAM	1850.7	18607	1.4	1	5	21.19
64QAM	1850.7	18607	1.4	3	0	20.97
64QAM	1850.7	18607	1.4	3	1	20.95
64QAM	1850.7	18607	1.4	3	3	20.91
64QAM	1850.7	18607	1.4	6	0	19.50
64QAM	1880	18900	1.4	1	0	20.95
64QAM	1880	18900	1.4	1	3	20.94
64QAM	1880	18900	1.4	1	5	20.82
64QAM	1880	18900	1.4	3	0	20.87
64QAM	1880	18900	1.4	3	1	20.88
64QAM	1880	18900	1.4	3	3	20.77
64QAM	1880	18900	1.4	6	0	19.99
64QAM	1909.3	19193	1.4	1	0	20.75
64QAM	1909.3	19193	1.4	1	3	20.69
64QAM	1909.3	19193	1.4	1	5	20.74
64QAM	1909.3	19193	1.4	3	0	20.92
64QAM	1909.3	19193	1.4	3	1	20.76
64QAM	1909.3	19193	1.4	3	3	20.73
64QAM	1909.3	19193	1.4	6	0	19.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1851.5	18615	3	1	0	22.65
QPSK	1851.5	18615	3	1	8	22.62
QPSK	1851.5	18615	3	1	14	22.63
QPSK	1851.5	18615	3	8	0	21.68
QPSK	1851.5	18615	3	8	4	21.68
QPSK	1851.5	18615	3	8	7	21.64
QPSK	1851.5	18615	3	15	0	21.59
QPSK	1880	18900	3	1	0	22.82
QPSK	1880	18900	3	1	8	22.85
QPSK	1880	18900	3	1	14	22.67
QPSK	1880	18900	3	8	0	21.88
QPSK	1880	18900	3	8	4	21.77
QPSK	1880	18900	3	8	7	21.77
QPSK	1880	18900	3	15	0	21.80
QPSK	1908.5	19185	3	1	0	22.59
QPSK	1908.5	19185	3	1	8	22.60
QPSK	1908.5	19185	3	1	14	22.35
QPSK	1908.5	19185	3	8	0	21.52
QPSK	1908.5	19185	3	8	4	21.51
QPSK	1908.5	19185	3	8	7	21.41
QPSK	1908.5	19185	3	15	0	21.46

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1851.5	18615	3	1	0	22.00
16QAM	1851.5	18615	3	1	8	22.36
16QAM	1851.5	18615	3	1	14	22.28
16QAM	1851.5	18615	3	8	0	20.86
16QAM	1851.5	18615	3	8	4	20.77
16QAM	1851.5	18615	3	8	7	20.64
16QAM	1851.5	18615	3	15	0	20.70
16QAM	1880	18900	3	1	0	22.20
16QAM	1880	18900	3	1	8	22.10
16QAM	1880	18900	3	1	14	21.81
16QAM	1880	18900	3	8	0	20.85
16QAM	1880	18900	3	8	4	20.88
16QAM	1880	18900	3	8	7	20.78
16QAM	1880	18900	3	15	0	20.80
16QAM	1908.5	19185	3	1	0	21.86
16QAM	1908.5	19185	3	1	8	21.83
16QAM	1908.5	19185	3	1	14	21.78
16QAM	1908.5	19185	3	8	0	20.55
16QAM	1908.5	19185	3	8	4	20.55
16QAM	1908.5	19185	3	8	7	20.38
16QAM	1908.5	19185	3	15	0	20.46
64QAM	1851.5	18615	3	1	0	21.26
64QAM	1851.5	18615	3	1	8	21.26
64QAM	1851.5	18615	3	1	14	21.10
64QAM	1851.5	18615	3	8	0	19.81
64QAM	1851.5	18615	3	8	4	19.85
64QAM	1851.5	18615	3	8	7	19.61
64QAM	1851.5	18615	3	15	0	19.57
64QAM	1880	18900	3	1	0	20.92
64QAM	1880	18900	3	1	8	20.96
64QAM	1880	18900	3	1	14	20.82
64QAM	1880	18900	3	8	0	19.96
64QAM	1880	18900	3	8	4	19.81
64QAM	1880	18900	3	8	7	19.81
64QAM	1880	18900	3	15	0	19.96
64QAM	1908.5	19185	3	1	0	20.95
64QAM	1908.5	19185	3	1	8	20.83
64QAM	1908.5	19185	3	1	14	20.83
64QAM	1908.5	19185	3	8	0	19.48
64QAM	1908.5	19185	3	8	4	19.52
64QAM	1908.5	19185	3	8	7	19.36
64QAM	1908.5	19185	3	15	0	19.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1852.5	18625	5	1	0	22.60
QPSK	1852.5	18625	5	1	12	22.66
QPSK	1852.5	18625	5	1	24	22.50
QPSK	1852.5	18625	5	12	0	21.68
QPSK	1852.5	18625	5	12	7	21.66
QPSK	1852.5	18625	5	12	13	21.57
QPSK	1852.5	18625	5	25	0	21.68
QPSK	1880	18900	5	1	0	22.63
QPSK	1880	18900	5	1	12	22.69
QPSK	1880	18900	5	1	24	22.55
QPSK	1880	18900	5	12	0	21.88
QPSK	1880	18900	5	12	7	21.78
QPSK	1880	18900	5	12	13	21.58
QPSK	1880	18900	5	25	0	21.75
QPSK	1907.5	19175	5	1	0	22.55
QPSK	1907.5	19175	5	1	12	22.40
QPSK	1907.5	19175	5	1	24	22.43
QPSK	1907.5	19175	5	12	0	21.56
QPSK	1907.5	19175	5	12	7	21.55
QPSK	1907.5	19175	5	12	13	21.46
QPSK	1907.5	19175	5	25	0	21.50

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1852.5	18625	5	1	0	21.82
16QAM	1852.5	18625	5	1	12	21.72
16QAM	1852.5	18625	5	1	24	21.83
16QAM	1852.5	18625	5	12	0	20.68
16QAM	1852.5	18625	5	12	7	20.66
16QAM	1852.5	18625	5	12	13	20.45
16QAM	1852.5	18625	5	25	0	20.62
16QAM	1880	18900	5	1	0	22.27
16QAM	1880	18900	5	1	12	22.16
16QAM	1880	18900	5	1	24	22.15
16QAM	1880	18900	5	12	0	20.83
16QAM	1880	18900	5	12	7	20.85
16QAM	1880	18900	5	12	13	20.60
16QAM	1880	18900	5	25	0	20.74
16QAM	1907.5	19175	5	1	0	21.87
16QAM	1907.5	19175	5	1	12	21.75
16QAM	1907.5	19175	5	1	24	21.72
16QAM	1907.5	19175	5	12	0	20.45
16QAM	1907.5	19175	5	12	7	20.39
16QAM	1907.5	19175	5	12	13	20.46
16QAM	1907.5	19175	5	25	0	20.49
64QAM	1852.5	18625	5	1	0	20.74
64QAM	1852.5	18625	5	1	12	20.95
64QAM	1852.5	18625	5	1	24	20.75
64QAM	1852.5	18625	5	12	0	19.81
64QAM	1852.5	18625	5	12	7	19.71
64QAM	1852.5	18625	5	12	13	19.64
64QAM	1852.5	18625	5	25	0	19.57
64QAM	1880	18900	5	1	0	21.36
64QAM	1880	18900	5	1	12	21.16
64QAM	1880	18900	5	1	24	21.04
64QAM	1880	18900	5	12	0	19.83
64QAM	1880	18900	5	12	7	19.78
64QAM	1880	18900	5	12	13	19.67
64QAM	1880	18900	5	25	0	19.74
64QAM	1907.5	19175	5	1	0	20.79
64QAM	1907.5	19175	5	1	12	20.60
64QAM	1907.5	19175	5	1	24	20.61
64QAM	1907.5	19175	5	12	0	19.58
64QAM	1907.5	19175	5	12	7	19.53
64QAM	1907.5	19175	5	12	13	19.46
64QAM	1907.5	19175	5	25	0	19.62

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1855	18650	10	1	0	22.43
QPSK	1855	18650	10	1	25	22.39
QPSK	1855	18650	10	1	49	22.47
QPSK	1855	18650	10	25	0	21.55
QPSK	1855	18650	10	25	12	21.48
QPSK	1855	18650	10	25	25	21.45
QPSK	1855	18650	10	50	0	21.58
QPSK	1880	18900	10	1	0	22.70
QPSK	1880	18900	10	1	25	22.63
QPSK	1880	18900	10	1	49	22.53
QPSK	1880	18900	10	25	0	21.74
QPSK	1880	18900	10	25	12	21.80
QPSK	1880	18900	10	25	25	21.54
QPSK	1880	18900	10	50	0	21.72
QPSK	1905	19150	10	1	0	22.44
QPSK	1905	19150	10	1	25	22.40
QPSK	1905	19150	10	1	49	22.47
QPSK	1905	19150	10	25	0	21.45
QPSK	1905	19150	10	25	12	21.46
QPSK	1905	19150	10	25	25	21.39
QPSK	1905	19150	10	50	0	21.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1855	18650	10	1	0	22.23
16QAM	1855	18650	10	1	25	22.22
16QAM	1855	18650	10	1	49	22.26
16QAM	1855	18650	10	25	0	20.68
16QAM	1855	18650	10	25	12	20.59
16QAM	1855	18650	10	25	25	20.51
16QAM	1855	18650	10	50	0	20.50
16QAM	1880	18900	10	1	0	21.79
16QAM	1880	18900	10	1	25	21.86
16QAM	1880	18900	10	1	49	21.71
16QAM	1880	18900	10	25	0	20.89
16QAM	1880	18900	10	25	12	20.69
16QAM	1880	18900	10	25	25	20.69
16QAM	1880	18900	10	50	0	20.76
16QAM	1905	19150	10	1	0	21.70
16QAM	1905	19150	10	1	25	21.57
16QAM	1905	19150	10	1	49	21.63
16QAM	1905	19150	10	25	0	20.49
16QAM	1905	19150	10	25	12	20.44
16QAM	1905	19150	10	25	25	20.38
16QAM	1905	19150	10	50	0	20.42
64QAM	1855	18650	10	1	0	20.92
64QAM	1855	18650	10	1	25	21.02
64QAM	1855	18650	10	1	49	20.98
64QAM	1855	18650	10	25	0	19.64
64QAM	1855	18650	10	25	12	19.54
64QAM	1855	18650	10	25	25	19.53
64QAM	1855	18650	10	50	0	19.55
64QAM	1880	18900	10	1	0	20.97
64QAM	1880	18900	10	1	25	20.85
64QAM	1880	18900	10	1	49	20.53
64QAM	1880	18900	10	25	0	19.89
64QAM	1880	18900	10	25	12	19.84
64QAM	1880	18900	10	25	25	19.63
64QAM	1880	18900	10	50	0	19.80
64QAM	1905	19150	10	1	0	20.85
64QAM	1905	19150	10	1	25	20.72
64QAM	1905	19150	10	1	49	20.52
64QAM	1905	19150	10	25	0	19.75
64QAM	1905	19150	10	25	12	19.67
64QAM	1905	19150	10	25	25	19.44
64QAM	1905	19150	10	50	0	19.42

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1857.5	18675	15	1	0	22.46
QPSK	1857.5	18675	15	1	37	22.37
QPSK	1857.5	18675	15	1	74	22.45
QPSK	1857.5	18675	15	36	0	21.27
QPSK	1857.5	18675	15	36	29	21.41
QPSK	1857.5	18675	15	36	30	21.40
QPSK	1857.5	18675	15	75	0	21.41
QPSK	1880	18900	15	1	0	22.46
QPSK	1880	18900	15	1	37	22.48
QPSK	1880	18900	15	1	74	22.37
QPSK	1880	18900	15	36	0	21.58
QPSK	1880	18900	15	36	29	21.44
QPSK	1880	18900	15	36	30	21.44
QPSK	1880	18900	15	75	0	21.55
QPSK	1902.5	19125	15	1	0	22.25
QPSK	1902.5	19125	15	1	37	22.05
QPSK	1902.5	19125	15	1	74	22.04
QPSK	1902.5	19125	15	36	0	21.33
QPSK	1902.5	19125	15	36	29	21.32
QPSK	1902.5	19125	15	36	30	21.28
QPSK	1902.5	19125	15	75	0	21.33

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1857.5	18675	15	1	0	22.05
16QAM	1857.5	18675	15	1	37	22.04
16QAM	1857.5	18675	15	1	74	22.05
16QAM	1857.5	18675	15	36	0	20.49
16QAM	1857.5	18675	15	36	29	20.45
16QAM	1857.5	18675	15	36	30	20.43
16QAM	1857.5	18675	15	75	0	20.43
16QAM	1880	18900	15	1	0	21.76
16QAM	1880	18900	15	1	37	21.75
16QAM	1880	18900	15	1	74	21.65
16QAM	1880	18900	15	36	0	20.56
16QAM	1880	18900	15	36	29	20.44
16QAM	1880	18900	15	36	30	20.49
16QAM	1880	18900	15	75	0	20.52
16QAM	1902.5	19125	15	1	0	21.73
16QAM	1902.5	19125	15	1	37	21.61
16QAM	1902.5	19125	15	1	74	21.69
16QAM	1902.5	19125	15	36	0	20.44
16QAM	1902.5	19125	15	36	29	20.28
16QAM	1902.5	19125	15	36	30	20.28
16QAM	1902.5	19125	15	75	0	20.30
64QAM	1857.5	18675	15	1	0	20.80
64QAM	1857.5	18675	15	1	37	20.86
64QAM	1857.5	18675	15	1	74	20.80
64QAM	1857.5	18675	15	36	0	19.43
64QAM	1857.5	18675	15	36	29	19.40
64QAM	1857.5	18675	15	36	30	19.41
64QAM	1857.5	18675	15	75	0	19.41
64QAM	1880	18900	15	1	0	20.56
64QAM	1880	18900	15	1	37	20.61
64QAM	1880	18900	15	1	74	20.48
64QAM	1880	18900	15	36	0	19.71
64QAM	1880	18900	15	36	29	19.53
64QAM	1880	18900	15	36	30	19.61
64QAM	1880	18900	15	75	0	19.61
64QAM	1902.5	19125	15	1	0	20.83
64QAM	1902.5	19125	15	1	37	20.85
64QAM	1902.5	19125	15	1	74	20.59
64QAM	1902.5	19125	15	36	0	19.34
64QAM	1902.5	19125	15	36	29	19.30
64QAM	1902.5	19125	15	36	30	19.31
64QAM	1902.5	19125	15	75	0	19.38

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1860	18700	20	1	0	22.28
QPSK	1860	18700	20	1	49	22.29
QPSK	1860	18700	20	1	99	22.42
QPSK	1860	18700	20	50	0	21.41
QPSK	1860	18700	20	50	24	21.48
QPSK	1860	18700	20	50	50	21.43
QPSK	1860	18700	20	100	0	21.35
QPSK	1880	18900	20	1	0	22.50
QPSK	1880	18900	20	1	49	22.53
QPSK	1880	18900	20	1	99	22.56
QPSK	1880	18900	20	50	0	21.66
QPSK	1880	18900	20	50	24	21.72
QPSK	1880	18900	20	50	50	21.61
QPSK	1880	18900	20	100	0	21.71
QPSK	1900	19100	20	1	0	22.35
QPSK	1900	19100	20	1	49	22.41
QPSK	1900	19100	20	1	99	22.24
QPSK	1900	19100	20	50	0	21.47
QPSK	1900	19100	20	50	24	21.48
QPSK	1900	19100	20	50	50	21.38
QPSK	1900	19100	20	100	0	21.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1860	18700	20	1	0	21.73
16QAM	1860	18700	20	1	49	21.82
16QAM	1860	18700	20	1	99	21.90
16QAM	1860	18700	20	50	0	20.43
16QAM	1860	18700	20	50	24	20.44
16QAM	1860	18700	20	50	50	20.50
16QAM	1860	18700	20	100	0	20.39
16QAM	1880	18900	20	1	0	21.94
16QAM	1880	18900	20	1	49	21.88
16QAM	1880	18900	20	1	99	21.69
16QAM	1880	18900	20	50	0	20.72
16QAM	1880	18900	20	50	24	20.71
16QAM	1880	18900	20	50	50	20.59
16QAM	1880	18900	20	100	0	20.68
16QAM	1900	19100	20	1	0	21.75
16QAM	1900	19100	20	1	49	21.76
16QAM	1900	19100	20	1	99	21.55
16QAM	1900	19100	20	50	0	20.49
16QAM	1900	19100	20	50	24	20.53
16QAM	1900	19100	20	50	50	20.43
16QAM	1900	19100	20	100	0	20.55
64QAM	1860	18700	20	1	0	20.62
64QAM	1860	18700	20	1	49	20.84
64QAM	1860	18700	20	1	99	20.76
64QAM	1860	18700	20	50	0	19.62
64QAM	1860	18700	20	50	24	19.59
64QAM	1860	18700	20	50	50	19.65
64QAM	1860	18700	20	100	0	19.55
64QAM	1880	18900	20	1	0	21.39
64QAM	1880	18900	20	1	49	21.37
64QAM	1880	18900	20	1	99	21.16
64QAM	1880	18900	20	50	0	19.64
64QAM	1880	18900	20	50	24	19.73
64QAM	1880	18900	20	50	50	19.61
64QAM	1880	18900	20	100	0	19.69
64QAM	1900	19100	20	1	0	20.69
64QAM	1900	19100	20	1	49	20.51
64QAM	1900	19100	20	1	99	20.48
64QAM	1900	19100	20	50	0	19.54
64QAM	1900	19100	20	50	24	19.48
64QAM	1900	19100	20	50	50	19.44
64QAM	1900	19100	20	100	0	19.48

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	QPSK	1850.7	18607	1.4	6	0	1.075	Fig.1
2	QPSK	1880	18900	1.4	6	0	1.076	Fig.2
2	QPSK	1909.3	19193	1.4	6	0	1.077	Fig.3
2	QPSK	1851.5	18615	3	15	0	2.684	Fig.4
2	QPSK	1880	18900	3	15	0	2.672	Fig.5
2	QPSK	1908.5	19185	3	15	0	2.683	Fig.6
2	QPSK	1852.5	18625	5	25	0	4.458	Fig.7
2	QPSK	1880	18900	5	25	0	4.455	Fig.8
2	QPSK	1907.5	19175	5	25	0	4.486	Fig.9
2	QPSK	1855	18650	10	50	0	8.896	Fig.10
2	QPSK	1880	18900	10	50	0	8.939	Fig.11
2	QPSK	1905	19150	10	50	0	8.925	Fig.12
2	QPSK	1857.5	18675	15	75	0	13.310	Fig.13
2	QPSK	1880	18900	15	75	0	13.447	Fig.14
2	QPSK	1902.5	19125	15	75	0	13.354	Fig.15
2	QPSK	1860	18700	20	100	0	17.845	Fig.16
2	QPSK	1880	18900	20	100	0	17.809	Fig.17
2	QPSK	1900	19100	20	100	0	17.821	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	16QAM	1850.7	18607	1.4	6	0	1.075	Fig.19
2	16QAM	1880	18900	1.4	6	0	1.076	Fig.20
2	16QAM	1909.3	19193	1.4	6	0	1.068	Fig.21
2	16QAM	1851.5	18615	3	15	0	2.665	Fig.22
2	16QAM	1880	18900	3	15	0	2.680	Fig.23
2	16QAM	1908.5	19185	3	15	0	2.670	Fig.24
2	16QAM	1852.5	18625	5	25	0	4.481	Fig.25
2	16QAM	1880	18900	5	25	0	4.452	Fig.26
2	16QAM	1907.5	19175	5	25	0	4.452	Fig.27
2	16QAM	1855	18650	10	50	0	8.906	Fig.28
2	16QAM	1880	18900	10	50	0	8.928	Fig.29
2	16QAM	1905	19150	10	50	0	8.908	Fig.30
2	16QAM	1857.5	18675	15	75	0	13.384	Fig.31
2	16QAM	1880	18900	15	75	0	13.354	Fig.32
2	16QAM	1902.5	19125	15	75	0	13.348	Fig.33
2	16QAM	1860	18700	20	100	0	17.755	Fig.34
2	16QAM	1880	18900	20	100	0	17.836	Fig.35
2	16QAM	1900	19100	20	100	0	17.778	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
2	64QAM	1850.7	18607	1.4	6	0	1.071	Fig.37
2	64QAM	1880	18900	1.4	6	0	1.074	Fig.38
2	64QAM	1909.3	19193	1.4	6	0	1.073	Fig.39
2	64QAM	1851.5	18615	3	15	0	2.687	Fig.40
2	64QAM	1880	18900	3	15	0	2.666	Fig.41
2	64QAM	1908.5	19185	3	15	0	2.677	Fig.42
2	64QAM	1852.5	18625	5	25	0	4.476	Fig.43
2	64QAM	1880	18900	5	25	0	4.466	Fig.44
2	64QAM	1907.5	19175	5	25	0	4.448	Fig.45
2	64QAM	1855	18650	10	50	0	8.875	Fig.46
2	64QAM	1880	18900	10	50	0	8.955	Fig.47
2	64QAM	1905	19150	10	50	0	8.934	Fig.48
2	64QAM	1857.5	18675	15	75	0	13.331	Fig.49
2	64QAM	1880	18900	15	75	0	13.373	Fig.50
2	64QAM	1902.5	19125	15	75	0	13.428	Fig.51
2	64QAM	1860	18700	20	100	0	17.847	Fig.52
2	64QAM	1880	18900	20	100	0	17.901	Fig.53
2	64QAM	1900	19100	20	100	0	17.808	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42