




Test Mode: 802.11n HT40



Test Mode: 802.11ac VHT40



Test Mode: 802.11ac VHT80




**Dynamic Frequency Selection
DESCRIPTION OF Master Device**

The Master Device is a SHARP CORPORATION Indoor Access Point, FCC ID: APYHRO00329. The rated output power of the Master unit is $> 23\text{dBm}$ (EIRP). Therefore the required interference threshold level is -64dBm

Radar Waveform Calibration Result

<20MHz / 5320 MHz> Radar Type 0

Radar / DFS detection threshold level and the burst of pulses on the Channel frequency



Date: 11.JAN.2024 12:02:13

<80MHz / 5530 MHz> Radar Type 0

Radar / DFS detection threshold level and the burst of pulses on the Channel frequency


Spectrum



Ref Level -30.00 dBm Offset -30.00 dB RBW 10 MHz
 Att 10 dB SWT 102 ms VBW 10 MHz

SGL

• 1Pk Clrw



CF 5.53 GHz


30001 pts

10.2 ms/

Ready

Date: 11.JAN.2024 12:04:46

Data Traffic and Noise Floor Plots





Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test

Frequency	Test Item	Test Result	Limit	Pass/Fail
5320MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	201.2ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass
5530MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	201.2ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass

Note*: We notice clearly that “Channel Move Time” is less than 10s from the figure. The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 seconds period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test Plots




Note:
Dwell (0.4 ms)= Sweep Time (12000 ms) / Sweep Point Bins (30000)

Channel Closing Transmission Time (200 + 1.2 ms) = 200 + Number of beacon after 200ms(3) X Dwell (0.4 ms) < 260ms


<160MHz / 5530MHz>

Channel Move Time & Channel Closing Transmission Time



Date: 11.JAN.2024 16:41:40

Non-Occupancy Period



Date: 11.JAN.2024 17:35:09

Note:

Dwell (0.4 ms) = Sweep Time (12000 ms) / Sweep Point Bins (30000)

Channel Closing Transmission Time (200+1.2 ms) = 200 + Number of beacon after 200ms(3) X Dwell (0.4 ms) < 260ms

