


APPENDIX B – TEST DATA OF RADIATED EMISSION

Note1: The worst channel results are reflected in the report.

Note2: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan


Radiated Emission Band Edge

20M




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11a
Polarization: V

002C_FCC 4.5-5.15




Radiated Emission Band Edge
Channel No.:36

Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: H



Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: V


002C_FCC 4.5-5.15



Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: H



Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: V


002C_FCC 4.5-5.15



Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: V

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: V


002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: H



Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.1 ax
Polarization: V


002C_FCC 4.5-5.15



Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.1 ax
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.1 ax
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.1 ax
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.1 ax
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.1 ax
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.1 ax
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.1 ax
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.1 ax
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: V



Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
 Channel No.:62
 Test Mode: 802.11n
 Polarization: V




Radiated Emission Band Edge
 Channel No.:62
 Test Mode: 802.11n
 Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: V



Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: H

002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: V


002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: V



Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ac
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: V



Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: H

002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: V


002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: H

002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: V


002C_FCC 5.35-5.47




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
 Channel No.:134
 Test Mode: 802.11ax
 Polarization: V



Radiated Emission Band Edge
 Channel No.:134
 Test Mode: 802.11ax
 Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: H

002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: V

002C_FCC 5.725-6.325




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: H



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(6.45\text{dB}\mu\text{V/m}) = (24.75\text{dB}\mu\text{V}) + (-18.3\text{dB/m})$, the corresponding frequency is 46.199MHz.

For 802.11aChannel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.199	6.45	-18.3	24.75	Vertical	40	33.55
85.2415	4.66	-20.3	24.96	Vertical	40	35.34
111.5285	5.66	-19	24.66	Vertical	43.5	37.84
252.712	5.97	-17.3	23.27	Vertical	46	40.03
541.19	12.77	-9.6	22.37	Vertical	46	33.23
946.7955	17.92	-2.9	20.82	Vertical	46	28.08

For 802.11n(HT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.952	6.53	-18.4	24.93	Vertical	40	33.47
59.391	5.38	-19.2	24.58	Vertical	40	34.62
103.138	5.56	-18.7	24.26	Vertical	43.5	37.94
265.6615	6.58	-16.9	23.48	Vertical	46	39.42
519.5105	12.58	-10.2	22.78	Vertical	46	33.42
957.2715	17.96	-2.7	20.66	Vertical	46	28.04

For 802.11 ac(VHT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.4275	5.83	-18.6	24.43	Vertical	40	34.17
58.518	6.09	-19.1	25.19	Vertical	40	33.91
99.1125	5.65	-18.7	24.35	Vertical	43.5	37.85
205.861	4.89	-18.7	23.59	Vertical	43.5	38.61
518.589	12.52	-10.2	22.72	Vertical	46	33.48
922.885	17.83	-3.1	20.93	Vertical	46	28.17

For 802.11 ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.88	5.8	-19.7	25.5	Vertical	40	34.2
57.7905	6.15	-19	25.15	Vertical	40	33.85
110.219	5.75	-18.9	24.65	Vertical	43.5	37.75
300.1935	7.29	-15.8	23.09	Vertical	46	38.71

544.003	12.84	-9.5	22.34	Vertical	46	33.16
916.386	17.72	-3.1	20.82	Vertical	46	28.28

For 802.11aChannel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.9565	6.71	-18.4	25.11	Vertical	40	33.29
57.257	5.97	-19	24.97	Vertical	40	34.03
97.9	6.01	-18.8	24.81	Vertical	43.5	37.49
302.7155	7.62	-15.8	23.42	Vertical	46	38.38
552.054	12.71	-9.4	22.11	Vertical	46	33.29
918.7625	17.73	-3.1	20.83	Vertical	46	28.27

For 802.11n(HT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.908	6.55	-18.4	24.95	Vertical	40	33.45
57.354	6.01	-19	25.01	Vertical	40	33.99
104.593	6.02	-18.8	24.82	Vertical	43.5	37.48
200.72	4.97	-18.8	23.77	Vertical	43.5	38.53
511.5565	12.33	-10.3	22.63	Vertical	46	33.67
860.417	16.72	-4	20.72	Vertical	46	29.28

For 802.11 ac(VHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.915	4.64	-18.3	22.94	Vertical	40	35.36
86.8905	4.2	-19.9	24.1	Vertical	40	35.8
116.4755	5.44	-19.3	24.74	Vertical	43.5	38.06
277.8835	7.07	-16.5	23.57	Vertical	46	38.93
511.799	12.3	-10.3	22.6	Vertical	46	33.7
887.48	17.3	-3.6	20.9	Vertical	46	28.7

For 802.11 ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.7765	6.71	-18.5	25.21	Vertical	40	33.29
57.936	6.2	-19	25.2	Vertical	40	33.8
109.5885	5.41	-18.9	24.31	Vertical	43.5	38.09
301.9395	7.38	-15.8	23.18	Vertical	46	38.62
509.9075	12.07	-10.3	22.37	Vertical	46	33.93
938.89	18.06	-2.9	20.96	Vertical	46	27.94

For 802.11aChannel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.601	6.27	-18.6	24.87	Vertical	40	33.73

57.839	6.15	-19	25.15	Vertical	40	33.85
104.496	5.95	-18.8	24.75	Vertical	43.5	37.55
299.272	7.36	-15.9	23.26	Vertical	46	38.64
510.5865	12.14	-10.3	22.44	Vertical	46	33.86
886.6555	17.18	-3.6	20.78	Vertical	46	28.82

For 802.11n(HT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.825	6.67	-18.5	25.17	Vertical	40	33.33
56.0445	4.78	-18.9	23.68	Vertical	40	35.22
98.094	6.06	-18.8	24.86	Vertical	43.5	37.44
307.6625	7.59	-15.6	23.19	Vertical	46	38.41
547.8345	12.7	-9.5	22.2	Vertical	46	33.3
929.6265	17.91	-3	20.91	Vertical	46	28.09

For 802.11 ac(VHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.2635	6.48	-18.7	25.18	Vertical	40	33.52
84.708	4.65	-20.4	25.05	Vertical	40	35.35
97.6575	5.94	-18.8	24.74	Vertical	43.5	37.56
189.565	4.28	-19.4	23.68	Vertical	43.5	39.22
523.342	12.42	-10.1	22.52	Vertical	46	33.58
936.7075	17.96	-2.9	20.86	Vertical	46	28.04

For 802.11 ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.8755	6.38	-18.8	25.18	Vertical	40	33.62
77.239	3.24	-21.5	24.74	Vertical	40	36.76
97.706	5.9	-18.8	24.7	Vertical	43.5	37.6
200.138	4.98	-18.9	23.88	Vertical	43.5	38.52
555.837	12.56	-9.3	21.86	Vertical	46	33.44
924.728	17.75	-3.1	20.85	Vertical	46	28.25

For 802.11n(HT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.0535	6.55	-18.4	24.95	Vertical	40	33.45
53.862	4.91	-18.7	23.61	Vertical	40	35.09
97.027	5.69	-18.8	24.49	Vertical	43.5	37.81
280.066	6.78	-16.5	23.28	Vertical	46	39.22
545.264	12.79	-9.5	22.29	Vertical	46	33.21
897.374	17.28	-3.4	20.68	Vertical	46	28.72

For 802.11 ac(VHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.841	6.79	-18.4	25.19	Vertical	40	33.21
86.3085	4.46	-20	24.46	Vertical	40	35.54
97.318	5.86	-18.8	24.66	Vertical	43.5	37.64
303.54	7.7	-15.7	23.4	Vertical	46	38.3
548.4165	12.68	-9.4	22.08	Vertical	46	33.32
917.6955	17.73	-3.1	20.83	Vertical	46	28.27

For 802.11 ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.922	6.5	-18.5	25	Vertical	40	33.5
58.4695	5.79	-19.1	24.89	Vertical	40	34.21
135.3905	2.79	-21.3	24.09	Vertical	43.5	40.71
202.0295	4.65	-18.8	23.45	Vertical	43.5	38.85
520.141	12.19	-10.2	22.39	Vertical	46	33.81
936.271	17.75	-2.9	20.65	Vertical	46	28.25

For 802.11n(HT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.243	6.19	-18.4	24.59	Vertical	40	33.81
63.174	4.01	-20	24.01	Vertical	40	35.99
97.7545	5.66	-18.8	24.46	Vertical	43.5	37.84
213.815	4.93	-18.4	23.33	Vertical	43.5	38.57
552.1995	12.47	-9.4	21.87	Vertical	46	33.53
937.7745	17.82	-2.9	20.72	Vertical	46	28.18

For 802.11 ac(VHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.4575	6.45	-18.7	25.15	Vertical	40	33.55
85.969	4.58	-20.1	24.68	Vertical	40	35.42
104.787	5.99	-18.8	24.79	Vertical	43.5	37.51
296.7985	7.59	-15.9	23.49	Vertical	46	38.41
520.529	12.4	-10.1	22.5	Vertical	46	33.6
937.8715	17.97	-2.9	20.87	Vertical	46	28.03

For 802.11 ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.52	6.62	-18.4	25.02	Vertical	40	33.38

57.1115	5.6	-19	24.6	Vertical	40	34.4
103.72	5.69	-18.7	24.39	Vertical	43.5	37.81
200.4775	4.82	-18.8	23.62	Vertical	43.5	38.68
538.571	12.73	-9.7	22.43	Vertical	46	33.27
952.664	17.77	-2.8	20.57	Vertical	46	28.23

For 802.11 ac(VHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.1665	6.46	-18.8	25.26	Vertical	40	33.54
57.839	6.17	-19	25.17	Vertical	40	33.83
98.0455	5.99	-18.8	24.79	Vertical	43.5	37.51
285.3525	7.18	-16.3	23.48	Vertical	46	38.82
524.603	12.52	-10.1	22.62	Vertical	46	33.48
948.6385	17.96	-2.9	20.86	Vertical	46	28.04

For 802.11 ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.2775	6.75	-18.4	25.15	Vertical	40	33.25
85.1445	4.66	-20.3	24.96	Vertical	40	35.34
97.997	5.94	-18.8	24.74	Vertical	43.5	37.56
283.1215	7.17	-16.4	23.57	Vertical	46	38.83
527.2705	12.52	-10	22.52	Vertical	46	33.48
915.4645	17.72	-3.1	20.82	Vertical	46	28.28

For 802.11 ac(VHT160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.603	6.44	-18.7	25.14	Vertical	40	33.56
84.902	4.6	-20.3	24.9	Vertical	40	35.4
111.286	5.78	-19	24.78	Vertical	43.5	37.72
200.429	5	-18.8	23.8	Vertical	43.5	38.5
536.243	12.7	-9.7	22.4	Vertical	46	33.3
950.918	17.94	-2.8	20.74	Vertical	46	28.06

For 802.11 ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.975	5.71	-18.3	24.01	Vertical	40	34.29
56.772	5.53	-18.9	24.43	Vertical	40	34.47
105.854	5.29	-18.8	24.09	Vertical	43.5	38.21
283.3155	7.26	-16.4	23.66	Vertical	46	38.74
525.2335	12.67	-10.1	22.77	Vertical	46	33.33
955.6225	17.85	-2.8	20.65	Vertical	46	28.15

For 802.11aChannel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	6.73	-18.5	25.23	Vertical	40	33.27
57.1115	5.82	-19	24.82	Vertical	40	34.18
102.071	4.81	-18.7	23.51	Vertical	43.5	38.69
263.4305	6.37	-16.9	23.27	Vertical	46	39.63
500.159	11.76	-10.6	22.36	Vertical	46	34.24
928.4625	17.92	-3	20.92	Vertical	46	28.08

For 802.11n(HT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.0975	6.6	-18.4	25	Vertical	40	33.4
58.9545	5.83	-19.1	24.93	Vertical	40	34.17
110.995	5.85	-19	24.85	Vertical	43.5	37.65
205.9095	4.96	-18.7	23.66	Vertical	43.5	38.54
539.347	12.87	-9.6	22.47	Vertical	46	33.13
926.7165	17.91	-3	20.91	Vertical	46	28.09

For 802.11 ac(VHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.2775	6.77	-18.4	25.17	Vertical	40	33.23
59.0515	5.75	-19.1	24.85	Vertical	40	34.25
118.0275	5.18	-19.5	24.68	Vertical	43.5	38.32
310.136	7.86	-15.5	23.36	Vertical	46	38.14
535.8065	12.7	-9.7	22.4	Vertical	46	33.3
869.7775	16.9	-3.9	20.8	Vertical	46	29.1

For 802.11 ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.7785	6.33	-18.8	25.13	Vertical	40	33.67
56.7235	5.48	-18.9	24.38	Vertical	40	34.52
104.5445	5.97	-18.8	24.77	Vertical	43.5	37.53
308.584	7.68	-15.6	23.28	Vertical	46	38.32
478.2855	10.55	-11.1	21.65	Vertical	46	35.45
953.8765	17.9	-2.8	20.7	Vertical	46	28.1

For 802.11aChannel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.259	6.46	-18.4	24.86	Vertical	40	33.54

58.033	6.24	-19	25.24	Vertical	40	33.76
105.951	5.36	-18.8	24.16	Vertical	43.5	38.14
297.526	7.62	-15.9	23.52	Vertical	46	38.38
552.0055	12.72	-9.4	22.12	Vertical	46	33.28
943.255	17.99	-2.9	20.89	Vertical	46	28.01

For 802.11n(HT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.0675	6.67	-18.5	25.17	Vertical	40	33.33
70.643	3.39	-21.6	24.99	Vertical	40	36.61
116.33	5.28	-19.3	24.58	Vertical	43.5	38.22
285.9345	7.15	-16.2	23.35	Vertical	46	38.85
541.869	12.72	-9.6	22.32	Vertical	46	33.28
956.2045	17.93	-2.8	20.73	Vertical	46	28.07

For 802.11 ac(VHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.118	6.42	-18.8	25.22	Vertical	40	33.58
58.2755	6.18	-19.1	25.28	Vertical	40	33.82
96.736	5.48	-18.8	24.28	Vertical	43.5	38.02
297.4775	7.6	-15.9	23.5	Vertical	46	38.4
498.51	11.78	-10.6	22.38	Vertical	46	34.22
902.3695	17.53	-3.3	20.83	Vertical	46	28.47

For 802.11 ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.37	6.12	-18.3	24.42	Vertical	40	33.88
57.4995	6.09	-19	25.09	Vertical	40	33.91
99.0155	5.69	-18.7	24.39	Vertical	43.5	37.81
302.958	7.61	-15.7	23.31	Vertical	46	38.39
542.2085	12.67	-9.6	22.27	Vertical	46	33.33
897.8105	17.35	-3.4	20.75	Vertical	46	28.65

For 802.11aChannel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.6815	6.26	-18.9	25.16	Vertical	40	33.74
58.0815	6.24	-19.1	25.34	Vertical	40	33.76
104.011	5.89	-18.7	24.59	Vertical	43.5	37.61
284.5765	7.33	-16.3	23.63	Vertical	46	38.67
497.2005	11.72	-10.6	22.32	Vertical	46	34.28
936.271	18.08	-2.9	20.98	Vertical	46	27.92

For 802.11n(HT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.504	6.25	-18.6	24.85	Vertical	40	33.75
58.421	5.99	-19.1	25.09	Vertical	40	34.01
116.3785	5.24	-19.3	24.54	Vertical	43.5	38.26
198.683	4.41	-18.9	23.31	Vertical	43.5	39.09
556.9525	12.44	-9.3	21.74	Vertical	46	33.56
945.874	17.93	-2.9	20.83	Vertical	46	28.07

For 802.11 ac(VHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.617	6.34	-18.4	24.74	Vertical	40	33.66
65.114	4.24	-20.5	24.74	Vertical	40	35.76
99.0155	5.36	-18.7	24.06	Vertical	43.5	38.14
303.6855	7.34	-15.7	23.04	Vertical	46	38.66
540.0745	12.56	-9.6	22.16	Vertical	46	33.44
892.2815	17.06	-3.5	20.56	Vertical	46	28.94

For 802.11 ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.5985	6.53	-18.4	24.93	Vertical	40	33.47
57.9845	6.16	-19	25.16	Vertical	40	33.84
97.0755	5.71	-18.8	24.51	Vertical	43.5	37.79
279.9205	6.9	-16.5	23.4	Vertical	46	39.1
516.5035	12.26	-10.2	22.46	Vertical	46	33.74
955.477	17.91	-2.8	20.71	Vertical	46	28.09

For 802.11n(HT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.0695	6.43	-18.8	25.23	Vertical	40	33.57
57.6935	6.17	-19	25.17	Vertical	40	33.83
97.9	5.93	-18.8	24.73	Vertical	43.5	37.57
297.8655	7.54	-15.9	23.44	Vertical	46	38.46
512.769	12.37	-10.3	22.67	Vertical	46	33.63
949.366	18.04	-2.8	20.84	Vertical	46	27.96

For 802.11 ac(VHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.0975	6.6	-18.4	25	Vertical	40	33.4
57.839	6.16	-19	25.16	Vertical	40	33.84
97.7545	5.99	-18.8	24.79	Vertical	43.5	37.51
208.6255	5.11	-18.6	23.71	Vertical	43.5	38.39
552.442	12.69	-9.4	22.09	Vertical	46	33.31
934.3795	18.05	-2.9	20.95	Vertical	46	27.95

For 802.11 ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.827	6.45	-18.8	25.25	Vertical	40	33.55
65.308	4.5	-20.5	25	Vertical	40	35.5
116.4755	5.48	-19.3	24.78	Vertical	43.5	38.02
296.0225	7.5	-15.9	23.4	Vertical	46	38.5
510.1985	12.09	-10.3	22.39	Vertical	46	33.91
941.2665	18.05	-2.9	20.95	Vertical	46	27.95

For 802.11n(HT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.298	5.68	-19.8	25.48	Vertical	40	34.32
64.2895	4.88	-20.3	25.18	Vertical	40	35.12
102.556	5.1	-18.7	23.8	Vertical	43.5	38.4
296.1195	7.45	-15.9	23.35	Vertical	46	38.55
550.502	12.71	-9.4	22.11	Vertical	46	33.29
888.5955	17.32	-3.6	20.92	Vertical	46	28.68

For 802.11 ac(VHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.7185	5.46	-18.6	24.06	Vertical	40	34.54
57.645	6.1	-19	25.1	Vertical	40	33.9
99.064	5.72	-18.7	24.42	Vertical	43.5	37.78
296.3135	7.49	-15.9	23.39	Vertical	46	38.51
556.613	12.61	-9.3	21.91	Vertical	46	33.39
895.9675	17.44	-3.5	20.94	Vertical	46	28.56

For 802.11 ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.245	5.95	-18.9	24.85	Vertical	40	34.05
57.0145	5.75	-19	24.75	Vertical	40	34.25
103.6715	5.77	-18.7	24.47	Vertical	43.5	37.73

215.658	5.15	-18.4	23.55	Vertical	43.5	38.35
537.3585	12.87	-9.7	22.57	Vertical	46	33.13
920.848	17.79	-3.1	20.89	Vertical	46	28.21

For 802.11 ac(VHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.9865	6.74	-18.4	25.14	Vertical	40	33.26
58.5665	6.04	-19.1	25.14	Vertical	40	33.96
104.4475	5.98	-18.8	24.78	Vertical	43.5	37.52
289.572	7.22	-16.1	23.32	Vertical	46	38.78
511.023	12.22	-10.3	22.52	Vertical	46	33.78
940.927	18.03	-2.9	20.93	Vertical	46	27.97

For 802.11 ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.9035	6.5	-18.4	24.9	Vertical	40	33.5
58.906	5.78	-19.1	24.88	Vertical	40	34.22
96.639	5.33	-18.8	24.13	Vertical	43.5	38.17
286.8075	6.97	-16.2	23.17	Vertical	46	39.03
538.1345	12.8	-9.7	22.5	Vertical	46	33.2
929.772	17.86	-3	20.86	Vertical	46	28.14

For 802.11aChannel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.6515	4.71	-18.7	23.41	Vertical	40	35.29
65.3565	2.59	-20.5	23.09	Vertical	40	37.41
99.1125	3.72	-18.7	22.42	Vertical	43.5	39.78
285.5465	5.72	-16.3	22.02	Vertical	46	40.28
521.693	10.84	-10.1	20.94	Vertical	46	35.16
903.0485	15.93	-3.3	19.23	Vertical	46	30.07

For 802.11n(HT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.6955	6.63	-18.4	25.03	Vertical	40	33.37
57.063	5.75	-19	24.75	Vertical	40	34.25
98.7245	5.82	-18.7	24.52	Vertical	43.5	37.68
309.263	7.72	-15.6	23.32	Vertical	46	38.28
553.0725	12.64	-9.3	21.94	Vertical	46	33.36
906.2495	17.42	-3.3	20.72	Vertical	46	28.58

For 802.11 ac(VHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.407	6.43	-18.5	24.93	Vertical	40	33.57
64.5805	4.85	-20.4	25.25	Vertical	40	35.15
101.4405	4.5	-18.7	23.2	Vertical	43.5	39
213.427	5.15	-18.4	23.55	Vertical	43.5	38.35
515.4365	12.15	-10.2	22.35	Vertical	46	33.85
916.5315	17.71	-3.1	20.81	Vertical	46	28.29

For 802.11 ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.8225	5.85	-18.4	24.25	Vertical	40	34.15
57.16	5.92	-19	24.92	Vertical	40	34.08
102.168	4.83	-18.7	23.53	Vertical	43.5	38.67
301.406	7.39	-15.8	23.19	Vertical	46	38.61
550.308	12.78	-9.4	22.18	Vertical	46	33.22
915.319	17.76	-3.1	20.86	Vertical	46	28.24

For 802.11 ac(VHT160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.072	5.64	-18.3	23.94	Vertical	40	34.36
86.0175	4.69	-20.1	24.79	Vertical	40	35.31
118.367	4.89	-19.5	24.39	Vertical	43.5	38.61
214.106	5.24	-18.4	23.64	Vertical	43.5	38.26
486.773	11.43	-10.8	22.23	Vertical	46	34.57
933.458	18.02	-3	21.02	Vertical	46	27.98

For 802.11 ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.215	6.17	-18.8	24.97	Vertical	40	33.83
63.6105	4.48	-20.1	24.58	Vertical	40	35.52
118.464	4.65	-19.5	24.15	Vertical	43.5	38.85
212.8935	4.98	-18.4	23.38	Vertical	43.5	38.52
528.2405	12.31	-10	22.31	Vertical	46	33.69
931.906	17.84	-3	20.84	Vertical	46	28.16

For 802.11aChannel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.7255	5.78	-18.4	24.18	Vertical	40	34.22
58.712	6.01	-19.1	25.11	Vertical	40	33.99
111.674	5.54	-19	24.54	Vertical	43.5	37.96

303.0065	7.64	-15.7	23.34	Vertical	46	38.36
524.8455	12.63	-10.1	22.73	Vertical	46	33.37
934.6705	18.13	-2.9	21.03	Vertical	46	27.87

For 802.11n(HT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.8595	6.15	-18.4	24.55	Vertical	40	33.85
58.13	5.72	-19.1	24.82	Vertical	40	34.28
97.5605	5.55	-18.8	24.35	Vertical	43.5	37.95
198.198	4.15	-19	23.15	Vertical	43.5	39.35
523.8755	12.24	-10.1	22.34	Vertical	46	33.76
933.3125	17.77	-3	20.77	Vertical	46	28.23

For 802.11 ac(VHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.908	6.65	-18.4	25.05	Vertical	40	33.35
58.1785	6.22	-19.1	25.32	Vertical	40	33.78
101.974	4.72	-18.7	23.42	Vertical	43.5	38.78
285.5465	7.19	-16.3	23.49	Vertical	46	38.81
537.31	12.84	-9.7	22.54	Vertical	46	33.16
940.4905	18.03	-2.9	20.93	Vertical	46	27.97

For 802.11 ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.647	6.63	-18.4	25.03	Vertical	40	33.37
85.193	4.69	-20.3	24.99	Vertical	40	35.31
98.482	5.91	-18.7	24.61	Vertical	43.5	37.59
282.782	7.12	-16.4	23.52	Vertical	46	38.88
520.141	12.46	-10.2	22.66	Vertical	46	33.54
951.015	17.97	-2.8	20.77	Vertical	46	28.03

For 802.11aChannel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.536	6.03	-18.9	24.93	Vertical	40	33.97
59.3425	5.32	-19.2	24.52	Vertical	40	34.68
103.914	5.77	-18.7	24.47	Vertical	43.5	37.73
189.371	4.18	-19.5	23.68	Vertical	43.5	39.32
542.7905	12.62	-9.6	22.22	Vertical	46	33.38
921.527	17.7	-3.1	20.8	Vertical	46	28.3

For 802.11n(HT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.259	6.34	-18.4	24.74	Vertical	40	33.66
58.13	6.22	-19.1	25.32	Vertical	40	33.78
110.5585	5.86	-18.9	24.76	Vertical	43.5	37.64
273.761	6.67	-16.6	23.27	Vertical	46	39.33
555.061	12.6	-9.3	21.9	Vertical	46	33.4
948.4445	18.08	-2.9	20.98	Vertical	46	27.92

For 802.11 ac(VHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.8595	6.71	-18.4	25.11	Vertical	40	33.29
59.2455	5.58	-19.2	24.78	Vertical	40	34.42
110.898	5.74	-18.9	24.64	Vertical	43.5	37.76
199.6045	4.88	-18.9	23.78	Vertical	43.5	38.62
532.654	12.81	-9.8	22.61	Vertical	46	33.19
932.4395	17.98	-3	20.98	Vertical	46	28.02

For 802.11 ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.453	5.61	-18.4	24.01	Vertical	40	34.39
57.0145	4.9	-19	23.9	Vertical	40	35.1
97.9	5.12	-18.8	23.92	Vertical	43.5	38.38
305.868	6.89	-15.7	22.59	Vertical	46	39.11
516.0185	11.44	-10.2	21.64	Vertical	46	34.56
946.941	17.38	-2.9	20.28	Vertical	46	28.62

For 802.11n(HT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.4135	5.31	-19.6	24.91	Vertical	40	34.69
57.257	5.89	-19	24.89	Vertical	40	34.11
111.0435	5.79	-19	24.79	Vertical	43.5	37.71
206.346	5.02	-18.6	23.62	Vertical	43.5	38.48
540.899	12.7	-9.6	22.3	Vertical	46	33.3
917.5015	17.73	-3.1	20.83	Vertical	46	28.27

For 802.11 ac(VHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	6.3	-18.4	24.7	Vertical	40	33.7
87.5695	3.94	-19.7	23.64	Vertical	40	36.06
104.981	5.77	-18.8	24.57	Vertical	43.5	37.73

215.9975	5.15	-18.3	23.45	Vertical	43.5	38.35
505.688	12.1	-10.4	22.5	Vertical	46	33.9
895.531	17.35	-3.5	20.85	Vertical	46	28.65

For 802.11 ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.2915	6.72	-18.4	25.12	Vertical	40	33.28
58.809	5.91	-19.1	25.01	Vertical	40	34.09
96.93	5.65	-18.8	24.45	Vertical	43.5	37.85
275.2645	6.69	-16.6	23.29	Vertical	46	39.31
518.3465	12.51	-10.2	22.71	Vertical	46	33.49
945.098	18.03	-2.9	20.93	Vertical	46	27.97

For 802.11n(HT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.035	6.65	-18.4	25.05	Vertical	40	33.35
59.294	5.38	-19.2	24.58	Vertical	40	34.62
109.8795	5.52	-18.9	24.42	Vertical	43.5	37.98
310.621	7.83	-15.5	23.33	Vertical	46	38.17
534.691	12.7	-9.8	22.5	Vertical	46	33.3
912.894	17.69	-3.2	20.89	Vertical	46	28.31

For 802.11 ac(VHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.631	6.73	-18.5	25.23	Vertical	40	33.27
63.9015	4.83	-20.2	25.03	Vertical	40	35.17
97.124	5.73	-18.8	24.53	Vertical	43.5	37.77
277.9805	7.08	-16.5	23.58	Vertical	46	38.92
532.848	12.8	-9.8	22.6	Vertical	46	33.2
901.1085	17.55	-3.3	20.85	Vertical	46	28.45

For 802.11 ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.774	5.61	-18.4	24.01	Vertical	40	34.39
81.9435	2.75	-21	23.75	Vertical	40	37.25
110.51	5.7	-18.9	24.6	Vertical	43.5	37.8
308.681	7.63	-15.6	23.23	Vertical	46	38.37
554.867	12.49	-9.3	21.79	Vertical	46	33.51
938.599	17.9	-2.9	20.8	Vertical	46	28.1

For 802.11n(HT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.922	6.7	-18.5	25.2	Vertical	40	33.3
58.227	6.14	-19.1	25.24	Vertical	40	33.86
97.415	5.92	-18.8	24.72	Vertical	43.5	37.58
206.831	5.1	-18.6	23.7	Vertical	43.5	38.4
516.8915	12.28	-10.2	22.48	Vertical	46	33.72
871.96	16.93	-3.8	20.73	Vertical	46	29.07

For 802.11 ac(VHT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.1645	6.59	-18.5	25.09	Vertical	40	33.41
59.682	5.08	-19.2	24.28	Vertical	40	34.92
103.429	5.63	-18.7	24.33	Vertical	43.5	37.87
305.577	7.66	-15.7	23.36	Vertical	46	38.34
535.273	12.74	-9.7	22.44	Vertical	46	33.26
880.7385	17.12	-3.7	20.82	Vertical	46	28.88

For 802.11 ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.9565	6.68	-18.4	25.08	Vertical	40	33.32
57.742	6.17	-19	25.17	Vertical	40	33.83
108.667	4.79	-18.9	23.69	Vertical	43.5	38.71
188.3525	4.22	-19.5	23.72	Vertical	43.5	39.28
530.035	12.65	-9.9	22.55	Vertical	46	33.35
875.549	16.99	-3.7	20.69	Vertical	46	29.01

For 802.11 ac(VHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.3075	6.38	-18.4	24.78	Vertical	40	33.62
57.548	6.1	-19	25.1	Vertical	40	33.9
103.72	5.86	-18.7	24.56	Vertical	43.5	37.64
249.705	5.94	-17.3	23.24	Vertical	46	40.06
502.293	11.78	-10.6	22.38	Vertical	46	34.22
870.408	16.92	-3.9	20.82	Vertical	46	29.08

For 802.11 ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.171	5.51	-19.7	25.21	Vertical	40	34.49
57.936	6.1	-19	25.1	Vertical	40	33.9
104.593	5.92	-18.8	24.72	Vertical	43.5	37.58

213.33	5.11	-18.4	23.51	Vertical	43.5	38.39
535.5155	12.61	-9.7	22.31	Vertical	46	33.39
942.673	17.98	-2.9	20.88	Vertical	46	28.02

For 802.11 ac(VHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
40.0395	5.98	-18.6	24.58	Vertical	40	34.02
57.16	5.69	-19	24.69	Vertical	40	34.31
105.369	5.47	-18.8	24.27	Vertical	43.5	38.03
305.577	7.45	-15.7	23.15	Vertical	46	38.55
534.303	12.56	-9.8	22.36	Vertical	46	33.44
918.423	17.67	-3.1	20.77	Vertical	46	28.33

For 802.11 ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.534	6.37	-18.5	24.87	Vertical	40	33.64
76.366	2.58	-21.5	24.08	Vertical	40	37.42
102.8955	4.93	-18.7	23.63	Vertical	43.5	38.57
287.147	6.72	-16.2	22.92	Vertical	46	39.28
506.755	11.76	-10.4	22.16	Vertical	46	34.24
958.6295	17.54	-2.7	20.24	Vertical	46	28.46

For 802.11 ac(VHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.34	6.67	-18.4	25.07	Vertical	40	33.33
58.4695	6.06	-19.1	25.16	Vertical	40	33.94
109.443	5.3	-18.9	24.2	Vertical	43.5	38.2
250.1415	5.85	-17.3	23.15	Vertical	46	40.15
506.0275	12.1	-10.4	22.5	Vertical	46	33.9
943.1095	17.98	-2.9	20.88	Vertical	46	28.02

For 802.11 ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.0925	4.52	-19.5	24.02	Vertical	40	35.48
59.391	5.19	-19.2	24.39	Vertical	40	34.81
99.5975	5.22	-18.7	23.92	Vertical	43.5	38.28
186.4125	3.61	-19.7	23.31	Vertical	43.5	39.89
540.8505	12.65	-9.6	22.25	Vertical	46	33.35
925.698	17.88	-3	20.88	Vertical	46	28.12

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.781	5.96	-18.3	24.26	Vertical	40	34.04
57.3055	5.92	-19	24.92	Vertical	40	34.08
111.092	5.84	-19	24.84	Vertical	43.5	37.66
212.9905	5.25	-18.4	23.65	Vertical	43.5	38.25
522.4205	12.37	-10.1	22.47	Vertical	46	33.63
917.259	17.81	-3.1	20.91	Vertical	46	28.19

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.104	5.51	-19.8	25.31	Vertical	40	34.49
58.809	5.96	-19.1	25.06	Vertical	40	34.04
97.512	5.95	-18.8	24.75	Vertical	43.5	37.55
293.2095	7.18	-16	23.18	Vertical	46	38.82
547.107	12.8	-9.5	22.3	Vertical	46	33.2
917.938	17.77	-3.1	20.87	Vertical	46	28.23

For 802.11 ac(VHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
37.857	5.48	-19	24.48	Vertical	40	34.52
64.144	4.85	-20.3	25.15	Vertical	40	35.15
118.7065	4.66	-19.5	24.16	Vertical	43.5	38.84
304.8495	7.68	-15.7	23.38	Vertical	46	38.32
515.679	12.11	-10.2	22.31	Vertical	46	33.89
938.405	18.09	-2.9	20.99	Vertical	46	27.91

For 802.11 ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.52	8.56	-18.4	26.96	Vertical	40	31.44
57.839	7.94	-19	26.94	Vertical	40	32.06
97.221	7.46	-18.8	26.26	Vertical	43.5	36.04
212.1175	6.51	-18.4	24.91	Vertical	43.5	36.99
555.6915	13.78	-9.3	23.08	Vertical	46	32.22
956.4955	20.73	-2.7	23.43	Vertical	46	25.27

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

51.631	8.51	-18.5	27.01	Vertical	40	31.49
54.0075	6.31	-18.7	25.01	Vertical	40	33.69
111.286	7.29	-19	26.29	Vertical	43.5	36.21
309.748	9.07	-15.5	24.57	Vertical	46	36.93
544.488	13.58	-9.5	23.08	Vertical	46	32.42
948.784	20.91	-2.8	23.71	Vertical	46	25.09

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.1525	7.36	-19.8	27.16	Vertical	40	32.64
58.615	7.77	-19.1	26.87	Vertical	40	32.23
109.5885	7.07	-18.9	25.97	Vertical	43.5	36.43
210.614	6.35	-18.5	24.85	Vertical	43.5	37.15
528.289	13.22	-10	23.22	Vertical	46	32.78
948.0565	20.76	-2.9	23.66	Vertical	46	25.24

For 802.11 ac(VHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.73	8.12	-18.8	26.92	Vertical	40	31.88
63.3195	6.36	-20.1	26.46	Vertical	40	33.64
111.3345	7.29	-19	26.29	Vertical	43.5	36.21
208.4315	6.41	-18.6	25.01	Vertical	43.5	37.09
551.7145	13.83	-9.4	23.23	Vertical	46	32.17
929.869	20.84	-3	23.84	Vertical	46	25.16

For 802.11 ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.975	7.45	-18.3	25.75	Vertical	40	32.55
58.1785	7.96	-19.1	27.06	Vertical	40	32.04
104.1565	7.57	-18.7	26.27	Vertical	43.5	35.93
285.595	8.48	-16.3	24.78	Vertical	46	37.52
540.123	13.69	-9.6	23.29	Vertical	46	32.31
955.768	20.77	-2.8	23.57	Vertical	46	25.23

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.589	7.69	-19.8	27.49	Vertical	40	32.31
86.1145	6.26	-20.1	26.36	Vertical	40	33.74
97.6575	7.65	-18.8	26.45	Vertical	43.5	35.85
207.607	6.55	-18.6	25.15	Vertical	43.5	36.95
521.402	13.32	-10.1	23.42	Vertical	46	32.68

957.999	20.62	-2.7	23.32	Vertical	46	25.38
---------	-------	------	-------	----------	----	-------

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.9195	7.78	-18.4	26.18	Vertical	40	32.22
56.772	7.29	-18.9	26.19	Vertical	40	32.71
105.951	6.89	-18.8	25.69	Vertical	43.5	36.61
297.4775	8.8	-15.9	24.7	Vertical	46	37.2
546.525	13.7	-9.5	23.2	Vertical	46	32.3
942.7215	20.89	-2.9	23.79	Vertical	46	25.11

For 802.11 ac(VHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.326	8.59	-18.4	26.99	Vertical	40	31.41
57.6935	7.82	-19	26.82	Vertical	40	32.18
98.191	7.61	-18.7	26.31	Vertical	43.5	35.89
309.0205	9.02	-15.6	24.62	Vertical	46	36.98
545.361	13.67	-9.5	23.17	Vertical	46	32.33
905.0855	20.25	-3.3	23.55	Vertical	46	25.75

For 802.11 ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.9705	8.43	-18.5	26.93	Vertical	40	31.57
57.8875	7.92	-19	26.92	Vertical	40	32.08
104.69	7.57	-18.8	26.37	Vertical	43.5	35.93
206.8795	6.48	-18.6	25.08	Vertical	43.5	37.02
556.8555	13.87	-9.3	23.17	Vertical	46	32.13
941.412	20.8	-2.9	23.7	Vertical	46	25.2

For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.8455	8.2	-18.6	26.8	Vertical	40	31.8
57.8875	7.93	-19	26.93	Vertical	40	32.07
103.235	7.25	-18.7	25.95	Vertical	43.5	36.25
306.741	8.9	-15.6	24.5	Vertical	46	37.1
547.204	13.76	-9.5	23.26	Vertical	46	32.24
934.525	20.81	-2.9	23.71	Vertical	46	25.19

For 802.11 ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

46.005	8.42	-18.4	26.82	Vertical	40	31.58
54.2985	6	-18.7	24.7	Vertical	40	34
97.8515	7.65	-18.8	26.45	Vertical	43.5	35.85
200.6715	6.35	-18.8	25.15	Vertical	43.5	37.15
521.2565	13.2	-10.1	23.3	Vertical	46	32.8
924.243	20.58	-3.1	23.68	Vertical	46	25.42

For 802.11 ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.728	8.53	-18.5	27.03	Vertical	40	31.47
58.324	7.91	-19.1	27.01	Vertical	40	32.09
116.1845	6.91	-19.3	26.21	Vertical	43.5	36.59
298.302	8.82	-15.9	24.72	Vertical	46	37.18
531.8295	13.61	-9.9	23.51	Vertical	46	32.39
889.905	20.01	-3.5	23.51	Vertical	46	25.99

For 802.11n(HT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.3445	8.26	-18.3	26.56	Vertical	40	31.74
58.4695	7.97	-19.1	27.07	Vertical	40	32.03
116.718	7.03	-19.4	26.43	Vertical	43.5	36.47
289.5235	8.63	-16.1	24.73	Vertical	46	37.37
540.3655	13.62	-9.6	23.22	Vertical	46	32.38
954.216	20.71	-2.8	23.51	Vertical	46	25.29

For 802.11 ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.409	8.35	-18.7	27.05	Vertical	40	31.65
86.939	5.79	-19.9	25.69	Vertical	40	34.21
98.87	7.37	-18.7	26.07	Vertical	43.5	36.13
197.3735	5.84	-19	24.84	Vertical	43.5	37.66
547.5435	13.75	-9.5	23.25	Vertical	46	32.25
928.0745	20.73	-3	23.73	Vertical	46	25.27

For 802.11 ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.356	8.16	-18.4	26.56	Vertical	40	31.84
59.197	7.26	-19.2	26.46	Vertical	40	32.74
105.757	7.04	-18.8	25.84	Vertical	43.5	36.46
212.263	6.65	-18.4	25.05	Vertical	43.5	36.85
545.1185	13.66	-9.5	23.16	Vertical	46	32.34


925.698	20.65	-3	23.65	Vertical	46	25.35
---------	-------	----	-------	----------	----	-------

For 802.11 ac(VHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.5685	8.58	-18.4	26.98	Vertical	40	31.42
58.712	7.78	-19.1	26.88	Vertical	40	32.22
109.7825	7.17	-18.9	26.07	Vertical	43.5	36.33
279.9205	8.22	-16.5	24.72	Vertical	47	38.78
539.0075	13.71	-9.6	23.31	Vertical	47	33.29
930.063	20.8	-3	23.8	Vertical	47	26.2

For 802.11 ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.9195	7.83	-18.4	26.23	Vertical	40	32.17
59.4395	7.1	-19.2	26.3	Vertical	40	32.9
111.0435	7.39	-19	26.39	Vertical	43.5	36.11
211.002	6.54	-18.5	25.04	Vertical	43.5	36.96
552.5875	13.9	-9.4	23.3	Vertical	47	33.1
946.456	20.83	-2.9	23.73	Vertical	47	26.17




Frequency Range: 9kHz -30MHz

Detector: QP mode


Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5220
 Channel No.44

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE 40)


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE 40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE 40)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5230
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)