




Band41_20MHz_QPSK_RB1_0_CH41490




Band66_20MHz_QPSK_RB1_0_CH132572



Band66_20MHz_QPSK_RB1_0_CH132072



Band66_20MHz_QPSK_RB1_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number	:TERF2404001245ER	Test Site	:SAC 2
Operation Mode	:LTE B2	Test Date	:2024-05-10
Test Mode	:Tx	Temp./Humi.	:21.8°C/50%
EUT Pol	:H Plane	Antenna Pol.	:Vertical
Test Frequency	:1860 MHz	Engineer	:Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-53.06	-40.20	-12.14	-0.72	-13.00	-40.06
121.190	-70.15	-67.88	-1.10	-1.17	-13.00	-57.15
237.819	-68.72	-71.16	4.12	-1.68	-13.00	-55.72
326.314	-67.65	-69.80	4.00	-1.85	-13.00	-54.65
465.578	-67.71	-69.26	3.94	-2.40	-13.00	-54.71
604.735	-62.82	-63.98	3.72	-2.56	-13.00	-49.82
3720.000	-54.54	-60.46	12.56	-6.64	-13.00	-41.54
5580.000	-53.09	-58.02	13.32	-8.39	-13.00	-40.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1860 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-56.23	-43.41	-12.10	-0.72	-13.00	-43.23
153.204	-72.54	-69.80	-1.46	-1.29	-13.00	-59.54
271.449	-73.23	-75.58	4.07	-1.73	-13.00	-60.23
372.125	-69.08	-71.29	4.31	-2.09	-13.00	-56.08
517.964	-67.94	-69.88	4.07	-2.12	-13.00	-54.94
601.501	-66.66	-67.85	3.73	-2.55	-13.00	-53.66
3720.000	-57.07	-62.99	12.56	-6.64	-13.00	-44.07
5580.000	-51.73	-56.66	13.32	-8.39	-13.00	-38.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-56.92	-44.06	-12.14	-0.72	-13.00	-43.92
119.358	-69.88	-67.48	-1.26	-1.15	-13.00	-56.88
236.417	-68.26	-70.79	4.21	-1.68	-13.00	-55.26
326.745	-68.26	-70.41	4.00	-1.84	-13.00	-55.26
461.698	-68.26	-69.86	4.00	-2.41	-13.00	-55.26
587.596	-64.52	-65.43	3.86	-2.94	-13.00	-51.52
3760.000	-54.02	-59.78	12.46	-6.69	-13.00	-41.02
5640.000	-51.82	-56.88	13.48	-8.42	-13.00	-38.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-56.17	-43.31	-12.14	-0.72	-13.00	-43.17
158.162	-72.36	-69.81	-1.34	-1.21	-13.00	-59.36
230.381	-74.05	-77.28	4.86	-1.63	-13.00	-61.05
376.005	-68.96	-71.11	4.24	-2.09	-13.00	-55.96
490.801	-68.57	-70.28	4.09	-2.39	-13.00	-55.57
595.573	-67.02	-68.05	3.77	-2.74	-13.00	-54.02
3760.000	-54.47	-60.23	12.46	-6.69	-13.00	-41.47
5640.000	-50.99	-56.05	13.48	-8.42	-13.00	-37.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1900 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-52.80	-39.89	-12.19	-0.72	-13.00	-39.80
136.604	-69.65	-66.82	-1.55	-1.27	-13.00	-56.65
246.226	-68.28	-70.58	3.98	-1.69	-13.00	-55.28
333.213	-68.10	-70.23	4.03	-1.90	-13.00	-55.10
446.284	-68.43	-70.06	3.95	-2.32	-13.00	-55.43
551.702	-64.59	-66.43	4.28	-2.45	-13.00	-51.59
3800.000	-53.65	-59.20	12.30	-6.75	-13.00	-40.65
5700.000	-51.55	-56.38	13.30	-8.47	-13.00	-38.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1900 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.013	-56.84	-44.06	-12.06	-0.72	-13.00	-43.84
156.330	-71.75	-69.07	-1.44	-1.24	-13.00	-58.75
299.259	-72.10	-74.33	4.11	-1.88	-13.00	-59.10
381.934	-68.62	-70.71	4.18	-2.10	-13.00	-55.62
514.084	-68.15	-69.94	4.04	-2.24	-13.00	-55.15
609.693	-66.96	-67.98	3.60	-2.58	-13.00	-53.96
3800.000	-54.46	-60.01	12.30	-6.75	-13.00	-41.46
5700.000	-51.57	-56.40	13.30	-8.47	-13.00	-38.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-52.62	-39.76	-12.14	-0.72	-13.00	-39.62
117.849	-69.62	-67.26	-1.22	-1.14	-13.00	-56.62
211.195	-69.36	-72.39	4.57	-1.54	-13.00	-56.36
314.996	-68.69	-70.89	4.05	-1.85	-13.00	-55.69
474.202	-67.92	-69.54	4.10	-2.48	-13.00	-54.92
592.770	-63.46	-64.38	3.78	-2.86	-13.00	-50.46
3440.000	-55.19	-61.35	12.52	-6.36	-13.00	-42.19
5160.000	-52.46	-56.95	12.46	-7.97	-13.00	-39.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-58.36	-45.45	-12.19	-0.72	-13.00	-45.36
162.258	-72.19	-69.91	-1.04	-1.24	-13.00	-59.19
302.061	-72.50	-74.77	4.14	-1.87	-13.00	-59.50
378.915	-68.11	-70.21	4.20	-2.09	-13.00	-55.11
515.593	-67.86	-69.69	4.03	-2.20	-13.00	-54.86
605.705	-66.67	-67.81	3.70	-2.56	-13.00	-53.67
3440.000	-55.65	-61.80	12.52	-6.36	-13.00	-42.65
5160.000	-52.32	-56.82	12.46	-7.97	-13.00	-39.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-53.55	-40.64	-12.19	-0.72	-13.00	-40.55
118.495	-69.65	-67.31	-1.19	-1.14	-13.00	-56.65
237.926	-68.39	-70.82	4.11	-1.69	-13.00	-55.39
365.550	-68.93	-71.36	4.51	-2.08	-13.00	-55.93
486.705	-67.86	-69.49	4.09	-2.46	-13.00	-54.86
601.717	-63.02	-64.20	3.73	-2.55	-13.00	-50.02
3465.000	-55.94	-62.02	12.44	-6.37	-13.00	-42.94
5197.500	-52.60	-57.32	12.69	-7.97	-13.00	-39.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-57.14	-44.32	-12.10	-0.72	-13.00	-44.14
155.467	-72.57	-69.72	-1.59	-1.25	-13.00	-59.57
267.784	-72.73	-75.14	4.12	-1.72	-13.00	-59.73
374.388	-68.66	-70.84	4.27	-2.09	-13.00	-55.66
533.378	-67.92	-69.78	4.22	-2.36	-13.00	-54.92
613.143	-66.36	-67.34	3.57	-2.59	-13.00	-53.36
3465.000	-55.15	-61.22	12.44	-6.37	-13.00	-42.15
5197.500	-52.09	-56.80	12.69	-7.97	-13.00	-39.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-53.89	-40.98	-12.19	-0.72	-13.00	-40.89
121.082	-70.04	-67.79	-1.08	-1.17	-13.00	-57.04
246.119	-69.20	-71.49	3.98	-1.69	-13.00	-56.20
334.291	-68.23	-70.36	4.06	-1.94	-13.00	-55.23
501.904	-67.01	-68.88	4.22	-2.35	-13.00	-54.01
597.082	-63.57	-64.65	3.76	-2.67	-13.00	-50.57
3490.000	-55.81	-61.78	12.34	-6.37	-13.00	-42.81
5235.000	-51.90	-56.84	12.98	-8.04	-13.00	-38.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.659	-58.77	-45.72	-12.32	-0.72	-13.00	-45.77
152.880	-71.27	-68.50	-1.47	-1.29	-13.00	-58.27
255.604	-74.21	-76.72	4.21	-1.69	-13.00	-61.21
373.418	-68.73	-70.93	4.29	-2.09	-13.00	-55.73
475.280	-67.92	-69.53	4.11	-2.50	-13.00	-54.92
592.555	-66.98	-67.90	3.78	-2.87	-13.00	-53.98
3490.000	-55.75	-61.72	12.34	-6.37	-13.00	-42.75
5235.000	-51.68	-56.62	12.98	-8.04	-13.00	-38.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :829 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.87	-39.91	-12.23	-0.72	-13.00	-39.87
89.069	-71.00	-69.25	-0.74	-1.01	-13.00	-58.00
167.109	-69.51	-67.58	-0.59	-1.35	-13.00	-56.51
326.206	-68.12	-70.27	4.00	-1.85	-13.00	-55.12
459.650	-68.08	-69.71	4.04	-2.41	-13.00	-55.08
573.153	-64.51	-65.66	3.92	-2.77	-13.00	-51.51
1658.000	-59.52	-64.65	9.58	-4.45	-13.00	-46.52
2487.000	-58.52	-63.55	10.57	-5.55	-13.00	-45.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :829 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-57.75	-44.93	-12.10	-0.72	-13.00	-44.75
156.330	-72.16	-69.48	-1.44	-1.24	-13.00	-59.16
293.869	-73.19	-75.42	4.07	-1.84	-13.00	-60.19
383.227	-68.83	-70.91	4.19	-2.10	-13.00	-55.83
504.275	-68.16	-69.97	4.17	-2.36	-13.00	-55.16
590.399	-67.08	-67.91	3.80	-2.97	-13.00	-54.08
1658.000	-60.26	-65.40	9.58	-4.45	-13.00	-47.26
2487.000	-58.16	-63.19	10.57	-5.55	-13.00	-45.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :836.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-53.39	-40.52	-12.14	-0.72	-13.00	-40.39
118.819	-70.58	-68.23	-1.20	-1.15	-13.00	-57.58
241.915	-68.15	-70.43	3.97	-1.70	-13.00	-55.15
318.769	-68.67	-70.85	4.07	-1.89	-13.00	-55.67
505.892	-65.99	-67.78	4.15	-2.36	-13.00	-52.99
605.705	-63.08	-64.21	3.70	-2.56	-13.00	-50.08
1673.000	-58.83	-64.19	9.83	-4.47	-13.00	-45.83
2509.500	-58.60	-63.64	10.61	-5.57	-13.00	-45.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :836.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-57.40	-44.54	-12.14	-0.72	-13.00	-44.40
160.965	-72.09	-69.80	-1.09	-1.20	-13.00	-59.09
292.360	-72.64	-74.87	4.05	-1.83	-13.00	-59.64
378.269	-68.89	-71.01	4.21	-2.09	-13.00	-55.89
519.366	-67.27	-69.28	4.09	-2.08	-13.00	-54.27
615.622	-67.03	-67.99	3.57	-2.60	-13.00	-54.03
1673.000	-59.20	-64.57	9.83	-4.47	-13.00	-46.20
2509.500	-58.29	-63.32	10.61	-5.57	-13.00	-45.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :844 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-53.56	-40.65	-12.19	-0.72	-13.00	-40.56
119.897	-70.62	-68.14	-1.33	-1.15	-13.00	-57.62
210.871	-69.19	-72.21	4.56	-1.54	-13.00	-56.19
326.637	-68.20	-70.36	4.00	-1.84	-13.00	-55.20
464.824	-68.01	-69.54	3.93	-2.40	-13.00	-55.01
594.172	-62.73	-63.70	3.77	-2.80	-13.00	-49.73
1688.000	-59.82	-65.24	9.90	-4.48	-13.00	-46.82
2532.000	-58.40	-63.42	10.60	-5.58	-13.00	-45.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :844 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.659	-59.23	-46.19	-12.32	-0.72	-13.00	-46.23
163.444	-71.60	-69.33	-1.01	-1.26	-13.00	-58.60
298.612	-72.47	-74.70	4.11	-1.88	-13.00	-59.47
379.993	-69.19	-71.28	4.18	-2.09	-13.00	-56.19
480.669	-68.27	-69.78	4.10	-2.59	-13.00	-55.27
580.698	-67.31	-68.45	3.95	-2.81	-13.00	-54.31
1688.000	-59.45	-64.87	9.90	-4.48	-13.00	-46.45
2532.000	-57.59	-62.61	10.60	-5.58	-13.00	-44.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-53.40	-40.49	-12.19	-0.72	-25.00	-28.40
118.927	-69.51	-67.16	-1.21	-1.15	-25.00	-44.51
243.208	-68.69	-70.96	3.97	-1.69	-25.00	-43.69
342.914	-68.78	-70.97	4.29	-2.10	-25.00	-43.78
491.879	-67.82	-69.55	4.11	-2.38	-25.00	-42.82
595.896	-62.93	-63.97	3.76	-2.72	-25.00	-37.93
5020.000	-51.60	-56.17	12.52	-7.94	-25.00	-26.60
7530.000	-49.21	-50.53	11.16	-9.84	-25.00	-24.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2510 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.552	-58.00	-45.00	-12.28	-0.72	-25.00	-33.00
161.827	-72.66	-70.40	-1.04	-1.22	-25.00	-47.66
319.954	-72.37	-74.54	4.08	-1.91	-25.00	-47.37
375.682	-68.81	-70.97	4.25	-2.09	-25.00	-43.81
503.197	-67.19	-69.03	4.19	-2.36	-25.00	-42.19
604.843	-66.96	-68.13	3.72	-2.56	-25.00	-41.96
5020.000	-52.34	-56.92	12.52	-7.94	-25.00	-27.34
7530.000	-49.49	-50.82	11.16	-9.84	-25.00	-24.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-53.29	-40.43	-12.14	-0.72	-25.00	-28.29
121.514	-70.23	-67.88	-1.18	-1.17	-25.00	-45.23
235.986	-68.36	-70.92	4.24	-1.67	-25.00	-43.36
325.128	-68.47	-70.63	4.02	-1.86	-25.00	-43.47
457.386	-67.43	-69.06	4.04	-2.41	-25.00	-42.43
590.722	-64.12	-64.96	3.80	-2.96	-25.00	-39.12
5070.000	-53.46	-57.86	12.36	-7.95	-25.00	-28.46
7605.000	-50.61	-51.85	11.32	-10.08	-25.00	-25.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2535 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.013	-58.94	-46.16	-12.06	-0.72	-25.00	-33.94
159.456	-72.07	-69.61	-1.27	-1.19	-25.00	-47.07
301.307	-72.05	-74.31	4.13	-1.88	-25.00	-47.05
437.445	-68.15	-69.92	3.95	-2.18	-25.00	-43.15
512.359	-67.17	-68.95	4.08	-2.30	-25.00	-42.17
607.538	-66.57	-67.66	3.65	-2.57	-25.00	-41.57
5070.000	-52.94	-57.35	12.36	-7.95	-25.00	-27.94
7605.000	-48.83	-50.07	11.32	-10.08	-25.00	-23.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2560 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-53.48	-40.66	-12.10	-0.72	-25.00	-28.48
120.867	-70.54	-68.28	-1.10	-1.16	-25.00	-45.54
244.609	-68.56	-70.83	3.96	-1.69	-25.00	-43.56
371.262	-69.05	-71.28	4.32	-2.09	-25.00	-44.05
513.222	-64.74	-66.53	4.06	-2.27	-25.00	-39.74
608.184	-63.57	-64.64	3.64	-2.57	-25.00	-38.57
5120.000	-53.11	-57.48	12.34	-7.96	-25.00	-28.11
7680.000	-49.15	-50.65	11.56	-10.06	-25.00	-24.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B7
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2560 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-58.82	-46.00	-12.10	-0.72	-25.00	-33.82
141.562	-71.23	-68.10	-1.86	-1.27	-25.00	-46.23
290.312	-72.95	-75.17	4.03	-1.81	-25.00	-47.95
372.125	-67.97	-70.19	4.31	-2.09	-25.00	-42.97
510.850	-67.71	-69.48	4.11	-2.34	-25.00	-42.71
614.544	-66.42	-67.38	3.56	-2.60	-25.00	-41.42
5120.000	-53.15	-57.53	12.34	-7.96	-25.00	-28.15
7680.000	-49.69	-51.18	11.56	-10.06	-25.00	-24.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :704 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.84	-39.88	-12.23	-0.72	-13.00	-39.84
135.095	-69.99	-67.09	-1.61	-1.28	-13.00	-56.99
236.741	-68.08	-70.59	4.19	-1.68	-13.00	-55.08
331.272	-68.32	-70.45	3.98	-1.85	-13.00	-55.32
523.138	-66.50	-68.50	4.15	-2.15	-13.00	-53.50
603.549	-62.46	-63.63	3.73	-2.55	-13.00	-49.46
1408.000	-61.07	-64.71	7.70	-4.06	-13.00	-48.07
2112.000	-60.34	-65.14	9.80	-5.00	-13.00	-47.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :704 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.552	-58.08	-45.08	-12.28	-0.72	-13.00	-45.08
171.312	-71.84	-70.14	-0.28	-1.42	-13.00	-58.84
298.935	-71.54	-73.77	4.11	-1.88	-13.00	-58.54
379.023	-68.41	-70.52	4.20	-2.09	-13.00	-55.41
514.192	-67.39	-69.18	4.04	-2.24	-13.00	-54.39
606.244	-66.50	-67.62	3.69	-2.57	-13.00	-53.50
1408.000	-59.62	-63.26	7.70	-4.06	-13.00	-46.62
2112.000	-59.54	-64.34	9.80	-5.00	-13.00	-46.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.39	-39.43	-12.23	-0.72	-13.00	-39.39
121.837	-70.10	-67.67	-1.25	-1.18	-13.00	-57.10
240.513	-68.31	-70.59	3.98	-1.70	-13.00	-55.31
334.291	-68.05	-70.18	4.06	-1.94	-13.00	-55.05
461.375	-68.11	-69.72	4.01	-2.41	-13.00	-55.11
600.100	-63.07	-64.27	3.74	-2.54	-13.00	-50.07
1415.000	-61.53	-65.16	7.70	-4.07	-13.00	-48.53
2122.500	-60.57	-65.39	9.83	-5.01	-13.00	-47.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-57.12	-44.21	-12.19	-0.72	-13.00	-44.12
172.606	-72.18	-70.74	-0.02	-1.42	-13.00	-59.18
291.282	-72.41	-74.64	4.04	-1.82	-13.00	-59.41
374.496	-68.63	-70.81	4.27	-2.09	-13.00	-55.63
511.712	-67.49	-69.26	4.09	-2.32	-13.00	-54.49
596.866	-66.56	-67.64	3.76	-2.68	-13.00	-53.56
1415.000	-60.72	-64.35	7.70	-4.07	-13.00	-47.72
2122.500	-60.22	-65.04	9.83	-5.01	-13.00	-47.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :711 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-51.67	-38.85	-12.10	-0.72	-13.00	-38.67
135.634	-69.83	-66.92	-1.64	-1.28	-13.00	-56.83
239.436	-68.87	-71.19	4.02	-1.70	-13.00	-55.87
376.867	-68.75	-70.89	4.23	-2.09	-13.00	-55.75
504.814	-66.32	-68.12	4.15	-2.36	-13.00	-53.32
604.412	-63.16	-64.33	3.72	-2.56	-13.00	-50.16
1422.000	-60.06	-63.70	7.72	-4.08	-13.00	-47.06
2133.000	-58.70	-63.55	9.87	-5.02	-13.00	-45.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :711 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-57.20	-44.38	-12.10	-0.72	-13.00	-44.20
162.366	-72.14	-69.86	-1.05	-1.24	-13.00	-59.14
333.213	-69.62	-71.75	4.03	-1.90	-13.00	-56.62
417.935	-68.97	-70.93	3.98	-2.03	-13.00	-55.97
510.635	-67.49	-69.25	4.12	-2.35	-13.00	-54.49
607.322	-66.78	-67.87	3.66	-2.57	-13.00	-53.78
1422.000	-59.07	-62.71	7.72	-4.08	-13.00	-46.07
2133.000	-58.43	-63.28	9.87	-5.02	-13.00	-45.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :782 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-51.84	-38.97	-12.14	-0.72	-13.00	-38.84
130.999	-70.06	-67.29	-1.47	-1.30	-13.00	-57.06
235.986	-68.44	-71.00	4.24	-1.67	-13.00	-55.44
325.128	-68.65	-70.81	4.02	-1.86	-13.00	-55.65
465.794	-66.64	-68.18	3.94	-2.40	-13.00	-53.64
574.985	-63.05	-64.15	3.87	-2.78	-13.00	-50.05
1564.000	-60.35	-65.15	9.10	-4.30	-40.00	-20.35
2346.000	-57.34	-61.83	9.80	-5.32	-13.00	-44.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :782 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-57.50	-44.64	-12.14	-0.72	-13.00	-44.50
161.504	-72.15	-69.88	-1.05	-1.22	-13.00	-59.15
305.187	-71.73	-74.07	4.17	-1.83	-13.00	-58.73
383.766	-68.42	-70.50	4.19	-2.10	-13.00	-55.42
522.923	-67.74	-69.74	4.15	-2.15	-13.00	-54.74
598.483	-66.58	-67.73	3.75	-2.61	-13.00	-53.58
1564.000	-60.45	-65.25	9.10	-4.30	-40.00	-20.45
2346.000	-57.72	-62.21	9.80	-5.32	-13.00	-44.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :709 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-51.95	-39.08	-12.14	-0.72	-13.00	-38.95
134.125	-69.99	-67.12	-1.58	-1.28	-13.00	-56.99
260.562	-68.62	-71.10	4.18	-1.70	-13.00	-55.62
403.060	-68.73	-70.81	4.23	-2.15	-13.00	-55.73
525.941	-66.00	-67.95	4.18	-2.23	-13.00	-53.00
591.800	-62.75	-63.63	3.79	-2.91	-13.00	-49.75
1418.000	-60.37	-63.99	7.70	-4.07	-13.00	-47.37
2127.000	-58.68	-63.53	9.87	-5.02	-13.00	-45.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :709 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.552	-57.41	-44.41	-12.28	-0.72	-13.00	-44.41
154.605	-72.30	-69.38	-1.65	-1.27	-13.00	-59.30
307.774	-72.60	-74.93	4.14	-1.80	-13.00	-59.60
380.532	-68.25	-70.34	4.18	-2.09	-13.00	-55.25
520.012	-66.93	-68.97	4.10	-2.06	-13.00	-53.93
627.263	-66.30	-67.50	3.59	-2.39	-13.00	-53.30
1418.000	-60.21	-63.84	7.70	-4.07	-13.00	-47.21
2127.000	-58.79	-63.65	9.87	-5.02	-13.00	-45.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :710 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-51.85	-38.94	-12.19	-0.72	-13.00	-38.85
137.466	-69.62	-66.75	-1.60	-1.27	-13.00	-56.62
248.921	-68.99	-71.33	4.02	-1.68	-13.00	-55.99
331.811	-68.36	-70.50	4.00	-1.86	-13.00	-55.36
457.063	-68.15	-69.78	4.04	-2.41	-13.00	-55.15
592.447	-64.11	-65.01	3.79	-2.88	-13.00	-51.11
1420.000	-59.82	-63.44	7.70	-4.07	-13.00	-46.82
2130.000	-58.43	-63.31	9.90	-5.02	-13.00	-45.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :710 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.013	-57.06	-44.29	-12.06	-0.72	-13.00	-44.06
174.438	-71.95	-70.78	0.26	-1.42	-13.00	-58.95
305.942	-72.27	-74.61	4.16	-1.82	-13.00	-59.27
378.377	-68.48	-70.60	4.21	-2.09	-13.00	-55.48
518.180	-67.23	-69.19	4.07	-2.12	-13.00	-54.23
594.064	-66.49	-67.46	3.78	-2.81	-13.00	-53.49
1420.000	-60.36	-63.98	7.70	-4.07	-13.00	-47.36
2130.000	-58.17	-63.05	9.90	-5.02	-13.00	-45.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :711 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-51.78	-38.87	-12.19	-0.72	-13.00	-38.78
132.724	-69.21	-66.44	-1.48	-1.29	-13.00	-56.21
265.089	-68.62	-71.05	4.14	-1.71	-13.00	-55.62
413.947	-67.91	-69.97	4.06	-2.00	-13.00	-54.91
530.683	-66.23	-68.06	4.18	-2.35	-13.00	-53.23
603.334	-62.66	-63.83	3.73	-2.55	-13.00	-49.66
1422.000	-59.57	-63.22	7.72	-4.08	-13.00	-46.57
2133.000	-57.64	-62.48	9.87	-5.02	-13.00	-44.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B17
 Test Mode :Tx
 EUT Pol :E1 Plane
 Test Frequency :711 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-57.59	-44.63	-12.23	-0.72	-13.00	-44.59
164.953	-72.45	-70.37	-0.78	-1.30	-13.00	-59.45
295.486	-72.09	-74.32	4.08	-1.85	-13.00	-59.09
379.670	-68.22	-70.32	4.19	-2.09	-13.00	-55.22
442.511	-68.27	-69.99	3.95	-2.23	-13.00	-55.27
606.352	-67.19	-68.31	3.68	-2.57	-13.00	-54.19
1422.000	-60.05	-63.69	7.72	-4.08	-13.00	-47.05
2133.000	-58.41	-63.25	9.87	-5.02	-13.00	-45.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2580 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-52.17	-39.26	-12.19	-0.72	-25.00	-27.17
121.729	-69.72	-67.32	-1.23	-1.18	-25.00	-44.72
246.011	-68.27	-70.56	3.98	-1.69	-25.00	-43.27
334.291	-67.41	-69.54	4.06	-1.94	-25.00	-42.41
477.543	-67.02	-68.58	4.10	-2.55	-25.00	-42.02
603.657	-63.36	-64.53	3.73	-2.55	-25.00	-38.36
5160.000	-51.03	-55.53	12.46	-7.97	-25.00	-26.03
7740.000	-49.42	-51.02	11.68	-10.08	-25.00	-24.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2580 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-56.68	-43.81	-12.14	-0.72	-25.00	-31.68
153.743	-72.24	-69.43	-1.53	-1.28	-25.00	-47.24
277.270	-73.53	-75.77	3.99	-1.76	-25.00	-48.53
385.275	-69.00	-71.08	4.19	-2.11	-25.00	-44.00
515.593	-67.11	-68.95	4.03	-2.20	-25.00	-42.11
604.951	-66.04	-67.20	3.72	-2.56	-25.00	-41.04
5160.000	-52.89	-57.38	12.46	-7.97	-25.00	-27.89
7740.000	-49.10	-50.70	11.68	-10.08	-25.00	-24.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-51.64	-38.73	-12.19	-0.72	-25.00	-26.64
121.082	-69.66	-67.41	-1.08	-1.17	-25.00	-44.66
251.508	-68.68	-71.09	4.09	-1.68	-25.00	-43.68
319.092	-67.45	-69.62	4.07	-1.90	-25.00	-42.45
467.626	-66.36	-67.94	3.98	-2.39	-25.00	-41.36
608.077	-63.02	-64.09	3.64	-2.57	-25.00	-38.02
5190.000	-52.54	-57.21	12.64	-7.97	-25.00	-27.54
7785.000	-50.22	-51.76	11.63	-10.09	-25.00	-25.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2595 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-56.41	-43.45	-12.23	-0.72	-25.00	-31.41
156.006	-72.02	-69.31	-1.46	-1.24	-25.00	-47.02
299.582	-72.87	-75.10	4.12	-1.89	-25.00	-47.87
381.071	-68.81	-70.90	4.18	-2.09	-25.00	-43.81
512.144	-67.19	-68.97	4.08	-2.30	-25.00	-42.19
603.981	-66.52	-67.69	3.72	-2.56	-25.00	-41.52
5190.000	-53.13	-57.80	12.64	-7.97	-25.00	-28.13
7785.000	-50.07	-51.61	11.63	-10.09	-25.00	-25.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-52.45	-39.54	-12.19	-0.72	-25.00	-27.45
118.603	-69.51	-67.17	-1.20	-1.14	-25.00	-44.51
245.580	-69.10	-71.38	3.97	-1.69	-25.00	-44.10
330.733	-68.14	-70.28	3.97	-1.83	-25.00	-43.14
471.184	-67.47	-69.10	4.04	-2.42	-25.00	-42.47
599.777	-63.27	-64.46	3.74	-2.55	-25.00	-38.27
5220.000	-52.85	-57.70	12.86	-8.01	-25.00	-27.85
7830.000	-49.59	-51.11	11.60	-10.08	-25.00	-24.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B38
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2610 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-57.06	-44.11	-12.23	-0.72	-25.00	-32.06
169.803	-72.21	-70.45	-0.34	-1.42	-25.00	-47.21
306.912	-72.30	-74.63	4.15	-1.81	-25.00	-47.30
378.700	-68.18	-70.29	4.20	-2.09	-25.00	-43.18
515.593	-66.73	-68.57	4.03	-2.20	-25.00	-41.73
600.208	-66.88	-68.08	3.74	-2.54	-25.00	-41.88
5220.000	-52.18	-57.03	12.86	-8.01	-25.00	-27.18
7830.000	-50.41	-51.93	11.60	-10.08	-25.00	-25.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.44	-39.49	-12.23	-0.72	-25.00	-27.44
120.112	-70.35	-67.89	-1.31	-1.15	-25.00	-45.35
234.585	-68.90	-71.59	4.35	-1.66	-25.00	-43.90
324.482	-67.71	-69.87	4.03	-1.86	-25.00	-42.71
442.943	-68.34	-70.05	3.95	-2.24	-25.00	-43.34
564.098	-64.76	-66.20	4.22	-2.79	-25.00	-39.76
5012.000	-52.07	-56.68	12.55	-7.94	-25.00	-27.07
7518.000	-49.83	-51.17	11.14	-9.79	-25.00	-24.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2506 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-57.53	-44.57	-12.23	-0.72	-25.00	-32.53
153.312	-72.04	-69.28	-1.47	-1.29	-25.00	-47.04
293.869	-71.63	-73.85	4.07	-1.84	-25.00	-46.63
376.113	-67.09	-69.24	4.24	-2.09	-25.00	-42.09
490.909	-68.28	-69.99	4.10	-2.39	-25.00	-43.28
601.178	-67.08	-68.27	3.74	-2.54	-25.00	-42.08
5012.000	-52.42	-57.03	12.55	-7.94	-25.00	-27.42
7518.000	-49.86	-51.20	11.14	-9.79	-25.00	-24.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.38	-39.43	-12.23	-0.72	-25.00	-27.38
120.867	-69.90	-67.64	-1.10	-1.16	-25.00	-44.90
251.939	-68.26	-70.68	4.11	-1.68	-25.00	-43.26
374.712	-69.12	-71.29	4.26	-2.09	-25.00	-44.12
535.103	-65.67	-67.55	4.25	-2.37	-25.00	-40.67
602.687	-62.60	-63.78	3.73	-2.55	-25.00	-37.60
5186.000	-52.41	-57.05	12.62	-7.97	-25.00	-27.41
7779.000	-49.74	-51.29	11.64	-10.09	-25.00	-24.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2593 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-57.49	-44.62	-12.14	-0.72	-25.00	-32.49
149.539	-72.50	-69.38	-1.78	-1.34	-25.00	-47.50
324.589	-71.67	-73.83	4.02	-1.86	-25.00	-46.67
380.963	-68.28	-70.37	4.18	-2.09	-25.00	-43.28
519.689	-67.59	-69.62	4.10	-2.07	-25.00	-42.59
597.621	-66.16	-67.27	3.75	-2.65	-25.00	-41.16
5186.000	-52.37	-57.02	12.62	-7.97	-25.00	-27.37
7779.000	-49.97	-51.52	11.64	-10.09	-25.00	-24.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.61	-39.66	-12.23	-0.72	-25.00	-27.61
136.173	-69.65	-66.75	-1.62	-1.27	-25.00	-44.65
237.926	-68.00	-70.43	4.11	-1.69	-25.00	-43.00
328.685	-66.94	-69.08	3.97	-1.82	-25.00	-41.94
433.888	-68.41	-70.16	3.95	-2.19	-25.00	-43.41
605.705	-62.40	-63.54	3.70	-2.56	-25.00	-37.40
5360.000	-52.19	-57.18	13.18	-8.19	-25.00	-27.19
8040.000	-49.63	-50.62	11.10	-10.11	-25.00	-24.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B41
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :2680 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.552	-56.61	-43.61	-12.28	-0.72	-25.00	-31.61
161.827	-71.94	-69.68	-1.04	-1.22	-25.00	-46.94
278.024	-73.92	-76.16	4.00	-1.76	-25.00	-48.92
372.987	-68.36	-70.56	4.29	-2.09	-25.00	-43.36
509.880	-67.26	-69.02	4.13	-2.37	-25.00	-42.26
594.711	-67.22	-68.21	3.77	-2.78	-25.00	-42.22
5360.000	-51.11	-56.10	13.18	-8.19	-25.00	-26.11
8040.000	-48.87	-49.87	11.10	-10.11	-25.00	-23.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.336	-51.73	-38.82	-12.19	-0.72	-13.00	-38.73
136.927	-70.30	-67.52	-1.50	-1.27	-13.00	-57.30
243.532	-66.75	-69.03	3.97	-1.69	-13.00	-53.75
336.339	-67.52	-69.64	4.11	-1.99	-13.00	-54.52
463.746	-68.15	-69.70	3.96	-2.40	-13.00	-55.15
583.285	-63.27	-64.34	3.93	-2.86	-13.00	-50.27
3440.000	-55.72	-61.87	12.52	-6.36	-13.00	-42.72
5160.000	-52.47	-56.96	12.46	-7.97	-13.00	-39.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1720 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.228	-57.30	-44.44	-12.14	-0.72	-13.00	-44.30
156.114	-72.12	-69.42	-1.45	-1.24	-13.00	-59.12
298.504	-72.99	-75.22	4.11	-1.88	-13.00	-59.99
378.484	-68.12	-70.23	4.20	-2.09	-13.00	-55.12
516.132	-67.10	-68.96	4.04	-2.18	-13.00	-54.10
606.783	-66.67	-67.78	3.67	-2.57	-13.00	-53.67
3440.000	-55.21	-61.36	12.52	-6.36	-13.00	-42.21
5160.000	-52.54	-57.03	12.46	-7.97	-13.00	-39.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.659	-52.28	-39.23	-12.32	-0.72	-13.00	-39.28
137.574	-70.16	-67.27	-1.62	-1.27	-13.00	-57.16
235.232	-68.60	-71.22	4.29	-1.67	-13.00	-55.60
336.985	-68.07	-70.19	4.13	-2.01	-13.00	-55.07
459.758	-67.30	-68.93	4.04	-2.41	-13.00	-54.30
599.130	-62.52	-63.69	3.75	-2.58	-13.00	-49.52
3490.000	-55.30	-61.27	12.34	-6.37	-13.00	-42.30
5235.000	-52.69	-57.63	12.98	-8.04	-13.00	-39.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1745 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.013	-56.89	-44.12	-12.06	-0.72	-13.00	-43.89
156.653	-72.17	-69.52	-1.42	-1.23	-13.00	-59.17
292.899	-72.81	-75.03	4.06	-1.83	-13.00	-59.81
377.299	-68.14	-70.27	4.22	-2.09	-13.00	-55.14
476.573	-68.69	-70.27	4.11	-2.53	-13.00	-55.69
611.957	-66.64	-67.63	3.58	-2.59	-13.00	-53.64
3490.000	-55.56	-61.53	12.34	-6.37	-13.00	-42.56
5235.000	-51.77	-56.71	12.98	-8.04	-13.00	-38.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Vertical
 Engineer :Eason Wang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.444	-52.46	-39.51	-12.23	-0.72	-13.00	-39.46
138.760	-69.19	-66.10	-1.83	-1.26	-13.00	-56.19
235.555	-68.66	-71.26	4.26	-1.67	-13.00	-55.66
330.410	-68.46	-70.60	3.96	-1.82	-13.00	-55.46
476.357	-67.42	-69.01	4.11	-2.52	-13.00	-54.42
615.730	-63.29	-64.26	3.57	-2.60	-13.00	-50.29
3540.000	-56.16	-62.04	12.30	-6.41	-13.00	-43.16
5310.000	-52.04	-57.06	13.20	-8.17	-13.00	-39.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2404001245ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1770 MHz

Test Site :SAC 2
 Test Date :2024-05-10
 Temp./Humi. :21.8°C/50%
 Antenna Pol. :Horizontal
 Engineer :Eason Wang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
44.120	-57.54	-44.72	-12.10	-0.72	-13.00	-44.54
165.815	-72.31	-70.17	-0.81	-1.32	-13.00	-59.31
314.673	-71.54	-73.76	4.05	-1.84	-13.00	-58.54
408.665	-68.89	-71.05	4.16	-2.00	-13.00	-55.89
517.425	-67.52	-69.44	4.06	-2.14	-13.00	-54.52
594.818	-66.78	-67.78	3.77	-2.77	-13.00	-53.78
3540.000	-55.37	-61.26	12.30	-6.41	-13.00	-42.37
5310.000	-52.49	-57.52	13.20	-8.17	-13.00	-39.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

Note: The battery is rated 3.89V dc.

Reference Freq.:		LTE B2 Mid Channel		1880.0000	MHz	10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
Freq. ERROR vs. VOLTAGE						
4.4735	20	1879.999998	-0.0013	+/- 2.5 ppm		
3.89	20	1880.000003	0.0017			
3.3065	20	1880.000002	0.0010			
3 (End Point)	20	1880.000005	0.0027			
Freq. ERROR vs. Temp.						
3.89	-30	1880.000007	0.0038	+/- 2.5 ppm		
3.89	-20	1880.000006	0.0030			
3.89	-10	1880.000000	-0.0001			
3.89	0	1880.000006	0.0034			
3.89	10	1880.000003	0.0018			
3.89	20	1879.999998	-0.0010			
3.89	30	1879.999995	-0.0026			
3.89	40	1880.000004	0.0020			
3.89	50	1880.000005	0.0028			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B4 Mid Channel		1732.5000	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	1732.499995	-0.0031	+/- 2.5 ppm	
3.89	20	1732.500004	0.0022		
3.3065	20	1732.500002	0.0010		
3 (End Point)	20	1732.500003	0.0014		
Freq. ERROR vs. Temp.					
3.89	-30	1732.500006	0.0035	+/- 2.5 ppm	
3.89	-20	1732.499999	-0.0004		
3.89	-10	1732.500007	0.0039		
3.89	0	1732.500007	0.0042		
3.89	10	1732.499997	-0.0016		
3.89	20	1732.500002	0.0010		
3.89	30	1732.499996	-0.0021		
3.89	40	1732.499997	-0.0016		
3.89	50	1732.500006	0.0035		
Reference Freq.:		LTE B5 Mid Channel		836.5000	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	836.500003	0.0033	+/- 2.5 ppm	
3.89	20	836.499998	-0.0023		
3.3065	20	836.500005	0.0056		
3 (End Point)	20	836.500003	0.0039		
Freq. ERROR vs. Temp.					
3.89	-30	836.500005	0.0060	+/- 2.5 ppm	
3.89	-20	836.499998	-0.0025		
3.89	-10	836.500003	0.0034		
3.89	0	836.499994	-0.0071		
3.89	10	836.500003	0.0032		
3.89	20	836.499997	-0.0037		
3.89	30	836.499995	-0.0057		
3.89	40	836.499996	-0.0052		
3.89	50	836.500006	0.0068		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B7 Mid Channel		2535.0000	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	2535.000002	0.0009	+/- 2.5 ppm	
3.89	20	2535.000006	0.0025		
3.3065	20	2535.000001	0.0006		
3 (End Point)	20	2535.000000	0.0000		
Freq. ERROR vs. Temp.					
3.89	-30	2535.000003	0.0013	+/- 2.5 ppm	
3.89	-20	2535.000002	0.0007		
3.89	-10	2535.000002	0.0008		
3.89	0	2535.000001	0.0006		
3.89	10	2535.000004	0.0014		
3.89	20	2535.000004	0.0014		
3.89	30	2535.000005	0.0019		
3.89	40	2535.000003	0.0013		
3.89	50	2534.999995	-0.0020		
Reference Freq.:		LTE B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	707.500005	0.0072	+/- 2.5 ppm	
3.89	20	707.500005	0.0064		
3.3065	20	707.499998	-0.0025		
3 (End Point)	20	707.500001	0.0010		
Freq. ERROR vs. Temp.					
3.89	-30	707.499996	-0.0056	+/- 2.5 ppm	
3.89	-20	707.499996	-0.0050		
3.89	-10	707.499997	-0.0046		
3.89	0	707.499997	-0.0036		
3.89	10	707.500007	0.0096		
3.89	20	707.499994	-0.0081		
3.89	30	707.500004	0.0052		
3.89	40	707.500005	0.0066		
3.89	50	707.500007	0.0103		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B13 Mid Channel		782.0000	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	782.000005	0.0068	+/- 2.5 ppm	
3.89	20	782.000006	0.0074		
3.3065	20	782.000005	0.0059		
3 (End Point)	20	781.999999	-0.0019		
Freq. ERROR vs. Temp.					
3.89	-30	781.999997	-0.0043	+/- 2.5 ppm	
3.89	-20	782.000005	0.0063		
3.89	-10	781.999994	-0.0073		
3.89	0	782.000000	-0.0003		
3.89	10	781.999998	-0.0030		
3.89	20	781.999997	-0.0032		
3.89	30	782.000006	0.0078		
3.89	40	782.000001	0.0009		
3.89	50	781.999996	-0.0050		
Reference Freq.:		LTE B17 Mid Channel		710.0000	MHz 10M QPSK CH 23790
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	709.999998	-0.0022	+/- 2.5 ppm	
3.89	20	709.999998	-0.0031		
3.3065	20	710.000001	0.0019		
3 (End Point)	20	710.000004	0.0052		
Freq. ERROR vs. Temp.					
3.89	-30	710.000005	0.0069	+/- 2.5 ppm	
3.89	-20	709.999999	-0.0016		
3.89	-10	710.000002	0.0022		
3.89	0	709.999994	-0.0081		
3.89	10	709.999999	-0.0012		
3.89	20	710.000003	0.0041		
3.89	30	710.000007	0.0095		
3.89	40	709.999994	-0.0083		
3.89	50	709.999997	-0.0043		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B38 Mid Channel		2595.0000	MHz 10M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	2595.000007	0.0028	+/- 2.5 ppm	
3.89	20	2594.999997	-0.0013		
3.3065	20	2595.000001	0.0006		
3 (End Point)	20	2594.999998	-0.0010		
Freq. ERROR vs. Temp.					
3.89	-30	2594.999996	-0.0017	+/- 2.5 ppm	
3.89	-20	2595.000001	0.0002		
3.89	-10	2594.999994	-0.0023		
3.89	0	2594.999998	-0.0007		
3.89	10	2594.999997	-0.0010		
3.89	20	2594.999995	-0.0018		
3.89	30	2594.999997	-0.0011		
3.89	40	2594.999996	-0.0016		
3.89	50	2594.999996	-0.0016		
Reference Freq.:		LTE B41 Mid Channel		2593.0000	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	2592.999995	-0.0018	+/- 2.5 ppm	
3.89	20	2592.999998	-0.0008		
3.3065	20	2593.000006	0.0025		
3 (End Point)	20	2593.000005	0.0019		
Freq. ERROR vs. Temp.					
3.89	-30	2593.000001	0.0002	+/- 2.5 ppm	
3.89	-20	2593.000005	0.0020		
3.89	-10	2592.999997	-0.0012		
3.89	0	2593.000003	0.0011		
3.89	10	2592.999997	-0.0010		
3.89	20	2592.999998	-0.0006		
3.89	30	2593.000007	0.0028		
3.89	40	2592.999995	-0.0020		
3.89	50	2593.000003	0.0010		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B66 Mid Channel		1745.0000	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4735	20	1745.000005	0.0029	+/- 2.5 ppm	
3.89	20	1744.999998	-0.0010		
3.3065	20	1744.999997	-0.0017		
3 (End Point)	20	1745.000001	0.0006		
Freq. ERROR vs. Temp.					
3.89	-30	1745.000004	0.0022	+/- 2.5 ppm	
3.89	-20	1745.000000	-0.0003		
3.89	-10	1744.999999	-0.0008		
3.89	0	1745.000000	-0.0002		
3.89	10	1745.000002	0.0014		
3.89	20	1745.000003	0.0017		
3.89	30	1745.000006	0.0037		
3.89	40	1745.000004	0.0020		
3.89	50	1744.999997	-0.0018		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 PEAK TO AVERAGE RATIO

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1850.7	18607	6.39	13	1851.5	18615	6.40	13
1880.0	18900	6.43	13	1880.0	18900	6.48	13
1909.3	19193	6.71	13	1908.5	19185	6.22	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1852.5	18625	6.34	13	1855.0	18650	6.55	13
1880.0	18900	6.38	13	1880.0	18900	6.30	13
1907.5	19175	6.22	13	1905.0	19150	6.44	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1857.5	18675	6.45	13	1860.0	18700	6.54	13
1880.0	18900	6.30	13	1880.0	18900	6.29	13
1902.5	19125	6.43	13	1900.0	19100	6.57	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	19957	6.38	13	1711.5	19965	6.52	13
1732.5	20175	6.30	13	1732.5	20175	6.26	13
1754.3	20393	7.10	13	1753.5	20385	6.66	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	19975	6.45	13	1715.0	20000	6.49	13
1732.5	20175	6.25	13	1732.5	20175	6.25	13
1752.5	20375	6.79	13	1750.0	20350	6.61	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	20025	6.77	13	1720.0	20050	6.72	13
1732.5	20175	6.08	13	1732.5	20175	6.48	13
1747.5	20325	5.98	13	1745.0	20300	6.56	13

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
824.7	20407	5.63	13	825.5	20415	6.38	13
836.5	20525	6.60	13	836.5	20525	6.90	13
848.3	20643	6.53	13	847.5	20635	6.52	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
826.5	20425	6.05	13	829.0	20450	6.45	13
836.5	20525	6.74	13	836.5	20525	6.69	13
846.5	20625	6.42	13	844.0	20600	6.42	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2502.5	20775	6.23	13	2505.0	20800	6.12	13
2535.0	21100	6.22	13	2535.0	21100	6.39	13
2567.5	21425	6.35	13	2565.0	21400	6.34	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2507.5	20825	6.23	13	2510	20850	6.28	13
2535.0	21100	6.17	13	2535	21100	6.29	13
2562.5	21375	6.32	13	2560	21350	6.27	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
699.7	23017	6.65	13	700.5	23025	6.82	13
707.5	23095	6.83	13	707.5	23095	6.86	13
715.3	23173	6.14	13	714.5	23165	6.32	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
701.5	23035	6.33	13	704.0	23060	6.28	13
707.5	23095	6.50	13	707.5	23095	6.45	13
713.5	23155	6.59	13	711.0	23130	6.63	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
779.5	23205	6.76	13	782.0	23230	6.61	13
782.0	23230	6.50	13				
784.5	23255	6.76	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
706.5	23755	6.22	13	709.0	23780	6.49	13
710.0	23790	6.92	13	710.0	23790	6.72	13
713.5	23825	6.37	13	711.0	23800	6.61	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2577.5	37825	6.09	13	2580.0	37850	5.93	13
2595.0	38000	6.16	13	2595.0	38000	6.12	13
2612.5	38175	7.22	13	2610.0	38150	6.17	13

LTE BAND 41							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2498.5	39675	7.07	13	2501.0	39700	6.32	13
2593.0	40620	8.15	13	2593.0	40620	7.11	13
2687.5	41565	7.78	13	2685.0	41540	6.21	13

LTE BAND 41							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
2503.5	39725	6.29	13	2506.0	39750	6.56	13
2593.0	40620	6.22	13	2593.0	40620	6.39	13
2682.5	41515	6.28	13	2680.0	41490	6.53	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1710.7	131979	6.95	13	1711.5	131987	6.60	13
1745.0	132322	6.45	13	1745.0	132322	6.44	13
1779.3	132665	7.27	13	1778.5	132657	6.87	13


LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1712.5	131997	6.76	13	1715.0	132022	6.64	13
1745.0	132322	6.52	13	1745.0	132322	6.51	13
1777.5	132647	6.72	13	1775.0	132622	6.66	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		64QAM	Limit			64QAM	Limit
1717.5	132047	6.72	13	1720.0	132072	6.62	13
1745.0	132322	6.34	13	1745.0	132322	6.28	13
1772.5	132597	6.54	13	1770.0	132572	6.57	13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band2_1.4MHz_64QAM_RB6_0_CH18607




Band2_3MHz_64QAM_RB15_0_CH18615




Band2_1.4MHz_64QAM_RB6_0_CH18900




Band2_3MHz_64QAM_RB15_0_CH18900



Band2_1.4MHz_64QAM_RB6_0_CH19193



Band2_3MHz_64QAM_RB15_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_5MHz_64QAM_RB25_0_CH18625




Band2_10MHz_64QAM_RB50_0_CH18650



Band2_5MHz_64QAM_RB25_0_CH18900



Band2_10MHz_64QAM_RB50_0_CH18900



Band2_5MHz_64QAM_RB25_0_CH19175



Band2_10MHz_64QAM_RB50_0_CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_64QAM_RB75_0_CH18675



Band2_20MHz_64QAM_RB100_0_CH18700




Band2_15MHz_64QAM_RB75_0_CH18900




Band2_20MHz_64QAM_RB100_0_CH18900



Band2_15MHz_64QAM_RB75_0_CH19125



Band2_20MHz_64QAM_RB100_0_CH19100




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_1.4MHz_64QAM_RB6_0_CH19957




Band4_3MHz_64QAM_RB15_0_CH19956




Band4_1.4MHz_64QAM_RB6_0_CH20175




Band4_3MHz_64QAM_RB15_0_CH20175



Band4_1.4MHz_64QAM_RB6_0_CH20393



Band4_3MHz_64QAM_RB15_0_CH20385




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_5MHz_64QAM_RB25_0_CH19975




Band4_10MHz_64QAM_RB50_0_CH20000




Band4_5MHz_64QAM_RB25_0_CH20175




Band4_10MHz_64QAM_RB50_0_CH20175



Band4_5MHz_64QAM_RB25_0_CH20375



Band4_10MHz_64QAM_RB50_0_CH20350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_15MHz_64QAM_RB75_0_CH20025




Band4_20MHz_64QAM_RB100_0_CH20050




Band4_15MHz_64QAM_RB75_0_CH20175




Band4_20MHz_64QAM_RB100_0_CH20175



Band4_15MHz_64QAM_RB75_0_CH20325



Band4_20MHz_64QAM_RB100_0_CH20300




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_1.4MHz_64QAM_RB6_0_CH20407




Band5_3MHz_64QAM_RB15_0_CH20415




Band5_1.4MHz_64QAM_RB6_0_CH20525




Band5_3MHz_64QAM_RB15_0_CH20525



Band5_1.4MHz_64QAM_RB6_0_CH20643



Band5_3MHz_64QAM_RB15_0_CH20635




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_5MHz_64QAM_RB25_0_CH20425




Band5_10MHz_64QAM_RB50_0_CH20450




Band5_5MHz_64QAM_RB25_0_CH20525




Band5_10MHz_64QAM_RB50_0_CH20525



Band5_5MHz_64QAM_RB25_0_CH20625



Band5_10MHz_64QAM_RB50_0_CH20600




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7_5MHz_64QAM_RB25_0_CH20775



Band7_10MHz_64QAM_RB50_0_CH20800




Band7_5MHz_64QAM_RB25_0_CH21100




Band7_10MHz_64QAM_RB50_0_CH21100



Band7_5MHz_64QAM_RB25_0_CH21425



Band7_10MHz_64QAM_RB50_0_CH21400




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band7_15MHz_64QAM_RB75_0_CH20825




Band7_20MHz_64QAM_RB100_0_CH20850




Band7_15MHz_64QAM_RB75_0_CH21100



Band7_20MHz_64QAM_RB100_0_CH21100



Band7_15MHz_64QAM_RB75_0_CH21375



Band7_20MHz_64QAM_RB100_0_CH21350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_1.4MHz_64QAM_RB6_0_CH23017




Band12_3MHz_64QAM_RB15_0_CH23025




Band12_1.4MHz_64QAM_RB6_0_CH23095




Band12_3MHz_64QAM_RB15_0_CH23095



Band12_1.4MHz_64QAM_RB6_0_CH23173



Band12_3MHz_64QAM_RB15_0_CH23165




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_5MHz_64QAM_RB25_0_CH23035




Band12_10MHz_64QAM_RB50_0_CH23060




Band12_5MHz_64QAM_RB25_0_CH23095




Band12_10MHz_64QAM_RB50_0_CH23095



Band12_5MHz_64QAM_RB25_0_CH23155



Band12_10MHz_64QAM_RB50_0_CH23130




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band13_5MHz_64QAM_RB25_0_CH23205




Band13_10MHz_64QAM_RB50_0_CH23230




Band13_5MHz_64QAM_RB25_0_CH23230




Band17_5MHz_64QAM_RB25_0_CH23755



Band13_5MHz_64QAM_RB25_0_CH23255



Band17_5MHz_64QAM_RB25_0_CH23790




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band17_5MHz_64QAM_RB25_0_CH23825




Band17_10MHz_64QAM_RB50_0_CH23800




Band17_10MHz_64QAM_RB50_0_CH23780




Band38_5MHz_64QAM_RB25_0_CH37775



Band17_10MHz_64QAM_RB50_0_CH23790



Band38_5MHz_64QAM_RB25_0_CH38000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38_5MHz_64QAM_RB25_0_CH38225




Band38_10MHz_64QAM_RB50_0_CH38200




Band38_10MHz_64QAM_RB50_0_CH37800




Band38_15MHz_64QAM_RB75_0_CH37825



Band38_10MHz_64QAM_RB50_0_CH38000



Band38_15MHz_64QAM_RB75_0_CH38000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38_15MHz_64QAM_RB75_0_CH38175




Band38_20MHz_64QAM_RB100_0_CH38150




Band38_20MHz_64QAM_RB100_0_CH37850




Band41_5MHz_64QAM_RB25_0_CH39675



Band38_20MHz_64QAM_RB100_0_CH38000



Band41_5MHz_64QAM_RB25_0_CH40620




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band41_5MHz_64QAM_RB25_0_CH41565



Band41_10MHz_64QAM_RB50_0_CH41540




Band41_10MHz_64QAM_RB50_0_CH39700




Band41_15MHz_64QAM_RB75_0_CH39725



Band41_10MHz_64QAM_RB50_0_CH40620



Band41_15MHz_64QAM_RB75_0_CH40620




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band41_15MHz_64QAM_RB75_0_CH41515




Band41_20MHz_64QAM_RB100_0_CH41490




Band41_20MHz_64QAM_RB100_0_CH39750




Band66_1.4MHz_64QAM_RB6_0_CH131979



Band41_20MHz_64QAM_RB100_0_CH40620



Band66_1.4MHz_64QAM_RB6_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_1.4MHz_64QAM_RB6_0_CH132665




Band66_3MHz_64QAM_RB15_0_CH132657




Band66_3MHz_64QAM_RB15_0_CH131987



Band66_5MHz_64QAM_RB25_0_CH131997



Band66_3MHz_64QAM_RB15_0_CH132322



Band66_5MHz_64QAM_RB25_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_5MHz_64QAM_RB25_0_CH132647




Band66_10MHz_64QAM_RB50_0_CH132622




Band66_10MHz_64QAM_RB50_0_CH132022




Band66_15MHz_64QAM_RB75_0_CH132047



Band66_10MHz_64QAM_RB50_0_CH132322



Band66_15MHz_64QAM_RB75_0_CH132322




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_15MHz_64QAM_RB75_0_CH132579



Band66_20MHz_64QAM_RB100_0_CH132572



Band66_20MHz_64QAM_RB100_0_CH132072



Band66_20MHz_64QAM_RB100_0_CH132322



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group