

Page: 1 of 386

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: SHARP Corporation Mobile Communication BU

2-13-1 lida Hachihonmatsu, Higashi-hiroshima city, Hiroshima,

739-0192, Japan

Manufacturer: Sharp Corporation

1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

Product Name: Smart Phone

Brand Name: SHARP

Report Number: TERF2404001035ER

FCC ID APYHRO00332

Date of EUT Received: April 18, 2024

Date of Test: April 18, 2024~May 13, 2024

Issue Date: May 24, 2024

Approved By

Blue Yang

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 386

Revision History					
Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2404001035ER	00	Original.	May 24, 2024	Karen Huang	

Note:

1 • The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 3 of 386

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULT	11
4	DESCRIPTION OF TEST MODES	12
5	MEASUREMENT UNCERTAINTY	16
6	MEASUREMENT EQUIPMENT USED	17
7	CONDUCTED EMISSION TEST	19
8	EMISSION BANDWIDTH MEASUREMENT	23
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	47
10	MAXIMUM POWER SPECTRAL DENSITY	65
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	107
12	TRANSMISSION IN THE ABSENCE OF DATA	385
12	ANTENNA DECLIDEMENT	206

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format This document is issued by the Company's subject to its General Conditions of Service prime developed, available of request of accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.sgs.com.tw

台灣檢驗科技股份有限公司



Page: 4 of 386

GENERAL INFORMATION

1.1 **Product Description**

Product Name:	Smart Phone
Brand Name:	SHARP
Hardware Version:	DVT
Firmware Version:	N/A
Power Supply:	3.89Vdc from Rechargeable Battery
Test Software (Name/Version)	Tera Term/4.106 & QRCT/4.0.95.1

1.2 **Modulation & Data Rate**

	64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11a,11n
	256QAM, 64QAM, 16QAM, QPSK, BPSK
	for OFDM in 802.11ac
Modulation type:	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM, QPSK,
	BPSK for OFDMA in 802.11ax
	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM, QPSK,
	BPSK for OFDMA in 802.11be
	802.11 a: 6 - 54 Mbps
	802.11 n_HT20: up to 144.4 Mbps
	802.11 n_HT40: up to 300 Mbps
	802.11 ac_VHT20: up to 173.4 Mbps
	802.11 ac_VHT40: up to 400 Mbps
	802.11 ac_VHT80: up to 866.6 Mbps
	802.11 ac_VHT160: up to 1733.4 Mbps
Transition Rate:	802.11 ax_HE20: up to 344.1 Mbps
	802.11 ax_HE40: up to 688.2 Mbps
	802.11 ax_HE80: up to 1441.2 Mbps
	802.11 ax_HE160: up to 2882.4 Mbps
	802.11 be_EHT20: up to 344.1 Mbps
	802.11 be_EHT40: up to 688.2 Mbps
	802.11 be_EHT80: up to 1441.2 Mbps
	802.11 be_EHT160: up to 2882.4 Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The defined treteril. Any folded to this document is advised tractification and the contractive treteril t prosecuted to the fullest extent of the law.



Page: 5 of 386

Antenna Designation

Antenna Type	Antenna Model No.	Freq. (MHz)	Peak Antenna Gain (dBi)
		5150~5250	-1.9
	ANT4	5250~5350	0.1
Inverted-F		5470~5725	0.1
		5725~5850	-1.3
Antenna	ANITO	5150~5250	-2.3
		5250~5350	-0.7
	ANT8	5470~5725	-0.7
		5725~5850	-1.9

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 386

1.4 **FCC**

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)	Modulation Technology
802.11a/	5180~5240	4	14.99 dBm	OFDMA
802.11n_HT20/ 802.11ac_VHT20/	5260~5320	4	14.99 dBm	OFDMA
802.11ac_VH120/ 802.11ax_HE20/	5500~5720	12	14.98 dBm	OFDMA
802.11be_EHT20	5745-5825	5	14.98 dBm	OFDMA
802.11n HT40	5190~5230	2	14.95 dBm	OFDMA
802.111ac_VHT40/	5270~5310	2	14.89 dBm	OFDMA
802.11ax_HE40/ 802.11be_EHT40	5510~5710	6	14.96 dBm	OFDMA
002.1156_E11140	5755-5795	2	14.94 dBm	OFDMA
	5210	1	14.96 dBm	OFDMA
802.11ac_VHT80/ 802.11ax_HE80/	5290	1	14.69 dBm	OFDMA
802.11be_EHT80	5530~5690	3	14.99 dBm	OFDMA
	5775	1	14.88 dBm	OFDMA
802.11ac_VHT160/ 802.11ax_HE160/ 802.11be_EHT160	5250	1	14.88 dBm	OFDMA
	5570	1	14.97 dBm	OFDMA

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 386

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407 FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01 FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

1.6 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
	No 124 Wu Kung Dood New Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New	Conducted 1	T\\/0027	
	Taipei City, Taiwan.	Conducted 2	TW0027	
	Taiper City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		TW3702
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No 2 Koji 1et Pd. Cujeban Dietriet	Conducted A		
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conducted B	TW0028	
	laoyuan City, Taiwan 555	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G]	

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 **Special Accessories**

There are no special accessories used while test was conducted.

1.8 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 386

SYSTEM TEST CONFIGURATION

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 **Conducted Emissions**

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 **Radiated Emissions**

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 9 of 386

Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:


The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 **Test Configuration**







2.6 Control Unit(s)

AC Power-Line Conducted Emission Test Site: Conduction 1					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T470	PF-0TGY30 17/07	N/A	N/A
Adapter	Lenovo	ADLX90NCC3A	N/A	N/A	N/A
	Conducted Emission Test Site: Conducted 1				
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T470	PF-0TGY30 17/07	N/A	N/A

Radiated Emission Test Site: SAC 3					
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.					
Notebook	HP	HSN-Q35C-4	5CD2428X45	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 386

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.407(e)	Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.205 §15.209 §15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.203	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 12 of 386

DESCRIPTION OF TEST MODES

4.1 **Operating Frequencies**

UNII-1 5150 MHz ~

20MHz		
СН	Freq.	
	(MHz)	
36	5180	
40	5200	
44	5220	
48	5240	

,	525UIVIHZ		
	40MHz		
	СН	Freq.	
		(MHz)	
	38	5190	
	46	5230	

80MHz		
СН	Freq. (MHz)	
42	5210	

5350MHz **UNII-2A 5250 MHz**

O1411 271 3230 WII		
20	OMHz	
СН	Freq.	
CIT	(MHz)	
52	5260	
56	5280	
60	5300	
64	5320	

. ~ 333UIVITZ		
	40	OMHz
	СН	Freq.
		(MHz)
	54	5270
	62	5310

80MHz		
СН	Freq. (MHz)	
58	5290	

160MHz		
СН	Freq.	
	(MHz)	
50	5250	

5725MU-**UNII-2C 5470 MHz**

20MHz	
СН	Freq.
OII	(MHz)
100	5500
104	5520
108	5540
112	5560
116	5580
120	5600
124	5620
128	5640
132	5660
136	5680
140	5700
144	5720

~ 5/25WHZ		
	40	OMHz
	СН	Freq.
	5	(MHz)
	102	5510
	110	5550
	118	5590
	126	5630
	134	5670
	142	5710

80MHz		
СН	Freq.	
	(MHz)	
106	5530	
122	5610	
138	5690	
·	•	

160MHz	
СН	Freq.
	(MHz)
114	5570

UNII-3 5725 MHz ~ 5850MHz

20MHz		
СН	Freq.	
	(MHz)	
149	5745	
153	5765	
157	5785	
161	5805	
165	5825	

JUJUNITIZ		
	40	OMHz
Ī	СН	Freq.
		(MHz)
	151	5755
	159	5795

	80MHz	
	OUIVITZ	
	СН	Freq.
		(MHz)
	155	5775

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 13 of 386

The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case. The given UE is pre-scanned among below modes.

Modulation Transm				nsmiss	smission Chain				Single Transmission Spatial		Multiple Transmission Spatial		
٧	802.11 a	٧	Ch0	٧	Ch1		Ch2		Ch3		1TX	٧	2TX
٧	802.11 n	٧	Ch0	٧	Ch1		Ch2		Ch3		1TX	٧	2TX
٧	802.11 ac	٧	Ch0	٧	Ch1		Ch2		Ch3		1TX	٧	2TX
٧	802.11 ax	٧	Ch0	٧	Ch1		Ch2		Ch3		1TX	٧	2TX
٧	802.11 be	٧	Ch0	٧	Ch1		Ch2		Ch3		1TX	٧	2TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	CONDUCTED TEST										
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA					
	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT					
	5180~5240	36 to 48	36,44,48								
	5260~5320	52 to 64	52,60,64		6	2TX					
802.11a	5500~5720	100 to 144	100,116,140,144	OFDM							
	5745~5825	149 to 165	149,157,165								
	5845~5885	169 to 177	169,173,177								

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 386

	-		COND	UCTED TEST			
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA
MODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	CONFIGURATION	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48		FULL RU		
	5260~5320	52 to 64	52,60,64		26/0,26/8		
802.11be_EHT20	5500~5720	100 to 144	100,116,140,144	OFDMA	52/37,52/40 106/53,106/54 52+26MRU1,MRU3 106+26MRU1,MRU2	MCS0	2TX
	5745~5825	149 to 165	149,157,165				
	5845~5885	169 to 177	169,173,177		100+20WRU1,WRU2		
	5190~5230	38 to 46	38,46				
	5270~5310	54 to 62	54,62				2TX
802.11be_EHT40	5510~5710	102 to 142	102,110,134,142	OFDMA	FULL RU 242/61,242/62	MCS0	
_	5755~5795	151 to 159	151,159				
	5835~5875	167 to 175	167,175	1			
	5210	42	42				
	5290	58	58	1	FULL RU		
802.11be_EHT80	5530~5690	106 to 138	106,122,138	OFDMA	484/65,484/66	MCS0	2TX
_	5775	155	155	1	484+242 MRU1,MRU4		
	5855	171	171	1			
	5250	50	50		FULL RU 996/67,996/S67 996+484 MRU1,MRU2		
802.11be_EHT160	5570	114	114	OFDMA	996+484 MRU3,MRU4 996+484+242 MRU1 996+484+242 MRU2	MCS0	2TX
	5815	163	163		996+484+242 MRU7 996+484+242 MRU8		
		TRAN	SMIT RADIATED E	MISSION TEST (B	ELOW 1 GHz)		
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)		ANTENNA PORT
	5180~5240	36 to 48	44		· · · ·		
000 44-	5260~5320	52 to 64	60	OFDM			OTV
802.11a	5500~5720	100 to 144	116	OFDM	6		2TX
	5745~5825	149 to 165	157				
			SMIT RADIATED E	MISSION TEST (A	·		
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	Ξ	ANTENNA PORT
	5180~5240	36 to 48	36,44,48		,		
900 11-	5260~5320	52 to 64	52,60,64	OEDM	e		o⊤∨
802.11a	5500~5720	100 to 144	100,116,140,144	OFDM	6		2TX
	5745~5825	149 to 165	149,157,165				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 15 of 386

		TRAN	SMIT RADIATED E	MISSION TEST (ABOVE 1 GHz)		
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA
WODL	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	CONFIGURATION	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48		FULL RU 26/0,26/8 52/37,52/40 106/53,106/54 52+26MRU1,MRU3		2TX
802.11be_EHT20	5260~5320	52 to 64	52,60,64	OFDMA		MCS0	
002.110C_E11120	5500~5720	100 to 144	100,116,140,144				
	5745~5825	149 to 165	149,157,165		106+26MRU1,MRU2		
	5190~5230	38 to 46	38,46				
802.11be EHT40	5270~5310	54 to 62	54,62	OFDMA	FULL RU	MCS0	2TX
002.11be_EH140	5510~5710	102 to 142	102,110,134,142	OFDINA	242/61,242/62	IVICSU	217
	5755~5795	151 to 159	151,159				
	5210	42	42		FULL RU 484/65,484/66 484+242 MRU1,MRU4	MCS0	2TX
802.11be EHT80	5290	58	58	OFDMA			
002.11be_L11100	5530~5690	106 to 138	106,122,138				
	5775	155	155		10 1 · 2 12 mi (0 1,1m (0 1		
	5250	50	50		FULL RU 996/67,996/S67 996+484 MRU1,MRU2		2TX
802.11be_EHT160	5570	114	114	OFDMA	996+484 MRU3,MRU4 996+484+242 MRU1,MRU2 996+484+242 MRU7,MRU8	MCS0	

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測試之緣品台書,同時此樣品僅保留仍天。木報告未經木公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 16 of 386

MEASUREMENT UNCERTAINTY

Test Items	Un	ncertainty		
AC Power Line Conducted Emission	+/-	1.54	dB	
Output Power measurement	+/-	0.97	dB	
Emission Bandwidth	+/-	1.38	Hz	
Conducted emission measurement	+/-	0.77	dB	
Peak Power Density	+/-	0.61	dB	
Temperature	+/-	0.6	°C	
Humidity	+/-	3	%	
DC / AC Power Source	+/-	1	%	

Radiated Spurious Emission Measurement Uncertainty							
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz			
Polarization. Vertical	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz			
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	2	dB	33GHz-50GHz			
	+/-	1.59	dB	50GHz-60GHz			
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz			
	+/-	1.64	dB	90GHz-140GHz			
	+/-	3.83	dB	140GHz-220GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 17 of 386

6 MEASUREMENT EQUIPMENT USED

6.1 Emission from AC power line

	AC Power-Line Conducted Emission Test Site: Conduction 1								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R				
LISN	SCHWARZBECK	SCHWARZBECK NSLK 8127		09/06/2023	09/05/2024				
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM- BM-3000	161207	06/22/2023	06/21/2024				
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	793	06/22/2023	06/21/2024				
EMI Test Receiver	R&S	ESCI 7	100759	08/21/2023	08/20/2024				

6.2 Condcuted Measurement

	Conducted Emission Test Site: Conducted 1									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071571	06/07/2023	06/06/2024					
Test Software	SGS	Radio Test Software	Ver. 21	N.C.R	N.C.R					
Power Meter	Anritsu	ML2496A	1242004	10/24/2023	10/23/2024					
Power Sensor	Anritsu	MA2411B	1207365	10/24/2023	10/23/2024					
Power Sensor	Anritsu	MA2411B	1207368	10/24/2023	10/23/2024					
DC Power Supply	Agilent	E3640A	KR93300208	09/12/2023	09/11/2024					
Attenuator	Mini-Circuits	BW-S10W2+	1	12/12/2023	12/11/2024					
DC Block	Mini-Circuits	BLK-18-S+	10	12/12/2023	12/11/2024					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 18 of 386

Radiated Measurement

		Radiated Emissic	on Test Site: SAC 3		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Loop Antenna	COM-POWER	AL-130R	10160104	12/04/2023	12/03/2024
Horn Antenna	RF SPIN	DRH0844	LE2D05A0844	07/03/2023	07/02/2024
Bi-log Antenna	SCHWARZBECK	VULB9168	378	08/09/2023	08/08/2024
Horn Antenna	SCHWARZBECK	BBHA9120D	1441	09/23/2023	09/22/2024
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY63440386	02/06/2024	02/05/2025
Test Software	Audix	e3	Ver. 9.210616	N.C.R	N.C.R
EMI Test Receiver	R&S	ESCI 7	100759	08/21/2023	08/20/2024
Pre-Amplifier	EMCI	EMC184045B	980135	08/31/2023	08/30/2024
Pre-Amplifier	HP	8447D	2944A07676	08/31/2023	08/30/2024
Pre-Amplifier	EMCI	EMC118A45SEE	980868	08/31/2023	08/30/2024
Attenuator	Mini-Circuits	BW-S10W2+	4	12/12/2023	12/11/2024
Band Reject Filter 5150-5350	Micro-Tronics	BRM50703	1	12/12/2023	12/11/2024
Band Reject Filter 5470-5725	Micro-Tronics	BRM50704	1	12/12/2023	12/11/2024
Band Reject Filter 5725-5875	Micro-Tronics	BRC500705-01	1	12/12/2023	12/11/2024
7G High Pass Filter	Titan	T04H700026000050 S01	23040703-37	12/12/2023	12/11/2024
Coaxial Cables	Huber Suhner	SUCOFLEX 102	RX Cable 18G-40G MY2630/2+805062/2	08/31/2023	08/30/2024
Coaxial Cables	EMCI+Huber Suhner	EMC107-SM-SM- 1000+EMC107-SM- SM-1500+EMC107- SM-SM- 8000+SUCOFLEX 104PEA	RX Cable 9K-18G (221110+221106+221 212+MY4251/4PEA)	08/31/2023	08/30/2024

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 386

CONDUCTED EMISSION TEST

7.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

	Limits					
Frequency range	(dBuV)					
MHz	Quasi-peak	Average				
0.15 to 0.50	66 to 56	56 to 46				
0.50 to 5	56	46				
5 to 30	60	50				


Note

- 1. The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

7.2 **EUT Setup:**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 **Test SET-UP**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 20 of 386

7.4 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,件報生结里僅對剛建之樣是各書,同時件樣是僅是200千。未報生主經未公司書面許可,不可架份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 21 of 386

AC POWER LINE CONDUCTED EMISSION TEST DATA


Report Number :TERF2404001035ER Test Site :Conduction 1

Operation Mode: WLAN5G Test Date: 2024-05-10

Power :120V/60Hz Temp./Humi. :23.0°C/50%

Probe :L Engineer :Eason Wang

Note: :



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.153	Average	6.16	10.13	16.29	55.82	-39.53
0.153	QP	33.38	10.13	43.51	65.82	-22.31
0.166	Average	5.37	10.13	15.50	55.16	-39.66
0.166	QP	31.64	10.13	41.77	65.16	-23.39
0.665	Peak	21.00	10.18	31.18	56.00	-24.82
1.698	Peak	24.65	10.19	34.84	56.00	-21.16
3.623	Peak	24.02	10.28	34.30	56.00	-21.70
7.290	Peak	18.10	10.36	28.46	60.00	-31.54
17.109	Peak	28.36	10.50	38.86	60.00	-21.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测导之緣具有害,同時所撰具備保留的子。木都生主领太八司事而鲜可,不可驾份海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 22 of 386

Report Number :TERF2404001035ER Test Site :Conduction 1

Operation Mode :WLAN5G Test Date :2024-05-10 Power :120V/60Hz Temp./Humi. :23.0°C/50%

Probe :N Engineer :Eason Wang

Note: :



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.156	Average	7.23	10.12	17.35	55.69	-38.34
0.156	QP	32.46	10.12	42.58	65.69	-23.11
0.171	Average	5.62	10.12	15.74	54.90	-39.16
0.171	QP	30.29	10.12	40.41	64.90	-24.49
1.388	Peak	24.22	10.19	34.41	56.00	-21.59
1.734	Peak	29.01	10.19	39.20	56.00	-16.80
3.623	Peak	25.00	10.29	35.29	56.00	-20.71
5.476	Peak	18.73	10.36	29.09	60.00	-30.91
17.475	Peak	29.24	10.55	39.79	60.00	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 23 of 386

EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3.

8.2 **Test Setup**



8.3 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - 3.a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto,

Detector = Peak,

Trace Mode = Max Hold.

Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.

- 3.b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz
 - a. Set the spectrum analyzer as

RBW = 100 kHz,

VBW = 3*RBW

Span = large enough to capture all products of the modulation process,

Detector=Peak.

Sweep=auto

- b. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 24 of 386

8.4 **Measurement Result**

8.4.1 **FCC Occupied Bandwidth**

802.11a Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	22.46	13.510
5220	22.72	13.560
5240	22.97	13.610
5260	22.77	13.570
5300	22.17	13.460
5320	23.02	13.620
5500	22.77	13.570
5580	22.79	13.580
5700	22.31	13.480
5720(U-NII 2C)	16.46	12.160
5720(U-NII 3)	6.46	8.100

802.11a_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.37	12.140
5785	16.38	12.140
5825	16.41	12.150

802.11a_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.63	< 5250
5745	5736.64	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 25 of 386

802.11a_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	23.11	13.640
5220	22.62	13.540
5240	22.63	13.550
5260	22.96	13.610
5300	22.09	13.440
5320	22.17	13.460
5500	22.76	13.570
5580	22.58	13.540
5700	22.90	13.600
5720(U-NII 2C)	16.48	12.170
5720(U-NII 3)	6.48	8.120

802.11a_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.37	12.140
5785	16.40	12.150
5825	16.48	12.170

802.11a_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.54	< 5250
5745	5736.54	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 26 of 386

802.11be_EHT20_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	22.79	13.580
5220	full	22.41	13.500
5240	full	22.64	13.550
5260	full	22.64	13.550
5300	full	22.81	13.580
5320	full	22.60	13.540
5500	full	21.73	13.370
5580	full	22.19	13.460
5700	full	22.48	13.520
5720 (U-NII 2C)	full	16.45	12.160
5720 (U-NII 3)	full	6.45	8.100

802.11be_EHT20_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	19.14	12.820
5785	full	18.94	12.770
5825	full	18.85	12.750

802.11be_EHT20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.58	< 5250
5745	5735.48	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 27 of 386

802.11be_EHT20_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	22.50	13.520
5220	full	22.19	13.460
5240	full	22.28	13.480
5260	full	22.80	13.580
5300	full	22.06	13.440
5320	full	22.53	13.530
5500	full	22.03	13.430
5580	full	22.02	13.430
5700	full	21.98	13.420
5720 (U-NII 2C)	full	16.34	12.130
5720 (U-NII 3)	full	6.34	8.020

802.11be_EHT20_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	18.85	12.750
5785	full	18.85	12.750
5825	full	18.99	12.790

802.11be_EHT20_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.52	< 5250
5745	5735.47	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 28 of 386

802.11be_EHT40_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	42.90	16.320
5230	full	43.47	16.380
5270	full	41.99	16.230
5310	full	42.88	16.320
5510	full	43.64	16.400
5550	full	43.37	16.370
5670	full	42.33	16.270
5710	full	37.05	15.690
(U-NII 2C)	iuli	37.03	15.090
5710 (U-NII 3)	full	7.05	8.480

802.11be_EHT40_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	37.76	15.770
5795	full	38.18	15.820

802.11be_EHT40_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5249.09	< 5250
5755	5736.06	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 29 of 386

802.11be_EHT40_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	43.28	16.360
5230	full	43.06	16.340
5270	full	43.50	16.380
5310	full	42.26	16.260
5510	full	43.39	16.370
5550	full	43.75	16.410
5670	full	42.92	16.330
5710 (U-NII 2C)	full	36.99	15.680
5710 (U-NII 3)	full	6.99	8.450

802.11be_EHT40_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	37.97	15.790
5795	full	38.11	15.810

802.11be_EHT40_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.96	< 5250
5755	5736.04	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 386

802.11be_EHT80_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5210	full	87.73	19.430
5290	full	87.15	19.400
5530	full	87.43	19.420
5610	full	87.20	19.410
5690 (U-NII 2C)	full	78.48	18.950
5690 (U-NII 3)	full	8.48	9.280

802.11be_EHT80_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	77.69	18.900

802.11be_EHT80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5249.19	< 5250
5775	5736.35	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 31 of 386

802.11be_EHT80_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5210	full	88.20	19.450
5290	full	87.39	19.410
5530	full	86.46	19.370
5610	full	86.55	19.370
5690	full	78.02	18.920
(U-NII 2C)	iuii	70.02	10.320
5690	full	8.02	9.040
(U-NII 3)	.311	0.02	3.310

802.11be_EHT80_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	78.00	18.920

802.11be_EHT80_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.94	< 5250
5775	5736.17	> 5725

802.11be_EHT160_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5250	full	173.20	22.390
5570	full	172.10	22.360

802.11be_EHT160_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5250	full	168.40	22.260
5570	full	170.70	22.320


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此對告結果僅對測試之樣品負責,同時此樣品僅保留90天。本對告末經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 33 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 34 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 35 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 36 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾设海剿。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 37 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅是紹內子。木報告表經木公司書面許可,不可寫份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 38 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 39 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 40 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 41 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 42 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅是紹內子。木報告表經木公司書面許可,不可寫份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 43 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 44 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 45 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅是紹內子。木報告表經木公司書面許可,不可寫份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 46 of 386





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

19.7 dBm

99.00 % -26.00 dB

.: 🖫 🖁 💢

Auto Man

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Local

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Ref Lvi Offset 10.30 dB

Total Power

% of OBW Power x dB

1 Graph

Scale/Div 10.0 dB

Occupied Bandwidth 156.61 MHz

4 5 C 1 ? Apr 25, 2024 9

Transmit Freq Error x dB Bandwith



Page: 47 of 386

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

9.1.1 **Duty Cycle**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 48 of 386

				e-CRF Title	47 §15.407	
Band		EUT CATEGORY	Conducted Output Power	EIRP	TPC	Antenna Directional Gain Requirements
		Fixed point-to-point	1 Watt(30dBm)	Not required	Not required	23dBi
U-NII-1		Outdoor AP	1 Watt(30dBm)	Elevation angle above 30 degrees 125mW (21dBm)	Not required	6dBi
O-IVII-1		Indoor AP	1 Watt(30dBm)	Not required	Not required	6dBi
	٧	Other	250mW(23.98dB m)	Not required	Not required	6dBi
U-NII-2A	V	Other	250mW(23.98dB m) or 11dBm+10 log B	Not required	When EIRP >500mW At least 6dB below EIRP 1W (30dBm)	6dBi
U-NII-2C	V	Other	250mW(23.98dB m) or 11dBm+10 log B	Not required	LIITI IVV (JOUDIII)	6dBi
	V	Other	1 Watt(30dBm)	Not required	Not required	6dBi
U-NII-3		Fixed point-to-point	1 Watt(30dBm)	Not required	Not required	Not required
				I		

36dBm

30dBm

36dBm

Not required

Not required

Not required

Indoor AP (a channel spans

5725~5850 and 5850~5895MHz)

indoor client (a channel spans

5725~5850 and 5850~5895MHz)

subordinate device

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

U-NII-4

Not required

Not required

Not required

Not required

Not required

Not required

^{1.} If transmitting antennas of directional gain greater than the antenna requirements column, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna.


^{2.} For the 10 log B, B is the 26 dB emission bandwidth.




Page: 49 of 386

9.2 **Test Setup**

9.2.1 **Duty Cycle**



9.2.2 **Output Power**



9.3 **Measurement Procedure**

9.3.1 **Duty Cycle Measurements**

- 1. Set span = Zero
- 2. RBW = 8MHz
- VBW = 8MHz,
- 4. Detector = Peak

9.3.2 **Output Power Measurements**

- 1 Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 50 of 386

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \quad Directional Gain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data:

NANT = the total number of antennas

 $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 51 of 386

Duty Cycle Measurement Result

Mode		Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
	802.11a	99.15	0.04	0.48	0.01
8	02.11n_20	99.63	0.02	0.19	0.01
8	02.11ac_20	99.66	0.01	0.19	0.01
8	02.11n_40	99.67	0.01	0.19	0.01
8	02.11ac_40	99.67	0.01	0.19	0.01
8	02.11ac_80	99.34	0.03	0.37	0.01
80	2.11ac_160	98.87	0.05	0.63	0.01
Mode	RU Config	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
	Full	99.63	0.02	0.19	0.01
900 11av 20	26 RU	95.61	0.19	0.22	1.00
802.11ax_20	52 RU	95.60	0.20	0.22	1.00
	106 RU	96.06	0.17	0.23	1.00
802.11ax_40	Full	99.70	0.01	0.19	0.01
002.11ax <u>4</u> 0	242 RU	94.76	0.23	0.41	1.00
802.11ax_80	Full	99.66	0.01	0.19	0.01
002.11ax_00	484 RU	94.45	0.25	0.79	1.00
802.11ax_160	Full	99.59	0.02	0.23	0.01
002.11ax_100	996 RU	94.43	0.25	1.23	2.00
	Full	99.66	0.01	0.19	0.01
	26 RU	95.61	0.19	0.22	1.00
802.11be_20	52 RU	95.60	0.20	0.22	1.00
002.11be_20	106 RU	96.10	0.17	0.23	1.00
	52+26 MRU	95.59	0.20	0.22	1.00
	106+26 MRU	96.83	0.14	0.23	1.00
802.11be_40	Full	99.67	0.01	0.19	0.01
002.1106_40	242 RU	94.76	0.23	0.41	1.00
	Full	99.66	0.01	0.19	0.01
802.11be_80	484 RU	94.60	0.24	0.79	1.00
	484+242 MRU	97.03	0.13	0.90	1.00
	Full	99.59	0.02	0.23	0.01
802.11be_160	996 RU	94.44	0.25	1.23	2.00
002.11b6_100	996+484 MRU	94.50	0.25	1.08	2.00
	996+484+242 MRU	99.67	0.01	0.18	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 52 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 53 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 54 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 55 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 56 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 57 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件報华结里做新聞过入樣具負責,同時件樣具做保留的干。大報华主經太公司書面許可,不可部份複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 58 of 386

9.5 Output Power Measurement Result

9.5.1 FCC Output power

802.11a_2TX

СН	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
СП	(MHz)	Rate	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	RESULI
36	5180	6	115	11.98	11.49	29.849	14.75	23.98	PASS
44	5220	6	115	11.61	12.22	31.139	14.93	23.98	PASS
48	5240	6	115	11.70	12.11	31.026	14.92	23.98	PASS
52	5260	6	115	12.03	11.73	30.832	14.89	23.98	PASS
60	5300	6	115	12.02	11.49	29.995	14.77	23.98	PASS
64	5320	6	115	12.20	11.12	29.518	14.70	23.98	PASS
100	5500	6	120	12.18	11.72	31.358	14.96	23.98	PASS
116	5580	6	115	12.15	11.77	31.416	14.97	23.98	PASS
140	5700	6	115	12.08	11.80	31.258	14.95	23.98	PASS
144	5720(U-NII 2C)	6	115	10.53	10.38	22.203	13.46	23.16	PASS
144	5720 (U-NII 3)	6	115	6.47	6.32	8.722	9.41	30	PASS
149	5745	6	115	11.85	12.08	31.433	14.97	30	PASS
157	5785	6	115	11.75	12.01	30.827	14.89	30	PASS
165	5825	6	115	11.85	12.08	31.433	14.97	30	PASS

802.11n_HT20_2TX

CII	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DECLUT
СН	(MHz)	Rate	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
36	5180	MCS0	115	11.93	11.49	29.662	14.72	23.98	PASS
44	5220	MCS0	115	11.57	12.23	31.038	14.92	23.98	PASS
48	5240	MCS0	115	11.69	12.10	30.947	14.91	23.98	PASS
52	5260	MCS0	115	11.96	11.75	30.638	14.86	23.98	PASS
60	5300	MCS0	115	12.01	11.53	30.082	14.78	23.98	PASS
64	5320	MCS0	115	12.18	11.13	29.465	14.69	23.98	PASS
100	5500	MCS0	115	11.86	11.24	28.625	14.57	23.98	PASS
116	5580	MCS0	115	12.09	11.82	31.358	14.96	23.98	PASS
140	5700	MCS0	115	12.08	11.80	31.251	14.95	23.98	PASS
144	5720(U-NII 2C)	MCS0	115	10.44	10.41	22.058	13.44	23.08	PASS
144	5720 (U-NII 3)	MCS0	115	6.45	6.22	8.608	9.35	30	PASS
149	5745	MCS0	115	11.83	12.07	31.319	14.96	30	PASS
157	5785	MCS0	115	11.69	12.03	30.688	14.87	30	PASS
165	5825	MCS0	115	11.84	12.04	31.243	14.95	30	PASS

802.11n_HT40_2TX

	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DE0.11 T
СН	(MHz)	Rate	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
38	5190	MCS0	110	11.75	11.49	29.084	14.64	23.98	PASS
46	5230	MCS0	110	11.68	12.05	30.786	14.88	23.98	PASS
54	5270	MCS0	110	12.14	11.52	30.589	14.86	23.98	PASS
62	5310	MCS0	110	12.02	11.48	30.013	14.77	23.98	PASS
102	5510	MCS0	110	12.06	11.40	29.903	14.76	23.98	PASS
110	5550	MCS0	110	11.95	11.77	30.730	14.88	23.98	PASS
134	5670	MCS0	110	12.08	11.75	31.137	14.93	23.98	PASS
142	5710(U-NII 2C)	MCS0	110	11.13	10.97	25.451	14.06	23.98	PASS
142	5710 (U-NII 3)	MCS0	110	4.12	3.64	4.895	6.90	30	PASS
151	5755	MCS0	110	11.77	11.96	30.766	14.88	30	PASS
159	5795	MCS0	110	11.62	12.15	30.958	14.91	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,此都生红用蓬封侧针之样具有害,同时此样具属是例如于。木都生土领木八司电面连直,不可塑心指侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. _| N</mark>o.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 59 of 386

രവാ	1120	VHT20	2TV

CII	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DECULT
СН	(MHz)	Rate	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
36	5180	MCS0	115	11.85	11.44	29.275	14.66	23.98	PASS
44	5220	MCS0	115	11.56	12.22	31.029	14.92	23.98	PASS
48	5240	MCS0	115	11.65	12.02	30.578	14.85	23.98	PASS
52	5260	MCS0	115	11.94	11.71	30.490	14.84	23.98	PASS
60	5300	MCS0	115	11.97	11.50	29.898	14.76	23.98	PASS
64	5320	MCS0	115	12.11	11.09	29.140	14.64	23.98	PASS
100	5500	MCS0	115	11.81	11.18	28.324	14.52	23.98	PASS
116	5580	MCS0	115	12.06	11.78	31.170	14.94	23.98	PASS
140	5700	MCS0	115	12.02	11.74	30.884	14.90	23.98	PASS
144	5720(U-NII 2C)	MCS0	115	10.40	10.36	21.825	13.39	23.08	PASS
144	5720 (U-NII 3)	MCS0	115	6.41	6.17	8.517	9.30	30	PASS
149	5745	MCS0	115	11.81	12.04	31.200	14.94	30	PASS
157	5785	MCS0	115	11.66	12.00	30.538	14.85	30	PASS
165	5825	MCS0	115	11.79	11.97	30.875	14.90	30	PASS

802.11ac_VHT40_2TX

СН	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
СП	(MHz)	Rate	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	RESULI
38	5190	MCS0	110	11.71	11.44	28.786	14.59	23.98	PASS
46	5230	MCS0	110	11.67	12.02	30.642	14.86	23.98	PASS
54	5270	MCS0	110	12.12	11.49	30.416	14.83	23.98	PASS
62	5310	MCS0	110	12.00	11.43	29.778	14.74	23.98	PASS
102	5510	MCS0	110	12.04	11.35	29.671	14.72	23.98	PASS
110	5550	MCS0	110	11.92	11.73	30.484	14.84	23.98	PASS
134	5670	MCS0	110	12.04	11.71	30.852	14.89	23.98	PASS
142	5710(U-NII 2C)	MCS0	110	11.11	10.93	25.277	14.03	23.98	PASS
142	5710 (U-NII 3)	MCS0	110	4.10	3.60	4.861	6.87	30	PASS
151	5755	MCS0	110	11.74	11.95	30.626	14.86	30	PASS
159	5795	MCS0	110	11.59	12.11	30.707	14.87	30	PASS

802.11ac_VHT80_2TX

011	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DECLU T
СН	(MHz)	Rate	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
42	5210	MCS0	110	11.91	11.62	30.036	14.78	23.98	PASS
58	5290	MCS0	110	11.84	11.25	28.603	14.56	23.98	PASS
106	5530	MCS0	115	12.07	11.56	30.420	14.83	23.98	PASS
122	5610	MCS0	110	11.96	11.55	29.984	14.77	23.98	PASS
138	5690(U-NII 2C)	MCS0	110	11.38	10.92	26.092	14.17	23.98	PASS
138	5690 (U-NII 3)	MCS0	110	2.43	2.04	3.351	5.25	30	PASS
155	5775	MCS0	110	11.52	11.85	29.493	14.70	30	PASS

802.11ac_VHT160_2TX	
---------------------	--

	Frequency	Data	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	
СН	(MHz)	Rate	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
50	5250	MCS0	110	11.61	11.54	28.740	14.58	23.98	PASS
114	5570	MCS0	110	11.78	11.73	29.955	14.76	23.98	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 60 of 386

ደበን	11av	HF 20	2TY

СН	Frequency	Data	RU config.	Power	Avg. POV	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
СП	(MHz)	Rate	RO comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	KESULI
		MCS0	full	115	12.03	11.55	30.221	14.80	23.98	PASS
36	5180	MCS0	26/0	1	0.87	1.85	2.756	4.40	23.98	PASS
30	3100	MCS0	52/37	2.5	4.87	3.29	5.197	7.16	23.98	PASS
		MCS0	106/53	5.5	7.59	6.84	10.583	10.25	23.98	PASS
44	5220	MCS0	full	115	11.59	12.24	31.143	14.93	23.98	PASS
48	5240	MCS0	full	115	11.65	12.17	31.075	14.92	23.98	PASS
52	5260	MCS0	full	115	12.06	11.84	31.317	14.96	23.98	PASS
60	5300	MCS0	full	115	12.03	11.57	30.286	14.81	23.98	PASS
		MCS0	full	115	12.21	11.28	30.035	14.78	23.98	PASS
C4	F200	MCS0	26/8	1.5	3.17	1.50	3.491	5.43	23.98	PASS
64	5320	MCS0	52/40	4.5	6.25	5.00	7.371	8.68	23.98	PASS
		MCS0	106/54	6.5	8.10	7.06	11.550	10.63	23.98	PASS
		MCS0	full	115	11.89	11.22	28.670	14.57	23.98	PASS
400	5500	MCS0	26/0	2.5	4.06	2.74	4.431	6.47	23.98	PASS
100	5500	MCS0	52/37	4.5	5.89	5.11	7.117	8.52	23.98	PASS
		MCS0	106/53	6.5	7.69	7.55	11.576	10.64	23.98	PASS
116	5580	MCS0	full	110	11.77	11.41	28.841	14.60	23.98	PASS
		MCS0	full	115	12.01	11.82	31.063	14.92	23.98	PASS
440	5700	MCS0	26/8	2	3.95	2.82	4.402	6.44	23.98	PASS
140	5700	MCS0	52/40	5	6.50	6.19	8.617	9.35	23.98	PASS
		MCS0	106/54	6.5	7.69	7.54	11.563	10.63	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	115	10.51	10.37	22.141	13.45	23.13	PASS
144	5720 (U-NII 3)	MCS0	full	115	6.44	6.26	8.635	9.36	30	PASS
	, ,	MCS0	full	110	11.56	11.63	28.851	14.60	30	PASS
440	57.45	MCS0	26/0	1	0.80	2.21	2.869	4.58	30	PASS
149	5745	MCS0	52/37	3.5	5.18	5.33	6.701	8.26	30	PASS
		MCS0	106/53	6	7.46	7.67	11.432	10.58	30	PASS
157	5785	MCS0	full	115	11.77	12.05	31.036	14.92	30	PASS
		MCS0	full	110	11.52	11.74	29.092	14.64	30	PASS
405		MCS0	26/8	1.5	3.51	2.68	4.102	6.13	30	PASS
165	5825	MCS0	52/40	3.5	5.21	4.97	6.453	8.10	30	PASS
		MCS0	106/54	6	7.67	7.39	11.343	10.55	30	PASS

802.11ax_HE40_2TX

СН	Frequency	Data	RU config.	Power	Avg. POV	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
CIT	(MHz)	Rate	Ko comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	KLJULI
38	5190	MCS0	full	115	11.89	11.86	30.820	14.89	23.98	PASS
30	5190	MCS0	242/61	6.5	8.09	7.78	12.450	10.95	23.98	PASS
46	5230	MCS0	full	110	11.44	11.82	29.158	14.65	23.98	PASS
54	5270	MCS0	full	110	12.06	11.37	29.799	14.74	23.98	PASS
62	5310	MCS0	full	110	11.93	11.28	29.044	14.63	23.98	PASS
02	3310	MCS0	242/62	7	8.04	7.76	12.349	10.92	23.98	PASS
102	5510	MCS0	full	110	11.85	11.22	28.574	14.56	23.98	PASS
102	3310	MCS0	242/61	6.5	7.79	7.41	11.530	10.62	23.98	PASS
110	5550	MCS0	full	110	11.81	11.60	28.574	14.72	23.98	PASS
134	5670	MCS0	full	110	11.98	11.72	30.657	14.87	23.98	PASS
134	3070	MCS0	242/62	6.5	7.71	7.64	11.720	10.69	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	110	11.12	10.78	24.902	13.96	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	110	3.91	3.55	4.724	6.74	30	PASS
151	5755	MCS0	full	110	11.63	11.91	30.100	14.79	30	PASS
101	0/00	MCS0	242/61	6.5	7.71	7.77	11.896	10.75	30	PASS
159	5795	MCS0	full	110	11.57	12.06	30.446	14.84	30	PASS
108	3183	MCS0	242/62	6.5	7.40	7.72	11.421	10.58	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 61 of 386

802.11ax_HE80_2TX

	Frequency	Data		Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	
СН	(MHz)	Rate	RU config.	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
42	5210	MCS0	full	110	12.02	11.77	30.988	14.91	23.98	PASS
42	5210	MCS0	484/65	6	8.02	7.24	11.630	10.66	23.98	PASS
58	5290	MCS0	full	110	11.89	11.30	28.974	14.62	23.98	PASS
50	5290	MCS0	484/66	7	8.13	7.63	12.290	10.90	23.98	PASS
106	5530	MCS0	full	115	12.08	11.63	30.732	14.88	23.98	PASS
100	5550	MCS0	484/65	7.5	8.60	7.03	12.285	10.89	23.98	PASS
122	5610	MCS0	full	110	12.11	11.72	31.149	14.93	23.98	PASS
122	3010	MCS0	484/66	6.5	8.04	7.79	12.374	10.93	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	110	11.60	11.25	27.786	14.44	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	110	1.94	1.37	2.932	4.67	30	PASS
		MCS0	full	110	11.65	11.99	30.468	14.84	30	PASS
155	5775	MCS0	484/65	6.5	7.77	8.08	12.405	10.94	30	PASS
		MCS0	484/66	6.5	7.59	7.70	11.624	10.65	30	PASS

802.11ax_HE160_2TX

СН	Frequency	Data	RU config.	Power	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
CII	(MHz)	Rate	KO comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	KLJULI
		MCS0	full	115	11.71	11.96	30.514	14.84	23.98	PASS
50	5250	MCS0	996/67	7	7.40	8.36	12.347	10.92	23.98	PASS
		MCS0	996/S67	6.5	7.82	7.77	12.034	10.80	23.98	PASS
		MCS0	full	115	11.84	11.99	31.073	14.92	23.98	PASS
114	5570	MCS0	996/67	6.5	7.61	7.69	11.640	10.66	23.98	PASS
		MCS0	996/S67	6.5	7.96	7.83	12.316	10.90	23.98	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 62 of 386

802.11be_EHT20_2TX

СН	Frequency	Data	RU config.	Power	Avg. POV	VER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESUL
СП	(MHz)	Rate	Ro comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	RESUL
		MCS0	full	115	12.06	11.58	30.491	14.84	23.98	PASS
		MCS0	26/0	1	0.93	1.89	2.787	4.45	23.98	PASS
36	5180	MCS0	52/37	2.5	4.92	3.33	5.252	7.20	23.98	PASS
30	5100	MCS0	106/53	5.5	7.63	6.86	10.654	10.28	23.98	PASS
		MCS0	52+26 MRU1	4.5	6.30	5.89	8.140	9.11	23.98	PASS
		MCS0	106+26 MRU1	6	7.89	7.26	11.473	10.60	23.98	PASS
44	5220	MCS0	full	115	11.65	12.27	31.522	14.99	23.98	PASS
48	5240	MCS0	full	115	11.71	12.18	31.379	14.97	23.98	PASS
52	5260	MCS0	full	115	12.09	11.85	31.526	14.99	23.98	PASS
60	5300	MCS0	full	115	12.11	11.62	30.811	14.89	23.98	PASS
		MCS0	full	115	12.26	11.29	30.319	14.82	23.98	PASS
		MCS0	26/8	1.5	3.23	1.52	3.527	5.47	23.98	PASS
64	5320	MCS0	52/40	4.5	6.29	5.06	7.454	8.72	23.98	PASS
64	5520	MCS0	106/54	6.5	8.15	7.13	11.703	10.68	23.98	PASS
		MCS0	52+26 MRU3	5.5	7.43	6.23	9.722	9.88	23.98	PASS
		MCS0	106+26 MRU2	6.5	8.14	7.13	11.680	10.67	23.98	PASS
		MCS0	full	115	11.93	11.25	28.963	14.62	23.98	PASS
		MCS0	26/0	2.5	4.11	2.76	4.469	6.50	23.98	PAS
400	5500	MCS0	52/37	4.5	5.95	5.15	7.201	8.57	23.98	PAS
100	5500	MCS0	106/53	7	8.06	7.63	12.199	10.86	23.98	PAS
		MCS0	52+26 MRU1	6.5	7.89	7.37	11.598	10.64	23.98	PAS
		MCS0	106+26 MRU1	7	8.02	7.63	12.133	10.84	23.98	PAS
116	5580	MCS0	full	115	12.15	11.78	31.507	14.98	23.98	PAS
		MCS0	full	115	12.06	11.83	31.345	14.96	23.98	PAS
		MCS0	26/8	2	3.97	2.86	4.432	6.47	23.98	PAS
440	5700	MCS0	52/40	5	6.56	6.25	8.737	9.41	23.98	PAS
140	5700	MCS0	106/54	6.5	7.73	7.58	11.665	10.67	23.98	PAS
		MCS0	52+26 MRU3	6	7.53	7.24	10.949	10.39	23.98	PAS
		MCS0	106+26 MRU2	6.5	7.72	7.64	11.723	10.69	23.98	PAS
144	5720(U-NII 2C)	MCS0	full	115	10.54	10.43	22.364	13.50	23.13	PAS
144	5720 (U-NII 3)	MCS0	full	115	6.47	6.32	8.721	9.41	30	PAS
	, ,	MCS0	full	115	11.90	12.02	31.445	14.98	30	PAS
		MCS0	26/0	1	0.83	2.27	2.900	4.62	30	PAS
4.40		MCS0	52/37	3.5	5.24	5.38	6.786	8.32	30	PAS
149	5745	MCS0	106/53	6	7.50	7.71	11.533	10.62	30	PAS
		MCS0	52+26 MRU1	5.5	7.27	7.19	10.559	10.24	30	PAS
		MCS0	106+26 MRU1	6	7.48	7.65	11.418	10.58	30	PAS
157	5785	MCS0	full	115	11.81	12.09	31.386	14.97	30	PAS
		MCS0	full	115	11.84	12.08	31.454	14.98	30	PAS
		MCS0	26/8	1.5	3.55	2.73	4.144	6.17	30	PAS
		MCS0	52/40	3.5	5.26	5.00	6.513	8.14	30	PAS
165	5825	MCS0	106/54	6	7.71	7.45	11.468	10.60	30	PAS
		MCS0	52+26 MRU3	5.5	7.27	6.99	10.324	10.14	30	PAS
	1	MCS0	106+26 MRU2	6.5	7.78	7.79	12.009	10.80	30	PAS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。未都些主權大同事而雖可,不可如以複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 63 of 386

802.11be_EHT40_2TX

СН	Frequency	Data	RU config.	Power	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
OII	(MHz)	Rate	No comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	KESOLI
38	5190	MCS0	full	115	11.97	11.91	31.295	14.95	23.98	PASS
30	5190	MCS0	242/61	6.5	8.14	7.81	12.567	10.99	23.98	PASS
46	5230	MCS0	full	110	11.68	12.09	30.935	14.90	23.98	PASS
54	5270	MCS0	full	110	12.19	11.53	30.812	14.89	23.98	PASS
62	E240	MCS0	full	110	12.10	11.43	30.148	14.79	23.98	PASS
02	5310	MCS0	242/62	7	8.08	7.82	12.491	10.97	23.98	PASS
102	5510	MCS0	full	110	12.06	11.45	30.063	14.78	23.98	PASS
102	3310	MCS0	242/61	6.5	7.82	7.45	11.622	10.65	23.98	PASS
110	5550	MCS0	full	110	12.00	11.76	30.063	14.90	23.98	PASS
124	5670	MCS0	full	110	12.09	11.80	31.348	14.96	23.98	PASS
134	3070	MCS0	242/62	6.5	7.76	7.68	11.842	10.73	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	110	11.27	10.94	25.813	14.12	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	110	4.06	3.71	4.897	6.90	30	PASS
151	E7EE	MCS0	full	110	11.78	12.04	31.093	14.93	30	PASS
101	5755	MCS0	242/61	6.5	7.79	7.81	12.062	10.81	30	PASS
159	5795	MCS0	full	110	11.66	12.17	31.168	14.94	30	PASS
109	3793	MCS0	242/62	6.5	7.46	7.75	11.538	10.62	30	PASS

802.11be_EHT80_2TX

СН	Frequency	Data	RU config.	Power	Avg. POV	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
CIT	(MHz)	Rate	No comig.	Setting	Ch0	Ch1	(mW)	(dBm)	(dBm)	RESOLI
		MCS0	full	110	12.10	11.79	31.353	14.96	23.98	PASS
42	5210	MCS0	484/65	6	8.08	7.27	11.763	10.71	23.98	PASS
		MCS0	484+242 MRU1	6.5	7.88	8.04	12.508	10.97	23.98	PASS
		MCS0	full	110	11.97	11.35	29.418	14.69	23.98	PASS
58	5290	MCS0	484/66	7	8.14	7.65	12.340	10.91	23.98	PASS
		MCS0	484+242 MRU4	6.5	8.14	7.49	12.129	10.84	23.98	PASS
		MCS0	full	115	12.14	11.69	31.160	14.94	23.98	PASS
106	5530	MCS0	484/65	7.5	8.63	7.05	12.368	10.92	23.98	PASS
		MCS0	484+242 MRU1	7	8.63	6.47	11.733	10.69	23.98	PASS
		MCS0	full	110	12.18	11.76	31.551	14.99	23.98	PASS
122	5610	MCS0	484/66	6.5	8.05	7.82	12.439	10.95	23.98	PASS
		MCS0	484+242 MRU4	6.5	8.02	7.73	12.271	10.89	23.98	PASS
138	5690	MCS0	full	110	11.62	11.28	27.946	14.46	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	110	1.96	1.40	2.949	4.70	30	PASS
		MCS0	full	110	11.68	12.05	30.790	14.88	30	PASS
		MCS0	484/65	6.5	7.81	8.10	12.499	10.97	30	PASS
155	5775	MCS0	484/66	6.5	7.62	7.74	11.727	10.69	30	PASS
		MCS0	484+242 MRU1	6.5	7.71	7.88	12.042	10.81	30	PASS
		MCS0	484+242 MRU4	6.5	7.70	7.95	12.128	10.84	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 64 of 386

802.11be_EHT160_2TX

011	Frequency	Data	DU 4	Power	Avg. POW	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DE0111 T
СН	(MHz)	Rate	RU config.	Setting	Ch0	Ch1	POWER (mW)	POWER (dBm)	LIMIT (dBm)	RESULT
		MCS0	full	115	11.75	12.00	30.796	14.88	23.98	PASS
		MCS0	996/67	7	7.47	8.40	12.499	10.97	23.98	PASS
		MCS0	996/S67	6.5	7.88	7.82	12.187	10.86	23.98	PASS
50	5250	MCS0	996+484 MRU1	6.5	7.59	7.89	11.881	10.75	23.98	PASS
		MCS0	996+484 MRU2	6.5	7.79	7.81	12.039	10.81	23.98	PASS
		MCS0	996+484+242 MRU1	6.5	7.47	7.88	11.734	10.69	23.98	PASS
		MCS0	996+484+242 MRU2	6.5	7.57	7.85	11.822	10.73	23.98	PASS
		MCS0	full	115	11.90	12.03	31.431	14.97	23.98	PASS
		MCS0	996/67	6.5	7.65	7.76	11.787	10.71	23.98	PASS
		MCS0	996/S67	6.5	8.04	7.87	12.487	10.96	23.98	PASS
114	5570	MCS0	996+484 MRU3	6.5	7.88	7.93	12.334	10.91	23.98	PASS
		MCS0	996+484 MRU4	6.5	7.80	7.83	12.081	10.82	23.98	PASS
		MCS0	996+484+242 MRU7	6.5	7.85	7.87	12.231	10.87	23.98	PASS
		MCS0	996+484+242 MRU8	6.5	7.84	7.88	12.231	10.87	23.98	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非见有论明,此据华结里倚影测述之缘是台香,同時件操品倚保留的形。木都华丰德木公司事而纯可,不可部份推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. No

台灣檢驗科技股份有限公司



Page: 65 of 386


10 MAXIMUM POWER SPECTRAL DENSITY

10.1 FCC Standard

Operation Bands	EU	JT CATEGORY	e-CRF Title 47 §15.407 Power Spectral Density	Antenna Directional Gain Requirements
		Outdoor Access Point (Master)	1. 17dBm/ MHz 2. EIRP<=125mW(21dBm) at any elevation angle > 30°	6dBi
U-NII-1		Indoor Access Point (Master)	17dBm / MHz	6dBi
		Fixed point-to-point Access Ponit	17dBm / MHz	23dBi
	٧	Client device	11dBm / MHz	6dBi
U-NII-2A	٧	All	11dBm / MHz	6dBi
U-NII-2C	V	All	11dBm / MHz	6dBi
U-NII-3	٧	All	30dBm / 500kHz	6dBi
		Indoor AP	20dBm / MHz e.i.r.p.	Not required
U-NII-4		indoor client	14dBm / MHz e.i.r.p.	Not required
0-1111-4		subordinate device	20dBm / MHz e.i.r.p.	Not required

If transmitting antennas of directional gain greater than the antenna requirements column, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna.

10.2 **Test Setup**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 66 of 386

10.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), Detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=300kHz, VBW=1MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

In addition, measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10 log (500 kHz/RBW) to the measured result.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. (1)Duty cycle ≥ 98%: Record the max. reading.(2)Duty cycle < 98%: Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 67 of 386

10.4 Measurement Result

		POWER DE	NSITY 802.11a MO	DE			
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd F	PSD(dBm/MHz)	Limit	Margin (dB)
5180	1.861	0.481	0.00	4.	24	11.00 dBm/MHz	-6.76
5220	-0.440	1.463	0.00	3.	63	11.00 dBm/MHz	-7.37
5240	0.157	0.940	0.00	3.	58	11.00 dBm/MHz	-7.42
5260	0.289	0.321	0.00	3.	32	11.00 dBm/MHz	-7.68
5300	0.441	-0.281	0.00	3.	11	11.00 dBm/MHz	-7.89
5320	0.581	-0.835	0.00	2.	94	11.00 dBm/MHz	-8.06
5500	0.831	0.595	0.00	3.	72	11.00 dBm/MHz	-7.28
5580	1.495	1.394	0.00	4.	46	11.00 dBm/MHz	-6.54
5700	1.113	1.765	0.00	4.	46	11.00 dBm/MHz	-6.54
5720 (U-NII 2C)	0.789	1.751	0.00	4.	31	11.00 dBm/MHz	-6.69
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-4.591	-3.747	0.00	2.22	1.08	30.00 dBm/500kHz	-28.92
5745	-3.788	-3.186	0.00	2.22	1.75	30.00 dBm/500kHz	-28.25
5785	-3.327	-3.435	0.00	2.22	1.85	30.00 dBm/500kHz	-28.15
5825	-3.654	-3.374	0.00	2.22	1.72	30.00 dBm/500kHz	-28.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有论时,此帮生结果做影响缺少拨品台香,同時此撰品做足效的形。 木都华丰硕木公司事而纯可,不可驾份海喇。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 68 of 386

			POWER DENSIT	Y 802.11be EHT20) MODE			
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)		SD(dBm/MHz)	Limit	Margin (dB)
	full	-1.591	0.089	0.00	2.	34	11.00 dBm/MHz	-8.66
F	26/0	-2.454	-0.257	0.19	1.5	98	11.00 dBm/MHz	-9.02
5400	52/37	-0.954	-1.803	0.20	1.5	85	11.00 dBm/MHz	-9.15
5180	106/53	-0.927	-1.226	0.17	2.	11	11.00 dBm/MHz	-8.89
F	52+26 MRU1	-1.523	-1.065	0.20	1.	92	11.00 dBm/MHz	-9.08
<u> </u>	106+26 MRU1	-1.656	-1.287	0.14	1.4	68	11.00 dBm/MHz	-9.32
5220	full	-0.547	1.138	0.00	3.	39	11.00 dBm/MHz	-7.61
5240	full	-0.080	0.609	0.00	3.:	29	11.00 dBm/MHz	-7.71
5260	full	0.040	-0.023	0.00	3.	02	11.00 dBm/MHz	-7.98
5300	full	0.325	-0.480	0.00	2.	95	11.00 dBm/MHz	-8.05
	full	0.349	-1.203	0.00	2.	65	11.00 dBm/MHz	-8.35
F	26/8	-0.790	-1.713	0.19	1.5	97	11.00 dBm/MHz	-9.03
5320	52/40	-0.369	-1.064	0.20	2.	51	11.00 dBm/MHz	-8.49
5320	106/54	0.328	-1.787	0.17	2.	58	11.00 dBm/MHz	-8.42
	52+26 MRU3	-0.921	-1.646	0.20	1.5	94	11.00 dBm/MHz	-9.06
	106+26 MRU2	-0.847	-2.706	0.14	1.4	47	11.00 dBm/MHz	-9.53
	full	0.424	-0.167	0.00	3.	15	11.00 dBm/MHz	-7.85
	26/0	-0.158	-0.572	0.19	2.	84	11.00 dBm/MHz	-8.16
5500	52/37	-0.652	-0.512	0.20	2.	63	11.00 dBm/MHz	-8.37
5500	106/53	-0.159	-1.569	0.17	2.	37	11.00 dBm/MHz	-8.63
	52+26 MRU1	-1.114	-0.200	0.20	2.		11.00 dBm/MHz	-8.42
	106+26 MRU1	-0.158	-1.791	0.14	2.:	25	11.00 dBm/MHz	-8.75
5580	full	0.902	0.904	0.00	3.		11.00 dBm/MHz	-7.09
	full	1.012	1.694	0.00	4.		11.00 dBm/MHz	-6.62
	26/8	0.385	1.025	0.19	3.	92	11.00 dBm/MHz	-7.08
5700	52/40	0.047	1.745	0.20	4.		11.00 dBm/MHz	-6.81
3700	106/54	0.806	0.404	0.17	3.	79	11.00 dBm/MHz	-7.21
L	52+26 MRU3	-0.567	0.932	0.20	3.		11.00 dBm/MHz	-7.54
	106+26 MRU2	-0.197	-1.137	0.14	2.	51	11.00 dBm/MHz	-8.49
5720 (U-NII 2C)	full	0.568	1.532	0.00	4.	09	11.00 dBm/MHz	-6.91
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	full	-4.778	-3.818	0.00	2.22	0.96	30.00 dBm/500kHz	-29.04
	full	-5.110	-4.168	0.00	2.22	0.62	30.00 dBm/500kHz	-29.38
Ī	26/0	-7.476	-3.795	0.19	2.22	0.16	30.00 dBm/500kHz	-29.84
5745	52/37	-5.843	-4.318	0.20	2.22	0.42	30.00 dBm/500kHz	-29.58
0/40	106/53	-4.635	-4.995	0.17	2.22	0.59	30.00 dBm/500kHz	-29.41
Ī	52+26 MRU1	-5.719	-4.641	0.20	2.22	0.28	30.00 dBm/500kHz	-29.72
	106+26 MRU1	-5.565	-5.825	0.14	2.22	-0.32	30.00 dBm/500kHz	-30.32
5785	full	-3.778	-3.764	0.00	2.22	1.46	30.00 dBm/500kHz	-28.54
	full	-4.743	-4.269	0.00	2.22	0.73	30.00 dBm/500kHz	-29.27
Γ	26/8	-4.940	-4.463	0.19	2.22	0.73	30.00 dBm/500kHz	-29.27
5825	52/40	-6.133	-4.334	0.20	2.22	0.29	30.00 dBm/500kHz	-29.71
3023	106/54	-6.702	-4.809	0.17	2.22	-0.25	30.00 dBm/500kHz	-30.25
	52+26 MRU3	-5.806	-4.253	0.20	2.22	0.47	30.00 dBm/500kHz	-29.53
	106+26 MRU2	-4.921	-5.819	0.14	2.22	0.02	30.00 dBm/500kHz	-29.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 69 of 386

			POWER DENSIT	Y 802.11be EHT40	MODE			
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd F	PSD(dBm/MHz)	Limit	Margir (dB)
5400	full	-0.632	-2.700	0.00	1.	47	11.00 dBm/MHz	-9.53
5190	242/61	-2.360	-3.677	0.23	0.	27	11.00 dBm/MHz	-10.73
5230	full	-3.034	-2.443	0.00	0.	28	11.00 dBm/MHz	-10.72
5270	full	-3.204	-3.409	0.00	-0	.29	11.00 dBm/MHz	-11.29
5240	full	-2.681	-3.913	0.00	-0	.24	11.00 dBm/MHz	-11.2
5310	242/62	-3.344	-4.549	0.23	-0	.66	11.00 dBm/MHz	-11.6
5510	full	-2.601	-2.317	0.00	0.	55	11.00 dBm/MHz	-10.4
5510	242/61	-3.658	-4.438	0.23	-0	.79	11.00 dBm/MHz	-11.79
5550	full	-2.679	-2.250	0.00	0.	55	11.00 dBm/MHz	-10.4
5670	full	-1.553	-2.328	0.00	1.	09	11.00 dBm/MHz	-9.91
3070	242/62	-2.664	-3.502	0.23	0.	18	11.00 dBm/MHz	-10.82
5710 (U-NII 2C)	full	-2.309	-2.211	0.00	0.	75	11.00 dBm/MHz	-10.2
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margi (dB)
5710 (U-NII 3)	full	-8.729	-7.590	0.00	2.22	-2.89	30.00 dBm/500kHz	-32.8
5755	full	-7.745	-6.798	0.00	2.22	-2.02	30.00 dBm/500kHz	-32.0
5755	242/61	-7.743	-8.640	0.23	2.22	-2.71	30.00 dBm/500kHz	-32.7
5795	full	-7.279	-7.291	0.00	2.22	-2.05	30.00 dBm/500kHz	-32.0
5795	242/62	-7.513	-8.270	0.23	2.22	-2.41	30.00 dBm/501kHz	-32.4
			POWER DENSII	Y 802.11be EHT80	MODE			
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Y 802.11be EHT80 Duty Factor (dB)		PSD(dBm/MHz)	Limit	_
	RU config.	meas PSD	Ch1 meas PSD	Duty Factor	Total Corr'd F	PSD(dBm/MHz)	Limit 11.00 dBm/MHz	(dB)
		meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd F	. ,		(dB)
(MHz)	full	meas PSD (dBm/MHz) -4.072	Ch1 meas PSD (dBm/MHz) -5.465	Duty Factor (dB)	Total Corr'd F	.70	11.00 dBm/MHz	-12.70 -13.57
(MHz)	full 484/65	meas PSD (dBm/MHz) -4.072 -4.953	Ch1 meas PSD (dBm/MHz) -5.465 -6.909	Duty Factor (dB) 0.00 0.24	Total Corr'd F -1 -2 -4	.70 .57	11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.55 -15.11
(MHz)	full 484/65 484+242 MRU1	meas PSD (dBm/MHz) -4.072 -4.953 -6.641	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962	Duty Factor (dB) 0.00 0.24 0.13	Total Corr'd F -1 -2 -4	.70 57 11	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.51 -15.11
(MHz) 5210	full 484/65 484+242 MRU1 full	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149	Duty Factor (dB) 0.00 0.24 0.13 0.00	-1 -2 -4 -2 -3	.70 .57 .11	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.7(-13.5) -15.1; -13.89 -14.7;
(MHz) 5210	full 484/65 484+242 MRU1 full 484/66	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24	-1 -2 -4 -2 -3 -5	.70 .57 .11 .89	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.5 -15.11 -13.89 -14.73 -16.30
(MHz) 5210	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -4 -2 -3 -5 -1	.70 .57 .11 .89 .72	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.55 -15.11 -13.89 -14.72 -16.30 -12.38
5210 5290	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -4 -2 -3 -5 -1 -3	.70 .57 .11 .89 .72 .30	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.57 -15.11 -13.89 -14.72 -16.30 -12.30 -14.30
5210 5290	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00	-1 -2 -4 -2 -3 -5 -1 -3 -4	70 57 11 89 72 30 38 38	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.51 -15.11 -13.89 -14.72 -16.30 -12.38 -14.38 -15.92
5210 5290	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -4 -2 -3 -5 -1 -3 -4 -1	70 57 11 89 72 30 38 38 38	11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.51 -15.11 -13.89 -14.72 -16.30 -12.38 -14.32 -14.32 -15.92 -12.48
5210 5290 5530	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00	Total Corr'd F -1 -2 -4 -2 -3 -5 -1 -3 -4 -1	70 57 11 89 72 30 38 38 38 92 49	11.00 dBm/MHz 11.00 dBm/MHz	-12.70 -13.51 -15.11 -13.89 -14.72 -16.30 -12.38 -14.30 -12.33 -15.92 -12.49 -13.54
5210 5290 5530	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -3 -4 -1 -2 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4	70 .57 .11 .89 .72 .30 .38 .38 .38 .92 .49 .54	11.00 dBm/MHz	-12.70 -13.51 -15.11 -13.89 -14.72 -16.30 -12.38 -14.30 -12.38 -14.30 -15.92 -12.49 -13.56 -15.31
5210 5290 5530 5610	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full 484/66	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -3 -4 -1 -2 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4 -4	70 57 11 89 72 30 38 38 38 92 49 54 31	11.00 dBm/MHz	Margi (dB) -12.7(-13.5) -15.1' -13.89 -14.72 -16.30 -12.38 -14.38 -15.92 -12.49 -13.54 -15.3' -12.4' Margi (dB)
(MHz) 5210 5290 5530 5610 5690 (U-NII 2C) Frequency	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full 484/66 484+242 MRU4 full	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338 -3.877 Ch0 meas PSD	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570 -5.036 Ch1 meas PSD	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13	-1 -2 -3 -4 -1 -2 -4 -1 -1 10log (500kHz/RBW)	70 57 11 89 72 30 38 38 38 92 49 54 31 41 Total Corr'd PSD	11.00 dBm/MHz	-12.7(-13.5; -15.11 -13.89 -14.72 -16.3(-12.38 -12.38 -15.92 -12.49 -13.54 -15.31 -12.44 Margi
5210 5290 5530 5610 5690 (U-NII 2C) Frequency (MHz)	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full 484/66 484+242 MRU4 full RU config.	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338 -3.877 Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570 -5.036 Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 Duty Factor (dB)	Total Corr'd F -1 -2 -4 -2 -3 -5 -1 -3 -4 -1 10log (500kHz/RBW) Factor(dB)	70 57 11 89 72 30 38 38 38 92 49 54 31 41 Total Corr'd PSD (dBm/500kHz)	11.00 dBm/MHz	-12.70 -13.55 -15.11 -13.89 -14.72 -16.30 -12.38 -14.38 -15.92 -12.49 -13.56 -12.49 Margi (dB)
5210 5290 5530 5610 5690 (U-NII 2C) Frequency (MHz)	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full RU config.	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338 -3.877 Ch0 meas PSD (dBm/300kHz) -11.576 -10.191	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570 -5.036 Ch1 meas PSD (dBm/300kHz) -10.421 -9.850	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 Duty Factor (dB) 0.00 0.00	Total Corr'd F -1 -2 -4 -2 -3 -5 -1 -3 -4 -1 10log (500kHz/RBW) Factor(dB) 2.22 2.22	70 57 11 89 72 30 38 38 38 92 49 54 31 41 Total Corr'd PSD (dBm/500kHz) -5.73 4.79	11.00 dBm/MHz	-12.7(-13.5) -15.11 -13.8(-14.7) -16.3(-12.3(-14.3) -15.9(-12.4(-13.5(-12.4(Margi (dB) -35.7(-34.
5210 5290 5530 5610 5690 (U-Nil 2C) Frequency (MHz) 5690 (U-Nil 3)	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full 484/66 484+242 MRU4 full RU config.	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338 -3.877 Ch0 meas PSD (dBm/300kHz) -11.576 -10.191 -10.780	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570 -5.036 Ch1 meas PSD (dBm/300kHz) -10.421 -9.850 -11.188	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 Duty Factor (dB) 0.00 0.00 0.00 0.00 0.24	Total Corr'd F -1 -2 -4 -2 -3 -5 -1 -1 -2 4 -1 10log (500kHz/RBW) Factor(dB) 2.22 2.22	70 57 11 89 72 30 38 38 38 92 49 54 31 41 Total Corr'd PSD (dBm/500kHz) -5.73 4.79 -5.51	11.00 dBm/MHz	-12.7(-13.5) -15.11 -13.8(-14.7) -16.3(-12.3(-14.3) -15.9(-12.4(-13.5(-12.4(Margi (dB) -35.7(-34.7(-35.5)
5210 5290 5530 5610 5690 (U-NII 2C) Frequency (MHz)	full 484/65 484+242 MRU1 full 484/66 484+242 MRU4 full 484/65 484+242 MRU1 full 484/66 484+242 MRU1 full RU config.	meas PSD (dBm/MHz) -4.072 -4.953 -6.641 -5.669 -6.623 -7.743 -4.100 -5.805 -6.873 -4.120 -5.552 -7.338 -3.877 Ch0 meas PSD (dBm/300kHz) -11.576 -10.191	Ch1 meas PSD (dBm/MHz) -5.465 -6.909 -7.962 -6.149 -7.346 -9.280 -4.705 -7.662 -9.697 -4.916 -6.046 -7.570 -5.036 Ch1 meas PSD (dBm/300kHz) -10.421 -9.850	Duty Factor (dB) 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 0.24 0.13 0.00 Duty Factor (dB) 0.00 0.00	Total Corr'd F -1 -2 -4 -2 -3 -5 -1 -3 -4 -1 10log (500kHz/RBW) Factor(dB) 2.22 2.22	70 57 11 89 72 30 38 38 38 92 49 54 31 41 Total Corr'd PSD (dBm/500kHz) -5.73 4.79	11.00 dBm/MHz	-12.7/ -13.5 -15.1 -13.8/ -14.7/ -16.3/ -12.3/ -14.3/ -15.9/ -12.4/ Marg (dB -35.7 -34.7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 70 of 386

POWER DENSITY 802.11be EHT160 MODE							
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Limit	Margin (dB)
5250	full	-7.374	-7.686	0.00	-4.52	11.00 dBm/MHz	-15.52
	996/67	-7.677	-9.086	0.25	-5.06	11.00 dBm/MHz	-16.06
	996/S67	-8.923	-9.110	0.25	-5.76	11.00 dBm/MHz	-16.76
	996+484 MRU1	-9.974	-11.048	0.25	-7.22	11.00 dBm/MHz	-18.22
	996+484 MRU2	-9.888	-10.933	0.25	-7.12	11.00 dBm/MHz	-18.12
	996+484+242 MRU1	-10.943	-11.946	0.00	-8.41	11.00 dBm/MHz	-19.41
	996+484+242 MRU2	-10.832	-12.082	0.00	-8.40	11.00 dBm/MHz	-19.40
	full	-6.760	-6.836	0.00	-3.79	11.00 dBm/MHz	-14.79
	996/67	-8.458	-9.066	0.25	-5.49	11.00 dBm/MHz	-16.49
	996/S67	-8.135	-8.678	0.25	-5.14	11.00 dBm/MHz	-16.14
5570	996+484 MRU3	-9.752	-10.599	0.25	-6.89	11.00 dBm/MHz	-17.89
	996+484 MRU4	-10.718	-10.647	0.25	-7.42	11.00 dBm/MHz	-18.42
	996+484+242 MRU7	-10.230	-11.294	0.00	-7.72	11.00 dBm/MHz	-18.72
	996+484+242 MRU8	-10.228	-11.473	0.00	-7.80	11.00 dBm/MHz	-18.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 71 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 72 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 73 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 74 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有說明,此報告結果僅對測計之樣品負責,同時此樣品僅保留的天。木類生未經太久司書而許可,不可無份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 75 of 386




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄有的证明,所谓生结里痛對测计之緣具有書,同時所撰具備保留的子。木都生主领太八司書而幹可,不可無的複劃。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 76 of 386



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非兄右诊证,此就生生属类别结子样品合善,同时此样品值是2000子。木都生土领木公司患而纯可,不可驾以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.