


APPENDIX B – TEST DATA OF RADIATED EMISSION


Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

**Radiated Emission Band Edge
 20M**




Radiated Emission Band Edge
 Channel No.:36
 Test Mode: 802.11a
 Polarization: V




Radiated Emission Band Edge
 Channel No.:36


Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11ax
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
 Channel No.:62
 Test Mode: 802.11ac
 Polarization: V




Radiated Emission Band Edge
 Channel No.:62
 Test Mode: 802.11ac
 Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
 Channel No.:134
 Test Mode: 802.11ac
 Polarization: V




Radiated Emission Band Edge
 Channel No.:134
 Test Mode: 802.11ac
 Polarization: H




Radiated Emission Band Edge
 Channel No.:151
 Test Mode: 802.11ac
 Polarization: V




Radiated Emission Band Edge
 Channel No.:151
 Test Mode: 802.11ac
 Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ax
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ax
Polarization: H


160M




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ac
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: V




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11ax
Polarization: H


20M




Radiated Emission Band Edge
 Channel No.:36
 Test Mode: 802.11be
 Polarization: V




Radiated Emission Band Edge
 Channel No.:36
 Test Mode: 802.11be
 Polarization: H




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11be
Polarization: V



Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11be
Polarization: H


40M




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
 Channel No.:102
 Test Mode: 802.11be
 Polarization: V




Radiated Emission Band Edge
 Channel No.:102
 Test Mode: 802.11be
 Polarization: H




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11be
Polarization: V



Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11be
Polarization: H


80M




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11be
Polarization: V



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11be
Polarization: H


160M




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11be
Polarization: V




Radiated Emission Band Edge
Channel No.:50
Test Mode: 802.11be
Polarization: H




Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11be
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11be
Polarization: H



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11be
Polarization: V



Radiated Emission Band Edge
Channel No.:114
Test Mode: 802.11be
Polarization: H

Radiated Emission

Sample Calculations

After comparison, the worst case attitude is EUT lay down

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(14.54 \text{ dB}\mu\text{V/m}) = (36.44 \text{ dB}\mu\text{V}) + (21.9 \text{ dB/m})$, the corresponding frequency is 46.5385 MHz.

For 802.11a is ANT4 For 802.11n(HT20/HT40) 、802.11ac (VHT20/VHT40/VHT80/VHT160)、802.11ax (HE20/HE40/HE80/HE160) is ANT MIMO

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.5385	14.54	-21.9	36.44	Vertical	40	25.46
74.911	20.71	-24.2	44.91	Vertical	40	19.29
115.36	20.47	-21.5	41.97	Vertical	43.5	23.03
173.2205	9.29	-22.9	32.19	Vertical	43.5	34.21
534.3515	11.58	-11.5	23.08	Vertical	46	34.42
905.813	16.3	-4.7	21	Vertical	46	29.7

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.917	9.65	-15.6	25.25	Vertical	40	30.35
80.9735	20.45	-23.7	44.15	Vertical	40	19.55
115.5055	19.02	-21.5	40.52	Vertical	43.5	24.48
173.56	8.38	-22.9	31.28	Vertical	43.5	35.12
501.8565	11.12	-12	23.12	Vertical	46	34.88
941.703	16.96	-4.2	21.16	Vertical	46	29.04

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.582	12.1	-12.8	24.9	Vertical	40	27.9
80.9735	20.69	-23.7	44.39	Vertical	40	19.31
115.0205	18.54	-21.5	40.04	Vertical	43.5	24.96
206.8795	7	-22.3	29.3	Vertical	43.5	36.5
500.1105	11.06	-12.1	23.16	Vertical	46	34.94
943.061	16.88	-4.2	21.08	Vertical	46	29.12

For 802.11ax(HE20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
30.582	11.76	-12.8	24.56	Vertical	40	28.24
81.022	21.15	-23.7	44.85	Vertical	40	18.85
115.5055	18.84	-21.5	40.34	Vertical	43.5	24.66
173.56	9.09	-22.9	31.99	Vertical	43.5	34.41
498.898	11.05	-12.1	23.15	Vertical	46	34.95
931.227	16.79	-4.3	21.09	Vertical	46	29.21

For 802.11aChannel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	14.4	-24.4	38.8	Vertical	40	25.6
81.022	21.28	-23.7	44.98	Vertical	40	18.72
115.554	18.66	-21.4	40.06	Vertical	43.5	24.84
173.754	9.3	-22.9	32.2	Vertical	43.5	34.2
522.1295	11.34	-11.7	23.04	Vertical	46	34.66
857.8465	15.52	-5.4	20.92	Vertical	46	30.48

For 802.11n(HT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	14.68	-24.4	39.08	Vertical	40	25.32
81.022	20.65	-23.7	44.35	Vertical	40	19.35
115.4085	17.58	-21.5	39.08	Vertical	43.5	25.92
173.9965	8.81	-22.8	31.61	Vertical	43.5	34.69
512.7205	11.12	-11.8	22.92	Vertical	46	34.88
938.7445	16.92	-4.2	21.12	Vertical	46	29.08

For 802.11ac(VHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.5755	13.17	-23.3	36.47	Vertical	40	26.83
80.9735	20.2	-23.7	43.9	Vertical	40	19.8
109.3945	18.15	-21.7	39.85	Vertical	43.5	25.35
174.0935	8.13	-22.8	30.93	Vertical	43.5	35.37
514.224	11.16	-11.8	22.96	Vertical	46	34.84
907.3165	16.51	-4.6	21.11	Vertical	46	29.49

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	14.47	-24.4	38.87	Vertical	40	25.53
80.9735	19.46	-23.7	43.16	Vertical	40	20.54
109.443	18.51	-21.7	40.21	Vertical	43.5	24.99
173.2205	9.12	-22.9	32.02	Vertical	43.5	34.38

505.4455	10.94	-12	22.94	Vertical	46	35.06
925.989	16.84	-4.4	21.24	Vertical	46	29.16

For 802.11aChannel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	14.68	-24.4	39.08	Vertical	40	25.32
80.9735	20	-23.7	43.7	Vertical	40	20
115.263	18.08	-21.5	39.58	Vertical	43.5	25.42
173.463	9.05	-22.9	31.95	Vertical	43.5	34.45
519.656	11.11	-11.8	22.91	Vertical	46	34.89
955.865	16.9	-4	20.9	Vertical	46	29.1

For 802.11n(HT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	13.83	-24.4	38.23	Vertical	40	26.17
81.0705	20.82	-23.7	44.52	Vertical	40	19.18
107.3575	18.99	-21.7	40.69	Vertical	43.5	24.51
173.366	8.37	-22.9	31.27	Vertical	43.5	35.13
514.2725	11.09	-11.8	22.89	Vertical	46	34.91
914.543	16.69	-4.5	21.19	Vertical	46	29.31

For 802.11ac(VHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.2175	14.4	-22.4	36.8	Vertical	40	25.6
81.022	20.48	-23.7	44.18	Vertical	40	19.52
115.7965	18.04	-21.4	39.44	Vertical	43.5	25.46
173.5115	8.85	-22.9	31.75	Vertical	43.5	34.65
500.838	11.09	-12.1	23.19	Vertical	46	34.91
926.0375	16.81	-4.4	21.21	Vertical	46	29.19

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.684	13.93	-22	35.93	Vertical	40	26.07
81.022	20.15	-23.7	43.85	Vertical	40	19.85
109.3945	16.84	-21.7	38.54	Vertical	43.5	26.66
173.2205	8.54	-22.9	31.44	Vertical	43.5	34.96
545.167	11.08	-11.3	22.38	Vertical	46	34.92
864.2	15.63	-5.3	20.93	Vertical	46	30.37

For 802.11n(HT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.7325	13.24	-22	35.24	Vertical	40	26.76
70.8855	18.03	-24.4	42.43	Vertical	40	21.97
111.4315	17.18	-21.6	38.78	Vertical	43.5	26.32
174.336	7.84	-22.8	30.64	Vertical	43.5	35.66
516.5035	10.93	-11.7	22.63	Vertical	46	35.07
920.848	16.71	-4.4	21.11	Vertical	46	29.29

For 802.11ac(VHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.587	14.05	-22	36.05	Vertical	40	25.95
81.022	19.91	-23.7	43.61	Vertical	40	20.09
107.406	18.06	-21.7	39.76	Vertical	43.5	25.44
201.9325	6.69	-22.6	29.29	Vertical	43.5	36.81
528.4345	11.15	-11.6	22.75	Vertical	46	34.85
957.5625	16.87	-4	20.87	Vertical	46	29.13

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.975	13.83	-22.2	36.03	Vertical	40	26.17
81.022	20.27	-23.7	43.97	Vertical	40	19.73
115.457	18.34	-21.5	39.84	Vertical	43.5	25.16
173.754	8.3	-22.9	31.2	Vertical	43.5	35.2
509.277	10.79	-11.9	22.69	Vertical	46	35.21
956.932	16.91	-4	20.91	Vertical	46	29.09

For 802.11n(HT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.7325	13.17	-22	35.17	Vertical	40	26.83
81.022	20.21	-23.7	43.91	Vertical	40	19.79
107.3575	17.94	-21.7	39.64	Vertical	43.5	25.56
173.754	8.16	-22.9	31.06	Vertical	43.5	35.34
506.755	10.91	-12	22.91	Vertical	46	35.09
931.5665	16.85	-4.3	21.15	Vertical	46	29.15

For 802.11ac(VHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.2175	14.27	-22.4	36.67	Vertical	40	25.73
81.0705	20.84	-23.7	44.54	Vertical	40	19.16
107.3575	17.87	-21.7	39.57	Vertical	43.5	25.63

173.2205	8.25	-22.9	31.15	Vertical	43.5	35.25
500.5955	10.9	-12.1	23	Vertical	46	35.1
903.0485	16.37	-4.7	21.07	Vertical	46	29.63

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.5385	13.44	-21.9	35.34	Vertical	40	26.56
81.022	20.43	-23.7	44.13	Vertical	40	19.57
109.346	17.69	-21.7	39.39	Vertical	43.5	25.81
173.4145	8.25	-22.9	31.15	Vertical	43.5	35.25
503.457	10.84	-12	22.84	Vertical	46	35.16
951.1605	16.94	-4.1	21.04	Vertical	46	29.06

For 802.11ac(VHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.721	8.09	-23.4	31.49	Vertical	40	31.91
81.119	18.57	-23.7	42.27	Vertical	40	21.43
115.5055	17.78	-21.5	39.28	Vertical	43.5	25.72
206.1035	7.04	-22.3	29.34	Vertical	43.5	36.46
492.9325	10.57	-12.3	22.87	Vertical	46	35.43
946.6015	16.92	-4.1	21.02	Vertical	46	29.08

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	12.14	-24.4	36.54	Vertical	40	27.86
81.022	20.03	-23.7	43.73	Vertical	40	19.97
107.309	17.25	-21.7	38.95	Vertical	43.5	26.25
204.794	7.22	-22.4	29.62	Vertical	43.5	36.28
509.859	10.71	-11.9	22.61	Vertical	46	35.29
916.968	16.63	-4.5	21.13	Vertical	46	29.37

For 802.11aChannel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	13.45	-24.4	37.85	Vertical	40	26.55
81.0705	20.15	-23.7	43.85	Vertical	40	19.85
107.406	18.52	-21.7	40.22	Vertical	43.5	24.98
174.1905	7.86	-22.8	30.66	Vertical	43.5	35.64
524.1665	11.04	-11.7	22.74	Vertical	46	34.96
904.3095	16.29	-4.7	20.99	Vertical	46	29.71

For 802.11n(HT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	13.2	-24.4	37.6	Vertical	40	26.8
83.1075	18.32	-23.5	41.82	Vertical	40	21.68
107.406	17.99	-21.7	39.69	Vertical	43.5	25.51
204.3575	7.24	-22.4	29.64	Vertical	43.5	36.26
547.5435	11.08	-11.2	22.28	Vertical	46	34.92
927.0075	16.91	-4.3	21.21	Vertical	46	29.09

For 802.11ac(VHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	14.14	-24.4	38.54	Vertical	40	25.86
74.911	17.78	-24.2	41.98	Vertical	40	22.22
115.3115	17.42	-21.5	38.92	Vertical	43.5	26.08
173.5115	8.11	-22.9	31.01	Vertical	43.5	35.39
506.3185	10.78	-12	22.78	Vertical	46	35.22
935.7375	16.94	-4.2	21.14	Vertical	46	29.06

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.679	11.16	-12.9	24.06	Vertical	40	28.84
81.0705	20.22	-23.7	43.92	Vertical	40	19.78
114.681	17.96	-21.5	39.46	Vertical	43.5	25.54
173.366	8.15	-22.9	31.05	Vertical	43.5	35.35
528.9195	11.16	-11.6	22.76	Vertical	46	34.84
950.5785	16.92	-4.1	21.02	Vertical	46	29.08

For 802.11aChannel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	11.45	-12.8	24.25	Vertical	40	28.55
83.0105	17.64	-23.5	41.14	Vertical	40	22.36
106.5815	17.2	-21.7	38.9	Vertical	43.5	26.3
174.53	7.53	-22.8	30.33	Vertical	43.5	35.97
528.871	11.11	-11.6	22.71	Vertical	46	34.89
941.994	16.96	-4.2	21.16	Vertical	46	29.04

For 802.11n(HT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.1	-12.6	24.7	Vertical	40	27.9
81.0705	20.12	-23.7	43.82	Vertical	40	19.88
115.5055	17.79	-21.5	39.29	Vertical	43.5	25.71

205.5215	6.83	-22.4	29.23	Vertical	43.5	36.67
548.271	11.06	-11.2	22.26	Vertical	46	34.94
898.1985	16.35	-4.8	21.15	Vertical	46	29.65

For 802.11ac(VHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	14.06	-24.4	38.46	Vertical	40	25.94
80.925	16.75	-23.7	40.45	Vertical	40	23.25
115.2145	17.49	-21.5	38.99	Vertical	43.5	26.01
174.821	7.37	-22.8	30.17	Vertical	43.5	36.13
512.575	10.96	-11.8	22.76	Vertical	46	35.04
903.4365	16.37	-4.7	21.07	Vertical	46	29.63

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	12.69	-24.4	37.09	Vertical	40	27.31
80.9735	17.57	-23.7	41.27	Vertical	40	22.43
105.369	17.26	-21.7	38.96	Vertical	43.5	26.24
202.9995	6.91	-22.5	29.41	Vertical	43.5	36.59
515.7275	10.88	-11.7	22.58	Vertical	46	35.12
951.0635	16.9	-4.1	21	Vertical	46	29.1

For 802.11aChannel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	12.8	-24.4	37.2	Vertical	40	27.2
74.911	17.81	-24.2	42.01	Vertical	40	22.19
107.3575	18.06	-21.7	39.76	Vertical	43.5	25.44
173.366	8.05	-22.9	30.95	Vertical	43.5	35.45
491.7685	10.21	-12.3	22.51	Vertical	46	35.79
944.322	16.88	-4.1	20.98	Vertical	46	29.12

For 802.11n(HT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	13.1	-24.4	37.5	Vertical	40	26.9
81.022	19.54	-23.7	43.24	Vertical	40	20.46
109.1035	16.54	-21.7	38.24	Vertical	43.5	26.96
175.5	6.78	-22.8	29.58	Vertical	43.5	36.72
515	10.92	-11.7	22.62	Vertical	46	35.08
956.059	16.95	-4	20.95	Vertical	46	29.05

For 802.11ac(VHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.231	9.3	-13.7	23	Vertical	40	30.7
81.022	19.69	-23.7	43.39	Vertical	40	20.31
115.4085	17.28	-21.5	38.78	Vertical	43.5	26.22
203.5815	6.9	-22.5	29.4	Vertical	43.5	36.6
515.582	10.8	-11.7	22.5	Vertical	46	35.2
932.1485	16.9	-4.3	21.2	Vertical	46	29.1

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	13.12	-24.4	37.52	Vertical	40	26.88
74.911	17.92	-24.2	42.12	Vertical	40	22.08
107.3575	17.39	-21.7	39.09	Vertical	43.5	26.11
208.092	6.52	-22.3	28.82	Vertical	43.5	36.98
535.3215	11.15	-11.4	22.55	Vertical	46	34.85
888.2075	16.12	-5	21.12	Vertical	46	29.88

For 802.11n(HT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.83	-12.7	24.53	Vertical	40	28.17
74.9595	18.67	-24.2	42.87	Vertical	40	21.33
115.166	17.09	-21.5	38.59	Vertical	43.5	26.41
202.3205	6.73	-22.5	29.23	Vertical	43.5	36.77
504.1845	10.62	-12	22.62	Vertical	46	35.38
829.474	15.05	-5.9	20.95	Vertical	46	30.95

For 802.11ac(VHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	13.33	-24.4	37.73	Vertical	40	26.67
81.022	19.92	-23.7	43.62	Vertical	40	20.08
107.212	16.82	-21.7	38.52	Vertical	43.5	26.68
173.5115	8.2	-22.9	31.1	Vertical	43.5	35.3
498.995	10.58	-12.1	22.68	Vertical	46	35.42
921.333	16.71	-4.4	21.11	Vertical	46	29.29

For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.8	-12.7	24.5	Vertical	40	28.2
74.9595	18.63	-24.2	42.83	Vertical	40	21.37

106.145	16.84	-21.7	38.54	Vertical	43.5	26.66
174.5785	7.62	-22.8	30.42	Vertical	43.5	35.88
508.986	10.69	-11.9	22.59	Vertical	46	35.31
917.9865	16.61	-4.4	21.01	Vertical	46	29.39

For 802.11n(HT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	12.99	-24.4	37.39	Vertical	40	27.01
83.1075	17.89	-23.5	41.39	Vertical	40	22.11
114.584	17.28	-21.5	38.78	Vertical	43.5	26.22
173.8995	8.23	-22.9	31.13	Vertical	43.5	35.27
513.9815	10.98	-11.8	22.78	Vertical	46	35.02
928.4625	16.84	-4.3	21.14	Vertical	46	29.16

For 802.11ac(VHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.2175	10.62	-22.4	33.02	Vertical	40	29.38
74.9595	18.67	-24.2	42.87	Vertical	40	21.33
115.4085	17.36	-21.5	38.86	Vertical	43.5	26.14
173.8995	8.01	-22.9	30.91	Vertical	43.5	35.49
513.9815	11.05	-11.8	22.85	Vertical	46	34.95
952.664	16.9	-4	20.9	Vertical	46	29.1

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	12.69	-24.4	37.09	Vertical	40	27.31
74.9595	18.53	-24.2	42.73	Vertical	40	21.47
114.5355	17.17	-21.5	38.67	Vertical	43.5	26.33
173.7055	8.33	-22.9	31.23	Vertical	43.5	35.17
516.649	10.81	-11.7	22.51	Vertical	46	35.19
940.636	17.01	-4.2	21.21	Vertical	46	28.99

For 802.11ac(VHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	11.47	-12.8	24.27	Vertical	40	28.53
81.0705	19.76	-23.7	43.46	Vertical	40	20.24
115.6025	16.49	-21.4	37.89	Vertical	43.5	27.01
173.657	8.33	-22.9	31.23	Vertical	43.5	35.17
539.1045	11.04	-11.4	22.44	Vertical	46	34.96
900.672	16.34	-4.7	21.04	Vertical	46	29.66

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	12.9	-24.4	37.3	Vertical	40	27.1
81.022	19.74	-23.7	43.44	Vertical	40	20.26
105.369	17.04	-21.7	38.74	Vertical	43.5	26.46
173.269	8.25	-22.9	31.15	Vertical	43.5	35.25
501.614	10.63	-12	22.63	Vertical	46	35.37
955.4285	16.97	-4	20.97	Vertical	46	29.04

For 802.11aChannel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.75	-12.7	24.45	Vertical	40	28.25
81.022	19.65	-23.7	43.35	Vertical	40	20.35
114.196	17.11	-21.5	38.61	Vertical	43.5	26.39
173.269	8.26	-22.9	31.16	Vertical	43.5	35.24
546.622	11.04	-11.2	22.24	Vertical	46	34.96
913.2335	16.62	-4.5	21.12	Vertical	46	29.38

For 802.11n(HT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	11.4	-12.8	24.2	Vertical	40	28.6
75.008	18.33	-24.2	42.53	Vertical	40	21.67
106.921	17.05	-21.7	38.75	Vertical	43.5	26.45
173.8995	8.16	-22.9	31.06	Vertical	43.5	35.34
530.6655	11.04	-11.6	22.64	Vertical	46	34.96
885.055	15.9	-5.1	21	Vertical	46	30.1

For 802.11ac(VHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.25	-12.6	24.85	Vertical	40	27.75
80.9735	18.39	-23.7	42.09	Vertical	40	21.61
107.3575	17.49	-21.7	39.19	Vertical	43.5	26.01
174.0935	8.18	-22.8	30.98	Vertical	43.5	35.32
512.866	10.88	-11.8	22.68	Vertical	46	35.12
952.7125	16.9	-4	20.9	Vertical	46	29.1

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.6305	11.05	-12.9	23.95	Vertical	40	28.95
80.9735	18.14	-23.7	41.84	Vertical	40	21.86

107.2605	16.29	-21.7	37.99	Vertical	43.5	27.21
173.4145	8.34	-22.9	31.24	Vertical	43.5	35.16
542.8875	11.07	-11.3	22.37	Vertical	46	34.93
715.3535	13.03	-8	21.03	Vertical	46	32.97

For 802.11aChannel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	11.64	-12.7	24.34	Vertical	40	28.36
81.022	19.23	-23.7	42.93	Vertical	40	20.77
115.2145	16.67	-21.5	38.17	Vertical	43.5	26.83
174.8695	7.32	-22.8	30.12	Vertical	43.5	36.18
495.5515	10.44	-12.2	22.64	Vertical	46	35.56
925.3585	16.82	-4.4	21.22	Vertical	46	29.18

For 802.11n(HT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.945	11.03	-22.8	33.83	Vertical	40	28.97
81.022	19.42	-23.7	43.12	Vertical	40	20.58
106.8725	16.44	-21.7	38.14	Vertical	43.5	27.06
174.821	7.42	-22.8	30.22	Vertical	43.5	36.08
499.8195	10.51	-12.1	22.61	Vertical	46	35.49
936.9985	16.96	-4.2	21.16	Vertical	46	29.04

For 802.11ac(VHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.661	13.42	-24.4	37.82	Vertical	40	26.58
81.119	18.17	-23.7	41.87	Vertical	40	21.83
105.3205	16.82	-21.7	38.52	Vertical	43.5	26.68
173.9965	8.15	-22.8	30.95	Vertical	43.5	35.35
555.837	10.83	-11.1	21.93	Vertical	46	35.17
938.9385	16.99	-4.2	21.19	Vertical	46	29.01

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.4115	11.94	-22.5	34.44	Vertical	40	28.06
80.9735	18.12	-23.7	41.82	Vertical	40	21.88
113.42	17.03	-21.5	38.53	Vertical	43.5	26.47
173.6085	8.26	-22.9	31.16	Vertical	43.5	35.24
507.337	10.7	-11.9	22.6	Vertical	46	35.3
912.9425	16.61	-4.5	21.11	Vertical	46	29.39

For 802.11aChannel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.5755	11.26	-23.3	34.56	Vertical	40	28.74
81.0705	19.63	-23.7	43.33	Vertical	40	20.37
113.42	16.91	-21.5	38.41	Vertical	43.5	26.59
173.463	8.29	-22.9	31.19	Vertical	43.5	35.21
524.5545	10.95	-11.7	22.65	Vertical	46	35.05
903	16.36	-4.7	21.06	Vertical	46	29.64

For 802.11n(HT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.8985	10.55	-15	25.55	Vertical	40	29.45
74.9595	18.33	-24.2	42.53	Vertical	40	21.67
107.3575	16.69	-21.7	38.39	Vertical	43.5	26.81
173.948	8.26	-22.8	31.06	Vertical	43.5	35.24
475.8605	9.02	-12.7	21.72	Vertical	46	36.98
944.419	16.94	-4.1	21.04	Vertical	46	29.06

For 802.11ac(VHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	10.79	-24.4	35.19	Vertical	40	29.21
83.0105	15.38	-23.5	38.88	Vertical	40	24.62
115.457	16.04	-21.5	37.54	Vertical	43.5	27.46
174.336	6.83	-22.8	29.63	Vertical	43.5	36.67
529.841	11	-11.6	22.6	Vertical	46	35
914.155	16.64	-4.5	21.14	Vertical	46	29.36

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.8985	10.43	-15	25.43	Vertical	40	29.57
81.0705	18.2	-23.7	41.9	Vertical	40	21.8
106.921	14.9	-21.7	36.6	Vertical	43.5	28.6
174.2875	5.92	-22.8	28.72	Vertical	43.5	37.58
552.345	10.85	-11.2	22.05	Vertical	46	35.15
888.741	16.13	-4.9	21.03	Vertical	46	29.87

For 802.11n(HT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.6125	10.65	-24.4	35.05	Vertical	40	29.35

81.022	17.62	-23.7	41.32	Vertical	40	22.38
107.3575	16.15	-21.7	37.85	Vertical	43.5	27.35
206.4915	5.21	-22.3	27.51	Vertical	43.5	38.29
544.6335	11.05	-11.3	22.35	Vertical	46	34.95
958.6295	16.87	-4	20.87	Vertical	46	29.13

For 802.11ac(VHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.169	12.11	-22.3	34.41	Vertical	40	27.89
81.022	18.71	-23.7	42.41	Vertical	40	21.29
109.7825	17.25	-21.6	38.85	Vertical	43.5	26.25
207.7525	6	-22.3	28.3	Vertical	43.5	37.5
512.09	10.8	-11.8	22.6	Vertical	46	35.2
952.567	16.9	-4	20.9	Vertical	46	29.1

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.363	11.64	-22.4	34.04	Vertical	40	28.36
80.9735	16.15	-23.7	39.85	Vertical	40	23.85
109.443	17.79	-21.7	39.49	Vertical	43.5	25.71
264.837	5.4	-19.6	25	Vertical	46	40.6
536.6795	11.12	-11.4	22.52	Vertical	46	34.88
959.9875	16.91	-4	20.91	Vertical	46	29.09

For 802.11n(HT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.139	11	-23	34	Vertical	40	29
74.9595	14.48	-24.2	38.68	Vertical	40	25.52
109.3945	17.46	-21.7	39.16	Vertical	43.5	26.04
260.181	6.22	-19.8	26.02	Vertical	46	39.78
526.7855	11.18	-11.6	22.78	Vertical	46	34.82
926.959	16.91	-4.3	21.21	Vertical	46	29.09

For 802.11ac(VHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.238	10.16	-15.2	25.36	Vertical	40	29.84
81.022	18.74	-23.7	42.44	Vertical	40	21.26
108.5215	16.95	-21.7	38.65	Vertical	43.5	26.55
174.045	7.16	-22.8	29.96	Vertical	43.5	36.34
520.238	11.04	-11.8	22.84	Vertical	46	34.96
902.709	16.43	-4.7	21.13	Vertical	46	29.57

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.753	10.51	-14.9	25.41	Vertical	40	29.49
81.701	14.92	-23.6	38.52	Vertical	40	25.08
108.376	17.03	-21.7	38.73	Vertical	43.5	26.47
206.54	5.46	-22.3	27.76	Vertical	43.5	38.04
520.2865	10.99	-11.8	22.79	Vertical	46	35.01
904.1155	16.33	-4.7	21.03	Vertical	46	29.67

For 802.11n(HT40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	10.64	-14.8	25.44	Vertical	40	29.36
81.022	18	-23.7	41.7	Vertical	40	22
109.443	16.14	-21.7	37.84	Vertical	43.5	27.36
174.0935	6.71	-22.8	29.51	Vertical	43.5	36.79
522.9055	10.91	-11.7	22.61	Vertical	46	35.09
889.5655	16.2	-4.9	21.1	Vertical	46	29.8

For 802.11ac(VHT40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.09	-12.6	24.69	Vertical	40	27.91
74.9595	14.04	-24.2	38.24	Vertical	40	25.96
107.309	17.2	-21.7	38.9	Vertical	43.5	26.3
208.868	4.2	-22.2	26.4	Vertical	43.5	39.3
483.2325	9.62	-12.5	22.12	Vertical	46	36.38
932.2455	16.92	-4.3	21.22	Vertical	46	29.08

For 802.11ax(HE40)Channel No.:134

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.9215	10.33	-13	23.33	Vertical	40	29.67
83.1075	16.04	-23.5	39.54	Vertical	40	23.96
108.5215	16.09	-21.7	37.79	Vertical	43.5	27.41
208.5285	4.25	-22.2	26.45	Vertical	43.5	39.25
511.2655	10.61	-11.9	22.51	Vertical	46	35.39
920.266	16.84	-4.4	21.24	Vertical	46	29.16

For 802.11ac(VHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
----------------	----------------	-----------	---------------	----------	----------------	-------------

30	12.23	-12.6	24.83	Vertical	40	27.77
81.4585	14.54	-23.7	38.24	Vertical	40	25.46
107.309	16.61	-21.7	38.31	Vertical	43.5	26.89
205.376	4.27	-22.4	26.67	Vertical	43.5	39.23
522.6145	10.92	-11.7	22.62	Vertical	46	35.08
922.109	16.65	-4.4	21.05	Vertical	46	29.35

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
49.3515	9.81	-23.8	33.61	Vertical	40	30.19
80.9735	16.85	-23.7	40.55	Vertical	40	23.15
115.748	16.02	-21.4	37.42	Vertical	43.5	27.48
174.9665	6.07	-22.8	28.87	Vertical	43.5	37.43
506.5125	10.49	-12	22.49	Vertical	46	35.51
908.432	16.56	-4.6	21.16	Vertical	46	29.44

For 802.11ac(VHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.1225	10.58	-14.6	25.18	Vertical	40	29.42
82.768	14.23	-23.5	37.73	Vertical	40	25.77
115.457	16.4	-21.5	37.9	Vertical	43.5	27.1
204.115	5.23	-22.4	27.63	Vertical	43.5	38.27
511.12	10.69	-11.9	22.59	Vertical	46	35.31
959.648	16.93	-4	20.93	Vertical	46	29.07

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	11.64	-12.7	24.34	Vertical	40	28.36
81.022	18.03	-23.7	41.73	Vertical	40	21.97
115.3115	15.96	-21.5	37.46	Vertical	43.5	27.54
175.597	4.87	-22.8	27.67	Vertical	43.5	38.63
513.0115	10.82	-11.8	22.62	Vertical	46	35.18
926.9105	16.91	-4.4	21.31	Vertical	46	29.09

For 802.11ac(VHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.0255	10.6	-14.6	25.2	Vertical	40	29.4
82.2345	14.98	-23.6	38.58	Vertical	40	25.02
114.3415	15.61	-21.5	37.11	Vertical	43.5	27.89
209.838	5.61	-22.2	27.81	Vertical	43.5	37.89
494.8725	10.17	-12.2	22.37	Vertical	46	35.83

914.834	16.72	-4.5	21.22	Vertical	46	29.28
---------	-------	------	-------	----------	----	-------

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.1225	10.6	-14.6	25.2	Vertical	40	29.4
80.44	13.97	-23.8	37.77	Vertical	40	26.03
109.443	16.38	-21.7	38.08	Vertical	43.5	27.12
174.821	5.25	-22.8	28.05	Vertical	43.5	38.25
492.981	10.01	-12.3	22.31	Vertical	46	35.99
948.2505	17.12	-4.1	21.22	Vertical	46	28.88

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.77	-12.7	24.47	Vertical	40	28.23
81.1675	15.27	-23.7	38.97	Vertical	40	24.73
109.443	17.47	-21.7	39.17	Vertical	43.5	26.03
174.5785	6.41	-22.8	29.21	Vertical	43.5	37.09
496.0365	10.29	-12.2	22.49	Vertical	46	35.71
917.1135	16.59	-4.5	21.09	Vertical	46	29.41

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.22	-12.6	24.82	Vertical	40	27.78
81.701	14.66	-23.6	38.26	Vertical	40	25.34
115.651	16.07	-21.4	37.47	Vertical	43.5	27.43
173.5115	5.2	-22.9	28.1	Vertical	43.5	38.3
544.197	11.07	-11.3	22.37	Vertical	46	34.93
926.183	16.87	-4.4	21.27	Vertical	46	29.13

For 802.11ac(VHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.9265	12.18	-22.2	34.38	Vertical	40	27.82
81.022	18.74	-23.7	42.44	Vertical	40	21.26
115.8935	17.04	-21.4	38.44	Vertical	43.5	26.46
174.0935	7.35	-22.8	30.15	Vertical	43.5	36.15
525.1365	11.12	-11.7	22.82	Vertical	46	34.88
914.543	16.7	-4.5	21.2	Vertical	46	29.3

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
33.492	10.33	-14.3	24.63	Vertical	40	29.67
83.1075	14.61	-23.5	38.11	Vertical	40	25.39
115.9905	16.06	-21.4	37.46	Vertical	43.5	27.44
174.724	6.29	-22.8	29.09	Vertical	43.5	37.21
523.4875	10.96	-11.7	22.66	Vertical	46	35.04
950.918	17.05	-4.1	21.15	Vertical	46	28.95

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	10.67	-14.8	25.47	Vertical	40	29.33
81.313	15.12	-23.7	38.82	Vertical	40	24.88
109.249	15.96	-21.7	37.66	Vertical	43.5	27.54
173.269	5.08	-22.9	27.98	Vertical	43.5	38.42
543.3725	11.15	-11.3	22.45	Vertical	46	34.85
932.5365	16.94	-4.3	21.24	Vertical	46	29.06

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.25	-12.6	24.85	Vertical	40	27.75
81.3615	15.03	-23.7	38.73	Vertical	40	24.97
109.0065	16.03	-21.7	37.73	Vertical	43.5	27.47
173.754	5.28	-22.9	28.18	Vertical	43.5	38.22
516.0185	10.78	-11.7	22.48	Vertical	46	35.22
926.4255	16.95	-4.4	21.35	Vertical	46	29.05

For 802.11ac(VHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.3145	9.88	-22.4	32.28	Vertical	40	30.12
83.0105	16.02	-23.5	39.52	Vertical	40	23.98
109.2975	16.07	-21.7	37.77	Vertical	43.5	27.44
173.463	5.18	-22.9	28.08	Vertical	43.5	38.32
518.007	10.8	-11.8	22.6	Vertical	46	35.2
922.012	16.7	-4.4	21.1	Vertical	46	29.3

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.27	-12.6	24.87	Vertical	40	27.73
81.2645	15.09	-23.7	38.79	Vertical	40	24.91
114.584	15.96	-21.5	37.46	Vertical	43.5	27.54
175.403	5.52	-22.8	28.32	Vertical	43.5	37.98

533.1875	11.14	-11.5	22.64	Vertical	46	34.86
931.906	16.9	-4.3	21.2	Vertical	46	29.1

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.268	10.63	-14.7	25.33	Vertical	40	29.37
80.7795	14.42	-23.7	38.12	Vertical	40	25.58
107.309	16.56	-21.7	38.26	Vertical	43.5	26.94
173.463	7.14	-22.9	30.04	Vertical	43.5	36.36
510.8775	10.6	-11.9	22.5	Vertical	46	35.4
944.322	16.98	-4.1	21.08	Vertical	46	29.02

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.298	10.13	-14.2	24.33	Vertical	40	29.87
83.0105	16	-23.5	39.5	Vertical	40	24
111.4315	16.22	-21.6	37.82	Vertical	43.5	27.28
176.0335	5.21	-22.8	28.01	Vertical	43.5	38.29
505.2515	10.49	-12	22.49	Vertical	46	35.51
938.4535	16.89	-4.2	21.09	Vertical	46	29.11

For 802.11ac(VHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.24	-12.6	24.84	Vertical	40	27.76
80.9735	17.58	-23.7	41.28	Vertical	40	22.42
115.2145	16.06	-21.5	37.56	Vertical	43.5	27.44
174.7725	5.3	-22.8	28.1	Vertical	43.5	38.2
556.71	10.71	-11.1	21.81	Vertical	46	35.29
931.4695	16.94	-4.3	21.24	Vertical	46	29.06

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.5755	11.86	-23.3	35.16	Vertical	40	28.14
80.9735	16.96	-23.7	40.66	Vertical	40	23.04
109.4915	15.82	-21.7	37.52	Vertical	43.5	27.68
174.142	5.4	-22.8	28.2	Vertical	43.5	38.1
543.2755	11.14	-11.3	22.44	Vertical	46	34.86
941.0725	16.99	-4.2	21.19	Vertical	46	29.01

For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
30	12.25	-12.6	24.85	Vertical	40	27.75
80.925	15.33	-23.7	39.03	Vertical	40	24.67
107.212	15.73	-21.7	37.43	Vertical	43.5	27.77
176.2275	4.63	-22.8	27.43	Vertical	43.5	38.87
496.473	10.23	-12.2	22.43	Vertical	46	35.77
945.001	16.89	-4.1	20.99	Vertical	46	29.11

For 802.11ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.781	11.32	-22.1	33.42	Vertical	40	28.68
80.925	15.21	-23.7	38.91	Vertical	40	24.79
107.2605	16.05	-21.7	37.75	Vertical	43.5	27.45
204.5515	5.37	-22.4	27.77	Vertical	43.5	38.13
540.0745	11.14	-11.4	22.54	Vertical	46	34.86
926.3285	16.92	-4.4	21.32	Vertical	46	29.08

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.08	-12.6	24.68	Vertical	40	27.92
81.0705	17.94	-23.7	41.64	Vertical	40	22.06
109.249	15.87	-21.7	37.57	Vertical	43.5	27.63
175.112	5.24	-22.8	28.04	Vertical	43.5	38.26
527.416	11.07	-11.6	22.67	Vertical	46	34.93
949.7055	17.08	-4.1	21.18	Vertical	46	28.92

For 802.11n(HT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.38	-12.6	24.98	Vertical	40	27.62
80.9735	17.7	-23.7	41.4	Vertical	40	22.3
113.3715	19.11	-21.5	40.61	Vertical	43.5	24.39
206.831	10.19	-22.3	32.49	Vertical	43.5	33.31
524.2635	11.31	-11.7	23.01	Vertical	46	34.69
907.462	16.58	-4.6	21.18	Vertical	46	29.42

For 802.11ac(VHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.88	11.13	-14.5	25.63	Vertical	40	28.87
81.022	19.67	-23.7	43.37	Vertical	40	20.33
111.383	19.86	-21.6	41.46	Vertical	43.5	23.64
215.464	10.69	-21.9	32.59	Vertical	43.5	32.81

508.792	10.67	-11.9	22.57	Vertical	46	35.33
849.65	15.44	-5.6	21.04	Vertical	46	30.56

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.268	11.29	-14.7	25.99	Vertical	40	28.71
81.022	19.47	-23.7	43.17	Vertical	40	20.53
111.383	20.1	-21.6	41.7	Vertical	43.5	23.4
232.439	13.58	-21	34.58	Vertical	46	32.42
525.379	11.45	-11.7	23.15	Vertical	46	34.55
942.867	17.04	-4.2	21.24	Vertical	46	28.96

For 802.11ac(VHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.686	11.09	-14.4	25.49	Vertical	40	28.91
80.9735	18.58	-23.7	42.28	Vertical	40	21.42
111.4315	20.23	-21.6	41.83	Vertical	43.5	23.27
233.0695	14.33	-21	35.33	Vertical	46	31.67
517.3765	10.94	-11.8	22.74	Vertical	46	35.06
929.772	16.87	-4.3	21.17	Vertical	46	29.13

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
36.305	8.54	-15.7	24.24	Vertical	40	29.31
80.537	15.81	-23.8	39.61	Vertical	40	31.99
115.4085	18.24	-21.5	39.74	Vertical	43.5	33.42
233.021	14.27	-21	35.27	Vertical	46	29.43
498.5585	10.52	-12.1	22.62	Vertical	46	31.97
924.34	16.79	-4.4	21.19	Vertical	46	24.53

For 802.11ac(VHT160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.85	-12.7	24.55	Vertical	40	28.15
80.9735	18.15	-23.7	41.85	Vertical	40	21.85
111.383	19.68	-21.6	41.28	Vertical	43.5	23.82
234.67	13.61	-20.9	34.51	Vertical	46	32.39
500.0135	10.64	-12.1	22.74	Vertical	46	35.36
927.056	16.95	-4.3	21.25	Vertical	46	29.05

For 802.11ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
30	12.36	-12.6	24.96	Vertical	40	27.64
81.022	18.98	-23.7	42.68	Vertical	40	21.02
111.4315	20.36	-21.6	41.96	Vertical	43.5	23.14
235.834	12.88	-20.9	33.78	Vertical	46	33.12
522.5175	11.1	-11.7	22.8	Vertical	46	34.9
951.0635	17.02	-4.1	21.12	Vertical	46	28.98


For 802.11ac(VHT160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.7275	10.86	-12.9	23.76	Vertical	40	29.14
81.022	19.44	-23.7	43.14	Vertical	40	20.56
111.48	20.61	-21.6	42.21	Vertical	43.5	22.89
231.3235	14.13	-21.1	35.23	Vertical	46	31.87
543.2755	11.19	-11.3	22.49	Vertical	46	34.81
888.644	16.2	-5	21.2	Vertical	46	29.8

For 802.11ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	12.03	-12.6	24.63	Vertical	40	27.97
81.022	19.12	-23.7	42.82	Vertical	40	20.88
113.42	18.96	-21.5	40.46	Vertical	43.5	24.54
231.081	14.14	-21.1	35.24	Vertical	46	31.86
515	10.95	-11.7	22.65	Vertical	46	35.05
923.467	16.68	-4.4	21.08	Vertical	46	29.32

Full Spectrum




Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5220
Channel No.44

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5230
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)