



Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5825
Channel No.:165

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5755
Channel No.:151

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5795
Channel No.:159

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5775
Channel No.:155

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5250
Channel No.:50

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)


Carrier frequency (MHz): 5570
Channel No.:114

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ac(VHT160)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)

Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 1602.11ax(HE160)


AC Power line Conducted Emission

A “reference path loss” Corr.(dB) is established and the $L_{cable}+ATT+VDF$ is the attenuation of “reference path loss”, and including the cable loss, the attenuation of the attenuator, the voltage division factor of AMN.

The measurement results are obtained as described below:

$$P_{result}=P_{mea}+ Corr.(dB)$$

Sample calculation: $(23.86dB\mu V) = (-5.74dB\mu V) + (29.6dB)$, the corresponding frequency is 0.341893MHz.



L+N Line

MEASUREMENT RESULT:

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)	Pmea QuasiPeak (dBμV)	Pmea Average (dBμV)
0.341893	---	23.86	49.16	25.3	L1	29.6	---	-5.74
0.341893	27.61	---	59.16	31.55	L1	29.6	-1.99	---
0.457029	---	18.64	46.75	28.11	L1	29.6	---	-10.96
0.525257	24.42	---	56	31.58	N	29.6	-5.18	---
0.917572	21.19	---	56	34.81	L1	29.6	-8.41	---
1.979379	---	17.83	46	28.17	L1	29.6	---	-11.77
4.589122	---	19.46	46	26.54	L1	29.7	---	-10.24
4.606179	23.96	---	56	32.04	L1	29.7	-5.74	---
11.488736	22.74	---	60	37.26	L1	29.9	-7.16	---
11.893843	---	19.38	50	30.62	L1	29.9	---	-10.52
20.737971	22.16	---	60	37.84	L1	30.3	-8.14	---
21.467164	---	19.11	50	30.89	L1	30.3	---	-11.19

Sample calculation: $(23.63\text{dB}\mu\text{V}/\text{m}) = (6.03\text{dB}\mu\text{V}) + (17.6\text{dB}/\text{m})$, the corresponding frequency is 31.6005MHz.

For 802.11be(EHT20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.6005	23.63	17.6	6.03	Vertical	40	16.37
81.022	19.4	7.8	11.6	Vertical	40	20.6
117.494	27.69	11.9	15.79	Vertical	43.5	15.81
272.4515	27.92	14.7	13.22	Vertical	46	18.08
435.7995	25.75	17.9	7.85	Vertical	46	20.25
943.9825	29.18	24.3	4.88	Vertical	46	16.82

For 802.11be(EHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	24.12	17.8	6.32	Vertical	40	15.88
83.641	18.78	8.4	10.38	Vertical	40	21.22
117.494	27.73	11.9	15.83	Vertical	43.5	15.77
215.9975	25.1	11.9	13.2	Vertical	43.5	18.4
421.395	25.22	17	8.22	Vertical	46	20.78
934.137	29.11	24.3	4.81	Vertical	46	16.89

For 802.11be(EHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.231	23.62	17.4	6.22	Vertical	40	16.38
83.0105	18.75	8.3	10.45	Vertical	40	21.25
118.173	27.37	12.1	15.27	Vertical	43.5	16.13
209.0135	26.91	10.8	16.11	Vertical	43.5	16.59
428.864	25.56	17.5	8.06	Vertical	46	20.44
934.8645	29.25	24.3	4.95	Vertical	46	16.75

For 802.11be(EHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.261	23.73	17.6	6.13	Vertical	40	16.27
83.156	18.86	8.4	10.46	Vertical	40	21.14
112.2075	26.1	11.5	14.6	Vertical	43.5	17.4
210.3715	26.1	10.9	15.2	Vertical	43.5	17.4
511.3625	23.93	18.6	5.33	Vertical	46	22.07
946.3105	29.05	24.3	4.75	Vertical	46	16.95

For 802.11be(EHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.3395	24.17	17.8	6.37	Vertical	40	15.83

81.9435	16.56	8.1	8.46	Vertical	40	23.44
117.785	27.59	12	15.59	Vertical	43.5	15.91
278.611	28.3	14.8	13.5	Vertical	46	17.7
433.1805	25.64	17.7	7.94	Vertical	46	20.36
941.3635	29.2	24.4	4.8	Vertical	46	16.8

For 802.11be(EHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.0185	23.84	17.7	6.14	Vertical	40	16.16
83.059	19.24	8.3	10.94	Vertical	40	20.76
117.2515	27.59	11.9	15.69	Vertical	43.5	15.91
209.9835	26.11	10.8	15.31	Vertical	43.5	17.39
443.705	26.07	18.5	7.57	Vertical	46	19.93
940.151	29.37	24.4	4.97	Vertical	46	16.63

For 802.11be(EHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.7275	24.01	17.8	6.21	Vertical	40	15.99
81.022	19.26	7.8	11.46	Vertical	40	20.74
116.136	26.79	11.6	15.19	Vertical	43.5	16.71
276.283	28.29	14.8	13.49	Vertical	46	17.71
444.869	26.13	18.5	7.63	Vertical	46	19.87
937.3865	29.18	24.4	4.78	Vertical	46	16.82

For 802.11be(EHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.037	23.47	17.4	6.07	Vertical	40	16.53
83.059	19.02	8.3	10.72	Vertical	40	20.98
118.27	27.09	12.2	14.89	Vertical	43.5	16.41
275.2645	28.05	14.8	13.25	Vertical	46	17.95
434.781	25.71	17.8	7.91	Vertical	46	20.29
919.7325	28.32	23.9	4.42	Vertical	46	17.68

For 802.11be(EHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	24.22	17.9	6.32	Vertical	40	15.78
83.544	18.2	8.4	9.8	Vertical	40	21.8
117.397	27.6	11.9	15.7	Vertical	43.5	15.9
277.8835	28.3	14.8	13.5	Vertical	46	17.7
438.079	25.94	18.2	7.74	Vertical	46	20.06
934.3795	29.2	24.3	4.9	Vertical	46	16.8

For 802.11be(EHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	24.06	17.8	6.26	Vertical	40	15.94
83.6895	18.59	8.4	10.19	Vertical	40	21.41
117.203	27.53	11.8	15.73	Vertical	43.5	15.97
277.7865	28.35	14.8	13.55	Vertical	46	17.65
441.3285	26.14	18.4	7.74	Vertical	46	19.86
919.2475	28.4	23.9	4.5	Vertical	46	17.6

For 802.11be(EHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	24.09	17.8	6.29	Vertical	40	15.91
81.022	18.98	7.8	11.18	Vertical	40	21.02
117.4455	27.51	11.9	15.61	Vertical	43.5	15.99
210.323	26.3	10.9	15.4	Vertical	43.5	17.2
442.832	26.09	18.4	7.69	Vertical	46	19.91
941.897	29.25	24.4	4.85	Vertical	46	16.75

For 802.11be(EHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	24.31	17.9	6.41	Vertical	40	15.69
80.7795	16.38	7.8	8.58	Vertical	40	23.62
117.494	27.61	11.9	15.71	Vertical	43.5	15.89
279.678	27.57	14.8	12.77	Vertical	46	18.43
437.109	25.84	18.1	7.74	Vertical	46	20.16
955.3315	29.07	24.5	4.57	Vertical	46	16.93

For 802.11be(EHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.6675	23.41	17.2	6.21	Vertical	40	16.59
84.417	17.09	8.4	8.69	Vertical	40	22.91
117.494	27.53	11.9	15.63	Vertical	43.5	15.97
279.775	27.59	14.8	12.79	Vertical	46	18.41
425.081	25.34	17.2	8.14	Vertical	46	20.66
938.6475	29.21	24.4	4.81	Vertical	46	16.79

For 802.11be(EHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.2795	23.58	17.4	6.18	Vertical	40	16.42

83.059	18.96	8.3	10.66	Vertical	40	21.04
116.621	27.18	11.7	15.48	Vertical	43.5	16.32
279.2415	27.68	14.8	12.88	Vertical	46	18.32
433.3745	25.66	17.7	7.96	Vertical	46	20.34
940.927	29.26	24.4	4.86	Vertical	46	16.74

For 802.11be(EHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.582	24.09	17.8	6.29	Vertical	40	15.91
80.9735	17.94	7.8	10.14	Vertical	40	22.06
117.3	27.44	11.9	15.54	Vertical	43.5	16.06
209.256	26.95	10.8	16.15	Vertical	43.5	16.55
442.8805	26.19	18.4	7.79	Vertical	46	19.81
951.694	29.04	24.4	4.64	Vertical	46	16.96

For 802.11be(EHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	24.05	17.8	6.25	Vertical	40	15.95
80.9735	17.71	7.8	9.91	Vertical	40	22.29
111.383	26.27	11.4	14.87	Vertical	43.5	17.23
279.7265	27.76	14.8	12.96	Vertical	46	18.24
438.079	25.93	18.2	7.73	Vertical	46	20.07
912.894	28.42	24.2	4.22	Vertical	46	17.58

For 802.11be(EHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.7945	23.59	17.5	6.09	Vertical	40	16.41
83.059	18.86	8.3	10.56	Vertical	40	21.14
117.106	27.09	11.8	15.29	Vertical	43.5	16.41
278.1745	28.17	14.8	13.37	Vertical	46	17.83
443.996	26.11	18.5	7.61	Vertical	46	19.89
953.343	29.05	24.5	4.55	Vertical	46	16.95

For 802.11be(EHT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	24.09	17.8	6.29	Vertical	40	15.91
83.059	18.94	8.3	10.64	Vertical	40	21.06
116.5725	26.9	11.7	15.2	Vertical	43.5	16.6
212.7965	25.93	11.4	14.53	Vertical	43.5	17.57
435.3145	25.75	17.9	7.85	Vertical	46	20.25
909.014	28.27	24.2	4.07	Vertical	46	17.73

For 802.11be(EHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.0855	23.41	17.4	6.01	Vertical	40	16.59
83.0105	18.34	8.3	10.04	Vertical	40	21.66
117.009	26.84	11.8	15.04	Vertical	43.5	16.66
273.761	27.81	14.7	13.11	Vertical	46	18.19
444.8205	26.09	18.5	7.59	Vertical	46	19.91
942.1395	29.27	24.4	4.87	Vertical	46	16.73

For 802.11be(EHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.395	23.12	17	6.12	Vertical	40	16.88
81.0705	19.32	7.9	11.42	Vertical	40	20.68
114.875	26.09	11.5	14.59	Vertical	43.5	17.41
277.1075	28.07	14.8	13.27	Vertical	46	17.93
440.9405	26.12	18.4	7.72	Vertical	46	19.88
916.095	28.43	24.1	4.33	Vertical	46	17.57

For 802.11be(EHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.358	23.68	17.6	6.08	Vertical	40	16.32
83.447	17.83	8.4	9.43	Vertical	40	22.17
116.524	26.56	11.7	14.86	Vertical	43.5	16.94
209.159	26.89	10.8	16.09	Vertical	43.5	16.61
425.469	25.28	17.2	8.08	Vertical	46	20.72
926.571	28.84	24.1	4.74	Vertical	46	17.16

For 802.11be(EHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	24.27	17.9	6.37	Vertical	40	15.73
83.0105	18.3	8.3	10	Vertical	40	21.7
116.6695	26.75	11.7	15.05	Vertical	43.5	16.75
210.5655	26.01	11	15.01	Vertical	43.5	17.49
432.8895	25.63	17.7	7.93	Vertical	46	20.37
870.02	27.26	23.4	3.86	Vertical	46	18.74

For 802.11be(EHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.5405	23.03	16.9	6.13	Vertical	40	16.97

83.6895	17.96	8.4	9.56	Vertical	40	22.04
111.383	26.85	11.4	15.45	Vertical	43.5	16.65
210.6625	25.91	11	14.91	Vertical	43.5	17.59
444.578	26.16	18.5	7.66	Vertical	46	19.84
928.1715	28.97	24.1	4.87	Vertical	46	17.03

For 802.11be(EHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.716	23.49	17.2	6.29	Vertical	40	16.51
82.865	17.3	8.3	9	Vertical	40	22.7
117.4455	26.65	11.9	14.75	Vertical	43.5	16.85
276.574	28.1	14.8	13.3	Vertical	46	17.9
430.513	25.64	17.6	8.04	Vertical	46	20.36
906.4435	28.03	24.1	3.93	Vertical	46	17.97

For 802.11be(EHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	24.28	17.8	6.48	Vertical	40	15.72
84.2715	17.31	8.4	8.91	Vertical	40	22.69
111.4315	27.1	11.4	15.7	Vertical	43.5	16.4
274.0035	27.52	14.8	12.72	Vertical	46	18.48
439.6795	26.11	18.4	7.71	Vertical	46	19.89
909.402	28.22	24.2	4.02	Vertical	46	17.78

For 802.11be(EHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	24.29	17.9	6.39	Vertical	40	15.71
80.8765	16.12	7.8	8.32	Vertical	40	23.88
117.494	26.57	11.9	14.67	Vertical	43.5	16.93
278.32	28.18	14.8	13.38	Vertical	46	17.82
435.9935	25.77	17.9	7.87	Vertical	46	20.23
956.3015	28.96	24.5	4.46	Vertical	46	17.04

For 802.11be(EHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.5035	23.61	17.6	6.01	Vertical	40	16.39
83.544	17.96	8.4	9.56	Vertical	40	22.04
118.076	26	12.1	13.9	Vertical	43.5	17.5
208.8195	26.48	10.8	15.68	Vertical	43.5	17.02
430.3675	25.65	17.6	8.05	Vertical	46	20.35
936.3195	29.2	24.4	4.8	Vertical	46	16.8


For 802.11be(EHT160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.2795	23.54	17.4	6.14	Vertical	40	16.46
81.022	19.16	7.8	11.36	Vertical	40	20.84
117.6395	26.33	12	14.33	Vertical	43.5	17.17
273.9065	27.5	14.7	12.8	Vertical	46	18.5
428.573	25.62	17.5	8.12	Vertical	46	20.38
935.398	29.27	24.4	4.87	Vertical	46	16.73

For 802.11be(EHT160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.97	23.89	17.7	6.19	Vertical	40	16.11
83.4955	17.91	8.4	9.51	Vertical	40	22.09
112.5955	26.37	11.5	14.87	Vertical	43.5	17.13
209.4015	26.56	10.8	15.76	Vertical	43.5	16.94
441.183	26.2	18.4	7.8	Vertical	46	19.8
906.4435	28.1	24.1	4	Vertical	46	17.9

Full Spectrum




Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Carrier frequency (MHz): 5220

Channel No.44




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Carrier frequency (MHz): 5230
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT80)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT80)


Carrier frequency (MHz): 5260
Channel No.:52

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Carrier frequency (MHz): 5300
Channel No.:60

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Carrier frequency (MHz): 5320
Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT20)


Carrier frequency (MHz): 5270
Channel No.:54

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Carrier frequency (MHz): 5310
Channel No.:62




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT40)


Carrier frequency (MHz): 5290
Channel No.:58

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11be(EHT80)

Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11be(EHT80)