




Radiated Emission Band Edge  
Channel No.:50  
Test Mode: 802.11be  
Polarization: V




Radiated Emission Band Edge  
Channel No.:50  
Test Mode: 802.11be  
Polarization: H




Radiated Emission Band Edge  
Channel No.:114  
Test Mode: 802.11be  
Polarization: V



Radiated Emission Band Edge  
Channel No.:114  
Test Mode: 802.11be  
Polarization: H



Radiated Emission Band Edge  
Channel No.:114  
Test Mode: 802.11be  
Polarization: V



Radiated Emission Band Edge  
Channel No.:114  
Test Mode: 802.11be  
Polarization: H

## Radiated Emission for Partial RU

### Sample Calculations

After comparison, the worst case attitude is EUT lay down.

### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(11.88 \text{ dB}\mu\text{V/m}) = (24.48 \text{ dB}\mu\text{V}) + (-12.6 \text{ dB/m})$ , the corresponding frequency is 30.194 MHz.

Partial RU (Tone26)

For 802.11ax(HE20)Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.88	-12.6	24.48	Vertical	40	28.12
81.022	16.43	-23.7	40.13	Vertical	40	23.57
111.2375	16.77	-21.6	38.37	Vertical	43.5	26.73
215.1245	8.31	-21.9	30.21	Vertical	43.5	35.19
523.6815	10.91	-11.7	22.61	Vertical	46	35.09
895.0945	16.36	-4.9	21.26	Vertical	46	29.64

For 802.11ax(HE20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.74	-12.7	24.44	Vertical	40	28.26
81.0705	16.02	-23.7	39.72	Vertical	40	23.98
111.3345	17.98	-21.6	39.58	Vertical	43.5	25.52
215.464	8.48	-21.9	30.38	Vertical	43.5	35.02
520.723	10.94	-11.8	22.74	Vertical	46	35.06
953.537	17.02	-4	21.02	Vertical	46	28.98

For 802.11ax(HE20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.32	-12.6	24.92	Vertical	40	27.68
81.022	17.16	-23.7	40.86	Vertical	40	22.84
110.995	16.6	-21.6	38.2	Vertical	43.5	26.9
236.7555	8.9	-20.8	29.7	Vertical	46	37.1
551.4235	10.91	-11.2	22.11	Vertical	46	35.09
919.8295	16.85	-4.4	21.25	Vertical	46	29.15

For 802.11ax(HE40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.26	-12.6	24.86	Vertical	40	27.74

81.1675	14.1	-23.7	37.8	Vertical	40	25.9
112.838	18.07	-21.5	39.57	Vertical	43.5	25.43
210.1775	7.74	-22.2	29.94	Vertical	43.5	35.76
517.5705	10.83	-11.8	22.63	Vertical	46	35.17
932.7305	17.07	-4.3	21.37	Vertical	46	28.93

For 802.11ax(HE40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	12.14	-12.6	24.74	Vertical	40	27.86
81.0705	16.33	-23.7	40.03	Vertical	40	23.67
111.4315	18.07	-21.6	39.67	Vertical	43.5	25.43
214.882	8.31	-21.9	30.21	Vertical	43.5	35.19
543.033	11.17	-11.3	22.47	Vertical	46	34.83
935.7375	16.99	-4.2	21.19	Vertical	46	29.01

For 802.11ax(HE80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	11.68	-12.7	24.38	Vertical	40	28.32
80.9735	14.47	-23.7	38.17	Vertical	40	25.53
111.674	16.88	-21.6	38.48	Vertical	43.5	26.62
214.7365	8.27	-21.9	30.17	Vertical	43.5	35.23
524.5545	10.97	-11.7	22.67	Vertical	46	35.03
917.259	16.64	-4.5	21.14	Vertical	46	29.36

For 802.11ax(HE20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.3	-12.6	24.9	Vertical	40	27.7
80.925	14.51	-23.7	38.21	Vertical	40	25.49
112.159	16.85	-21.6	38.45	Vertical	43.5	26.65
229.8685	10.34	-21.1	31.44	Vertical	46	35.66
549.9685	10.96	-11.2	22.16	Vertical	46	35.04
944.5645	17.08	-4.1	21.18	Vertical	46	28.92

For 802.11ax(HE20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.1225	10.66	-14.6	25.26	Vertical	40	29.34
80.634	12.63	-23.7	36.33	Vertical	40	27.37
111.383	17.93	-21.6	39.53	Vertical	43.5	25.57
230.014	10.41	-21.1	31.51	Vertical	46	35.59
519.9955	10.95	-11.8	22.75	Vertical	46	35.05
889.7595	16.29	-4.9	21.19	Vertical	46	29.71

For 802.11ax(HE20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.141	10.27	-15.1	25.37	Vertical	40	29.73
80.9735	16.28	-23.7	39.98	Vertical	40	23.72
113.5655	17.99	-21.5	39.49	Vertical	43.5	25.51
208.3345	6.98	-22.2	29.18	Vertical	43.5	36.52
556.419	10.8	-11.1	21.9	Vertical	46	35.2
935.4465	16.95	-4.2	21.15	Vertical	46	29.05

For 802.11ax(HE40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.73	-12.7	24.43	Vertical	40	28.27
81.022	16.64	-23.7	40.34	Vertical	40	23.36
112.1105	16.85	-21.6	38.45	Vertical	43.5	26.65
214.3485	7.95	-21.9	29.85	Vertical	43.5	35.55
548.853	11.09	-11.2	22.29	Vertical	46	34.91
929.675	16.86	-4.3	21.16	Vertical	46	29.14

For 802.11ax(HE40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.13	-12.6	24.73	Vertical	40	27.87
81.022	16.33	-23.7	40.03	Vertical	40	23.67
112.9835	16.56	-21.5	38.06	Vertical	43.5	26.94
232.827	10.67	-21	31.67	Vertical	46	35.33
531.5385	11.07	-11.5	22.57	Vertical	46	34.93
943.4005	17.04	-4.2	21.24	Vertical	46	28.96

For 802.11ax(HE80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.27	-12.6	24.87	Vertical	40	27.73
84.999	12.36	-23.3	35.66	Vertical	40	27.64
112.2075	16.85	-21.6	38.45	Vertical	43.5	26.65
231.76	11	-21.1	32.1	Vertical	46	35
552.733	10.93	-11.2	22.13	Vertical	46	35.07
899.0715	16.36	-4.8	21.16	Vertical	46	29.64

For 802.11ax(HE20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	10.65	-14.8	25.45	Vertical	40	29.35
81.022	17.47	-23.7	41.17	Vertical	40	22.53

111.9165	18.03	-21.6	39.63	Vertical	43.5	25.47
214.397	9.58	-21.9	31.48	Vertical	43.5	33.92
517.3765	10.81	-11.8	22.61	Vertical	46	35.19
903.2425	16.51	-4.7	21.21	Vertical	46	29.49

For 802.11ax(HE20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.33	-12.6	24.93	Vertical	40	27.67
85.096	13.24	-23.3	36.54	Vertical	40	26.76
112.935	16.58	-21.5	38.08	Vertical	43.5	26.92
215.6095	8.45	-21.9	30.35	Vertical	43.5	35.05
503.5055	10.34	-12	22.34	Vertical	46	35.66
912.2635	16.54	-4.6	21.14	Vertical	46	29.46

For 802.11ax(HE20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.097	12.09	-12.6	24.69	Vertical	40	27.91
84.9505	12.2	-23.3	35.5	Vertical	40	27.8
109.346	14.95	-21.7	36.65	Vertical	43.5	28.55
231.954	10.87	-21	31.87	Vertical	46	35.13
516.1155	10.79	-11.7	22.49	Vertical	46	35.21
939.6175	17.01	-4.2	21.21	Vertical	46	28.99

For 802.11ax(HE40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	11.99	-12.6	24.59	Vertical	40	28.01
80.9735	15.63	-23.7	39.33	Vertical	40	24.37
112.45	16.77	-21.6	38.37	Vertical	43.5	26.73
229.626	10.18	-21.1	31.28	Vertical	46	35.82
499.674	10.31	-12.1	22.41	Vertical	46	35.69
903.4365	16.46	-4.7	21.16	Vertical	46	29.54

For 802.11ax(HE40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.291	11.72	-12.7	24.42	Vertical	40	28.28
80.9735	16.44	-23.7	40.14	Vertical	40	23.56
112.8865	18.05	-21.5	39.55	Vertical	43.5	25.45
215.8035	9.68	-21.9	31.58	Vertical	43.5	33.82
547.204	11.09	-11.2	22.29	Vertical	46	34.91
908.6745	16.64	-4.6	21.24	Vertical	46	29.36

For 802.11ax(HE40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.84	-12.6	24.44	Vertical	40	28.16
78.9365	11.51	-23.9	35.41	Vertical	40	28.49
111.383	18.86	-21.6	40.46	Vertical	43.5	24.64
230.111	10.4	-21.1	31.5	Vertical	46	35.6
517.231	10.74	-11.8	22.54	Vertical	46	35.26
929.1415	16.83	-4.3	21.13	Vertical	46	29.17

For 802.11ax(HE80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	12.01	-12.6	24.61	Vertical	40	27.99
80.828	14.22	-23.7	37.92	Vertical	40	25.78
113.4685	16.62	-21.5	38.12	Vertical	43.5	26.88
231.3235	10.88	-21.1	31.98	Vertical	46	35.12
516.2125	10.77	-11.7	22.47	Vertical	46	35.23
885.1035	16.04	-5.1	21.14	Vertical	46	29.96

For 802.11ax(HE80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.298	10.24	-14.2	24.44	Vertical	40	29.76
84.999	12.26	-23.3	35.56	Vertical	40	27.74
111.8195	16.88	-21.6	38.48	Vertical	43.5	26.62
214.688	8.26	-21.9	30.16	Vertical	43.5	35.24
509.8105	10.51	-11.9	22.41	Vertical	46	35.49
930.548	16.88	-4.3	21.18	Vertical	46	29.12

For 802.11ax(HE80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.462	10.79	-14.8	25.59	Vertical	40	29.21
80.9735	16.04	-23.7	39.74	Vertical	40	23.96
112.45	18.11	-21.6	39.71	Vertical	43.5	25.39
215.7065	9.29	-21.9	31.19	Vertical	43.5	34.21
550.1625	10.93	-11.2	22.13	Vertical	46	35.07
947.8625	17.1	-4.1	21.2	Vertical	46	28.9

For 802.11ax(HE20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.2425	11.8	-12.7	24.5	Vertical	40	28.2



81.7495	13.24	-23.6	36.84	Vertical	40	26.76
111.1405	16.68	-21.6	38.28	Vertical	43.5	26.82
210.226	6.85	-22.2	29.05	Vertical	43.5	36.65
518.783	10.85	-11.8	22.65	Vertical	46	35.15
956.4955	17	-4	21	Vertical	46	29

For 802.11ax(HE20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30	12.28	-12.6	24.88	Vertical	40	27.72
80.1005	12.4	-23.8	36.2	Vertical	40	27.6
113.323	16.4	-21.5	37.9	Vertical	43.5	27.1
232.4875	10.69	-21	31.69	Vertical	46	35.31
532.7025	11.13	-11.5	22.63	Vertical	46	34.87
946.262	17.05	-4.1	21.15	Vertical	46	28.95

For 802.11ax(HE20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.4365	11.44	-12.8	24.24	Vertical	40	28.56
85.0475	13.1	-23.3	36.4	Vertical	40	26.9
113.5655	16.23	-21.5	37.73	Vertical	43.5	27.27
222.739	9.37	-21.5	30.87	Vertical	46	36.63
524.797	11.04	-11.7	22.74	Vertical	46	34.96
956.7865	16.98	-4	20.98	Vertical	46	29.02

For 802.11ax(HE40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.485	11.24	-12.8	24.04	Vertical	40	28.76
81.022	16.47	-23.7	40.17	Vertical	40	23.53
111.7225	16.89	-21.6	38.49	Vertical	43.5	26.61
231.9055	10.96	-21.1	32.06	Vertical	46	35.04
550.7445	10.91	-11.2	22.11	Vertical	46	35.09
941.994	17.05	-4.2	21.25	Vertical	46	28.95

For 802.11ax(HE40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.8315	10.55	-14.5	25.05	Vertical	40	29.45
81.022	16.44	-23.7	40.14	Vertical	40	23.56
111.4315	17.94	-21.6	39.54	Vertical	43.5	25.56
230.9355	10.86	-21.1	31.96	Vertical	46	35.14
526.3975	11.07	-11.6	22.67	Vertical	46	34.93
959.5025	16.97	-4	20.97	Vertical	46	29.03

For 802.11ax(HE80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	11.95	-12.6	24.55	Vertical	40	28.05
81.022	16.36	-23.7	40.06	Vertical	40	23.64
110.801	16.44	-21.6	38.04	Vertical	43.5	27.06
214.8335	8.24	-21.9	30.14	Vertical	43.5	35.26
510.1985	10.57	-11.9	22.47	Vertical	46	35.43
728.4	13.21	-7.8	21.01	Vertical	46	32.79


For 802.11ax(HE160)Channel No.:50

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.0485	12.15	-12.6	24.75	Vertical	40	27.85
81.119	13.96	-23.7	37.66	Vertical	40	26.04
112.4985	16.79	-21.6	38.39	Vertical	43.5	26.71
224.485	9.78	-21.4	31.18	Vertical	46	36.22
547.9315	11.09	-11.2	22.29	Vertical	46	34.91
778.7915	14.33	-6.7	21.03	Vertical	46	31.67

For 802.11ax(HE160)Channel No.:114

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.194	11.97	-12.6	24.57	Vertical	40	28.03
80.343	12.68	-23.8	36.48	Vertical	40	27.32
111.383	18	-21.6	39.6	Vertical	43.5	25.5
209.2075	7.02	-22.2	29.22	Vertical	43.5	36.48
509.0345	10.59	-11.9	22.49	Vertical	46	35.41
913.0395	16.61	-4.5	21.11	Vertical	46	29.39

Full Spectrum




Frequency Range: 9kHz -30MHz  
Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.


Partial RU (Tone26)  
Carrier frequency (MHz): 5180  
Channel No.:36

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5220  
Channel No.44


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5240  
Channel No.:48

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5190  
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5230  
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5210  
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5260  
Channel No.:52

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5300  
Channel No.:60

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5320  
Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5260  
Channel No.:54

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5310  
Channel No.:62


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)






Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5290  
Channel No.:58




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Carrier frequency (MHz): 5500  
Channel No.:100

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode

Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5600  
Channel No.:120

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5700  
Channel No.:140

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)




Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5510  
Channel No.:102


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5590  
Channel No.:118

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5670  
Channel No.:134

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5530  
Channel No.:106

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)




Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5610  
Channel No.:122


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5690  
Channel No.:138


Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5745  
Channel No.:149




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5785  
Channel No.:157


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)




Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5825  
Channel No.:165

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)


Carrier frequency (MHz): 5755  
Channel No.:151

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)

Carrier frequency (MHz): 5795  
Channel No.:159


Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE40)


Carrier frequency (MHz): 5775  
Channel No.:155

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)


Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)




Full Spectrum



Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5250  
Channel No.:50

Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 1602.11ax(HE160)