





	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 85 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

FACE-HELD SAR TEST SETUP PHOTOGRAPHS
 2.5 cm Spacing from Front of DUT to Planar Phantom




Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 86 of 111



	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS




Back side of DUT without body-worn & audio accessories (“Baseline” Highest SAR Battery Search)


Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 87 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


BODY-WORN SAR TEST SETUP PHOTOGRAPHS





DUT with Li-ion Battery Pack, Belt-Clip body-worn accessory and Speaker-Microphone audio accessory




DUT with Alkaline Battery Case, Belt-Clip body-worn accessory and Speaker-Microphone audio accessory


Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 88 of 111



	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS




DUT with Nylon Case & Shoulder Strap body-worn accessory and Speaker-Microphone audio accessory


Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 89 of 111



	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS




DUT with Leather Case & Shoulder Strap body-worn accessory and Speaker-Microphone audio accessory


Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 90 of 111



	Date(s) of Evaluation Nov. 5, 10, 16-17, 2009	Test Report Serial No. 102809AQZ-T991-S90U	Test Report Revision No. Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date December 23, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS




DUT with Leather Case & 3" Swivel Belt-Loop body-worn accessory & Speaker-Microphone audio accessory



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 91 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS

		
<p>Front of DUT with Multi-band Antenna</p>	<p>Back of DUT with Multi-band Antenna</p>	<p>Multi-band Antenna P/N: 12082-0250-01</p>

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 92 of 111

	Date(s) of Evaluation Nov. 5, 10, 16-17, 2009	Test Report Serial No. 102809AQZ-T991-S90U	Test Report Revision No. Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date December 23, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	


DUT PHOTOGRAPHS





Front of DUT
Back of DUT w/ battery removed
Lithium-ion Battery P/N: 12082-0308-01
Lithium-ion Battery P/N: 12082-0308-01



Alkaline Battery Case P/N: 12082-0309-01
Alkaline Batteries AA x6
Alkaline Battery Case P/N: 12082-0309-01 (Batts removed)

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 93 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


DUT PHOTOGRAPHS





Front of DUT with Metal Belt-Clip accessory P/N: 12082-1291-01 and Speaker-Microphone audio accessory P/N: 12082-0600-01




Back of DUT with Metal Belt-Clip accessory P/N: 12082-1291-01 and Speaker-Microphone audio accessory P/N: 12082-0600-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 94 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS

			
DUT with Belt-Clip accessory and Li-ion Battery Pack	DUT with Belt-Clip accessory and Alkaline Battery Case	Metal Belt-Clip Accessory P/N: 12082-1291-01	
			

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 95 of 111

DUT PHOTOGRAPHS



DUT with Metal Belt-Clip accessory P/N: 12082-1291-01 and Lithium-ion Battery Pack P/N: 12082-0308-01



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 96 of 111

DUT PHOTOGRAPHS



DUT with Metal Belt-Clip accessory P/N: 12082-1291-01 and Alkaline Battery Case P/N: 12082-0309-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 97 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


DUT PHOTOGRAPHS





Front of DUT with Nylon Case (Window) accessory
P/N: 12082-0512-01, Shoulder Strap P/N: 12082-0504-01
and Speaker-Microphone P/N: 12082-0600-01



Back of DUT with Nylon Case (Window) accessory
P/N: 12082-0512-01, Shoulder Strap P/N: 12082-0504-01
and Speaker-Microphone P/N: 12082-0600-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 98 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS




Top end of DUT with Nylon Case P/N: 12082-0512-01 & Shoulder Strap



Bottom end of DUT with Nylon Case P/N: 12082-0512-01



Nylon Case Metal D-Clips attached to Shoulder Strap Metal Clasps

Left & Right Side of DUT with Nylon Case P/N: 12082-0512-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				


	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS



Nylon Case (Window) body-worn accessory P/N: 12082-0512-01

Nylon Shoulder Strap accessory P/N: 12082-0504-01



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 100 of 111

DUT PHOTOGRAPHS



Nylon Case (Full) P/N: 12082-0510-01 & Shoulder Strap P/N: 12082-0504-01 - (Nylon Case (Full) not evaluated for SAR - see page 9)

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 101 of 111


	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	




DUT PHOTOGRAPHS



Front of DUT with Leather Case (Full) accessory P/N: 12082-0500-01, Shoulder Strap P/N: 12082-0505-01 & Speaker-Mic P/N: 12082-0600-01

Back of DUT with Leather Case (Full) accessory P/N: 12082-0500-01, Shoulder Strap P/N: 12082-0505-01 & Speaker-Mic P/N: 12082-0600-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 102 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS




Left & Right sides of DUT with Leather Case (Full) accessory P/N: 12082-0500-01 (with built-in belt-loop) & Shoulder Strap accessory P/N: 12082-0505-01



Bottom end of DUT w/ Leather Case P/N: 12082-0500-01 & Shoulder Strap P/N: 12082-0505-01



Front & Back of DUT - Leather Case (Full) Metal D-Rings attached to Shoulder Strap Metal Clasps

Top end of DUT & inside Leather Case accessory

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 103 of 111

	Date(s) of Evaluation Nov. 5, 10, 16-17, 2009	Test Report Serial No. 102809AQZ-T991-S90U	Test Report Revision No. Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date December 23, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

DUT PHOTOGRAPHS




Left & Right sides of DUT with Leather Case (Half) and D-Rings accessory P/N: 12082-0501-01



inside Leather Case accessory P/N: 12082-0501-01



DUT with Leather Case (Half) and D-Rings (this accessory not evaluated for SAR - see page 9)

Front Side of Leather Case (Half) & D-Rings accessory

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 104 of 111


	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



DUT PHOTOGRAPHS



Front of DUT with Leather Case (Full) P/N: 12082-0502-02 and Swivel Belt-Loop (3") accessory & Speaker-Mic P/N: 12082-0600-01

Back of DUT with Leather Case (Full) P/N: 12082-0502-02 and Swivel Belt-Loop (3") accessory & Speaker-Mic P/N: 12082-0600-01

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 105 of 111


	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	



DUT PHOTOGRAPHS



Left & Right sides of DUT with Leather Case (Full) P/N: 12082-0502-02 and Swivel Belt-Loop (3")


Top & Bottom end of DUT with Leather Case P/N: 12082-0502-02 and Swivel Belt-Loop (3")



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 106 of 111

	Date(s) of Evaluation Nov. 5, 10, 16-17, 2009	Test Report Serial No. 102809AQZ-T991-S90U	Test Report Revision No. Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date December 23, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

DUT PHOTOGRAPHS



Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.					Page 107 of 111

	<u>Date(s) of Evaluation</u> Nov. 5, 10, 16-17, 2009	<u>Test Report Serial No.</u> 102809AQZ-T991-S90U	<u>Test Report Revision No.</u> Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> December 23, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	


DUT PHOTOGRAPHS





Front of Leather Case (Half) P/N: 12082-0507-02
Back of Leather Case (Half) P/N: 12082-0507-02
Back of Leather Case (Half) with Belt-Loop (3")



Leather Case (Half) P/N: 12082-0507-02 with Swivel Belt-Loop (3") accessory - (Leather Case (Half) not evaluated for SAR - see page 9)

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 108 of 111

	Date(s) of Evaluation Nov. 5, 10, 16-17, 2009	Test Report Serial No. 102809AQZ-T991-S90U	Test Report Revision No. Rev. 1.2 (3rd Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date December 23, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

DUT PHOTOGRAPHS




Left & Right sides of DUT with Leather Case (Full) P/N: 12082-0502-01 and Swivel Belt-Loop (2.5")



Front and Back Sides of Swivel Belt-Loop (2.5") accessory (not evaluated for SAR - see page 9)



Top end & Back of DUT with 2.5" Belt-Loop

Applicant:	HARRIS CORPORATION	FCC ID:	AQZ-XG-100P00	IC:	122D-XG100P00	
DUT Type:	Portable PTT Multi-band Radio Transceiver	Model:	Unity XG-100P	UHF:	406.1-512 MHz	
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.				Page 109 of 111